

## Product Upgrade Description


**Models: WT 145RJOD**

### Description

1.1 Surge protector designed to provide protection for Power over Ethernet (POE) enabled devices against

transient surge and static discharge.

- CAT5e, CAT5 (POE5-48-OD) and CAT6 (POE6-48-OD) compatible
- 802.3af
- 10/100/1000 Base-T Gigabit Ethernet protection
- LAN, FDDI, CDDI, ATM, WLAN
- PDH, SDH, SPDH
- Industrial control
- For outdoor use



Alteration/improvement from the original models:

2.1 Enclosure size is two fifths times of the original and the weight is three fifths times of the former .

2.2 Caps are replaced by simpler entry Installation and wire/cable connection are much easier for user.

2.3 Circuit board improved and enhanced.

#### **WELLTECH ENTERPRISES**

415 Ground Floor, PRAKASH MOHALLA, GARHI , EAST OF KAILASH  
NEW DELHI 110065  
Phone +91 9871650366 Email : sales@welltechenterprises.in



**WELLTECH ENTERPRISES**

415 Ground Floor, PRAKASH MOHALLA, GARHI , EAST OF KAILASH  
NEW DELHI 110065  
Phone +91 9871650366      Email : [sales@welltechenterprises.in](mailto:sales@welltechenterprises.in)

<b>Mechanical characteristics</b>	
Dimension	12.2(H)×10.2(W)×7.1(L)cm
Weight per unit	244g
IP Level	IP65 (with waterproof duct tape applied)
Working conditions	Temp.: -40 ~ 85°C Relative humidity: 5% ~ 95%
Standards Compliance	IEC61000, RoHS

**WELLTECH ENTERPRISES**

415 Ground Floor, PRAKASH MOHALLA, GARHI , EAST OF KAILASH  
NEW DELHI 110065  
Phone +91 9871650366 Email : sales@welltechenterprises.in