

question1.cpp ×

question2.cpp

question3.cpp

ques ▾ ⚙️ 🔗 |

PROBLEMS

OUTPUT

TERMINAL


Code + ▾ | | | |


question1.cpp > main()


```
1  #include <iostream>
2  using namespace std;
3  int main() {
4      int n;
5      cin >> n;
6      int count = 0;
7      for (int i=0; n>0; ) {
8          count++ ;
9          n = n/10;
10     }
11     cout << count ;
12 }
```


```
cd "/Users/chirag/Documents/ass4/" && g++ question1.cpp -o
question1 && "/Users/chirag/Documents/ass4/"question1
● Chirag ~/Documents/ass4 % cd "/Users/chirag/Documents/ass4
/" && g++ question1.cpp -o question1 && "/Users/chirag/Doc
uments/ass4/"question1
12345
5%
○ Chirag ~/Documents/ass4 %
```











question4.cpp

question5.cpp

questionn6.cpp

question7.c

question5.cpp > main()

```
1  #include <iostream>
2  using namespace std;
3  int main() {
4      int n;
5      cin >> n;
6      int ans = 0;
7      while(n>0) {
8          int digit = n%10 ;
9          if (digit>ans) {
10             ans = digit;
11         }
12         n = n/10 ;
13     }
14     cout << ans;
15 }
```

PROBLEMS

TERMINAL

Code

```
Chirag ~/Documents/ass4 % cd "/Users/chirag/Documents/ass4/" && g++ question5.cpp -o question5 && "/Users/chirag/Documents/ass4/"question5
472953
9%
Chirag ~/Documents/ass4 %
```



Ln 15, Col 2

Spaces: 4

UTF-8

LF

{ } C++




Go Live

Mac

Prettier





question6.cpp > main()

```
2 using namespace std;
3 int main(){
4     int l, r ;
5     cin >> l >> r ;
6     int cnt = 0;
7     if(l==r || r<l || r==1) {
8         cout << "0";
9     }
10    else {
11        int n = l;
12        while(n<r) {
13            int isPrime = 1;
14            for (int i=2; i<n; i++) {
15                if(n%i==0) {
16                    isPrime = 0;
17                }
18            }
19            if(isPrime) {
20                cnt++;
21            }
22            n++;
23        }
24        cout << cnt ;
25    }
26 }
```

Chirag ~/Documents/ass4 % cd "/Users/chirag/Documents/ass4/" && g++ question6.cpp -o question6 && "/Users/chirag/Documents/ass4/"question6
11 20
4
Chirag ~/Documents/ass4 %

