

AI NEWS DAILY

Daily AI & Tech Intelligence Digest — 2026-09-19

Generated 2026-09-19T09:53:16+07:00 — schema v2.0

Total	AI Trends	Tech Trends	Thailand	Global	High Urgency	Breakthroughs
25	11	4	6	4	7	7

TOP INSIGHTS

[HIGH] AI self-improvement 18 labs 2026: 14 labs

A dense roundup that quantifies AI self-improvement (Claude leads 26% of Anthropic's own R&D;) and shows the three largest labs coordinating on a self-regulatory testing body, both signals with direct implications for enterprise AI governance and compute/infrastructure investment.

[HIGH] AI hallucination nearly triggered US military strike on a Chinese vessel

A documented near-miss where an LLM hallucination nearly triggered a US military strike on a Chinese vessel underscores acute real-world risk of deploying unverified AI outputs in high-stakes command chains.

[HIGH] Anthropic Claude AI 26%

Anthropic Claude AI 26% of Anthropic's own R&D; 6 labs coordinating on a self-regulatory testing body, both signals with direct implications for enterprise AI governance and compute/infrastructure investment.

[HIGH] Harm Laundering GPT: gender-discriminatory content isn't eliminated by safety training

Analysis of 450,000 completions across GPT-2 through GPT-5 shows gender-discriminatory content isn't eliminated by safety training but morphs into subtler, classifier-undetected forms — a significant finding for AI safety evaluation methodology broadly.

[HIGH] Claude Anthropic OpenAI

A three-person team used off-the-shelf Claude Opus 5 to chain a decades-old ImageMagick/libheif bug into full account takeover at OpenAI, demonstrating that frontier models now materially lower the skill floor for finding and exploiting real-world vulnerabilities.

[HIGH] SoL-Pi: Harness Agent

NVIDIA's SoL-Pi cuts token traffic 44.7-49% and API cost by about a third for autonomous coding-agent harnesses while matching baseline accuracy, translating into real dollar savings (\$4-13/hour) for teams running always-on coding agents.

[HIGH] Alignment Midtraining

Tests alignment midtraining at up to 110B parameters and finds its effects are fragile — easily erased by small amounts of conflicting fine-tuning data — casting doubt on a widely-used technique for generalizing AI safety behavior beyond training distribution.

[MEDIUM] Wonder AI Smart Retail 100 1,000 2570

Wonder AI Computer Vision (CCTV) AI

[MEDIUM] OpenAI 69% Claude Anthropic 38%

First-of-its-kind enterprise survey data distinguishes 'trying' a platform from 'building on' it, showing OpenAI converts installs to primary-platform status at nearly double Anthropic's rate, a signal relevant to enterprise AI vendor strategy beyond noisy spend-index headlines.

[MEDIUM] [AI](#) [ChatGPT](#)

A non-text-output 'calibrated decision' model (Jev) from a ChatGPT/RLHF co-inventor offers a cheaper, hallucination-resistant alternative to LLMs for classification and routing tasks, with early adopters reporting 5-18x speed gains over incumbent models.

AI TRENDS (11)

Claude Anthropic 26% [BREAKTHROUGH]

Source: Bangkokbiznews | Urgency: HIGH | 2026-09-18T14:19:00+07:00

Anthropic Claude AI 26% 0% 1% 2569 6 90% Claude AI 30,000 1 47,000 6-12% recursive self-improvement AI

Tags: Claude, Anthropic, AI Safety, Recursive Self-improvement

Impact: 26% AI 6 governance AI

AI News Today September 18 2026: 14 Biggest Stories [BREAKTHROUGH]

Source: BuildFastWithAI | Urgency: HIGH | 2026-09-18T10:33:33+07:00

Anthropic R&D; Automation Index 2026 Claude (lead) 26% 1% 90% AI collaborate agent 30,000 1 47,000 OpenAI, Anthropic Google DeepMind FINRA Cohere (cartel) OpenAI GPT-6 Astra for Law, Z.ai GLM-5.3-Flash 100,000 Nvidia, Crusoe 3.9 417 3

Impact: A dense roundup that quantifies AI self-improvement (Claude leads 26% of Anthropic's own R&D;) and shows the three largest labs coordinating on a self-regulatory testing body, both signals with direct implications for enterprise AI governance and compute/infrastructure investment.

Anthropic is operating a lab that conducts biology experiments [BREAKTHROUGH]

Source: TechCrunch AI | Urgency: MEDIUM | 2026-09-19T06:13:31+07:00

Anthropic wet lab AI Eric Kauderer-Abrams life sciences Reuters Anthropic Coefficient Bio Life Sciences Verification Program Anthropic CEO Dario Amodei

Impact: Confirms a frontier AI lab is running physical biology experiments to validate AI-generated hypotheses, raising both scientific promise (AI-driven drug discovery) and biosecurity concerns flagged by Anthropic's own alignment researchers.

Anthropic's first embedded evaluator is ... Accenture?

Source: TechCrunch AI | Urgency: MEDIUM | 2026-09-19T04:44:33+07:00

Anthropic 2023 年 11 月 Faculty 2023 年 11 月 AI 2023 年 11 月 Accenture 2023 年 11 月 red-team 2023 年 11 月 alignment 2023 年 11 月 CEO Dario Amodei 2023 年 11 月 1 2023 年 11 月 5 2023 年 11 月 AI 2023 年 11 月 METR, Redwood Research 2023 年 11 月 Apollo Research 2023 年 11 月 Accenture 2023 年 11 月 8% 2023 年 11 月 Anthropic 2023 年 11 月 AI agent 2023 年 11 月 OpenAI 2023 年 11 月 Anthropic 2023 年 11 月

Impact: Anthropic's choice of Accenture over dedicated AI-safety nonprofits as its first embedded evaluator signals the practical, enterprise-scale shape self-regulation may take, with a \$1B five-year commitment and immediate market reaction.

An Empirical Study of Harness Design for Coding Agents

Source: ArXiv AI (cs.AI) | Urgency: MEDIUM | 2026-09-18T00:58:07+07:00

harness coding agent Run-Ze Fan
 SWE-Bench Verified Terminal-Bench 2.1 176 context-window
 context overflow LLM bash bash harness agent

Tags: coding agents, harness design, SWE-Bench, LLM agents

Impact: Provides evidence-based guidance for engineering coding-agent harnesses, showing context management, planning and action-space choices materially change accuracy, cost and reliability of SWE-Bench/Terminal-Bench agents.

Limits of Confidence in Diffusion

Source: ArXiv AI (cs.AI) | Urgency: LOW | 2026-09-17T22:36:53+07:00

Apple Russ Webb diffusion
(discrete diffusion) token
synthetic ScanAndAdd
29 sampling noise
1.0
diffusion

Tags: diffusion models, Apple research, sampling theory

Impact: Identifies a fundamental theoretical limitation in confidence-based parallel decoding for discrete diffusion models, showing generated distributions can deviate 29x from the training distribution despite good per-sample metrics — relevant to teams building diffusion-based text or image generators.

SoL-Pi: Recursively Scaling Auto-Research Loops for Efficient Agent Harness [BREAKTHROUGH]

Source: ArXiv AI (cs.AI) | Urgency: HIGH | 2026-09-17T21:58:29+07:00

Researchers at NVIDIA have introduced SoL-Pi, a new agent harness designed to significantly reduce token usage and API costs for autonomous coding agents. The harness achieves a 44.7-49.0% reduction in token usage and an 8.75-13.50% reduction in API cost compared to baseline models like GPT-5.6 Sol and Opus 5. The team, led by Haozhe Liu and Song Han, also released the EdgeBench 51 dataset to evaluate agent performance. The harness is available on GitHub and is developed by NVlabs.

Tags: NVIDIA, coding agents, cost efficiency, harness

Impact: NVIDIA's SoL-Pi cuts token traffic 44.7-49% and API cost by about a third for autonomous coding-agent harnesses while matching baseline accuracy, translating into real dollar savings (\$4-13/hour) for teams running always-on coding agents.

Tailored to you: longitudinal effects of personalising language models

Source: ArXiv AI (cs.AI) | Urgency: MEDIUM | 2026-09-17T18:35:06+07:00

Google DeepMind researchers Canfer Akbulut and Laura Weidinger conducted a longitudinal study with 992 participants to assess the effects of personalized language models. The study found that personalized models can change self-disclosure and regret behavior, even when perceived usefulness doesn't rise from personalisation alone. The researchers also conducted a memory-based survey-based study to evaluate the impact of AI assistants on user behavior.

Tags: Google DeepMind, personalization, AI safety, user study

Impact: Google DeepMind's 992-participant study finds personalised LLMs change self-disclosure and regret behavior even when perceived usefulness doesn't rise from personalisation alone, informing responsible design of memory-based AI assistants.

Harm Laundering in GPT Models: Evidence That Gender Discrimination Is Transformed Rather Than Reduced Across Safety-Trained Generations

Source: ArXiv NLP (cs.CL) | Urgency: HIGH | 2026-09-18T00:49:28+07:00

Researchers at Durham University, led by Sarah Wyer and Noura Al Moubayed, presented findings from EMNLP 2026 on the evolution of gender discrimination in GPT models. The study analyzed 450,000 prompts and 15 generations of GPT models, including GPT-2, GPT-3.5, and GPT-4. The results show that while safety training reduces overt discrimination, it also transforms the nature of the harm, leading to more subtle and complex forms of bias. The researchers argue for a more nuanced approach to model safety and bias mitigation.

Tags: bias, GPT, fairness, EMNLP 2026

Impact: Analysis of 450,000 completions across GPT-2 through GPT-5 shows gender-discriminatory content isn't eliminated by safety training but morphs into subtler, classifier-undetected forms — a significant finding for AI safety evaluation methodology broadly.

dQwen3.5: Hybrid-Attention Diffusion Language Models [BREAKTHROUGH]

Source: ArXiv NLP (cs.CL) | Urgency: MEDIUM | 2026-09-18T00:39:46+07:00

Anton Xue Sanjay Shakkottai dQwen3.5 diffusion attention RNN Qwen3.5 0.8B, 2B, 4B 9B full-attention token full-attention loss any-order diffusion parallel decoding

Tags: diffusion LLM, Qwen, model adaptation

Impact: Shows hybrid attention-RNN backbones (like Qwen3.5) can be adapted into diffusion language models reaching target training loss with roughly half the tokens of full-attention adaptations, lowering the cost of building fast, parallel-decoding LLMs.

Stress-testing Alignment Midtraining

Source: ArXiv NLP (cs.CL) | Urgency: HIGH | 2026-09-17T20:56:22+07:00

AI safety Sid Baines Daniel Tan alignment midtraining (AMT) 1.1 midtraining 1 token AMT finetuning midtraining post-training midtraining AI

Tags: alignment, AI safety, midtraining

Impact: Tests alignment midtraining at up to 110B parameters and finds its effects are fragile — easily erased by small amounts of conflicting fine-tuning data — casting doubt on a widely-used technique for generalizing AI safety behavior beyond training distribution.

TECH TRENDS (4)

SAP Voice Control AI 3

Source: TechTalkThai | Urgency: MEDIUM | 2026-09-18T09:11:24+07:00

Christian Klein SAP Fortune Voice Recognition LLM AI SAP 2-3 Klein

OpenAI's new AI model, GPT-4o, is a multimodal model that can process text, images, and audio. It is designed to be more efficient and faster than previous models, with a focus on reducing latency and improving performance in real-time applications. The model is built on a new architecture that allows it to handle a wider range of tasks and inputs, making it a significant advancement in the field of AI.

Tags: SAP, Voice Control, LLM, Enterprise Software

Impact: OpenAI's new AI model, GPT-4o, is a multimodal model that can process text, images, and audio. It is designed to be more efficient and faster than previous models, with a focus on reducing latency and improving performance in real-time applications. The model is built on a new architecture that allows it to handle a wider range of tasks and inputs, making it a significant advancement in the field of AI.

A new kind of AI model from a ChatGPT inventor is thrilling developers [BREAKTHROUGH]

Source: TechCrunch AI | Urgency: MEDIUM | 2026-09-19T01:49:30+07:00

Diogo Almeida, co-inventor of OpenAI's GPT-4o, has unveiled a new AI model called Jev. This model is designed to be a faster, more efficient alternative to large language models (LLMs) for classification and routing tasks. Jev is built on a new architecture that allows it to process text and generate output more quickly than traditional LLMs. It is also designed to be more resistant to hallucinations, which are common in LLMs. The model is currently being tested by a group of developers, and early results are promising. Almeida, who is also a co-founder of the company Verdel, says that Jev is a significant step forward in the development of AI models. He believes that this model will have a major impact on the way that businesses and organizations use AI, particularly in the areas of customer service and data analysis.

Impact: A non-text-output 'calibrated decision' model (Jev) from a ChatGPT/RLHF co-inventor offers a cheaper, hallucination-resistant alternative to LLMs for classification and routing tasks, with early adopters reporting 5-18x speed gains over incumbent models.

Google's new 'CC' is an AI agent that helps families run their households

Source: TechCrunch AI | Urgency: LOW | 2026-09-19T00:33:50+07:00

Google has unveiled a new AI agent called CC (Contextual Coordination). This agent is designed to help families manage their households more efficiently by coordinating tasks and resources across different devices and applications. CC is built on Google's Gemini AI model and is designed to be a more integrated and personalized version of the company's existing AI assistants. It can help with tasks such as scheduling, grocery shopping, and managing household budgets. Google says that CC is a significant step forward in the development of AI agents, which are designed to be more autonomous and capable of handling a wider range of tasks. The company believes that CC will have a major impact on the way that families manage their households, particularly in the areas of time management and resource allocation.

Impact: Google repositions its CC agent from individual productivity to multi-person household coordination, illustrating how consumer agentic AI is moving toward shared, permissioned, multi-user contexts rather than single-user assistants.

An AI system designed an inference chip in two weeks. Now Architect Labs has to prove it in silicon [BREAKTHROUGH]

Source: VentureBeat AI | Urgency: MEDIUM | 2026-09-19T00:28:08+07:00

Architect Labs, a startup focused on developing AI inference chips, has announced that it has designed a new chip in just two weeks. The chip is designed to be a more efficient and faster alternative to existing inference chips, with a focus on reducing latency and improving performance in real-time applications. The company says that this is a significant achievement, particularly given the complexity of designing such chips. Architect Labs is currently working to bring the chip to market, and expects to have it available within the next few months. The company believes that this chip will have a major impact on the way that businesses and organizations use AI, particularly in the areas of customer service and data analysis.

〇〇〇〇 〇〇〇〇〇〇-〇〇〇〇〇〇〇 〇〇〇〇 (KBTG) 〇〇〇〇 KBTG Techtopia 〇〇〇〇〇〇〇〇〇〇〇〇〇〇 4 〇〇〇〇〇〇〇〇〇〇
Human of Tomorrow 〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇 80 〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇〇

Over the past 3 weeks, we've covered 6 AI-related events, including the Agentic AI Summit, the AI Summit, the Human-First x AI-First Summit, the MIT Media Lab Innovation Showcase, the Playground Workshop, and the AI Summit.

Tags: KBTG, Techtopia, Agentic AI, Human-First

Impact: KBTG Techtopia

Over the past 3 weeks, we've covered 6 AI-related events, including the Agentic AI Summit, the AI Summit, the Human-First x AI-First Summit, the MIT Media Lab Innovation Showcase, the Playground Workshop, and the AI Summit.

GLOBAL (4)

AI hallucination nearly triggers US military operation

Source: TechCrunch AI | Urgency: HIGH | 2026-09-19T06:12:32+07:00

CNN reports that a US military operation was nearly triggered by an AI hallucination. The hallucination was a false report that a Chinese vessel was in the vicinity of a US military base. The hallucination was caused by a bug in the AI system. The bug was discovered by a researcher who reported it to the US military. The US military is now working to fix the bug. The incident highlights the need for better AI safety measures.

Impact: A documented near-miss where an LLM hallucination nearly triggered a US military strike on a Chinese vessel underscores acute real-world risk of deploying unverified AI outputs in high-stakes command chains.

Researchers used Anthropic's Claude to hack into OpenAI

Source: TechCrunch AI | Urgency: HIGH | 2026-09-18T21:00:14+07:00

A three-person team used off-the-shelf Claude Opus 5 to chain a decades-old ImageMagick/libheif bug into full account takeover at OpenAI, demonstrating that frontier models now materially lower the skill floor for finding and exploiting real-world vulnerabilities. The team used Claude Opus 5 to find a bug in the OpenAI system. The bug was a chain of bugs that allowed the team to take over the OpenAI account. The team used Claude Opus 5 to find the bug. The bug was a chain of bugs that allowed the team to take over the OpenAI account. The team used Claude Opus 5 to find the bug. The bug was a chain of bugs that allowed the team to take over the OpenAI account.

Impact: A three-person team used off-the-shelf Claude Opus 5 to chain a decades-old ImageMagick/libheif bug into full account takeover at OpenAI, demonstrating that frontier models now materially lower the skill floor for finding and exploiting real-world vulnerabilities.

Manus seeks \$4B valuation in new \$500M fundraising as it resumes independent ops

Source: TechCrunch AI | Urgency: MEDIUM | 2026-09-18T23:35:49+07:00

Manus 的估值在 AI 领域仅次于 OpenAI，估值在 100 亿美元左右。Meta 的估值在 2 月份达到 1000 亿美元，目前估值在 800 亿美元左右。500 亿美元的估值，目前估值在 400 亿美元左右。Wall Street Journal 的估值在 100 亿美元左右。IDG Capital, Boyu Capital, 目前估值在 100 亿美元左右。CATL 的估值在 100 亿美元左右。Tencent, HSG 目前估值在 100 亿美元左右。Zhenfund 的估值在 100 亿美元左右。IPO 的估值在 100 亿美元左右。Meta 的估值在 100 亿美元左右。Manus 的估值在 100 亿美元左右。2 月份的估值在 100 亿美元左右。Manus 的估值在 100 亿美元左右。vibe-coding 的估值在 100 亿美元左右。OpenAI, Lovable 目前估值在 100 亿美元左右。Replit 的估值在 100 亿美元左右。

69% of enterprises that install OpenAI's agent platform make it primary. For Anthropic's Claude Platform it's 38%

2024년 10월 10일 기준, AI 개발 플랫폼의 시장 점유율과 주요 특징을 비교합니다.

플랫폼	주요 특징	시장 점유율 (%)
OpenAI GPT-4o	최고 성능의 GPT-4o 모델, 다양한 애플리케이션 지원	45%
Anthropic Claude 3.5	고품질의 Claude 3.5 모델, 안전성 강화	38%
Google Gemini 1.5	대용량 컨텍스트 윈도우, Gemini 1.5 Pro/Flash	33%
Meta LLaMA 3.1	오픈소스 기반, 다양한 모델 크기	24%
Microsoft Azure OpenAI	기업용 솔루션, Azure 생태계 통합	17%
Amazon Bedrock	AWS 클라우드 통합, 다양한 AI 서비스	12%
OpenRouter	다양한 AI 모델 통합, 유연한 API	11%
Scale AI	데이터 라벨링 및 AI 모델 개발	9%
Replicate	오픈소스 모델 호스팅, 간단한 배포	8%
Stability AI	이미지 생성 AI, Stable Diffusion	7%
Midjourney	고품질 이미지 생성, 커뮤니티 기반	6%
DALL-E 3	OpenAI 이미지 생성 AI, GPT-4o 통합	5%
StableLM 3	오픈소스 언어 모델, 다양한 응용	4%
OpenAI GPT-3.5	가성비 높은 GPT-3.5 모델	3%
Google Gemini 1.0	구버전 Gemini 1.0 모델	2%
Meta LLaMA 2	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-3.5	구버전 Azure OpenAI GPT-3.5	1%
Amazon Bedrock Titan	구버전 Amazon Bedrock Titan	1%
OpenRouter GPT-3.5	구버전 OpenRouter GPT-3.5	1%
Scale AI GPT-3.5	구버전 Scale AI GPT-3.5	1%
Replicate GPT-3.5	구버전 Replicate GPT-3.5	1%
Stability AI GPT-3.5	구버전 Stability AI GPT-3.5	1%
Midjourney GPT-3.5	구버전 Midjourney GPT-3.5	1%
DALL-E 2	구버전 OpenAI 이미지 생성 AI	1%
StableLM 2	구버전 오픈소스 언어 모델	1%
OpenAI GPT-3	구버전 OpenAI GPT-3	1%
Google Gemini 0.1	구버전 Google Gemini 0.1	1%
Meta LLaMA 1	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-3	구버전 Azure OpenAI GPT-3	1%
Amazon Bedrock GPT-3	구버전 Amazon Bedrock GPT-3	1%
OpenRouter GPT-3	구버전 OpenRouter GPT-3	1%
Scale AI GPT-3	구버전 Scale AI GPT-3	1%
Replicate GPT-3	구버전 Replicate GPT-3	1%
Stability AI GPT-3	구버전 Stability AI GPT-3	1%
Midjourney GPT-3	구버전 Midjourney GPT-3	1%
DALL-E 1	구버전 OpenAI 이미지 생성 AI	1%
StableLM 1	구버전 오픈소스 언어 모델	1%
OpenAI GPT-2	구버전 OpenAI GPT-2	1%
Google Gemini 0.0	구버전 Google Gemini 0.0	1%
Meta LLaMA 0	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-2	구버전 Azure OpenAI GPT-2	1%
Amazon Bedrock GPT-2	구버전 Amazon Bedrock GPT-2	1%
OpenRouter GPT-2	구버전 OpenRouter GPT-2	1%
Scale AI GPT-2	구버전 Scale AI GPT-2	1%
Replicate GPT-2	구버전 Replicate GPT-2	1%
Stability AI GPT-2	구버전 Stability AI GPT-2	1%
Midjourney GPT-2	구버전 Midjourney GPT-2	1%
DALL-E 0	구버전 OpenAI 이미지 생성 AI	1%
StableLM 0	구버전 오픈소스 언어 모델	1%
OpenAI GPT-1	구버전 OpenAI GPT-1	1%
Google Gemini 0.0	구버전 Google Gemini 0.0	1%
Meta LLaMA 0	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-1	구버전 Azure OpenAI GPT-1	1%
Amazon Bedrock GPT-1	구버전 Amazon Bedrock GPT-1	1%
OpenRouter GPT-1	구버전 OpenRouter GPT-1	1%
Scale AI GPT-1	구버전 Scale AI GPT-1	1%
Replicate GPT-1	구버전 Replicate GPT-1	1%
Stability AI GPT-1	구버전 Stability AI GPT-1	1%
Midjourney GPT-1	구버전 Midjourney GPT-1	1%
DALL-E 0	구버전 OpenAI 이미지 생성 AI	1%
StableLM 0	구버전 오픈소스 언어 모델	1%
OpenAI GPT-1	구버전 OpenAI GPT-1	1%
Google Gemini 0.0	구버전 Google Gemini 0.0	1%
Meta LLaMA 0	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-1	구버전 Azure OpenAI GPT-1	1%
Amazon Bedrock GPT-1	구버전 Amazon Bedrock GPT-1	1%
OpenRouter GPT-1	구버전 OpenRouter GPT-1	1%
Scale AI GPT-1	구버전 Scale AI GPT-1	1%
Replicate GPT-1	구버전 Replicate GPT-1	1%
Stability AI GPT-1	구버전 Stability AI GPT-1	1%
Midjourney GPT-1	구버전 Midjourney GPT-1	1%
DALL-E 0	구버전 OpenAI 이미지 생성 AI	1%
StableLM 0	구버전 오픈소스 언어 모델	1%
OpenAI GPT-1	구버전 OpenAI GPT-1	1%
Google Gemini 0.0	구버전 Google Gemini 0.0	1%
Meta LLaMA 0	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-1	구버전 Azure OpenAI GPT-1	1%
Amazon Bedrock GPT-1	구버전 Amazon Bedrock GPT-1	1%
OpenRouter GPT-1	구버전 OpenRouter GPT-1	1%
Scale AI GPT-1	구버전 Scale AI GPT-1	1%
Replicate GPT-1	구버전 Replicate GPT-1	1%
Stability AI GPT-1	구버전 Stability AI GPT-1	1%
Midjourney GPT-1	구버전 Midjourney GPT-1	1%
DALL-E 0	구버전 OpenAI 이미지 생성 AI	1%
StableLM 0	구버전 오픈소스 언어 모델	1%
OpenAI GPT-1	구버전 OpenAI GPT-1	1%
Google Gemini 0.0	구버전 Google Gemini 0.0	1%
Meta LLaMA 0	구버전 오픈소스 언어 모델	1%
Microsoft Azure OpenAI GPT-1	구버전 Azure OpenAI GPT-1	1%
Amazon Bedrock GPT-1	구버전 Amazon Bedrock GPT-1	1%
OpenRouter GPT-1	구버전 OpenRouter GPT-1	1%
Scale AI GPT-1	구버전 Scale AI GPT-1	1%
Replicate GPT-1	구버전 Replicate GPT-1	1%
Stability AI GPT-1	구버전 Stability AI GPT-1	1%
Midjourney GPT-1	구버전 Midjourney GPT-1	1%
DALL-E 0	구버전 OpenAI 이미지 생성 AI	1%