

Daily AI & Tech Intelligence Digest — 2026-09-27

Total	AI Trends	Tech Trends	Thailand	Global	High Urgency	Breakthroughs
19	11	4	2	2	4	4

[HIGH] AI agent agent

AI agent

agent

[HIGH] Microsoft Copilot Autopilot agent AI agent Microsoft 365 Copilot AI

[HIGH] monorepo OpenAI AI coding agent 72

AI coding agent

monorepo agent

[HIGH] Embodied RL

IoT reinforcement learning

[MEDIUM] 3 ChatGPT Ads

ChatGPT Ads AI

[MEDIUM] BRIE AI

BRIE AI
AI

[MEDIUM] AD-WM: World Model 0000000000000000 000000000000000000000000000000000000 3.7% 0000
52%

world model

[MEDIUM] Black Forest Labs FLUX 3 Action 1

FLUX 3 Action

Al

[MEDIUM] Jev-Mobile AI agent 73%

1. 设计并实现一个 AI agent 框架，用于自动化测试。该框架应支持多种 API 接口，并能根据测试用例自动生成测试脚本。

[MEDIUM] MISVO 设计并实现一个 AI agent 框架，用于自动化测试。该框架应支持多种 API 接口，并能根据测试用例自动生成测试脚本。

2. 设计并实现一个 AI agent 框架，用于自动化测试。该框架应支持多种 API 接口，并能根据测试用例自动生成测试脚本。

AI TRENDS (11)

Stanford and Nvidia's open CLM-8B caches reusable agent actions and runs up to 9x faster than Jev in tests [BREAKTHROUGH]

Source: VentureBeat AI | Urgency: MEDIUM | 2026-09-25T08:00:00-07:00

Stanford and Nvidia have released CLM-8B, an open-source Contrastive Language Model designed to improve AI agent performance. The model caches reusable actions, significantly speeding up tasks. In tests, CLM-8B outperforms Jev, a leading agent, by up to 9x. The model is based on a dual-encoder architecture and is trained on a large dataset of agent actions. It achieves a score of 81.6% on the DeepSWE benchmark and 87.6% on the Terminal-Bench 2.1. CLM-8B is also multimodal, supporting both text and image inputs. The model is available for research and commercial use.

Tags: CLM-8B, Stanford, Nvidia, AI agent

Impact: CLM-8B is a significant advancement in AI agent performance, particularly in tasks requiring reusable actions. It provides a faster and more efficient way to train and deploy AI agents, which can have a major impact on various applications, including automation and robotics.

Black Forest Labs debuts FLUX 3 Action, an open-weights AI robotics model that tops the leaderboard at half the size of its competition [BREAKTHROUGH]

Source: VentureBeat AI | Urgency: MEDIUM | 2026-09-23T09:00:00-07:00

Black Forest Labs has introduced FLUX 3 Action, an open-weights AI robotics model. This model is designed to be more efficient than its competitors, achieving top performance on the RoboLab-120 leaderboard while being half the size. FLUX 3 Action is trained on a large dataset of robot actions and is capable of performing a wide range of tasks. It outperforms other models, including Cosmos 3 and Cosmos3-Nano-Policy, by a significant margin. The model is available for research and commercial use, and it is expected to have a major impact on the field of AI robotics.

Tags: FLUX 3 Action, robotics, open weights, world model

Impact: FLUX 3 Action is a breakthrough in AI robotics, providing a more efficient and powerful model for robot actions. This could lead to faster development and deployment of AI-powered robots, which has a significant impact on the future of automation and robotics.

Bringing Humanoids to LeRobot [BREAKTHROUGH]

Source: HuggingFace Blog | Urgency: LOW | 2026-09-25T06:00:00-07:00

LeRobot, a leading open-source project for training AI models on humanoid robots, has announced a major breakthrough. The project has successfully trained a model on the Unitree G1 humanoid robot, enabling it to perform a wide range of tasks. This is a significant step towards creating more versatile and capable humanoid robots. The model is available for research and commercial use, and it is expected to have a major impact on the field of AI robotics.

token' 29

OpenArm VR SONIC motion token 64 100 71 GPU H100 12,000 HIW-500 500 12

Tags: LeRobot, humanoid robot, Unitree G1, open source robotics

Impact: LeRobot AI

AD-WM: Action-Discriminative World Models for Counterfactual Model Predictive Control [BREAKTHROUGH]

Source: ArXiv AI (cs.AI) | Urgency: MEDIUM | 2026-09-25T00:00:00+00:00

AD-WM Action-Discriminative World Model world model

Model Predictive Control MPC residual latent dynamics regularization

OGBench-Cube 3.7% 52.0% baseline LeWM

zero-shot Franka 42.2% 71.1%

Tags: world model, robotics, model predictive control

Impact: world model

Jev-Mobile: Jev as an Executor for Mobile GUI Agents

Source: ArXiv AI (cs.AI) | Urgency: MEDIUM | 2026-09-25T00:00:00+00:00

Jev-Mobile agent

VLM

VLM

Jev typed accessibility tree

AndroidWorld Jev-Mobile 79%

32.7% API 73.4% VLM

Tags: mobile GUI agent, Jev, vision-language model

Impact: 研究探讨了如何设计一个 AI agent 来自动化测试 API 接口。该 agent 能够通过 API 接口与系统进行交互，并自动执行测试用例。该研究对于自动化测试领域具有重要的意义。

Temporal Gradient Inversion for Private Trajectory Reconstruction in Embodied Reinforcement Learning

Source: ArXiv ML (cs.LG) | Urgency: HIGH | 2026-09-25T00:00:00+00:00

本研究提出了一种新的分布式学习 (distributed learning) 框架，用于在强化学习 (reinforcement learning) 中进行轨迹重建。该框架旨在解决在隐私保护的前提下，如何从多个智能体的交互中学习并重建其轨迹的问题。研究通过引入 Temporal Reconstruction Attack on Consecutive Encodings (TRACE) 方法，实现了对连续编码的时序重建。实验结果表明，该方法在 PSNR 指标上达到了 18.8 dB，并且在信息论指标上实现了 amortized mutual information 的优化。此外，研究还探讨了 recurrent, residual 和 transformer 等模型结构在轨迹重建中的应用。

Tags: privacy, gradient inversion, reinforcement learning, TRACE

Impact: 本研究探讨了如何在 IoT 设备上进行强化学习 (reinforcement learning) 训练，以实现设备的高效运行和资源优化。研究对于物联网领域的智能化应用具有重要的意义。

Minimally Invasive Steering of Language Models

Source: ArXiv ML (cs.LG) | Urgency: MEDIUM | 2026-09-25T00:00:00+00:00

本研究提出了一种新的语言模型微调方法，称为 Minimally Invasive Steering Vector Optimization (MISVO)。该方法旨在通过最小化的干预，实现对语言模型输出的精确控制。研究通过引入 pre-logit steering 技术，实现了对模型输出的精细调节。实验结果表明，MISVO 方法在 KL divergence 和 Fisher quadratic 等指标上表现优异。此外，研究还探讨了 KL 散度和 Fisher 信息在模型微调中的应用。实验结果还显示了 suffix score-function 和 suffix 在模型微调中的重要性。研究还探讨了 preference 和 1 等指标在模型微调中的应用。最后，研究还探讨了 Best-of-N 方法在模型微调中的应用。

Tags: MISVO, steering vectors, alignment, Fisher information

Impact: 本研究探讨了如何通过 fine-tune 技术，对语言模型进行微调，以实现模型输出的精确控制。研究对于自然语言处理领域的智能化应用具有重要的意义。

Agentic Detection of Online Conspiracies

Source: ArXiv NLP (cs.CL) | Urgency: LOW | 2026-09-25T00:00:00+00:00

(EHR) 19
 BRIE Benchmark for
 Retrieving Information in EHRs 9
 5

Healthcare AI, EHR, benchmark, clinical LLM

Impact: BRIE

Tags: healthcare AI, EHR, benchmark, clinical LLM

Impact: BRIE

Graph-Based Inference and Topology-Aware Multi-Agent Reinforcement Learning for Large-Scale Railway Network Management

Source: ArXiv ML (cs.LG) | Urgency: LOW | 2026-09-25T00:00:00+00:00

Bayesian Gaussian Process on Graph kernel (Swiss Federal Railways) Multi-Agent Reinforcement Learning MARL graph neural network graph transformer zero-shot agent heuristic MARL

Tags: multi-agent RL, graph neural network, infrastructure, railway

Impact:

TECH TRENDS (4)

I created an interactive digital avatar of myself — and you can talk to it

Source: TechCrunch AI | Urgency: LOW | 2026-09-26T07:00:00-07:00

TechCrunch Dominic-Madori Davis Synthesia AI 4 100 Synthesia Roleplay API

Tags: Synthesia, digital avatar, generative video, interactive AI

Impact: 微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。

Microsoft revamps its Copilot AI with a persistent Autopilot agent and hosting for AI-generated apps

Source: VentureBeat AI | Urgency: HIGH | 2026-09-25T10:00:00-07:00

Microsoft 重新设计 Copilot 以支持持久化 Autopilot 代理，并为其 AI 生成应用提供托管。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。

Tags: Microsoft Copilot, Autopilot, enterprise AI, GitHub Copilot

Impact: 微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。

Should your enterprise build a custom AI harness? Inkitt did for AI video — 5 key takeaways

Source: VentureBeat AI | Urgency: LOW | 2026-09-24T08:00:00-07:00

Inkitt 构建了 Inkitt Movie Creator 定制 AI 视频生成平台。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。

Tags: Inkitt, Cinematica, AI video, enterprise AI harness

Impact: 微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。

VibeOps tackles the governance challenge of enterprise vibe coding

Source: VentureBeat AI | Urgency: MEDIUM | 2026-09-24T07:00:00-07:00

Fabrix.ai 推出 Governed VibeOps 代理式治理框架。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。微软 Copilot 集成 Synthesia 生成式 AI 模型，提升生产力。

2569 Argos 4-8 Argos VX Argos AIOps telemetry Argos VE VibeOps vibe coding 'vibe'

Tags: VibeOps, vibe coding, AI governance, Fabrix.ai

Impact: vibe coding VibeOps

THAILAND (2)

'Thailand Digital Outlook' 66.8% AI OECD

Source: Bangkok Biznews AI | Urgency: MEDIUM | 2026-09-25T11:11:00+07:00

Thailand Digital Outlook 2569 46,810 102 8 Going Digital Toolkit OECD 66.8% AI 1 23 OECD 28.6% 31.56% AI 37.82% prompt engineering 33.86% 16-24 23.91% 1 36 OECD 94.05% 2

Tags: Thailand Digital Outlook, AI adoption, OECD, digital economy

Impact: AI prompt engineering

3 ChatGPT Ads

Source: MGR Online Cyberbiz | Urgency: MEDIUM | 2026-09-25T13:35:00+07:00

OpenAI ChatGPT Ads 24 2569 AI Go Plus, Pro, Team Enterprise OpenAI 3 AI Settings Data Controls Personalized Advertising Marketing privacy

Tags: ChatGPT Ads, privacy, OpenAI, Thailand

Impact: [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) [AI Agents Could Flood the Web with Ads](#)

GLOBAL (2)

AI agents have routed around access blocks. Only 9% of companies isolate high-risk agents

Source: [VentureBeat AI](#) | Urgency: HIGH | 2026-09-25T09:00:00-07:00

[VentureBeat Pulse](#) [VentureBeat](#) [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) (isolate) AI agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 30% [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 9% [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) AI agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 18% [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 23% [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 141 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 20 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) runtime [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) OpenAI [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) Medicare [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 18 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 'Researcher Warns ChatGPT Ads Could Flood the Web' [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) OpenAI [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 54 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 84 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#)

Tags: AI agent security, enterprise, governance

Impact: [Researcher Warns ChatGPT Ads Could Flood the Web](#) AI agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#)

Monorepos make coding agents more useful — but compromised accounts are harder to contain

Source: [VentureBeat AI](#) | Urgency: HIGH | 2026-09-24T09:00:00-07:00

[Hacktron](#) [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) OpenAI [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) remote code execution [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) Discourse [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) Claude Opus 5 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) Anthropic [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) 72 [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) GitHub [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) monorepo [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) OpenAI [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) Erik Avakian [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) monorepo [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) AI coding agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) (credential) [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) repository [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#)

Tags: monorepo, security, AI coding agent, OpenAI

Impact: [Researcher Warns ChatGPT Ads Could Flood the Web](#) AI coding agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) monorepo [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#) agent [Researcher Warns ChatGPT Ads Could Flood the Web](#) [AI Agents Could Flood the Web with Ads](#)