

■ Total: 33 ■ AI Trends: 16 ■ Tech: 6 ■ Thailand: 2 ■ Global: 9 ■ High: 13 ■ Breakthroughs: 15

[HIGH] Anthropic █████ Auto Mode ███ Claude Code ██████████████████████ — AI coding agent
██

Auto Mode ██████████ Claude Code ██████ signal ████████ autonomous AI coding agents
██████████ mainstream ████████████ developer workflow ████████████████████

Domains: AI Tools, Developer Tools, AI Coding

Kitesurf ██████████ AI agent infrastructure ██████████ market ██████████ ██████████ big players
██████████ Cloudflare ██████████

Domains: AI Infrastructure, Agentic AI, Browser

Jeff Dean Google signal AI talent war frontier AI startups Big Tech

Domains: AI Business, Talent, AI Research

OpenAI Astra self-governance frontier AI labs AI safety

Domains: AI Safety, Cybersecurity, LLM

Claude Mac control █ Cowork+Code ████████ agentic ████████
 ███ escalates ████████ OpenAI Operator

Domains: AI Agent, Computer Use, Automation

[illegible]

Domains: AI Research, LLM, AI Infrastructure

TechCrunch | ■ HIGH URGENCY | ■ BREAKTHROUGH

OpenAI ■■■■■■ **Astra**

Abstract

OpenAI says it slowed Astra model development over security concerns

OpenAI ■■■■■■ Astra ■■■■■■ OpenAI

Astra

Critical

 safeguards 

frontier

Preparedness Framework

[illegible]

 OpenAI self-governance

external regulation

AI safety governance OpenAI

Astra Critical

OpenAI ██████████ Astra ██████████ Critical ████████

[Home](#)
[About Us](#)
[Our Services](#)
[Our Clients](#)
[Our Team](#)
[Contact Us](#)

[illegible]

AI safety Astra model release

timeline competitive landscape

OpenAI Preparedness Framework ■■■■■■ AI labs ■■■■■■ critical capabilities

■■■■■■■ ■■■■■■■■■■■■■■■■■■■■ AI regulation ■■■■■■■■■■■■■■■■■■■■ ■■■■■■■■■■■■■■■■■■■■ AI

Astra commercial products

■■■■■■■■ ■■■■■■■■■■■■■■■■■■■■■■ AI security landscape

Tags: OpenAI, Astra, AI Safety, Security

VentureBeat | ■ HIGH URGENCY | ■ BREAKTHROUGH

Claude ■■■ Anthropic ■■■■■■■■■■ Mac ■■■■■■ — AI Agent

■■ mainstream

Anthropic's Claude can now control your Mac, escalating the fight to build AI agents that actually do work

[illegible]

mainstream Anthropic ██████████ computer use ██ Mac █████ Claude ██ Claude Cowork ███

[illegible][illegible][illegible]

 output

■■■■■■■■■■ ■■■■■■■■■■ escalates ■■■■■■■■■■ AI agent ■■■■■■■■■■

■■■■■■■■■■ OpenAI Operator ■■■ Google Gemini computer use Claude ■■■ Anthropic

[illegible]

■■■■■■■■■■■■■■■■■■■■ Mac ■■■■■■■■■■■■■■■■■■■ Claude Cowork ■■■■ Claude Code ■■■■■■ Dispatch feature

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Claude Code ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Claude Mac control ■ ■ Cowork+Code ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

agentic ██████████ escalates ████████ OpenAI Operator

Tags: Anthropic, Claude, Mac Control, AI Agent

Google TurboQuant algorithm AI memory 8 50%

implementation ■■ TensorFlow ■■■ JAX ■■■■■■■■■■■■■■■■■■■■■■ inference costs ■■■■■■■■■■■■■■■■■■■■■■

Mistral AI ■■■■■■ Text-to-Speech ■■■■■■■■■■■■■■■■■■■■■■ ElevenLabs
■■■■■■■■ weights ■■■

Tags: [Mistral AI](#), [TTS](#), [Text-to-Speech](#), [ElevenLabs](#)

AgentOPSD: ■■■ self-distillation ■■■ recursive ■■■■ Agentic Reinforcement Learning

AgentOPSD: Recursive Self-Distillation for Agentic Reinforcement Learning

AgentOPSD: ■■■ self-distillation ■■■ recursive ■■■■ Agentic Reinforcement Learning ■■■■ AgentOPSD
■■■■ recursive self-distillation technique ■■■■ agentic AI ■■■■ on-policy reinforcement learning
■■■■ external reward signals ■■■■ human annotations ■■■■
■■■■ AI agents ■■■■ iterative ■■■ distill ■■■■
better-performing trajectories ■■■■ baselines
■■■■ agentic tasks ■■■■ tool use, web navigation ■■■■ coding ■■■■ code ■■ GitHub AgentOPSD ■■■■ step
■■■■ AI agents ■■■ self-improve ■■■■
■■■■ AgentOPSD ■■■■ recursive self-distillation
■■■■ AI agents ■■■■ complex task solving AgentOPSD recursive self-distillation ■■■■ AI
agents ■■■■ on-policy RL ■■■■ external annotations ■■■ AgentOPSD
■■■■ self-improving AI agents ■■■■ trend ■■■■ train
specialized agents ■■■■

Tags: Agentic RL, Self-Distillation, Recursive, LLM

Beyond Top-K: ■■■■ black-box retrieval ■■■■ agentic operations ■■■■

Beyond Top-K: Replacing Black-Box Retrieval with Interpretable Agentic Operations

Beyond Top-K: ■■■■ black-box retrieval ■■■■ agentic operations ■■■■
■■■■ paradigm ■■■■ RAG systems ■■■■ top-K retrieval ■■■■
black-box operation ■■■■ interpretable agentic operations ■■■■ AI
■■■■ retrieval strategy ■■■■
■■■■ exact match, ■■■■ semantic similarity, ■■■■
multi-hop reasoning ■■■■ documents ■■■■ RAG systems
■■■■ enterprise ■■■■ explainability ■■■■ audit trails ■■■■ AI
■■■■ top-K retrieval ■■ RAG ■■■■ agentic
operations ■■■■ flexible ■■■■ agentic operations ■■■■ interpretable ■■■■
top-K retrieval ■■ RAG systems ■■■■
■■■■ RAG systems ■■■■ fixed top-K retrieval ■■■■ adaptive
agentic retrieval ■■■■ intelligent ■■■■ agentic retrieval approach
■■■■ RAG systems ■■■■

Tags: RAG, Agentic Operations, Information Retrieval, Interpretable AI

DASH: ■■■■■■■■ self-distillation ■■■ on-policy ■■■■■■■■ supervision horizon
■■■■■■■■■■■■■■■■■■■■ reasoning models

DASH: Divergence-Adaptive Supervision Horizons for On-Policy Self-Distillation of Reasoning Models

DASH: self-distillation on-policy supervision horizon reasoning
models DASH technique train reasoning models
on-policy self-distillation supervision horizons dynamic divergence model outputs
model supervisions diverge current
policy training DASH adapt supervision
horizon distribution model reasoning model train
DASH self-distillation benchmarks
self-improving AI systems DASH
on-policy self-distillation reasoning models
DASH technique on-policy self-distillation
supervision horizons dynamic reasoning models
DASH contribution
self-improving reasoning models frontier
challenges AI

Tags: Reasoning Models, Self-Distillation, On-Policy, LLM Training

EnvACE: dynamics World Rehearsal
Agentic Reinforcement Learning

EnvACE: Internalizing Environment Dynamics via World Rehearsal for Agentic Reinforcement Learning

EnvACE: dynamics World Rehearsal Agentic Reinforcement Learning EnvACE Huawei Noah's Ark Lab Shanghai Jiao Tong University agentic reinforcement learning agent internalize environment dynamics 'world rehearsal' real environment interactions agent generalize environments real-world experience EnvACE agentic AI agents adapt scenario EnvACE AI agents environment dynamics world model rehearsal EnvACE AI agents environment dynamics world rehearsal adapt real-world interaction EnvACE's world rehearsal approach train agentic AI dependence expensive real-world interactions

Tags: Agentic RL, World Model, Reinforcement Learning, Environment Dynamics

FinEvo-Bench: Benchmark self-evolving AI agents professional finance

FinEvo-Bench: A Longitudinal Benchmark for Self-Evolving Agents in Professional Financial Workflows

FinEvo-Bench: Benchmark self-evolving AI agents professional finance Qwen
DianJin Alibaba Cloud Beihang University FinEvo-Bench benchmark
self-evolving AI agents professional financial workflows longitudinal
market conditions
financial agents
static benchmarks FinEvo-Bench agent adapt evolve financial
knowledge FinTech banking sectors
deploy AI agents investment research, risk assessment financial advisory
Alibaba Qwen team FinEvo-Bench benchmark AI agents
FinEvo-Bench benchmark Alibaba Qwen self-evolving AI agents
professional financial workflows FinEvo-Bench
AI agents finance
production deployment FinTech

Tags: Financial AI, Self-Evolving Agents, Benchmark, FinTech

MicroEvo: LLM design space

MicroEvo: Knowledge-Guided LLM Sampling for Efficient Microarchitecture Design Space Exploration

MicroEvo: LLM design space
MicroEvo ICCAD 2026
LLM guide (knowledge-guided) efficient
exploration microarchitecture design space chip design
design space microarchitecture exhaustive search
MicroEvo LLM domain knowledge sample design points
baselines
Anthropic
AI-assisted chip design hot topic MicroEvo LLM
microarchitecture design space
MicroEvo knowledge-guided LLM sampling microarchitecture chip
design space AI-assisted chip design frontier
EDA
AI-assisted EDA (Electronic Design Automation) tools disrupt semiconductor industry

Tags: LLM, Chip Design, Microarchitecture, ICCAD

Self-Evolution: Pre-Commit Gating Skill Contamination in LLM Agents

When Self-Evolution Backfires: Pre-Commit Gating against Skill Contamination in LLM Agents

Self-Evolution: Pre-Commit Gating Skill Contamination in LLM Agents
self-evolving LLM agents 'skill contamination' agent
catastrophic forgetting fine-tune neural networks pre-commit gating mechanism contaminate commit pre-commit gating overall agents safety self-evolving AI systems self-evolving AI agents contaminate skills pre-commit gating Pre-commit gating mechanism skill contamination self-evolving LLM agents degrade existing skills Skill contamination safety concern self-evolving AI agents deploy production skill contamination problem implement pre-commit gating self-evolving agent systems

Tags: Self-Evolving Agents, Skill Contamination, LLM Agent, Pre-Commit Gating

TRAJDEBUG:

long-horizon agents

TRAJDEBUG: Tracing Error Lifecycle to Identify Critical Failures in Long-Horizon Agent Trajectories

TRAJDEBUG: long-horizon agents Tsinghua University TRAJDEBUG framework debug AI agent trajectories long-horizon tasks AI agents
TRAJDEBUG trace 'error lifecycle' trajectory root cause cascade failures agentic AI deploy production debugging capability reliability trust TRAJDEBUG framework debug AI agents long-horizon tasks TRAJDEBUG framework trace error lifecycle long-horizon AI agent trajectories root cause cascade failures TRAJDEBUG debugging deploy agentic AI production systems TRAJDEBUG methodology debug AI agents production workflows

Tags: Agentic AI, Debugging, Long-horizon, Agent Trajectory

TS-RAG: RAG Time Series LLM

TS-RAG: Retrieval Augmented Generation for Time Series Forecasting

TS-RAG: RAG Time Series LLM TS-RAG
Retrieval-Augmented Generation (RAG) time series forecasting
LLMs
distribution shift context historical patterns TS-RAG
retrieve time series patterns database in-context
examples LLM TS-RAG
forecasting benchmarks
finance, energy, supply chain time series forecasting TS-RAG RAG
technique time series LLM TS-RAG RAG
time series forecasting retrieve historical patterns context LLM
TS-RAG LLMs time series
forecasting enterprise use cases TS-RAG approach time
series use cases historical data retrieval corpus

Tags: RAG, Time Series, Forecasting, LLM

Google AI Demis Hassabis AGI Gemini Pro

Google AI Demis Hassabis AGI
Google AI Demis Hassabis AGI Gemini Pro Google
AI Demis Hassabis Gemini
AGI Google DeepMind
Alphabet Gemini Pro 3.5
2026 Google I/O
OpenAI Anthropic Gemini
950+ Google
Big Tech AGI product roadmap
AGI Google AI
Demis Hassabis AGI Gemini Pro Google
AI Demis Hassabis AGI Gemini Pro 3.5
Google AGI Demis Hassabis
AGI AI

Tags: Google, Gemini, DeepMind, AGI

[illegible]

Anthropic Claude

Anthropic Claude AI Google Amazon

AI Claude

Anthropic GPU NVIDIA

inference

OpenAI Google DeepMind

Anthropic Anthropic

Claude AI Anthropic

Claude AI Claude

Claude

Anthropic silicon stack

inference Claude

Anthropic

API latency pricing AI-specific

hardware

Anthropic API

AI Claude

Tags: Anthropic, Chip, AI, Hardware

Tags: [OpenAI](#), [Cybersecurity](#), [AI Safety](#), [Astra](#)

Anthropic Auto Mode Claude Code — AI coding agent

Anthropic is turning Claude Code's auto mode on by default

Anthropic Auto Mode Claude Code — AI coding agent
Anthropic Auto Mode Claude Code
Claude Code
terminal APIs
Claude Code full autonomous coding agent approve
Anthropic safeguards autonomous operation developer experience productivity
Anthropic Claude Code Auto Mode
Anthropic Claude Code Auto Mode AI agent
Auto Mode
Claude Code signal autonomous AI coding agents mainstream
developer workflow Claude Code
Auto Mode productivity gain

Tags: Anthropic, Claude Code, Auto Mode, AI Coding

Cloudflare Kitesurf AI Agents

Cloudflare launches Kitesurf, a browser built for AI agents

Cloudflare Kitesurf AI Agents Cloudflare
Kitesurf AI agents
Kitesurf
automated workflows headless browsing
, API endpoints agent control, security sandbox agent sessions
Cloudflare global edge network
browser infrastructure AI agents
low latency Cloudflare Kitesurf
AI agents Cloudflare Kitesurf AI agents
headless browsing security sandbox Kitesurf
AI agent infrastructure market big players
Cloudflare Cloudflare Kitesurf web scraping browser automation
AI agent pipelines Playwright Puppeteer

Tags: Cloudflare, Kitesurf, Browser, AI Agents

Meta ■■■■■■ Muse Code: AI Agent ■■■■■■ codebase ■■■■■■■■■■■■ enterprise

[illegible]

Tags: Meta, Muse Code, AI Coding, Large Codebases

[illegible]

Tags: AMD, Taalas, AI Chip, Inference

ChatGPT 1

ChatGPT 1 OpenAI
ChatGPT (weekly active users) 1

3
2022 Google Maps 5
OpenAI
1 2026

AI assistant
OpenAI
OpenAI
ChatGPT 1
OpenAI

ChatGPT 1
3
2022 ChatGPT 1 AI assistant mainstream tool
ChatGPT API
product user base AI tools utility
ChatGPT
enterprise plan AI adoption
ChatGPT 1

Tags: ChatGPT, OpenAI, 1 Billion Users

Claude Code

Claude Code Anthropic
Claude Code
multi-agent workflows
cross-session messaging Claude Code
parallel development
agent Claude Code

Anthropic
Claude Code -
Cross-session messaging Claude Code multi-agent coding workflows
cross-session messaging feature Claude Code
parallel coding tasks productivity workflow Claude Code session
test + implement + review multi-session Claude Code
workflows upgrade plan parallel sessions

Tags: Claude Code, Anthropic, AI, Cross-session

■ THAILAND (2 articles)

Beartai

[illegible]

AI 4

[illegible][illegible]

AI Summit 2026 Huawei AI+ Healthcare Summit Huawei Thailand Digital &

[illegible]

AI computing

A

AI for Health, Health for All

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

[illegible]

Huawei AI+ Healthcare Summit

AI Huawei AI+ Healthcare

Summit ■■■■■■ Huawei Thailand Digital & AI Summit 2026 ■■■■■■ Healthcare

Ecosystem AI Healthcare

Huawei ■■■■■ health tech AI ■■■■■ Big Tech ■■■■

■■■■■ Huawei AI healthcare solutions APIs ■■■ SDKs ■■■■■■ healthcare applications ■■■■■■■■■■

■■■■■■■■■■ Al solutions ■■■■■■■■■■ platform ■■■

Huawei

Tags: Huawei, AI Healthcare, Thailand, Smart Hospital

Techsauce

5 130 Smart Hospital

5 130 Smart Hospital
Techsauce
5 130 5G Smart Hospital
5G Private Network, AI Hybrid Cloud
digital transformation
legacy systems,
Smart Hospital
health tech digital health

5G Smart Hospital AI, Hybrid Cloud
5G Smart Hospital
5G Private Network, AI Hybrid Cloud
Smart Hospital
AI 5G
architecture 5G Private Network + AI healthcare
solutions
healthcare apps 5G Private Network

Tags: Siriraj, Smart Hospital, 5G, AI

GLOBAL (9 articles)

TechCrunch

AI

The AI safety test is becoming a safety risk

AI
TechCrunch
AI (AI safety evaluations)
AI companies
overfit safety benchmarks
benchmarks
red teamers pattern AI labs
patch root cause
evaluation methodology robust
AI safety benchmarks game
TechCrunch AI
safety benchmarks overfit game
AI safety evaluation methodology credibility safety claims
frontier AI labs custom safety evaluations use cases
standard benchmarks limitations current AI safety tests
defense in depth AI safety guarantees

Tags: AI Safety, Red Teaming, Benchmarks, AI Evaluation

Jeff Dean ■■■■■■ AI ■■■■■■ top ■■■■■■ Google ■■■■■■ startup ■■■■■■

Jeff Dean and other top AI researchers are leaving Google to launch their own startup

Jeff Dean ■■■■■■ Google Brain ■■■■■■ AI ■■■■ Google ■■■■■■ AI ■■■■■■ senior ■■■■■■ Google ■■■■■■ AI startup ■■■■■■ Google ■■■■■■ AI Jeff Dean ■■■■■■ TensorFlow, TPU chips ■■■■ Large Language Models ■■■■■■ AI ■■■■■■ Dean ■■■■■■ AI researchers ■■■■■■ top ■■■■ Big Tech ■■■■■■ startups ■■■■■■ upside ■■■■■■ Jeff Dean ■■■■■■ Google AI ■■■■■■ top ■■■■■■ Google ■■■■■■ AI startup ■■■■ Jeff Dean ■■■■■■ AI ■■■■■■ top ■■■■■■ Google ■■■■■■ startup ■■■■ Google ■■■■ AI ■■■■■■ Jeff Dean ■■■■ Google ■■■■ signal ■■■■ AI talent war ■■■■■■ frontier AI startups ■■■■■■ Big Tech ■■■■■■

Tags: Google, Jeff Dean, AI Startup, Talent

OpenAI ■■■■■■ NextSlide ■■■■■■ presentation ■■■■ AI

OpenAI acquires presentation startup NextSlide

OpenAI ■■■■■■ NextSlide ■■■■■■ presentation ■■■■ AI OpenAI ■■■■■■ NextSlide ■■■■■■ presentation ■■■■ AI ■■■■■■ productivity tools ■■■■■■ Microsoft PowerPoint ■■■■ Google Slides ■■■■■■ OpenAI Work ■■■■■■ build suite of AI-powered productivity tools ■■■■■■ Microsoft 365 ■■■■ Google Workspace ■■■■■■ OpenAI ■■■■■■ NextSlide ■■■■■■ ChatGPT Work ■■■■■■ Microsoft ■■■■■■ OpenAI OpenAI ■■■■■■ NextSlide ■■■■■■ AI ■■■■■■ presentation ■■■■■■ productivity tools OpenAI ■■■■■■ NextSlide ■■■■■■ AI presentation ■■■■■■ productivity tools suite ■■■■■■ Microsoft PowerPoint ■■■■ Google Slides ■■■■■■ NextSlide ■■■■■■ OpenAI Work strategy ■■■■■■ AI productivity suite ■■■■■■ Microsoft 365 ■■■■■■ NextSlide ■■■■■■ OpenAI Work ecosystem ■■■■■■ integration ■■■■■■ automation workflows

Tags: OpenAI, NextSlide, Acquisition, Presentation AI

[illegible]

ArXiv cs.AI

From Siloed Algorithms to Compliance-First Agentic Platforms: A Multi-Layered Architecture for Hospital AI Systems

Tags: Healthcare AI, Hospital AI, Compliance, Agentic AI

Poli-Bias: bias LLMs

Poli-Bias: Understanding and Measuring Large Language Model Biases in International Political Conflicts

Poli-Bias: bias LLMs
Poli-Bias France Germany political biases
Large Language Models LLMs biases conflict scenarios
Western perspective
models AI policy analysis
tension geopolitical conflicts AI
governance political bias LLMs
biases Poli-Bias LLMs political
biases AI
media, policy education Poli-Bias evidence LLMs systematic political biases
high-stakes policy applications political bias LLMs
Poli-Bias methodology application political content
safeguards AI systems exposure
single-perspective bias

Tags: LLM Bias, Political Bias, AI Ethics, International Conflicts

DeepSeek API

DeepSeek API DeepSeek AI
OpenAI
API
DeepSeek strategy
(loss-leader strategy) AI
LLM developer DeepSeek API DeepSeek
API DeepSeek
API
DeepSeek API era LLM
AI development DeepSeek API dependencies
alternative providers Groq, Together AI
price-performance ratio LLM providers DeepSeek
credit DeepSeek
multi-provider strategy
provider

Tags: DeepSeek, LLM, API Pricing

'Mythos' Anthropic

'Mythos' Anthropic AI

Mythos AI Anthropic

Anthropic

Mythos frontier AI models

semiconductor

AI Mythos AI Anthropic

Mythos

AI Anthropic

AI

access, pricing regulation

AI globally export controls AI models

frontier AI alternative AI providers

US non-US (EU, Japan) geopolitical disruption AI strategy

geopolitical AI providers

AI

US-China AI war

Tags: China, US, AI War, Mythos

Volta 1 Anthropic

Volta 1

Anthropic Volta cloud computing 1

10,000 Anthropic

AI cloud infrastructure ecosystem neocloud

GPU NVIDIA (Vera Rubin) Bitdeer inference Claude

Volta AI demand compute infrastructure

AI Volta

neocloud 1 \$10 Anthropic Volta

1

10,000 Anthropic AI

cloud infrastructure Volta-Anthropic \$10B AI cloud infrastructure

neocloud

providers Volta GPU compute availability hyperscalers

Vera Rubin GPU NVIDIA Volta compute platform

AI workloads

Tags: Volta, Anthropic, AI Cloud, Neocloud

