

⚡ AI NEWS DAILY — 2026-07-13

17 articles | 4 topic categories | generated 2026-07-13T19:30:00+07:00

AI TRENDS

TECH TRENDS

THAILAND

GLOBAL

HIGH URGENCY

BREAKTHROUGHS

Top Insights

- **Persuasion Attacks Can Decrease Effectiveness of CoT Monitoring** — CoT monitoring AI agent **HIGH**
- **Game Theory Driven Multi-Agent Framework Mitigates Language Model Hallucination** — multi-agent hallucination LLM AI **MEDIUM**
- **Bun Zig Rust 11** — Claude Fable 5 Zig Rust 1 API 5.5 AI Agent **MEDIUM**

AI TRENDS (16)

LOW Blognone

2026-07-13

Claude Fable 5

Anthropic Claude Fable 5



19 2569 23:59:59 20

III

Pro, Max, Team

Enterprise 

Anthropic

Claude Code 50%

Table 5 (50%)

Anthropic

Impact: Claude Fable 5
Anthropic

For Developers

- Claude Fable 5
- Claude Code

For Business

- Pro, Max, Team Enterprise
- Anthropic AI

Anthropic Claude LLM AI Product Strategy

MEDIUM MarkTechPost 2026-07-12

Guide to Loop Engineering: How 'autoresearch' and 'Bilevel Autoresearch' Turn AI Agents Into Autonomous Machine Learning ML Research Loops

MarkTechPost Loop Engineering
AI AI agent
Autoresearch Andrej Karpathy
OpenAI Tesla 2026
Bilevel Autoresearch
Verifier
Karpathy
autoresearch GPT-2 100
20 11% Bilevel
Autoresearch
loss 5 AI

Impact: Loop Engineering AI
machine learning

For Developers

- Verifier-state-stop condition Autoresearch pipeline
- Bilevel Autoresearch workflow

For Business

- Loop engineering AI
- Agentic Claude Code Codex loop engineering

MEDIUM

ArXiv AI (cs.AI)

2026-07-09

The Illusion of Equivalency: Statistical Characterization of Quantization Effects in LLMs

Baha Rababah, Cuneyt Gurcan Akcora, Carson K. Leung

post-training quantization, LLM

perplexity

correctness agreement

quantization

quantization, ,

quantization

attention

query, key projection

value, output projection

Impact:

quantization, deploy

For Developers

- correctness agreement
- quantization, deploy
- query, key projection
- quantization scheme

For Business

- LLM
- accuracy, perplexity
-

model compression

LLM

quantization

model evaluation

MEDIUM

BREAKTHROUGH

ArXiv AI (cs.AI)

2026-07-09

Game Theory Driven Multi-Agent Framework Mitigates Language Model Hallucination

Runzhe Liu, Shengyang Tao, LLM

axiomatic, hallucination

G-Frame, multi-agent, Bayesian

closed-loop

📄

Chain-of-thought 63,045 19,589

OmniChem 7B GPT-4o mini

benchmark ChemBench hallucination 9.46%

OmniChem

multi-agent

Impact: multi-agent

hallucination LLM

AI

For Developers

- G-Frame
multi-agent
- Structured reasoning hallucination

For Business

- R&D
- AI

multi-agent systems

LLM

hallucination mitigation

AI for science

LOW

ArXiv AI (cs.AI)

2026-07-09

AutoPersonas: A Multi-Timescale Loop Engine for Open-Ended Persona Evolution

Mengchen Li persona agent

Self-locking

State

AutoPersonas life-environment Occurrence

Observation State persona

OSO

State 3 40

95.2-97.6% Context-slice masking

61.8% 66.3%

Impact: Self-locking persona agent

AI companion NPC

For Developers

- Occurrence,
Observation State

persona agent

context-slice masking

agent

For Business

AI companion, NPC

persona agent

AI

AI agent

persona modeling

LLM

simulation

LOW

ArXiv AI (cs.AI)

2026-07-09

Concretized Proposition Prompting Resolves Composition-Knowledge Dichotomy in Large Language Models

Changhun Lee

Chiehyeon Lim

LLM

compositionality

Composition-Knowledge Dichotomy

Concretized Proposition Prompting

CPP

CPP

benchmark

benchmark

deductive

CPP

CPP

Impact: CPP LLM

For Developers

CPP prompting pipeline

CPP

For Business

CPP

prompting

fine-tune

prompting techniques

LLM

reasoning

medical AI

Super Weights in LLMs and the Failure of Selective Training

Shreyas Subramanian, Adewale Akinfaderin, Akarsha Sehwal

Super Weights

LLM

Super Weight Super

Weight 100 3,192

OLMo-1B OLMo-7B

36,000 Super Weight

baseline LoRA low-rank

0.16%

fine-tune

COLM 2026

Impact: Super Weights
fine-tune

For Developers

- fine-tune
Super Weight
coordinate
- LoRA low-rank
fine-tune
LLM

For Business

- parameter importance
fine-tune
- interpretability

LLM fine-tuning interpretability LoRA

MEDIUM ArXiv ML (cs.LG) 2026-07-09

Resample or Reroute? Budget-Aware Test-Time Model Selection for Large Language Models

Teng-Ruei Chen Routing LLM

test-time resampling

router commit oracle

verifier

resample-or-reroute [RoR] [1]
[replay] [open-weight 11] [2]
benchmark 4 [RoR] [3]
[baseline] [single-route, one-commit-router, best-of-K] [4]
[cascade] [benchmark] [5]
[6]

Impact: [RoR] [LM] [7]
[8]
[AI] [9]

For Developers

- [resample-or-reroute] [10]
[LM routing] [11]
[12]
[13]
- [verifier] [14]
[15]
[RoR] [verifier] [16]
[17]

For Business

- [budget-aware model selection] [AI] [18]
[19]
- [ROI] [routing] [20]
[21]
[22]

LLM routing cost optimization inference efficiency model selection

LOW ArXiv ML (cs.LG)

2026-07-09

Stop Guessing When to Stop Testing: Efficient Model Evaluation with Just Enough Data

[Ofir Arviv, Kristjan Greenewald] [Leshem Choshen] [23]
benchmark [24]
[25]
[26]
[27]
[sequential testing] [28]
trade-off [29]
sequential testing [30]
[31]
[Open VLM Leaderboard] [32]
80% [2.5] [33]
[34]

Impact: [sequential testing] [35]
[AI] [36]
[37]

For Developers

- [sequential testing] [38]
[benchmark] [39]
[40]

For Business

- [41]
[compute] [42]

- 



-  

• 


model evaluation

benchmarking

statistical testing

MLOps

LOW ArXiv Vision (cs.CV)

2026-07-09

Wat3R: Underwater 3D Geometry Learning without Annotations

 iangwei Ren  iang Bai 





 Wat3R 

 semi-supervised  feed-forward  teacher-student

 cross-view

consistency loss 



Water3D 

 Wat3R 

 point cloud 

 ECCV 2026

Impact: Wat3R  





For Developers

-  teacher-student
 cross-view consistency loss 
Wat3R  3D
reconstruction 

-  Water3D 
 
 state-of-the-art

For Business

- 


-  3D
reconstruction  cross-domain 

 

computer vision

3D reconstruction

robotics

underwater imaging

MEDIUM ArXiv Vision (cs.CV)

2026-07-09

Switch-Reasoner: Learn When to Think in Multitask Mixtures via Reinforcement Learning

Yiyang Fang, Mang Ye
MLLM, Think-then-Answer
Rollout
Switch-Reasoner, GRPO
1
Switch-Reasoner
Trade-off

Impact: Switch-Reasoner
Inference

For Developers

- Switch-Reasoner, MLLM
- GRPO, virtual tool invocation

For Business

- inference, MLLM, AI
- post-training reinforcement learning, AI

multimodal AI, reinforcement learning, reasoning efficiency, MLLM

HIGH ArXiv AI (cs.AI) 2026-07-09

Persuasion Attacks Can Decrease Effectiveness of CoT Monitoring

Jennifer Za, Julija Bainiaksina, Victoria Krakovna
Chain-of-Thought (CoT) monitoring, AI agent
Agent monitor
40
Agent monitor
monitor Agent
9.5% scratchpad
fact-checking monitoring

monitor fact-checker Claude 3.7 Sonnet
GPT-4.1 45%
6% CoT
monitoring
fact-checking

Impact: CoT monitoring
AI agent

For Developers

- monitoring
AI agent
- fact-checker
monitor

For Business

- AI safety CoT
monitoring
agent
- fact-checking
AI

AI safety chain-of-thought monitoring LLM agents adversarial robustness

MEDIUM ArXiv AI (cs.AI) 2026-07-09

Remember When It Matters: Proactive Memory Agent for Long-Horizon Agents

Yifan Wu Zhuokai Zhao agent
'behavioral state decay'
context window trajectory
memory agent
action agent trajectory
action agent harness Terminal-
Bench 2.0 T²-Bench pass@1 8.3 6.8
Qwen3.5-72B SFT GRPO

Impact: proactive memory agent behavioral state decay
agent AI agent

For Developers

- memory agent plug-and-play
action agent harness
context window

For Business

- AI agent
coding agent

- [SFT](#) [GRPO](#)

- [Agent memory infrastructure](#)

AI agent

long-horizon reasoning

memory systems

LLM

LOW ArXiv ML (cs.LG)

2026-07-09

A Practical Investigation of Training-free Relaxed Speculative Decoding

[Guoxuan Xia](#), [Luka Ribar](#) [Paul Balanca](#)

[Speculative decoding](#)

[LLM](#) [Autoregressive](#)

[LLM](#)

[Speculative decoding](#)

[Multi-token-prediction](#)

Impact:

[Inference](#) [LLM](#) [Speculative decoding](#)

For Developers

- [Relaxed speculative decoding](#)
- [Relaxed speculative decoding](#) [Multi-token-prediction](#)

For Business

- [Relaxed speculative decoding](#) [Inference](#)
- [LLM](#) [AI](#)

inference acceleration

speculative decoding

LLM

MLOps

MEDIUM ArXiv ML (cs.LG)

2026-07-09

BiSCo-LLM: Lookup-Free Binary Spherical Coding for Extreme Low-Bit Large Language Model Compression

Yuantian Shao, Peisong Wang, Jian Cheng, BiSCo-LLM

LLM, codebook, quantization, scalar, group-wise, vector quantization, codebook, payload, VQ, residual BSQ, rate-distortion, codebook, Transformer, LoRA, adapter, metadata

Impact: BiSCo-LLM, LLM, codebook, deploy LLM

For Developers

- binary spherical coding, residual BSQ, BiSCo-LLM
- category-wise recovery distillation

For Business

- codebook, deploy LLM, edge, mobile
- model compression, AI

model compression, quantization, LLM deployment, edge AI

LOW ArXiv Vision (cs.CV) 2026-07-09

ZipDepth: Bringing Lightweight Zero-Shot Monocular Depth Anywhere, on Any Device

Fabio Tosi, Luca Bartolomei, Matteo Poggi, Stefano Mattoccia

ZipDepth, foundation model, self-supervised, encoder-decoder, reparameterizable, foundation model, 6.1, GPU, benchmark, ZipDepth, trade-off, zero-shot, deploy

Foundation model
ECCV 2026

Impact: ZipDepth foundation model
Embedded

For Developers

- ZipDepth foundation model
AR/VR
- ZipDepth dense prediction

For Business

- ZipDepth edge cloud computing
- lightweight foundation model distillation
- computer vision

computer vision monocular depth estimation model distillation edge AI

TECH TRENDS (1)

MEDIUM Blognone

2026-07-12

Bun Zig Rust 11
Table 5

Jarred Sumner Bun
Bun Zig Rust 1 Bun
1.3.14 Zig 1.4
Rust Sumner Claude Fable 5
Anthropic Bun API
165,000 5.5 Sumner
Bun 1.4
10% Linux 4-9% Andrew Kelley
Zig Claude

Impact: Claude Fable 5 Zig Rust 1
API 5.5 AI Agent

For Developers

- Agent
Bun
- AI

For Business

- API AI-assisted migration
- AI

Claude

AI Coding Agent

Software Engineering

Anthropic

AI News Pipeline v2.0 | generated_at 2026-07-13T19:30:00+07:00