

SRS(Software Requirement Specification) DOCUMENT

Online Matrimonial Site System

**Team name: Team-5 Bytes
(prepared for SE Lab)**

**1.R170013
B.MOUNIKA**

**2.R170014
E.NIROSHA**

**3.R170029
K.VENNELA**

**4.R171087
K.KISHORE**

**5.R171221
Y.CHIRANJEEVI**

Date: Submitted on 25-04-22

**-Under the guidance of
Shabana mam
(Assistant Professor in Cse Dept)**

Acknowledgement

we the team of 5-Bytes would like to thank **shabana mam** for giving us this project opportunity.

---CONTENTS---

Introduction

- Purpose
- Document Conventions
- Intended Audience
- Project Scope
- Reference

Overall Description

- Product Perspective
- Product Features
- User Characteristics
- Operating Environment
- Design & Implementation Constraints
- Assumptions & Dependencies

System Features

- Functional Requirements

External Interface Requirements

- User Interface
- Hardware Interface
- Software Interface
- Communication Interface

Non-Functional Requirements

- Performance
- Reliability
- Security
- Availability

Other Requirements

Introduction:-

Purpose

The SRS document describes the functional and non-functional requirements for the matrimony site. This software is designed to provide information about person nothing but life partner. Users can find their life partner based on their interest.

Document Conventions

SRS-Software Requirement Specification
Agents-who are finding partners for users

Intended Audience

online users, marriage broker, agents, parents who are searching life partners for their children.

Project Scope

The online matrimonial site system contains the major scope of:


- the website provides login facility to the users.
- Users can select their regional language for their convenience in this website.
- users can fix their priorities also by searching.
- The customer can get the information that matches their interests.

References

The needed requirements for this project has been taken a reference from online matrimonial websites like www.shaadi.com and www.jeevansathi.com

Overall Description:-

The product described in this document is a software for online matrimonial system.



Product perspective

Online matrimonial system is a software ,which is being developed to find the partners for the users according to their requirements.

Product Features:-

user login:

whenever user wants to login he/she should enter user name and password.it's applicable only when he/she's a register user.

-> the website provides login facility to the users

->users can set their priorities according to their requirements.

user register:

whenever the new user opens this software user need to register first,by entering his/her details.

->the website provides registration facility to the users.

Explore:

user can search their partners by using explore tool

->The customer can get the information about a person that matches with his/her profile

about:

->this software will provide information about the website like established date,founder name,success rate,profits and all.

User Characteristics:-

Administrator:Administrator will be able to do anything they want like adding new users to the system and permit them with proper access rights.

Customer/user:users can set their user name and password and user can search partner by their requirements by clicking on Search by or Explore

Operating Environment

- Operating System : Ubuntu
- development tool : HTML,CSS.

Design & Implementation Constraints:

Creation of new user

This process will provide an user account like user id,user password and other personal details.

User verification

This process will verify the user id and password

search process

Search in advance way like....search by city,search by religion,search by occupation.

Assumptions and Dependencies

- each user must keep their password as confidential.
- Each user should have unique user names
- the software should run on any platform that contains a web browser

System Features:-

Functional Requirements

- login facility
- registration facility
- search by their requirements
- about us

External interface requirements:-

user interface

user interface:user can login or register or search by requirements using matrimonial website.

hardware interface

no hardware interfaces

Software interface

operating system:windows,ubuntu,linux

development tool:HTML,CSS.

- User can login
- user can regester
- user can search
- user can logout

Communication Interface

If any changes made by the administrator like adding new users or new info about the matrimonial system or else the user made the changes in his profile like adding info or changing interests and display picture etc will be automatically updated in our matrimonial website

Non-Functional Requirements:-

Performance

high level of performance required as n number of people are using it at the same time and also there should be high internet connectivity

reliability

there should be no errors while user using or surfing this website,all operations should run smoothly for better performance.

Security

Every user details of the matrimonial website are secured.all the user ids and passwords are securely stored in database.

Availability

This software will be available on any time.User can use this website whenever he wants to..

Other requirements

mysql is required for maintaining the database of users and their details.


Logical Database Requirements

- user information
- user credentials
- software information


Other requirements

- Each user is required to login his/her account to perform different activities like searching,matching,exploring etc
- my sql is required to maintain the user database


DFD LEVEL 1




USECASE DIAGRAM




CLASS DIAGRAM



ACTIVITY DIAGRAM-USER




ACTIVITY DIAGRAM-ADMIN




INTERACTION DIAGRAM

1. SEQUENCE DIAGRAM




INTERACTION DIAGRAM

1. COLLABORATION DIAGRAM



E-R DIAGRAM



CODING / IMPLEMENTATION

```
<!DOCTYPE HTML>
<html>
<head>
<title align="center"><B>PARINAYA MATRIMONY</B></title>
<link rel="stylesheet" type="text/css" href="5_bytes_matrimony.css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
</head>
<style>
body
{
background:url(wedding2.jpg)no-repeat center fixed;
background-size:cover;
}
</body>
</style>
<header>
<div class="info">
<span><i class="fa fa-phone"></i>+2(11) 434 4827</span>
<span> <i class="fa fa-envelope"></i>parinaya@gmail.com</span>
</div>
<nav>
<div class="logo">
<i class="fa fa-heart"></i>PARINAYA
</div>
<div class="menu">
<a href="5_bytes_home.html">Home</a>
<a href="about.html">About Us</a>
<a href="explore.html">Explore e&hearts;/a>
<a href="login.html">Login</a>
</div>
</nav>
<div class="box">
<h2>Register & Join our Matrimony</h2>
<form>
<input type="text" name="" placeholder="Name:Virat Kohli">
<input type="text" name=""
placeholder="gmail:virat@gmail.com">
```

```

        <input type="text" name="" placeholder="mobile number:  

xxxxxxxxxx">
        <a href="explore.html"><input type="button" value="Get  

started"></a>
        <br>
        <p>By Registering , You agree to our <span><a  

href="terms.html">Terms & Conditions.</span></p></a>

        </form>

</div>
<div class="htext">
    <h1>PARINAYA Matrimonial Search.</h1>
    <h2>Best Matching <span> Couples </span></h2>
    <p>
        PARINAYA Provides an interesting matching techniques where  

you can find your partner based on your interests.
        </p>
        <br>
        <a href="about.html">Read more</a>

    </div>
</header>
</body>
</html>

```

HOME PAGE CSS

style1.css

```

*
{
padding: 0;
margin: 0;
}
.h1{
<marquee>scrollamount="10" direction="left"</marquee>
}
body
{
box-sizing:border-box;
font-family:sans-serif;
background:black;

```

```
text-align:center;
color:black;
}
.scroll-left{
overflow:hidden;
position:relative;
background:yellow;
color:orange;
border:1px solid orange;
}
.menu-bar ul li
{
display: inline-flex;
list-style:none;
color:teal;
}
.menu-bar ul li
{
height:25px;
margin:15px;
padding:15px;
}
.menu-bar ul li a
{
text-decoration:none;
color:black;
}
.active, .menu-bar ul li:hover
{
background:orange;
border-radius:1px;
}
.menu-bar .fa
{
margin-right:4px;
}
.sub-menu-1
{
display:none;
}
.menu-bar ul li:hover .sub-menu-1
{
display:block;
position:absolute;
background:orange;
```

```
margin-top:25px;
margin-left:-5px;
}
.menu-bar ul li:hover .sub-menu-1 ul
{
display: block;
margin: 3px;
}
.menu-bar ul li:hover .sub-menu-1 ul li
{
width: 80px;
padding: 10px;
border-bottom: 0.5px dotted #0000;
background: transparent;
border-radius: 0;
text-align: left;
}
.menu-bar ul li:hover .sub-menu-1 ul li:last-child
{
border-bottom: none;
}
```

styleless.css

```
*
{
padding: 0;
margin: 0;
}
body{
background:url(wedda.jpg)no-repeat center fixed;
background-size:cover;
}
form input[type="text"]{
width:100%;
padding:20px 10px;
margin:10px 0;
outline: none;
border:none;
background:rgba(0,0,0,0.1);
}
form input[type="password"]{
width:100%;
```

```
padding:20px 10px;
margin:10px 0;
outline: none;
border:none;
background:rgba(0,0,0,0.1);
}

form input[type="submit"]{
width:88%;
padding:20px 10px;
margin:10px 0;
outline: none;
border: none;
background:purple;
color:white;
cursor: pointer;
transition:0.4s

}

form input[type="reset"]{
width:30%;
padding:20px 10px;
margin:10px 0;
outline: none;
border: none;
background:purple;
color:Black;
cursor: pointer;
transition:0.4s

}

form input[type="button"]{
width:30%;
padding:20px 10px;
margin:10px 0px;
outline: none;
border: none;
background:purple;
color:Black;
cursor: pointer;
transition:0.4s

}


form input[type="button"]:hover{
background: transparent;
border: 1px; solid grey;
```

```
color: black;
```

```
}
```

```
form input[type="button"]:hover{  
background: transparent;  
border: 1px solid grey;  
color: black;
```

```
}
```




LOGIN

```
<html>
<head>
<title>Login page</title>
<link rel="stylesheet" href="styless.css">
<style>
body{
background:url(wedda.jpg)no-repeat center fixed;
background-size:cover;
}
</style>
</head>
<body>

<center><h1>LOGIN</h1>
<br>
<br>
<br>
<table align="center" border="3">
<tr><td>
<form>
<a href="5_bytes_home.html"><input type="button" value="Home"></a>
<table align=center cellspacing="10" cellpadding="1">
<form name="f1" action="" method="post">
<table frame="" cellspacing="15">
<tr>
<td>User Name:</td>
<td><input type="text" size="25" placeholder="User Name"></td>
</tr>
<tr>
<td>Password:</td>
<td><input type="password" size="25" placeholder="....."></td>
</tr>
<tr>
<td>
</td>
</td>
<td>
<a href="forgotpassword.html">Forgot password</a>
</td>
<tr>
<td colspan="5" align="center">
```

```
<a href="explore.html"><input type="button" value="submit"></a>
<input type="reset" value="RESET">
</td>
</tr>
</table>
</form>
</td></tr>
</table>
</body>
</html>
```



ABOUT US

```
<!DOCTYPE HTML>
<html>
<head> <h1 align="center"> About Us :</h1>
<link rel="stylesheet" type="text/css" href="about.css">
<style>
body
{
background:url(wedding6.jpg)no-repeat center fixed;
background-size:cover;
color: black;
align-content: center;
}
</style>
</head>

<center>
<body align="center">
    <form>
<a href="5_bytes_home.html"><input type="button" value="Home"></a>
Ah1> PARINAYA</h1>
<h2>
We are team 5 bytes of parinaya matrimony site having 80% success rate<br>
</h2><br>
<h2>
Many great actors and sports persons also got their partners through our website.
<br><br>Ex: ViratKohli-AnushkaSharma and Ranveer Singh-Deepika Padukone
<br>
</h2><br><br>
<h1>
Terms & Conditions:</h1><br><h2>
1.you should login to our page once at a time<br><br>
2.high security is provided
</h2>
</form>
</body>
</center>
</html>
```

CSS CODE

```
*{padding:0;margin:0;box-sizing:border-box;font-family:sans-serif;}
form{
```

```

width:30%;

}

form input[type="text"]{
    width:30%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border:none;
    background:rgba(0,0,0,0.1);
}


form input[type="button"]{
    width:30%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border: none;
    background:yellow;
    color:Black;
    cursor: pointer;
    transition:0.4s
}

}

form input[type="button"]:hover{
background: transparent;
border: 1px; solid grey;
color: black;
}

}

```



EXPLORE

```
<!DOCTYPE HTML>
<html>
<head>
<title align="center"><B>5 BYTES MATRIMONY</B></title>
<marquee scrollamount="6" direction="right">
<h1 style="color:green" align="center" > -----SEARCH
BY-----</h1></marquee>
<link rel="stylesheet" href="style1.css">
<style>
body
{
background:url(wedding8.jpg)no-repeat center fixed;
background-size:cover;
}
</style>
</head>
<body>
<br>
<br>
<div class="menu-bar">
<ul>
<li class="active"><a href="5_bytes_home.html">Home</a>
<div class="sub-menu-1">
</li>
<li class="active"><a href="#">Gender</a>
<div class="sub-menu-1">
<ul>
<li><a href="male.html">Male</a></li>
<li><a href="female.html">Female</a></li>
</ul>
</li>
<li class="active"><a href="#">Religion</a>
<div class="sub-menu-1">
<ul>
<li><a href="#">Hinduism</a></li>
<li><a href="#">Buddism</a></li>
<li><a href="#">Christianity</a></li>
<li><a href="#">Islam</a></li>
</ul>
</li>
<li class="active"><a href="#">City</a>
<div class="sub-menu-1">
```

```

<ul>
    <li><a href="#">Kurnool</a></li>
    <li><a href="#">Chitttor</a></li>
    <li><a href="#">Kadapa</a></li>
    <li><a href="#">Ananthapur</a></li>
    <li><a href="#">Nelloore</a></li>
    <li><a href="#">Prakasham</a></li>
    <li><a href="#">Krishna</a></li>
    <li><a href="#">Guntoor</a></li>
    <li><a href="#">Hyderabad</a></li>
    <li><a href="#">Vishakhapatnam</a></li>
    <li><a href="#">Rajamandri</a></li>
    <li><a href="#">Ahmedabad</a></li>
</ul>
</li>
<li class="active"><a href="#">Occupation</a>
<div class="sub-menu-1">
    <ul>
        <li><a href="#">Agriculture</a></li>

        <li><a href="#">Hardware</a></li>
        <li><a href="#">business</a></li>
        <li><a href="#">Software</a></li>
        <li><a href="#">Automobile work</a></li>
        <li><a href="#">Govt Employee</a></li>
        <li><a href="#">Free lancer</a></li>
        <li><a href="#">shop holder</a></li>
        <li><a href="#">Plantation</a></li>
        <li><a href="#">digital</a></li>
        <li><a href="#">dealer</a></li>
        <li><a href="#">Services</a></li>
    </ul>
</li>
<li class="active"><a href="#">Age</a>
<div class="sub-menu-1">
    <ul>
        <li><a href="#">21-25</a></li>
        <li><a href="#">25-30</a></li>
        <li><a href="#">30-35</a></li>
        <li><a href="#">35-40</a></li>
        <li><a href="#">40 above</a></li>
        <li><a href="#">20 below</a></li>
    </ul>
</li>
</ul>

```

```

</div>
<center>
<table border="0" style="color:black">
  <tr >
    <td> </td>
    <td align="left" > <h3>Name : Ram Pothineni <br> Age:30<br>
  profession:Actor <br>requirements:no caste ,religion &Soft-hearted homely
  girl</h3></td>
  </tr>
  <tr>
    <td> </td>
    <td align="left" > <h3>Name : Anupama Parameshwaran <br> Age:26<br>
  profession:Actress <br>requirements:no caste ,religion and must lives in
  kerala</h3></td>
  </tr>
  <tr>
    <td> </td>
    <td align="left" > <h3>Name : Prabhas Raju Uppalapati <br> Age:37<br>
  profession:Actor <br>requirements:no caste ,religion & independent girl</h3></td>
  </tr>
  <tr>
    <td> </td>
    <td align="left" > <h3>Name : Avika gor <br> Age:27<br> profession:Actress
  <br>requirements:no caste ,religion and Business man</h3></td>
  </tr>
  <tr>
    <td> </td>
    <td align="left" > <h3>Name : Vijay Devarakonda <br> Age:29<br>
  profession:Actor <br>requirements:no caste ,religion & devoted girl</h3></td>
  </tr>
  <tr>
    <td> </td>
    <td align="left" > <h3>Name : Nitya Menon <br> Age:30<br>
  profession:Actress <br>requirements:no caste ,religion must completed
  btech</h3></td>
  </tr>
  <tr>
    <td> </td>
    <td align="left" > <h3>Name : Akhil Akkineni <br> Age:29<br>
  profession:Actor <br>requirements:no caste ,religion & country girl</h3></td>
  </tr>
  <tr>
    <td> </td>

```

```

<td align="left" > <h3>Name : Nivetha Thomas <br> Age:28<br>
profession:Actress <br>requirements:no caste ,religion & must know
cooking</h3></td>
</tr>
<tr>
<td> </td>
<td align="left" > <h3>Name : Teja sajja <br> Age:27<br> profession:Actor
<br>requirements:no caste ,religion & from cinema field</h3></td>
</tr>
<tr>
<td> </td>
<td align="left" > <h3>Name : rakul preeth singh<br> Age:30<br>
profession:Actress <br>requirements:no caste ,religion & Fitness freak</h3></td>
</tr>
</table>
</center>
</body>
</html>

```

Activities Google Chrome ▾ Sun Apr 24, 10:55:54 PM 0 %

5 BYTES MATRIMONY > +

File | /home/student/Desktop/5%20Bytes/explore.html Update :

SEARCH BY-----

Home Gender Religion City Occupation Age

	Name : Ram Pothineni Age:30 profession:Actor requirements:no caste ,religion & Soft-hearted homely girl
	Name : Anupama Parameshwaran Age:26 profession:Actress requirements:no caste ,religion and must lives in kerala
	Name : Prabhas Raju Uppalapati Age:37 profession:Actor requirements:no caste ,religion & independent girl

male.html

```
<!DOCTYPE HTML>
<html>
<head>
    <title align="center"><B>5 BYTES MATRIMONY</B></title>
<center><h1>
Yarinaya matrimony</h1></center><br>
<link rel="stylesheet" type="text/css" href="male.css">
</head>

<style>
body
{
background:url(wedding8.jpg)no-repeat center fixed;
background-size:cover;
color: black;
}
</style><center><br>
<body>
<form>
    <a href="5_bytes_home.html"><input type="button"
value="Home"></a>
    <a href="explore.html"><input type="button"
value="Previous"></a>

<table width="0"><br><br>
<tr>
    <td> </td>
    <td align="left" > <h3>Name : Ram Pothineni <br> Age:30<br>
profession:Actor <br>requirements:no caste ,religion Soft-hearted homely
girl</h3></td>
</tr>
<tr>
    <td> </td>
    <td align="left" > <h3>Name : Prabhas Raju Uppalapati <br> Age:37<br>
profession:Actor <br>requirements:no caste ,religion independent girl</h3></td>
</tr>
<tr>
    <td> </td>
    <td align="left" > <h3>Name : Vijay Devarakonda <br> Age:29<br>
profession:Actor <br>requirements:no caste ,religion devoted girl</h3></td>
</tr>
<tr>
```

```

<td> </td>
<td align="left" > <h3>Name : Akhil Akkineni <br> Age:29<br>
profession:Actor <br>requirements:no caste ,religion country girl</h3></td>
</tr>
<tr>
<td> </td>
<td align="left" > <h3>Name : Teja sajja <br> Age:27<br> profession:Actor
<br>requirements:no caste ,religion from cinema field</h3></td>
</tr>
</form>
</table>
</body>
</center>
```

male.css

```

*{padding:0;margin:0;box-sizing:border-box;font-family:sans-serif;}
form{
    width:30%;
}
form input[type="text"]){
    width:30%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border:none;
    background:rgba(0,0,0,0.1);
}
form input[type="button"]){
    width:30%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border: none;
    background:orange;
    color:Black;
    cursor: pointer;
    transition:0.4s

}
form input[type="button"]:hover{
background: transparent;
border: 1px solid grey;
color: black;
}
```

female.html

```
<!DOCTYPE HTML>
<html>
<head>
    <title align="center"><B>5 BYTES MATRIMONY</B></title><center>
    <h1>
Yarinaya matrimony
<link rel="stylesheet" type="text/css" href="male.css"></h1></center>
</head><br>
<style>
body
{
background:url(wedding8.jpg)no-repeat center fixed;
background-size:cover ;
color:black;
}
</style>
<center>
<body>
<form>
    <a href="5_bytes_home.html"><input type="button"
value="Home"></a>
        <a href="explore.html"><input type="button"
value="Previous"></a>
<table width="0"><br><br>
<tr>
    <td> </td>
    <td align="left" > <h3>Name : Anupama Parameshwaran <br> Age:26<br>
profession:Actress <br>requirements:no caste ,religion and must lives in
kerala</h3></td>
</tr>
<tr>
    <td> </td>
    <td align="left" > <h3>Name : Avika gor <br> Age:27<br> profession:Actress
<br>requirements:no caste ,religion and Business man</h3></td>
</tr>
<tr>
    <td> </td>
    <td align="left" > <h3>Name : Nitya Menon <br> Age:30<br>
profession:Actress <br>requirements:no caste ,religion must completed
btech</h3></td>
</tr>
```

```

<tr>
<td> </td>
<td align="left" > <h3>Name : Nivetha Thomas <br> Age:28<br>
profession:Actress <br>requirements:no caste ,religion must know
cooking</h3></td>
</tr>
<tr>
<td> </td>
<td align="left" > <h3>Name : rakul preeth singh<br> Age:30<br>
profession:Actress <br>requirements:no caste ,religion Gym person</h3></td>
</tr>
</table>
</body>
</center>

```

female.css

```

*{padding:0;margin:0;box-sizing:border-box;font-family:sans-serif;}
form{
    width:30%;
}
form input[type="text"]){
    width:30%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border:none;
    background:rgba(0,0,0,0.1);
}
form input[type="button"]){
    width:30%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border: none;
    background:orange;
    color:Black;
    cursor: pointer;
    transition:0.4s
}
form input[type="button"]:hover{
background: transparent;
border: 1px solid grey;

```

```
color: black;
```

```
}
```

FORGOT PASSWORD

```
<!DOCTYPE HTML>
<html>
<head>
<title>Forgot page</title>
<link rel="stylesheet" href="forgot.css">
<style>
body{
background:url(wedding6.2.jpeg)no-repeat center fixed;
background-size:cover;
}
</style>
<center>
<body>
<form>
<h1 style="text-align:center"><font color=navy>Forgot password</font></h1>
<table align="center">
<tr>
<td>
<h2>User name:</h2>
</td>
<td>
<input type="text" placeholder="User name" name="">
</td>
</tr>
<tr>
<td>
<h2>DOB :</h2>
</td>
<td>
<input type="text" placeholder="d/m/y" name="">
</td>
</tr>
<tr>
```

```

<td>
    <h2>Email id :</h2>
</td>
<td>
    <input type="text" placeholder="enter your email address" name="">
</td>
</tr>
<tr>
    <td>
        <h2>Phone number :</h2>
    </td>
    <td>
        <input type="tel" placeholder="9*****" maxlength="10"
min="1">
    </td>
</tr>
<tr>
    <td>
        <h2>New Password :</h2>
    </td>
    <td>
        <input type="password" placeholder="Enter the new password"
name="">
    </td>
</tr>
<tr>
    <td>
        <h2>Current Password:</h2>
    </td>
    <td>
        <input type="password" placeholder="Re-enter the new password"
name="">
    </td>
</tr>
<tr>
    <td>
        <h2>Security Question:</h2>
    </td>
    <td>
        <h3><select>
            <option>What is your father name?</option>
            <option>who is your best friend?</option>
            <option>what is your favourite dish?</option>
            <option>who is your favourite teacher?</option>
            <option>What is your age?</option>

```

```

        </select></h3>
    </td>
</tr>
<tr>
    <td>
        <h2>Answer :</h2>
    </td>
    <td>
        <input type="password" placeholder="Enter ur answer" name="">
    </td>
</tr>
<tr>
    <td align="left">
        <input type="button" value="Reset" name="Reset" ></td>
        <td align="right"><a href="changed.html"><input type="button" value="Submit" name="submit"></a>
    </td>
</tr>
</table>
</form>
</center>
</body>
</head>
</html>

```

CSS CODE

```

{
padding: 0;
margin: 0;
}
body{
background:url(wedda.jpg)no-repeat center fixed;
background-size:cover;
}
form input[type="text"]{
    width:100%;
    padding:20px 10px;
    margin:10px 0;
    outline: none;
}

```

```
border:none;
background:rgba(0,0,0,0.1);
}
form input[type="password"]{
width:100%;
padding:20px 10px;
margin:10px 0;
outline: none;
border:none;
background:rgba(0,0,0,0.1);
}
form input[type="submit"]{
width:88%;
padding:20px 10px;
margin:10px 0;
outline: none;
border: none;
background:purple;
color:white;
cursor: pointer;
transition:0.4s

}
form input[type="reset"]{
width:88%;
padding:20px 10px;
margin:10px 0;
outline: none;
border: none;
background:purple;
color:white;
cursor: pointer;
transition:0.4s

}
form input[type="button"]{
width:50%;
padding:20px 25px;
margin:8px 0px;
outline: none;
border: none;
background:olive;
color:Black;
cursor: pointer;
transition:0.4s
```

```
}
```

```
form input[type="button"]:hover{
```

```
background: transparent;
```

```
border: 1px solid grey;
```

```
color: black;
```

```
}
```


```
form input[type="button"]:hover{
```

```
background: transparent;
```

```
border: 1px solid grey;
```

```
color: black;
```

```
}
```



Sun Apr 24, 11:17:34 PM

Activities Google Chrome ▾ Sun Apr 24, 11:17:34 PM

Forgot page +

File | /home/student/Desktop/5%20Bytes/forgotpassword.html

Update

Forgot password

User name:	<input type="text" value="User name"/>
DOB :	<input type="text" value="d/m/y"/>
Email id :	<input type="text" value="enter your email address"/>
Phone number :	<input type="text" value="9*****"/>
New Password :	<input type="text" value="Enter the new password"/>
Current Password:	<input type="text" value="Re-enter the new password"/>
Security Question:	<input type="text" value="What is your father name?"/>
Answer :	<input type="text" value="Enter ur answer"/>

Reset **Submit**

CHANGE PASSWORD

```
<!DOCTYPE HTML>
```

```
<html>
```

```
<head>
```

```
<title>changed</title>
```

```
<link rel="stylesheet" type="text/css" href="change.css">
```

```

</head>
<style>
body{
background:url(chang.jpg)no-repeat center fixed;
background-size:cover;
}
</style>
<form>
<body>
<h1 style="text-align:center" color="aqua">Your password is successfully changed
.....</h1>
<h2 align="center"><a href="login.html"><input type="button" name="Back to
Login page" value="Back to Login page"></a></h2>
<h2 align="center"><a href="5_bytes_home.html"><input type="button"
name="Home" value="Home" align="center"></a></h2>
</body>
</form>
</html>

```

CSS CODE

```

*
{
padding: 0;
margin: 0;
}
body{
background:url(wedda.jpg)no-repeat center fixed;
background-size:cover;
}
form input[type="text"]{
    width:100%;
    padding:20px 10px;
    margin:10px 0;
    outline: none;
    border:none;
    background:rgba(0,0,0,0.1);
}
form input[type="password"]{
    width:100%;
    padding:20px 10px;
    margin:10px 0;
    outline: none;
    border:none;
}

```

```
background:rgba(0,0,0,0.1);
}

form input[type="submit"]{
    width:88%;
    padding:20px 10px;
    margin:10px 0;
    outline: none;
    border: none;
    background:purple;
    color:white;
    cursor: pointer;
    transition:0.4s

}

form input[type="reset"]{
    width:88%;
    padding:20px 10px;
    margin:10px 0;
    outline: none;
    border: none;
    background:purple;
    color:white;
    cursor: pointer;
    transition:0.4s

}


form input[type="button"]{
    width:20%;
    padding:20px 25px;
    margin:8px 0px;
    outline: none;
    border: none;
    background:pink;
    color:Black;
    cursor: pointer;
    transition:0.4s

}

form input[type="button"]:hover{
background: transparent;
border: 1px; solid grey;
color: black;

}
```

```
form input[type="button"]:hover{  
background: transparent;  
border: 1px solid grey;  
color: black;  
}  
  
}
```



TERMS AND CONDITIONS

```
<!DOCTYPE HTML>  
<html>  
<head> <h1 align="center"><b><i>Terms And Conditions:</i></b></h1>  
<link rel="stylesheet" href="terms.css">  
<style>  
body  
{  
background:url(wedding6.2.jpeg)no-repeat center fixed;  
background-size:cover;  
color: navy;  
}  
</style>
```

```
</head>
<body >
<br><br>
<form>
<center>
<a href="5_bytes_home.html"><input type="button" align="center"
value="Home"></a></center>
<br><br>
<body align="left">• This document is an electronic record in terms of the
Information Technology Act,<br>
2000 and rules there under pertaining to electronic records as applicable and
amended.<br>
This electronic record is generated by a computer system and does not require any
physical or digital signatures.<br><br><br><br>

•This document is published in accordance with the provisions of Rule 3 (1) <br>
of the Information Technology (Intermediaries Guidelines) Rules,<br>
2011 that require publishing the rules and regulations, privacy policy and the
terms and conditions for<br>
access or usage of www.PARINAYA MATRIMONIAL.com (the
"Website").<br><br><br>
<b>•please read the following terms and conditions<br>
very carefully before using the website. accessing, browsing or otherwise <br>
using the website implies your agreement to be bound by all these terms and
conditions ("Agreement").</b><br><br><br>
•If you do not want to be bound by the Terms and Conditions, <br>
you must not use the Website or the BM(Bharat MatrimonyBM) Services. <br>
The Terms and Conditions also includes the applicable policies which are
incorporated herein <br>
by way of reference and as amended from time to time (the "Terms and
conditions").<br><br><br><br>

• In these Terms, references to "BM member" shall mean the end user
accessing the Website/BM services, <br>its contents or using the BM Services
offered.<br> BM member also includes persons such as father, mother, brother, sister,
relative<br> or a friend ("Registrant") of the prospective bride/ bridegroom. <br>The
terms "You" and "User" shall be interchangeably used for "BM member".<br> "BM
Services" means a collective reference to the Bharat Matrimony service <br>provided
by Matrimony.com Limited ,<br>CIN : L63090TN2001PLC047432,a company
under the provisions of companies act,<br> 2013 and having its registered office at
No.24, At RGUKT RKVALLEY.<br><br><br>
</body>
</form>
</body>
```

```
</html>
```

CSS CODE

```
*  
{  
padding: 0;  
margin: 0;  
}  
form input[type="button"]{  
    width:30%;  
    padding:20px 15px;  
    margin:4px 0px;  
    outline: none;  
    border: none;  
    background:teal;  
    color:black;  
    cursor: pointer;  
    transition:0.4s  
}  
*  
{  
padding: 0;  
margin: 0;  
}  
.h1{  
<marquee>scrollamount="10" direction="left"</marquee>  
}  
body  
{  
box-sizing:border-box;  
font-family:sans-serif;  
font-size:medium;  
background:black;  
text-align:center;  
color:black;  
}  
.scroll-left{  
overflow:hidden;  
position:relative;  
background:yellow;
```

```
color:orange;
border:1px solid orange;
}
.menu-bar ul li
{
display: inline-flex;
list-style:none;
color:teal;
}
.menu-bar ul li
{
height:25px;
margin:15px;
padding:15px;
}
.menu-bar ul li a
{
text-decoration:none;
color:black;
}
.active, .menu-bar ul li:hover
{
background:pink;
border-radius:3px;
}
.menu-bar .fa
{
margin-right:8px;
}
.sub-menu-1
{
display:none;
}
.menu-bar ul li:hover .sub-menu-1
{
display:block;
position:absolute;
background:purple;
margin-top:15px;
margin-left:-15px;
}
.menu-bar ul li:hover .sub-menu-1 ul
{
display: block;
margin: 10px;
```

```

}


.menu-bar ul li:hover .sub-menu-1 ul li
{
width: 150px;
padding: 10px;
border-bottom: 0.5px dotted #0000;
background: transparent;
border-radius: 0;
text-align: left;
}
.menu-bar ul li:hover .sub-menu-1 ul li:last-child
{
border-bottom: none;
}
form input[type="button"]:hover{
background: transparent;
border: 1px solid grey;
color: black;
}

```

Activities Google Chrome ▾ Sun Apr 24, 11:23:33 PM
 terms.html +
 File | /home/student/Desktop/5%20Bytes/terms.html > ☆ Update :)

Terms And Conditions:

[Home](#)



• This document is an electronic record in terms of the Information Technology Act, 2000 and rules there under pertaining to electronic records as applicable and amended. This electronic record is generated by a computer system and does not require any physical or digital signatures.

•This document is published in accordance with the provisions of Rule 3 (1) of the Information Technology (Intermediaries Guidelines) Rules, 2011 that require publishing the rules and regulations, privacy policy and the terms and conditions for access or usage of www.PARINAYA MATRIMONIAL.com (the "Website").

***please read the following terms and conditions very carefully before using the website. accessing, browsing or otherwise using the website implies your agreement to be bound by all these terms and conditions ("Agreement").**

•If you do not want to be bound by the Terms and Conditions, you must not use the Website or the BM(Bharat MatrimonyBM) Services. The Terms and Conditions also includes the applicable policies which are incorporated herein

