

HealthPro

Ä>EB CD>D >C)\$O

At2EdB D 5D VEr r C 3 #4, @d:Cä=C0, A\$8CD0C´5CÔ=

AD0D\$0: 4 D\$@C 2CÔO 2026 D à

475

B\$5D BEd2

8

BD0C";Ed2 C

5

B\$5D BEd2 C

3

A 0C4VC" 2C

C\$AEb 7CT;CT=E`

JS + Android + B\$5D BC€

1 A>CÔBCT:D B D 5D VEp

Aô>Cô5D 5CD=Dò ACTAEdO (D\$@C 2CT=DÄ # #b' 2C,,?D 0C\$8C´0 C 0C48 #1-3 C@Cä:Cä<Ed@C D >Ct1Ed6CÔVD

2 A 0C2 3B r D VCä@C,,BCTB CD0CÔ8DR ACT@C\$VD C

2.1 B 8CÄ?D\$>CÀ

AôVD ;Dò ?CT@CT7C 2C =D\$0Cd5CÔ=Dó BootReceiver Ct0CôCD :C T D 5D 2EdA, D 5D 2EdA CÔ0D 0DT>C\$CEBÄ =

2.2 Aô5D HCä?D 8Dt8CÔ0

B BC @C ;Cä3Ed:C Cò@C, 2Ed4C@C,,BD\$V CD>CD0D\$:D2 Væ leSteps() Ct0C\$6CD8 Dt8D\$0C" 7FW 6÷VçB 7 A (C

2.3 B VD,,5CÔ=Dö

- enableSteps('foreground'): D ?CäGC BCC C\$8C;C,,;C TCÄ> getServiceStatus(). Bô:D"> running=true — C 5D 5CÄ>
- enableSteps('foreground'): Bô:D"> running=false — C´8D,,5 D\$>CDV D BC @D\$CED<Câ 7 CD0CÔ8CÄ8 A .
- restoreSteps(): C =C ;Cä3EdGCÔ0 C´>C4VC0 + C\$AD\$0CÔ>C\$;Dät stepEnabled=true Eb ?Ed4C;DäGC T listener
- AD0CÔV D 5D 2EdAD2 7C 2Cd4C, <C ND\$L Cò@Ed>D 8D\$5D" =C 4 C´>C0C´LCÔ>Dâ ABà

3 Aä=Cä2C´5CÔ=Dò VC>CÔ:C, ACô>C\$VD"5CÔ=Dö

3.1 B BC =CD0D B Android

@d:Cä=C0 D ?Cä2EdICT=CÔO Cò>C\$8CÔ=C 1D4BCf Cò>C\$=EdAD\$N C VC´0 CÔ0 Cò@Cä7Cä@Cä<D2 DCä=EbÄ

3.2 At<Ed=C€

- B BC\$>D 5CÔ> Android Vector Drawable XML: android/app/src/main/res/drawable/ic_stat_notification.xml
- B 8C´CCTB C´NCD8CÔ8, D"> C"4CR ,, C BCT@Ed0C² FW6-vâ &F—&V7F-öç5÷palk") — Dt8D BCâ 1Ed;C,,9, Ct@Cä
- StepCounterService.java C\$6CR ?CäAC,,;C TD\$LD O CÔ0 R.drawable.ic_stat_notification — CÔVDt>C4> CÔ5 Ct<Ed
- A\$5CBCä@CÔ8C´ DCä@CÄ0D" <C HD\$0C CEDBDÄADò 1CT7 C\$BD 0D\$8 Dô:CäAD\$V CÔ0 C CCDL-Dô:Ed9 D"V

4 A\$8CD0C´5CÔ=Dò pA

4.1 AÄ>D\$8C\$0DdVDö

AD>CD0D\$>C¢ T CÔ0D\$8C\$=C,,< Android-Ct0D BCäAD4=Cª>CÂ GCT@CT7 Capacitor. PWA-DDCCÔ:DdVCä=C ; C VC

4.2 A\$8CD0C´5CÔ>

BD0C”;	B”> C\$8CD0C´5CÔ>
index.html	apple-mobile-web-app-* meta, <link rel="manifest">, installBanner, updateBanner. offlineBar. "PWA" D2 2CT@D VEp
src/app.js	@d<Cô>D B installApp/registerSW/applyUpdate/setupOnlineIndicator, C\$8Cª;C,,;C,Â 4EdW
src/core/constants.js	"PWA" Cr ô UILD_LABEL
src/core/storage.js	Aª>CÄ5CÔBC @ "web/PWA"
src/core/platform.js	Aª>CÄ5CÔBC @ "web (PWA)"
src/features/pwa/index.js	At0Dt8D"5CÔ> (DD0C”; Ct1CT@CT6CT=Câ 4C´O D BD CCªBD4@C,•

5 At2CT4CT=C BC 1C´8DdO Ct<Ed=CT=C,,E DD0C”;Ed2

BD0C”;	B BC BD4A At<Ed=C€
src/features/steps/index.js	Aä Aä A´ AÔ A 0C2 3C enableSteps + restoreSteps — Côt@Ed>D 8D\$5D" ACT@C\$V
android/.../ic_stat_notification.xml	Aä Aä A´ AÔ B 8C´CCTB C´NCD8CÔ8 D"> C"4CRÂ 1Ed;C,,9 Vector Drawable
index.html	Aä Aä A´ AÔ A\$8CD0C´5CÔ> PWA-CÄ5D\$0, C 0CÔ5D 8, offline-bar, "PWA" D2 2CT@
src/app.js	Aä Aä A´ AÔ A\$8CD0C´5CÔ> Ed<Côt>D BC, pA, C\$8Cª;C,,;C, &Vv—7FW%5r÷6WGW
src/core/constants.js	Aä Aä A´ AÔ "PWA" C\$8CD0C´5CÔ> Cr ô UILD_LABEL
src/features/pwa/index.js	At Bt B" AÔ AÄ>CDCC´L Ct1CT@CT6CT=CâÂ 2CÄVD B C\$8CD0C´5CÔ>
tests/foreground-step.test.js	Aä Aä A´ AÔ 5 D\$5D BEd2 Cä=Cä2C´5CÔ> CôtVCB =Cä2D2 ;Cä3Ed:D0
replit.md	Aä Aä A´ AÔ A @DTVD\$5CªBD4@C :D >Cª>CÄVD 0, EdAD\$>D VDòÂ pA C\$8CD0

6 B\$5D BC, ...f—FW7B•

6.1 B 5CtCC´LD\$0D

A\$AEb CsR BCTAD\$VC" ?D >C"HC´8 (Ct0C40C´LCÔ0 CªVC´LCªVD BDÂ 7D >D ;C 7 228 CD> 475 Ct0 C\$AEb ACTAE

6.2 Aä=Cä2C´5CÔV D\$5D BC, †`oreground-step.test.js)

AÔ0Ct2C BCTAD\$C	At<Ed=C
calls startStepService when service is NOT running	Ct<Ed=CT=Câ <Cä:
registers addStepUpdateListener when service starts fresh	CD>CD0CÔ> disableSteps()
service data has priority even when service count is lower	CÔ>C\$0 C´>C4VCª0
falls back to active-only when service not running and startStepService fails	Ct<Ed=CT=Câ <Cä:

service data has priority even when lower than DB count (Bug #4 fix)

$C\hat{O} > C\$0 \quad C' > C4VC \neq 0$

