WORKING WITH SKY-FRAME.

Symbols



Outside



Drainage



Sky-Frame

suggested installation details index

general information	information concerning these details	page 4
Sky-Frame 1	sill detail - 95 sill detail - 45 header detail jamb detail	page 6 - 9 page 10 - 13 page 14 - 15 page 16 - 17
Sky-Frame 2	sill detail - 95 sill detail - 45 header detail jamb detail sill detail - 95, 3+4-track sill detail - 45, 3+4-track header detail, 3+4-track jamb detail, 3+4-track fixed panel glazing	page 18 - 21 page 22 - 25 page 26 - 27 page 28 - 29 page 30 - 31 page 32 - 33 page 34 - 37 page 38 - 41 page 42 - 45
Sky-Frame 3	sill detail - 100 sill detail - 51 header detail jamb detail sill detail - 100, 3-track sill detail - 51, 3-track header detail, 3-track jamb detail, 3-track fixed panel glazing	page 46 - 49 page 50 - 53 page 54 - 55 page 56 - 57 page 58 page 59 page 60 - 61 page 62 - 63 page 64 - 67



Sky-Frame

suggested installation detail general information

information concerning these details

Waterproofing at the suggested installation details is a recommendation provided for reference only.

General contractor must determine suitability and accuracy of the suggested details for the current project and, if necessary, modify this detail and especially the waterproofing to suit the conditions on site and the local building codes.


Sky-Frame is not responsible for design and installation.

Gutter drainage system recommended for solid terraces. Split or gravel does not allow enough of drainage.

08/30/2016


DETAILSBUILDING CONNECTIONS

Sky-Frame 1




suggested installation detail

sill detail M 1:2



Sky-Frame 1

M 1:2




suggested installation detail

sill detail 95 with gutter 105


80mm [3½"] 110mm [4³/₈"] frame width min. 6mm $\left[\frac{1}{4}\right]$ -_ silicone by others gutter s/s vapor barrier by others 140mm [5 1/2"] fasteners adjustable by installer base plate (aluminum) 50mm [2"] pre-assembled liquid membrane / waterproofing by others 87mm [3³/₈"] 220mm [8⁵/₈"] base plate

Sky-Frame 1




suggested installation detail

sill detail M 1:2 95 with narrow gutter



Sky-Frame 1

M 1:2




suggested installation detail

sill detail 95 with gutter 85

80mm [3½"] 110mm [4³/₈"] frame width min. 6mm $\left[\frac{1}{4}\right]$ ->_silicone by others gutter s/s 85mm [3 3/8"] vapor barrier by others 140mm [5 1/2"] fasteners adjustable by installer base plate (aluminum) pre-assembled liquid membrane / waterproofing by others 87mm [3³/₈"] 220mm [85/8"] base plate


08/30/2016

Sky-Frame 1




suggested installation detail

sill detail M 1:2




Sky-Frame 1



suggested installation detail


sill detail M 1:2 45 with gutter 105



08/30/2016


Sky-Frame 1

M 1:2




suggested installation detail

sill detail 45 with narrow gutter




Sky-Frame 1




suggested installation detail

sill detail M 1:2 45 with gutter 85




Sky-Frame 1




suggested installation detail

header detail M 1:2 mounted with optional bracket




Sky-Frame 1




suggested installation detail

header detail M standard mounting

M 1:2




Sky-Frame 1




suggested installation detail

jamb detail mounted with optional bracket

M 1:2




Sky-Frame 1




suggested installation detail

jamb detail standard mounting

M 1:2




Sky-Frame 2




suggested installation detail

sill detail 95

M 1:2




Sky-Frame 2




suggested installation detail

sill detail 95 with gutter 105

M 1:2




Sky-Frame 2




suggested installation detail

sill detail M 1:2 95 with narrow gutter




Sky-Frame 2




suggested installation detail

sill detail M 1:2 95 with gutter 85




Sky-Frame 2




suggested installation detail

sill detail M 1:2




Sky-Frame 2




suggested installation detail

sill detail M 1:2 45 with gutter 105




Sky-Frame 2

M 1:2




suggested installation detail

sill detail 45 with narrow gutter




08/30/2016

Sky-Frame 2




suggested installation detail

sill detail M 1:2 45 with gutter 85




Sky-Frame 2




suggested installation detail

header detail M 1:2 mounted with optional bracket




Sky-Frame 2




suggested installation detail

header detail M 1:2 standard mounting




Sky-Frame 2




suggested installation detail

jamb detail mounted with optional bracket

M 1:2




Sky-Frame 2




suggested installation detail

jamb detail standard mounting


M 1:2




Sky-Frame 2




suggested installation detail



Sky-Frame 2




suggested installation detail




08/30/2016

Sky-Frame 2




suggested installation detail

sill detail M 1:2 45 3-track




Sky-Frame 2

M 1:2




suggested installation detail

sill detail 45 4-track




Sky-Frame 2



suggested installation detail


header detail mounted with optional bracket 3-track

M 1:2




Sky-Frame 2

M 1:2




suggested installation detail

header detail standard mounting 3-track




Sky-Frame 2



suggested installation detail


header detail mounted with optional bracket 4-track

M 1:2




Sky-Frame 2

M 1:2




suggested installation detail

header detail standard mounting 4-track




Sky-Frame 2




suggested installation detail


jamb detail M 1:2 mounted with optional bracket 3-track




Sky-Frame 2




suggested installation detail




Sky-Frame 2




suggested installation detail



Sky-Frame 2



suggested installation detail




Sky-Frame 2



suggested installation detail

sill detail fixed panel glazing

M 1:2 exterior track



08/30/2016 42


Sky-Frame 2



suggested installation detail

sill detail fixed panel glazing interior track

M 1:2








suggested installation detail

header detail fixed panel glazing exterior track

M 1:2




Sky-Frame 2




suggested installation detail

jamb detail fixed panel glazing interior track

M 1:2




Sky-Frame 3



suggested installation detail


sill detail 100

M 1:2




Sky-Frame 3

M 1:2




suggested installation detail

sill detail 100 with gutter 105




Sky-Frame 3




suggested installation detail

sill detail 100 with narrow gutter

M 1:2




Sky-Frame 3




suggested installation detail

sill detail 100 with gutter 85

M 1:2




Sky-Frame 3(2)



suggested installation detail


sill detail 51

M 1:2




Sky-Frame 3(2)

M 1:2




suggested installation detail

sill detail 51 with gutter 105




Sky-Frame 3(2)




suggested installation detail

sill detail 51 with narrow gutter

M 1:2




Sky-Frame 3(2)




suggested installation detail

sill detail 51 with gutter 85

M 1:2




Sky-Frame 3




suggested installation detail

header detail mounted with optional bracket

M 1:2




Sky-Frame 3




suggested installation detail

header detail standard mounting

M 1:2




Sky-Frame 3




suggested installation detail

jamb detail M 1:2 mounted with optional bracket




Sky-Frame 3




suggested installation detail


jamb detail M 1:2 standard mounting




Sky-Frame 3



suggested installation detail




Sky-Frame 3(2)




suggested installation detail

sill detail M 1:2 51 3-track




Sky-Frame 3




suggested installation detail

header detail mounted with optional bracket 3-track

M 1:2




Sky-Frame 3




suggested installation detail

header detail standard mounting 3-track


M 1:2




Sky-Frame 3




suggested installation detail



Sky-Frame 3



suggested installation detail




Sky-Frame 3



suggested installation detail

sill detail fixed panel glazing exterior track

M 1:2




Sky-Frame 3



suggested installation detail

sill detail fixed panel glazing interior track

M 1:2




Sky-Frame 3



suggested installation detail

header detail fixed panel glazing exterior track


M 1:2



Sky-Frame 3



suggested installation detail



Sky-Frame Inc. 5912 Blackwelder St Culver City, CA 90232 USA

Telephone: +1 (424) 298-8906 E-Mail: info@sky-frame.com Website: www.sky-frame.com