#### VISVESVARAYA TECHNOLOGICAL UNIVERSITY

"JnanaSangama", Belgaum -590014, Karnataka.



# LAB REPORT on

### **COURSE TITLE**

Submitted by

Chirag Manjeshwar (1BM20CS036)

in partial fulfillment for the award of the degree of BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING
(Autonomous Institution under VTU)
BENGALURU-560019
October-2022 to Feb-2023

### B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)

Department of Computer Science and Engineering



#### **CERTIFICATE**

This is to certify that the Lab work entitled "LAB COURSE Unix Shell Programming" carried out by Chirag Manjeshwar (1BM20CS036), who is bonafide student of B. M. S. College of Engineering. It is in partial fulfillment for the award of Bachelor of Engineering in Computer Science and Engineering of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of a Course Title - (Course code) work prescribed for the said degree.

Name of the Lab-Incharge Designation Department of CSE BMSCE, Bengaluru **Dr. Jyothi S Nayak**Professor and Head
Department of CSE
BMSCE, Bengaluru

•

## Index

Sl. No	Date	Experiment Title	Page No.
1.	14/11/22	Shell script to find if the given year is leap or not	4
2	14/11/22	Shell script to find the area of a circle	5
3	14/11/22	Shell script to check whether the number is zero/ positive/ negative	6
4	19/11/22	Shell script to find the biggest of three numbers	7
5	19/11/22	Shell script to find the factorial of a number	8
6	19/11/22	Shell script to compute the gross salary of an employee	9
7	28/11/22	Shell script to convert the temperature Fahrenheit to Celsius	10
8	28/11/22	Shell script to perform arithmetic operations on given two numbers	11
9	28/11/22	Shell script to find the sum of even numbers up to n	12
10	5/12/22	Shell script to print the combinations of numbers 123	13
11	5/12/22	Shell script to find the power of a number	14
12	12/12/22	Shell script to find the sum of n natural numbers	15
13	12/12/22	Shell script to display the pass class of a student	16
14	12/12/22	Shell script to find the Fibonacci series up to n	17
15	19/12/22	Shell script to count the number of vowels of a string	18
16	19/12/22	Shell script to check number of lines, words, characters in a file	19
17	9/1/23	Write a C/C++ program to that outputs the contents of its environment list	20
18	16/1/23	Write a C/C++ program to emulate the Unix ln command	21
19	16/1/23	Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.	23
20	16/1/23	Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program.	25

### Shell script to find if the given year is leap or not

```
#!/bin/bash
echo "Enter an Year: "
read year
if [ $((year % 4)) -eq 0 ]
then
 if [ $((year % 100)) -eq 0 ]
  then
  if [ $((year % 400)) -eq 0 ]
      then
     echo "$year is a leap year"
  else
       echo "$year is not a leap year"
  fi
 else
 echo "$year is a leap year"
 fi
else
echo "$year is not a leap year"
fi
OUTPUT:
```

```
Enter the year:
2000
2000 is a leap year
```

### Shell script to find the area of a circle

#### CODE:

```
#!/bin/bash
echo "\nEnter the radius of a circle:"
read r
d=$(echo "scale=2;2 * $r"| bc) #Diameter
area=$(echo "scale=2; 22/7 * ($r * $r)" | bc)
circumference=$(echo "scale=2; 22/7 * $d"| bc)
echo "\nArea of circle is: $area"
echo "\nCircumference of circle is: $circumference \n"
OUTPUT:
```

Enter the radius of the circle 7
The area of the circle is 153.86

## Shell script to check whether the number is zero/ positive/ negative

```
#!/bin/bash
echo "Enter the number:"
read num
if [ $num -gt 0 ]
then
echo "$num is positive"
elif [ $num -lt 0 ]
then
echo "$num is negative"
else
echo "$num is zero"
fi
OUTPUT:
```

```
Enter the number:
45
45 is positive
```

### Shell script to find the biggest of three numbers

```
#!/bin/bash
echo "Enter first number: "
read num1
echo "Enter second number: "
read num2
echo "Enter third number: "
read num3
if [ $num1 -gt $num2 ] && [ $num1 -gt $num3 ]
then
  echo "\n$num1 is the greatest"
elif [ $num2 -gt $num1 ] && [ $num2 -gt $num3 ]
then
  echo "\n$num2 is the greatest"
else
  echo "\n$num3 is the greatest"
fi
OUTPUT:
```

```
Enter the first number:
33
Enter the second number:
-3
Enter the third number:
44
44 is the largest
```

### Shell script to find the factorial of a number

```
#!/bin/bash
echo "ENTER THE NUMBER: "
read n
fact=1
while [ $n -gt 1 ]
do
    fact=$(( fact * n))
    n=$((n-1 ))
done
echo "FACTORIAL IS: "
echo $fact
```

CODE:

```
Enter the number:
5
Factorial is: 120
```

### Shell script to compute the gross salary of an employee

```
#!/bin/bash
echo "\nEnter name of Employee :"
read name
echo "\nEnter DA :"
read da
echo "\nEnter HRA:"
read hra
echo "\nEnter basic"
read basic
sal=$(( $da + $hra + $basic ))
echo "\nGross Salary of $name is $sal"
OUTPUT:
```

```
Enter the basic salary
30
Gross salary: 39.0
```

### Shell script to convert the temperature Fahrenheit to Celsius

```
#!/bin/bash
echo "Enter temperature in F:"
read f
c=$(echo "scale=2;(5/9)*($f-32)"|bc)
echo "$f °F = $c °C"
```

OUTPUT:

```
Enter the temperature in fahrenheit
100
The temperature in celsius is:
37
```

### Shell script to perform arithmetic operations on given two numbers

#### CODE:

```
#!/bin/bash
echo "Enter 2 Numbers: "
read a
read b
echo "Enter Operation: \n"
echo "1) Addition"
echo "2) Subtraction"
echo "3) Multiplication"
echo "4) Division(Quotient)"
echo "5) Modulus(Remainder)\n"
read op
case $op in
  1)echo "scale=3; $a + $b" | bc -1 ;;
 2)echo "scale=3; $a - $b" | bc -1;;
 3)echo "scale=3; $a \* $b" | bc -1;;
 4)echo "scale=3; $a / $b" | bc -1;;
 5)echo "scale=3; $a % $b" | bc -1;;
  *)echo "Choose a valid option"
esac
```

```
Enter first number
33
Enter second number
22
Enter 1.Add 2.Subtract 3.Multiply 4.Divide
Enter choice
2
11
```

### Shell script to find the sum of even numbers upto n

```
#!/bin/bash
sum=0
read -p "Enter maximum limit of Even Numbers : " m
for ((i = 0; i < m; i++)); do
    if [[ $i%2 -eq 0 ]]; then
        sum=$(expr $sum + $i)
    fi
done
echo $sum
OUTPUT:</pre>
```

```
Enter the number : 10
Sum of even numbers till 10 is : 30
```

### Shell script to print the combinations of numbers 123

#### CODE:

```
#!/bin/bash
echo "Combinations for 123:"

for ((i = 1; i <= 3; i++)); do

for ((j = 1; j <= 3; j++)); do

for ((k = 1; k <= 3; k++)); do

echo $i $j $k

done

done

done
```



### Shell script to find the power of a number

```
CODE:
#!/bin/bash
echo "Enter base"
read a
echo "Enter power"
read b
res=1
for ((i = 1; i <= b; i++)); do
    res='expr $res \* $a'
done
echo $res</pre>
```

```
Enter the number
4
Enter the exponent
2
The result is: 16
```

### Shell script to find the sum of n natural numbers

```
#!/bin/bash
echo "Enter a number"
read n
i=1
sum=0
while [ $i -le $n ]
do
  echo "$i"
  sum=$(( $sum + $i ))
    i=$(( $i + 1 ))
done
echo "Sum=$sum"
OUTPUT:
```

```
Enter the number

5
The sum of first 5 natural numbers is:
15
```

### Shell script to display the pass class of a student

CODE:

**OUTPUT**:

```
#!/bin/bash
echo "Enter m1:\c and Enter m2:\c "
read m1
echo "Enter m3:\c"
read m3
echo "Enter m4:\c"
read m4
echo "Enter m5:\c"
read m5
tot='expr $m1 + $m2 + $m3 + $m4 + $m5';
avg='expr $tot / 5';
echo "total: $tot \n avg: $avg"
if [ $avg -gt 85 ];then
echo " Grade: Distinction "
elif [ $avg -gt 65 ];then
echo " Grade: First Class "
elif [ $avg -gt 50 ];then
echo " Grade: Second Class "
elif [ $avg -gt 35 ];then
echo " Grade: Pass "
else echo " Grade: Fail"
fi
```

Enter marks 99 Distinction

### Shell script to find the Fibonacci series up to n

```
CODE:
```

```
#!/bin/bash
read N
a=0
b=1
echo "The Fibonacci series is : "
for (( i=0; i<N; i++ ))
do
    echo "$a"
    fib=$((a + b))
    a=$b
    b=$fib
done</pre>
```

```
Enter the number

8
The fibonacci series is:
0
1
2
3
5
```

### Shell script to count the number of vowels of a string

#### CODE:

#!/bin/bash

echo "enter filename"

read filename

vowels=`cat \$filename | tr -cd 'aeiouAEIOU' | wc -c`

echo "Number of vowels in \$filename: \$vowels"

#### OUTPUT:

Enter the string hello The string has 2 vowels

### Shell script to check number of lines, words, characters in a file

#### CODE:

#!/bin/bash
echo "Enter the filename or path to proceed"
read filename
words=`wc -w \$filename`
lines=`wc -l \$filename`
chars=`wc -c \$filename`
echo "Words is \$words"
echo "Lines is \$lines"
echo "Characters is \$chars"
OUTPUT:

Enter file name
vowels.sh
File exists
Number of lines
20 vowels.sh
Number of words
64 vowels.sh
Number of characters
358 vowels.sh

### Write a C/C++ program to that outputs the contents of its environment list

#### CODE:

```
#include<stdio.h&gt;
#include&lt;unistd.h&gt;
int main(int argc,char *argv[])
{
    char **ptr;
    extern char **environ;
    for(ptr=environ; *ptr; ptr++)
    printf(&quot;%s\n&quot;,*ptr);
    return 0;
}
```

```
HOSTNAME=Check
LANGUAGE=en_US:en
PWD=/home
HOME=/
LANG=en_US.UTF-8
GOROOT=/usr/local/go
TERM=xterm
DISPLAY=:1
SHLVL=1
PS1=#ogdbshell#
LC_ALL=en_US.UTF-8
PATH=/opt/swift/swift-5.7.3-RELEASE-ubuntu22.04/usr/bin/:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/bin
DEBIAN_FRONTEND=noninteractive
_=/script/tinit
```

#### Write a C/C++ program to emulate the Unix ln command

```
#include<unistd.h>
#include<stdio.h>
#include<string.h>
int main(int argc , char * argv[])
     if(argc < 3 \parallel argc > 4)
          printf("Error in usage\n");
          return -1;
     if(argc==4 \&\& strcmp(argv[1],"-s")!=0)
          printf("for symbolic link use -s option");
          return -1;
     if(argc==4 && access(argv[2], F OK)==-1)
          printf("Source file does not exist");
          return -1;
     if(argc==3 && access(argv[1], F_OK)==-1)
          printf("Source file does not exist");
          return -1;
     if(argc==4)
          symlink(argv[2], argv[3]);
          printf("Symbolic link is created");
          return 0;
     if(argc==3)
          link(argv[1], argv[2]);
          printf("Hard link is created");
          return 0;
}
```

## OUTPUT:

Hard link is created

Symbolic link is created

Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.

```
CODE:
#define POSIX SOURCE
#define POSIX C SOURCE 199309L
#include<iostream&gt;
#include<unistd.h&gt;
int main()
using namespace std;
#ifdef POSIX JOB CONTROL
cout<&lt;&quot;System Supports Job Control feature&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support job control\n&quot;;
#endif
#ifdef POSIX SAVED IDS
cout<&lt;&quot;System Supports saved set-UID and saved set-GID&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support saved set-UID\n&quot;;
#endif
#ifdef POSIX CHOWN RESTRICTED
cout<&lt;&quot;System Supports Change Ownership feature:&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support change Ownership feature\n&quot;;
#endif
#ifdef POSIX NO TRUNC
cout<&lt;&quot;System Supports Path truncation option:&quot;&lt;&lt;endl;
```

```
#else
cout<&lt;&quot;System doesnot support Path truncation \n&quot;;
#endif
#ifdef_POSIX_VDISABLE
cout&lt;&lt;&quot;System Supports Disable Character for files:&quot;&lt;&lt;endl;
#else
cout&lt;&lt;&quot;System doesnot support Disable Characters \n&quot;;
#endif
return 0;
OUTPUT:
```

System supports job control
System supports saved set-UID and saved get-UID
chown -restricted option is 0
Pathname trunc option is 1
Disable character for terminal files is 0

Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program.

```
#include <sys/stat.h>
       #include <string.h>
       #include <fcntl.h>
       #include <stdio.h>
       #include <unistd.h>
       int main(int argc, char *argv[])
       char buf[100];
       int fd,n;
       mkfifo (argv[1], S IFIFO |0777);
       if (argc == 3){
       fd = open (argv[1], O WRONLY);
       write (fd, argv[2], strlen(argv[2]));
       close(fd);}
       if (argc == 2){
       fd = open (argv[1], O_RDONLY);
       n= read (fd, buf, sizeof(buf));
       buf[n]='\0';
       printf ("%s", buf);
       close(fd);
       }
```

```
$ cc interprocess.c
$ ./a.out interprocess 5th semester
[1] 3801
$ ./a.out interprocess
5th semester[1]+ Done
```