


```

Create Table Client (
    Name VARCHAR(40),
    Email Address CHAR,
    PRIMARY KEY(Email Address)
);
Create Table Rent (
    rentid INT,
    Date DATE,
    PRIMARY KEY(rentid)
);
Create Table Address(
    Road CHAR,
    Number INT,
    City CHAR,
    PRIMARY KEY(Road, Number, City)
);
Create Table CreditCard(
    Cardnumber INT,
    PRIMARY KEY(cardnumber)
);

```

Rule 2: weak entities

```

CREATE TABLE Model (
    modelid INT,
    Constructionyear INT,
    Color CHAR,
    Transmission_type CHAR,
    carid INT,
    PRIMARY KEY (modelid, carid)
    FOREIGN KEY (carid) REFERENCES Car
);

CREATE TABLE Review (
    reviewid INT,
    Message TEXT,
    Rating INT,
    Name VARCHAR(40),
    PRIMARY KEY (reviewid, name)
    FOREIGN KEY (Name) REFERENCES Driver
);

```

Rule 3: Relationships 1-1

Nothing goes here

Rule 4: Relationships 1-N / N-1

```
CREATE TABLE Review (  
    Reviewid INT,  
    Message TEXT,  
    Rating INT,  
    Name VARCHAR(40) NOT NULL,  
    Email Address CHAR NOT NULL,  
    PRIMARY KEY (reviewid, Name)  
    FOREIGN KEY (EmailAddress) REFERENCES Client  
    FOREIGN KEY (Name) REFERENCES Driver  
);
```

```
Create Table Rent (  
    rentid INT,  
    Date DATE,  
    PRIMARY KEY(rentid),  
    Email Address CHAR NOT NULL,  
    Name CHAR NOT NULL,  
    modelid INT NOT NULL,  
    FOREIGN KEY (Name) REFERENCES Driver,  
    FOREIGN KEY (EmailAddress) REFERENCES Client  
    FOREIGN KEY (modelid) REFERENCES Model  
);
```

```
CREATE TABLE Driver (  
    Name VARCHAR(100),  
    Road CHAR NOT NULL,  
    Number INT NOT NULL,  
    City CHAR NOT NULL,  
    PRIMARY KEY (Name),  
    FOREIGN KEY (Road, Number, City) REFERENCES Address  
);
```

```

CREATE Table Credit Card(
    Cardnumber INT,
    Email Address CHAR NOT NULL,
    Road CHAR NOT NULL,
    Number INT NOT NULL,
    City CHAR NOT NULL,
    FOREIGN KEY (EmailAddress) REFERENCES Client (EmailAddress)
    FOREIGN KEY (Road, Number, City) REFERENCES Address
    PRIMARY KEY(cardnumber)
);

```

Rule 5: Relationships N-M and n-ary

```

Create Table ClientAddress(
    EmailAddress CHAR NOT NULL,
    Road CHAR NOT NULL,
    Number INT NOT NULL,
    City CHAR NOT NULL,
    FOREIGN KEY (EmailAddress) REFERENCES Client (EmailAddress)
    FOREIGN KEY (Road, Number, City) REFERENCES Address (Road, Number, City),
    PRIMARY KEY(Email Address, Road, Number, City)
);

```

```

Create Table DriverModel (
    Name VARCHAR (40),
    Modelid INT,
    FOREIGN KEY (Name) REFERENCES Driver,
    FOREIGN KEY (Road, Number, City) REFERENCES Address,
    PRIMARY KEY (Name, modelid)
);

```

Rule 6: Multi-valued attributes

Nothing here