Assignment-based Subjective Questions

Question 1. From your analysis of the categorical variables from the dataset, what could you infer about their effect on the dependent variable? (Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: <Your answer for Question 1 goes below this line> (Do not edit)

Apart from the date, month and actual temperature, rest of the variables contribute equally to the output of the prediction.

Question 2. Why is it important to use drop_first=True during dummy variable creation? (Do not

edit)

Total Marks: 2 marks (Do not edit)

Answer: <Your answer for Question 2 goes below this line> (Do not edit)

Get_dummies is a function for data standardization. With drop_first=True we are pointing to drop

the first column so that it will create k-1 columns where k is the category level.

Question 3. Looking at the pair-plot among the numerical variables, which one has the highest correlation with the target variable? (Do not edit)

Total Marks: 1 mark (Do not edit)

Answer: <Your answer for Question 3 goes below this line> (Do not edit)

registered

Question 4. How did you validate the assumptions of Linear Regression after building the model on the training set? (Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: <Your answer for Question 4 goes below this line> (Do not edit)

Using a distribution plot, if the mean is centered at 0 then the assumptions are correct

Question 5. Based on the final model, which are the top 3 features contributing significantly towards explaining the demand of the shared bikes? (Do not edit)

Total Marks: 2 marks (Do not edit)

Answer: <Your answer for Question 5 goes below this line> (Do not edit)

Humidity, weathersit and temp

General Subjective Questions

Question 6. Explain the linear regression algorithm in detail. (Do not edit)

Total Marks: 4 marks (Do not edit)

Answer: Please write your answer below this line. (Do not edit)

<Your answer for Question 6 goes here>

- 1. Find the dependent variable
- 2. Convert all the dependent variables to numeric values

- 3. Scale the values using standardization or MinMax scalar
- 4. Find the correlation between the independent variables
- 5. Fit the correlations in the equation y=B0 + B1X1+B2X2...+BnXn to find the predicted value
- 6. Test the logic on test set
- 7. Find the r squared value to understand the goodness of the model

Question 7. Explain the Anscombe's quartet in detail. (Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: Please write your answer below this line. (Do not edit)

<Your answer for Question 7 goes here>

It is used to display that the four statistical properties like mean, variance, R-squared, corelations are linear regressions are different when plotted.

Question 8. What is Pearson's R? (Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: Please write your answer below this line. (Do not edit)

<Your answer for Question 8 goes here>

Covariance of X and Y per standard deviation of X per standard deviation of Y

Question 9. What is scaling? Why is scaling performed? What is the difference between normalized scaling and standardized scaling? (Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: Please write your answer below this line. (Do not edit)

<Your answer for Question 9 goes here>

Scaling is done to normalize the data to a common scale so that each independent variable contributes equally in the prediction

Question 10. You might have observed that sometimes the value of VIF is infinite. Why does this happen? (Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: Please write your answer below this line. (Do not edit)

<Your answer for Question 10 goes here>

We can get value of VIF infinite if the R-square is 0. This means that the residual is 0 for the independent variables

Question 11. What is a Q-Q plot? Explain the use and importance of a Q-Q plot in linear regression.

(Do not edit)

Total Marks: 3 marks (Do not edit)

Answer: Please write your answer below this line. (Do not edit)

<Your answer for Question 11 goes here>

QQ Plot is a quantile-quantile plot. It is used to asses the distributions or to understand if the sample came from samd population