

Cucumber Report

10-May-2024, 3:14:19 pm

Start : May 10, 3:12:33.392 pm

End : May 10, 3:14:18.506 pm

Duration : 1 m 45.114 s

Features







PASSED - 3
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 13
FAILED - 0
SKIPPED - 0

Steps


PASSED - 55
FAILED - 0
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|--------------------------------------|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>User Login</u> | 59.752 s | 8 | 8 | 0 | 0 | 33 | 33 | 0 | 0 |
| <u>Forgot password functionality</u> | 22.690 s | 3 | 3 | 0 | 0 | 10 | 10 | 0 | 0 |
| <u>Members</u> | 22.653 s | 2 | 2 | 0 | 0 | 12 | 12 | 0 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|--------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @all | | 13 | 13 | 0 | 0 | 3 | 3 | 0 | 0 |
| @validcredentials | | 4 | 4 | 0 | 0 | 3 | 3 | 0 | 0 |
| @regression | | 13 | 13 | 0 | 0 | 3 | 3 | 0 | 0 |
| @signin | | 8 | 8 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin01 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @sanity | | 4 | 4 | 0 | 0 | 3 | 3 | 0 | 0 |
| @smoke | | 12 | 12 | 0 | 0 | 3 | 3 | 0 | 0 |
| @invalidemailandpassword | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin02 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin03 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @invalidpassword | | 5 | 5 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin04 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @invalidemail | | 3 | 3 | 0 | 0 | 2 | 2 | 0 | 0 |
| @signin05 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin06 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin07 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @signin08 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|------------|-------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| | @forgotpassword | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @forgotpassword01 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @forgotpassword02 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @forgotpassword03 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @members01 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @members | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @members02 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|----------|
| 1 | <u>User Login</u> | 8 | 8 | 0 | 0 | 59.752 s |
| 2 | <u>Forgot password functionality</u> | 3 | 3 | 0 | 0 | 22.690 s |
| 3 | <u>Members</u> | 2 | 2 | 0 | 0 | 22.653 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------|--|---|---|---|---|----------|
| 1 | <u>User Login</u> | <u>Login with valid credentials</u> | 6 | 6 | 0 | 0 | 10.652 s |
| 2 | | <u>Login with invalid credentials</u> | 4 | 4 | 0 | 0 | 6.758 s |
| 3 | | <u>Login with valid email address and invalid password</u> | 4 | 4 | 0 | 0 | 6.795 s |
| 4 | | <u>Login with invalid email address and valid password</u> | 4 | 4 | 0 | 0 | 6.812 s |
| 5 | | <u>Login with valid email address and invalid password without special character</u> | 4 | 4 | 0 | 0 | 7.288 s |
| 6 | | <u>Login with valid email address and invalid password without special character</u> | 4 | 4 | 0 | 0 | 6.812 s |
| 7 | | <u>Login with valid email address and invalid password with short character</u> | 4 | 4 | 0 | 0 | 7.510 s |
| 8 | | <u>Login without email address and password</u> | 3 | 3 | 0 | 0 | 7.067 s |
| 9 | | <u>Forgot password functionality</u> | 4 | 4 | 0 | 0 | 7.115 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|---|----------|----------|----------|----------|-----------------|
| 10 | | <u>Forgot password with invalid email address</u> | 3 | 3 | 0 | 0 | 7.529 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------------------------|--|---|---|---|---|----------|
| 11 | <u>Forgot password functionality</u> | <u>Forgot password without email address</u> | 3 | 3 | 0 | 0 | 8.033 s |
| 12 | <u>Members</u> | <u>Check members dashboard page</u> | 4 | 4 | 0 | 0 | 10.452 s |
| 13 | | <u>Invite the member with valid inputs</u> | 8 | 8 | 0 | 0 | 12.197 s |




User Login




Login with valid credentials







| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User enters valid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials | PASSED | 0.125 s |
| |  | | |
| 2 | And Enter valid password AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials | PASSED | 0.085 s |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials  | PASSED | 0.054 s |
| 4 | And Clicks on Sign in button AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials  | PASSED | 0.057 s |
| 5 | Then User should login successfully AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials  | PASSED | 2.352 s |
| 6 | Then AI-Arabia dashboard should display successfully AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials  | PASSED | 0.135 s |


Login with invalid credentials





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When User enters invalid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid credentials  | PASSED | 0.121 s |
| 2 | And Enter invalid password AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid credentials  | PASSED | 0.081 s |
| 3 | And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid credentials  | PASSED | 0.053 s |
| 4 | Then User should get a invalid email and password error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.041 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>Passed scenario: Login with invalid credentials</p>  | | |


Login with valid email address and invalid password

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 6.795 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:12:50.829 pm // 3:12:57.624 pm / | | | | |
| User Login | | | | |
| @all @signin03 @smoke @regression @signin @invalidpassword | | | | |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When User enters valid email address | PASSED | 0.121 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.184 s |
| | Passed scenario: Login with valid email address and invalid password | | |
| |  | | |
| 2 | And Enter invalid password Password | PASSED | 0.073 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | Passed scenario: Login with valid email address and invalid password | | |
| |  | | |
| 3 | And Click password field eye icon | PASSED | 0.052 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password  | PASSED | 0.169 s |
| 4 | Then User should get must contain one number error message | PASSED | 0.039 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password  | PASSED | 0.146 s |


Login with invalid email address and valid password

| | | | | |
|--|--------------------|---|--|--|
| PASSED | DURATION - 6.812 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:12:57.630 pm // 3:13:04.442 pm / | | | | |
| User Login | | | | |
| @signin04 @all @smoke @regression @signin @invalidemail | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User enters invalid email address | PASSED | 0.111 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password  | PASSED | 0.169 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | And Enter valid password AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password | PASSED | 0.079 s |
| |  | | |
| 3 | And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password | PASSED | 0.049 s |
| |  | | |
| 4 | Then User should get a invalid email and password error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password | PASSED | 0.037 s |
| |  | | |




Login with valid email address and invalid password without special character


| | | | | |
|---|--------------------|--|---|---|
| PASSED | DURATION - 7.288 s |  <p>A bar chart showing the duration of each step. Step 1: ~0.12s, Step 2: ~0.08s, Step 3: ~0.05s, Step 4: ~0.03s.</p> | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:13:04.449 pm // 3:13:11.737 pm / | | | | |
| <i>User Login</i> | | | | |
| @signin05 @all @smoke @regression @signin @invalidpassword | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User enters valid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.124 s |
| 2 | And Enter invalid password without special character AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.077 s |
| 3 | And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.047 s |
| 4 | Then User should get must contain one special case character error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.037 s |


Login with valid email address and invalid password without special character





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User enters valid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.139 s |
| 2 | And Enter invalid password without uppercase char AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.076 s |
| 3 | And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  | PASSED | 0.051 s |
| 4 | Then User should get must contain one upper case character error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.037 s |
| | | PASSED | 0.185 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>Passed scenario: Login with valid email address and invalid password without special character</p>  | | |


Login with valid email address and invalid password with short character

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 7.510 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:13:18.562 pm // 3:13:26.072 pm / | | | | |
| User Login | | | | |
| @all @signin07 @smoke @regression @signin @invalidpassword | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When User enters valid email address | PASSED | 0.136 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | Passed scenario: Login with valid email address and invalid password with short character | | |
| |  | | |
| 2 | And Enter invalid password with short char | PASSED | 0.060 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | Passed scenario: Login with valid email address and invalid password with short character | | |
| |  | | |
| 3 | And Click password field eye icon | PASSED | 0.046 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password with short character  | PASSED | 0.169 s |
| 4 | Then User should get password is too short error message | PASSED | 0.040 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password with short character  | PASSED | 0.184 s |

Login without email address and password

| | | | | |
|---|--------------------|---|--|--|
| PASSED | DURATION - 7.067 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:13:26.077 pm // 3:13:33.144 pm / | | | | |
| User Login | | | | |
| @all @signin08 @smoke @regression @signin @invalidpassword | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When Click email field | PASSED | 0.074 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login without email address and password  | PASSED | 0.188 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | And Click password field AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login without email address and password  | PASSED | 0.049 s |
| | | PASSED | 0.173 s |
| 3 | Then User should get required error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login without email address and password  | PASSED | 0.044 s |
| | | PASSED | 0.172 s |

Forgot password functionality







Reset password on forgetting it




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User clicks forgot password option AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Reset password on forgetting it  | PASSED | 0.082 s |
| 2 | And User enters forgot password valid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Reset password on forgetting it  | PASSED | 0.159 s |
| 3 | And User clicks Send Reset link button AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Reset password on forgetting it  | PASSED | 0.050 s |
| 4 | Then Proper confirmation email message should receive to user mail AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Reset password on forgetting it  | PASSED | 0.000 s |




Forgot password with invalid email address




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User clicks forgot password option AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Forgot password with invalid email address  | PASSED | 0.077 s |
| 2 | And User enters forgot password invalid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Forgot password with invalid email address  | PASSED | 0.165 s |
| 3 | Then User should get a invalid email address error message in forgotpassword page AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Forgot password with invalid email address  | PASSED | 0.029 s |

Forgot password without email address





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User clicks forgot password option AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Forgot password without email address  | PASSED | 0.080 s |
| 2 | And User enters forgot password invalid email address and delete AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Forgot password without email address  | PASSED | 0.192 s |
| 3 | Then User should get a email address or phone number is required error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Forgot password without email address  | PASSED | 0.025 s |


Members




Check members dashboard page








| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin logged in with valid credentials AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Check members dashboard page  | PASSED | 0.267 s |
| | | | |
| 2 | When Al-Arabia overall dashboard should display AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Check members dashboard page  | PASSED | 2.211 s |
| | | | |
| 3 | And User clicks the members module AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.262 s |
| | | | |
| | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Passed scenario: Check members dashboard page  | | |
| 4 | Then Al-Arabia members dashboard should display successfully | PASSED | 0.038 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Check members dashboard page  | PASSED | 0.137 s |

Invite the member with valid inputs



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin logged in with valid credentials | PASSED | 0.252 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.158 s |
| 2 | When Al-Arabia overall dashboard should display | PASSED | 2.326 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.136 s |
| 3 | And User clicks the members module | PASSED | 0.199 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.091 s |
| 4 | And User clicks the invite member button | PASSED | 1.222 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.117 s |
| 5 | And User enters the email or phone number | PASSED | 0.210 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.115 s |
| 6 | And User selects the role manager | PASSED | 0.128 s |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs | PASSED | 0.107 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 7 | And User selects the department electrical AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.109 s |
| 8 | Then The invitation should sent to user given mail address successfully AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Invite the member with valid inputs  | PASSED | 0.000 s |