


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Tickets</u>	8.449 s	1	0	1	0	5	0	0	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	<u>Tickets</u>	T004_To verify the Tickets feature sort recently updated


TAG		Scenario			Feature				
Name	T	P	F	S	T	P	F	S	
@all	1	0	1	0	1	0	1	0	
@Tickets04	1	0	1	0	1	0	1	0	
@smoke	1	0	1	0	1	0	1	0	
@regression	1	0	1	0	1	0	1	0	
@Tickets	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Tickets</u>	1	0	1	0	8.449 s


SCENARIOS SUMMARY -- 6 --




 # Feature Name	Scenario Name	T	P	F	S	Duration
1 <u>Tickets</u>	T004_To verify the Tickets feature sort recently updated	5	0	0	5	8.445 s

DETAILED SECTION -- 7 -

## **Tickets**



## **T004\_To verify the Tickets feature sort recently updated**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Testhooks.setup(io.cucumber.java.Scenario)	FAILED	8.420 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_ADDRESS_UNREACHABLE (Session info: chrome=126.0.6478.114) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-113-generic', java. version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [615dd717d233b68fb002365dc32f3990, get {url=http://192.168.0.24:3000/login}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:33013}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:33013/devtoo, se:cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 615dd717d233b68fb002365dc32f3990		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at Hooks.Testhooks.setup(Testhooks.java:53)		
1	Given Admin logged in with valid credentials	SKIPPED	0.001 s
2	When Al-Arabia overall dashboard should display	SKIPPED	0.000 s
3	And Admin or user clicks the Tickets module	SKIPPED	0.001 s
4	And Admin or user sort the Tickets list recently updated	SKIPPED	0.001 s
5	Then Recently updated Tickets list get displayed successfully	SKIPPED	0.000 s