Cucumber Report

| Start : Sep 03, 6:14:43.636 pm	End : Sep 03, 6:15:34.544 pm	Duration : 50.908 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 8

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 75 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Inventory	*50.908 s*	*1*	*0*	*1*	*0*	*8*	*6*	*1*	*1*

#	Feature Name	Scenario Name
1	*Inventory*	*T_DamageRet.supplier02_Create the New Return with valid inputs*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@all	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@Inventory	1	0	1	0	1	0	1	0
@DamageRet.supplier02	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Inventory*	1	0	1	0	50.908 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Inventory*	*T_DamageRet.supplier02_Create the New Return with valid inputs*	8	6	1	1	50.898 s

Inventory

FAILED	DURATION - 50.908 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	8
/ 6:14:43.636 pm // 6:15:34.544 pm /						

T_DamageRet.supplier02_Create the New Return with valid inputs

FAILED	DURATION - 50.898 s		Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	8
/ 6:14:43.645 pm // 6:15:34.543 pm /				
Inventory				
@all @regression @Inventory @DamageRet.supplier02 @sanity				

#	Step / Hook Details	Status	Duration
1	Given Admin logged in with valid credentials	PASSED	0.429 s
2	When Al-Arabia overall dashboard should display	PASSED	2.402 s
3	And Admin or user clicks the Inventory module	PASSED	0.273 s
4	And Admin or user clicks the DamageRetSupplier Tab	PASSED	5.305 s
5	And Admin or user clicks the New Return button in DamageRetSupplier	PASSED	1.221 s
6	And Admin or user enters the all mandatory fields of DamageRetSupplier	PASSED	28.163 s
7	And Admin or user clicks the Add Return button	FAILED	6.214 s
	org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=126.0.6478.114) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-119-generic', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4c8f97379e13bb995170b847f04d578, findElement {value=Add Request, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:38891}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:38891/devtoo..., se:cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b4c8f97379e13bb995170b847f04d578		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy38.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pageobjects.Inventorypage.Click_Add_Return_button(Inventorypage.java:1139)		
	at Stepdefinitions.Inventory.Admin_or_user_clicks_the_Add_Return_button(Inventory.java:690)		
	at ?.Admin or user clicks the Add Return button(file:///home/coducer/Al_Arabia_PhaseII/Al_Arabia_Project/src/test/resources/Features/ 07_Inventory.feature:735) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	FAILED	1.554 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=126.0.6478.114) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-119-generic', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4c8f97379e13bb995170b847f04d578, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: /tmp/.org.chromium. Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:38891}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:38891/devtoo..., se:cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b4c8f97379e13bb995170b847f04d578 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Testhooks.addScreenshot(Testhooks.java:96)		
8	Then Particular Return received from Technician gets created successfully with either "LOADING..." or "Success DamageRetSupplier added"	SKIPPED	0.001 s