

# Cucumber Report

13-May-2024, 4:00:05 pm

**Start : May 13, 3:59:04.441 pm**

**End : May 13, 4:00:05.150 pm**

**Duration : 1 m 0.709 s**

Features






PASSED - 1  
FAILED - 0  
SKIPPED - 0

Scenarios

PASSED - 8  
FAILED - 0  
SKIPPED - 0


Steps

PASSED - 33  
FAILED - 0  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>User Login</u>		1 m 0.709 s		8	8	0	0	33	33	0	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@all		8	8	0	0	1	1	0	0
@validcredentials		1	1	0	0	1	1	0	0
@regression		8	8	0	0	1	1	0	0
@signin		8	8	0	0	1	1	0	0
@signin01		1	1	0	0	1	1	0	0
@sanity		1	1	0	0	1	1	0	0
@smoke		7	7	0	0	1	1	0	0
@invalidemailandpassword		1	1	0	0	1	1	0	0
@signin02		1	1	0	0	1	1	0	0
@signin03		1	1	0	0	1	1	0	0
@invalidpassword		5	5	0	0	1	1	0	0
@signin04		1	1	0	0	1	1	0	0
@invalidemail		1	1	0	0	1	1	0	0
@signin05		1	1	0	0	1	1	0	0
@signin06		1	1	0	0	1	1	0	0
@signin07		1	1	0	0	1	1	0	0
@signin08		1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Login</u>	8	8	0	0	1 m 0.709 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>Login with valid credentials</u>	6	6	0	0	10.250 s
2		<u>Login with invalid credentials</u>	4	4	0	0	7.448 s
3		<u>Login with valid email address and invalid password</u>	4	4	0	0	8.492 s
4		<u>Login with invalid email address and valid password</u>	4	4	0	0	6.591 s
5		<u>Login with valid email address and invalid password without special character</u>	4	4	0	0	6.917 s
6		<u>Login with valid email address and invalid password without special character</u>	4	4	0	0	7.141 s
7		<u>Login with valid email address and invalid password with short character</u>	4	4	0	0	7.001 s
8		<u>Login without email address and password</u>	3	3	0	0	6.811 s




## User Login




### Login with valid credentials







#	Step / Hook Details	Status	Duration
1	When User enters valid email address  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with valid credentials  	PASSED	0.112 s
		PASSED	0.211 s
2	And Enter valid password  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with valid credentials  	PASSED	0.081 s
		PASSED	0.182 s

#	Step / Hook Details	Status	Duration
3	And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials 	PASSED	0.058 s
4	And Clicks on Sign in button AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials 	PASSED	0.056 s
5	Then User should login successfully AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials 	PASSED	2.202 s
6	Then AI-Arabia dashboard should display successfully AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid credentials 	PASSED	0.117 s


**Login with invalid credentials**




#	Step / Hook Details	Status	Duration
1	When User enters invalid email address  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid credentials  	PASSED	0.113 s
2	And Enter invalid password  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid credentials  	PASSED	0.086 s
3	And Click password field eye icon  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid credentials  	PASSED	0.048 s
4	Then User should get a invalid email and password error message  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.035 s

#	Step / Hook Details	Status	Duration
	<p>Passed scenario: Login with invalid credentials</p> 		


### Login with valid email address and invalid password

PASSED	DURATION - 8.492 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:59:22.163 pm // 3:59:30.655 pm /				
User Login				
@all @signin03 @smoke @regression @signin @invalidpassword				

#	Step / Hook Details	Status	Duration
1	When User enters valid email address	PASSED	0.119 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	Passed scenario: Login with valid email address and invalid password		
			
2	And Enter invalid password Password	PASSED	0.095 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	Passed scenario: Login with valid email address and invalid password		
			
3	And Click password field eye icon	PASSED	0.048 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with valid email address and invalid password  	PASSED	0.178 s
4	Then User should get must contain one number error message	PASSED	0.048 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with valid email address and invalid password  	PASSED	0.166 s


### Login with invalid email address and valid password



PASSED	DURATION - 6.591 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:59:30.665 pm // 3:59:37.256 pm /				
User Login				
@signin04 @all @smoke @regression @signin @invalidemail				

#	Step / Hook Details	Status	Duration
1	When User enters invalid email address	PASSED	0.132 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with invalid email address and valid password  	PASSED	0.117 s


#	Step / Hook Details	Status	Duration
2	And Enter valid password AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password 	PASSED	0.079 s
3	And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password 	PASSED	0.056 s
4	Then User should get a invalid email and password error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with invalid email address and valid password 	PASSED	0.038 s




### Login with valid email address and invalid password without special character


PASSED	DURATION - 6.917 s	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:59:37.263 pm // 3:59:44.180 pm /			
User Login			
@signin05 @all @smoke @regression @signin @invalidpassword			

#	Step / Hook Details	Status	Duration
1	When User enters valid email address AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.106 s
2	And Enter invalid password without special character AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.076 s
3	And Click password field eye icon AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.049 s
4	Then User should get must contain one special case character error message AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.038 s


**Login with valid email address and invalid password without special character**





#	Step / Hook Details	Status	Duration
1	When User enters valid email address  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.107 s
2	And Enter invalid password without uppercase char  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.079 s
3	And Click password field eye icon  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password without special character  	PASSED	0.051 s
4	Then User should get must contain one upper case character error message  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.049 s
		PASSED	0.153 s

#	Step / Hook Details	Status	Duration
	<p>Passed scenario: Login with valid email address and invalid password without special character</p> 		


### Login with valid email address and invalid password with short character




#	Step / Hook Details	Status	Duration
1	When User enters valid email address	PASSED	0.111 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password with short character	PASSED	0.171 s
			
2	And Enter invalid password with short char	PASSED	0.060 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login with valid email address and invalid password with short character	PASSED	0.147 s
			
3	And Click password field eye icon	PASSED	0.049 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with valid email address and invalid password with short character  	PASSED	0.161 s
4	Then User should get password is too short error message	PASSED	0.036 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login with valid email address and invalid password with short character  	PASSED	0.158 s

## Login without email address and password

PASSED	DURATION - 6.811 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:59:58.339 pm // 4:00:05.150 pm /				
User Login				
@all @signin08 @smoke @regression @signin @invalidpassword				

#	Step / Hook Details	Status	Duration
1	When Click email field	PASSED	0.089 s
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)  Passed scenario: Login without email address and password  	PASSED	0.173 s

#	Step / Hook Details	Status	Duration
2	And Click password field  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login without email address and password  	PASSED	0.048 s
3	Then User should get required error message  AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) Passed scenario: Login without email address and password  	PASSED	0.043 s
		PASSED	0.147 s
		PASSED	0.165 s