

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Inventory	23.660 s	1	0	1	0	6	0	1	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Inventory	T035_To verify Purchase edit of any field


TAG		Scenario				Feature				
Name	T	P	F	S	T	P	F	S		
@all	1	0	1	0	1	0	1	0		
@regression	1	0	1	0	1	0	1	0		
@Inventory	1	0	1	0	1	0	1	0		
@Inventory35	1	0	1	0	1	0	1	0		
@sanity	1	0	1	0	1	0	1	0		

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	<u>Inventory</u>	1	0	1	0	23.660 s	

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Inventory</u>	T035_To verify Purchase edit of any field	6	0	1	5	23.657 s

DETAILED SECTION -- 7 -

Inventory

Steps
Total - 6
1 Pass - 0 6
Fail - 1
Skip - 5

T035_To verify Purchase edit of any field



#	Step / Hook Details	Status	Duration
1	Given Admin logged in with valid credentials	FAILED	20.137 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: email' (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pageobjects.Signinpage.enterValidEmail(Signinpage.java:78)		
	at Stepdefinitions.Members.Admin_logged_in_with_valid_credentials(Members.java:34)		
	at ?.Admin logged in with valid credentials(file:///home/coducer/Al_Arabia_PhaseII/Al_Arabia_Project/src/test/resources/Features/ 07_Inventory.feature:309)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=126.0.6478.114) For documentation on this error, please visit: https://www.selenium.dev/		
	documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os. name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-119-generic', java.version: '17.0.12' Driver info: org.openga.selenium.chrome.ChromeDriver		
	Command: [291879814773af85906c882ce6f4fb81, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false,		
	browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43269}, networkConnectionEnabled:		
	false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:43269/devtoo, se:cdpVersion: 126.0.6478.114,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 291879814773af85906c882ce6f4fb81		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy38.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pageobjects.Signinpage.enterValidEmail(Signinpage.java:78)		
	at Stepdefinitions.Members.Admin_logged_in_with_valid_credentials(Members.java:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

Step / Hook Details	Status	Duration
at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:1	136)	
at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:2	(3)	
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:14	47)	
at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
* Not displayable characters are replaced by '?'.		
AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
T035_To verify Purchase edit of any field		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
2	When Al-Arabia overall dashboard should display	SKIPPED	0.001 s
3	And Admin or user clicks the Inventory module	SKIPPED	0.000 s
4	And Admin or user clicks the Material Request Tab	SKIPPED	0.001 s
5	And User click on Material view option in kebab menu of Material	SKIPPED	0.000 s
6	Then Particular Material get displayed successfully	SKIPPED	0.000 s