

Cucumber Report

07-Nov-2024, 7:19:02 pm

Start : Nov 07, 7:18:05.763 pm

End : Nov 07, 7:19:02.297 pm

Duration : 56.534 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 5
FAILED - 1
SKIPPED - 2




| Feature | | Scenario | | | | Step | | | |
|---------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Master</u> | 56.534 s | 1 | 0 | 1 | 0 | 8 | 5 | 1 | 2 |

| # | Feature Name | Scenario Name |
|---|---------------|--|
| 1 | <u>Master</u> | <u>T002_Create the New BOM with valid inputs</u> |

| TAG | Scenario | | | | Feature | | | |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @BOM02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @all | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @BOM | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Master | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @sanity | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|---------------|---|---|---|---|----------|
| 1 | <u>Master</u> | 1 | 0 | 1 | 0 | 56.534 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------|--|---|---|---|---|----------|
| 1 | <u>Master</u> | <u>T002_Create the New BOM with valid inputs</u> | 8 | 5 | 1 | 2 | 56.526 s |

Master

| | | | | | |
|---|--------------------------------|---|------------------------------------|---|------------------------------------|
| <div>FAILED</div> | <div>DURATION - 56.534 s</div> | <div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div><div></div><div>1</div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div><div></div><div>8</div></div> |
| <div>/ 7:18:05.763 pm // 7:19:02.297 pm /</div> | | | | | |
| | | | | | |


T002_Create the New BOM with valid inputs

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 56.526 s</div> | |  | <div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 7:18:05.771 pm // 7:19:02.297 pm / | | | | |
| Master | | | | |
| @BOM02 @all @BOM @regression @Master @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin logged in with valid credentials | PASSED | 0.459 s |
| 2 | When AI-Arabia overall dashboard should display | PASSED | 2.328 s |
| 3 | And Admin or user clicks the Master | PASSED | 3.516 s |
| 4 | And User clicks the BOM | PASSED | 4.200 s |
| 5 | And User click on New BOM button | PASSED | 5.153 s |
| 6 | And User Enter Mandatory fields of New BOM page | FAILED | 33.770 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (/input[@value='0'])[1]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageobjects.Masterpage.Enter_Mandatory_fields_BOM(Masterpage.java:1716) at Stepdefinitions.Master.User_Enter_Mandatory_fields_of_New_BOM_page(Master.java:1041) at ?.User Enter Mandatory fields of New BOM page(file:///home/coducer/AI_Arabia_PhaseII/AI_Arabia_Project/src/test/resources/Features/09_Master.feature:832) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@value='0'])[1]"} (Session info: chrome=126.0.6478.114) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>'866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-124-generic', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6329db47b63e8e6d0bcde7191460280d, findElement {using=xpath, value=//*[@value='0']}[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34633}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:34633/devtoo..., se:cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6329db47b63e8e6d0bcde7191460280d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy38.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pageobjects.Masterpage.Enter_Mandatory_fields_BOM(Masterpage.java:1716) at Stepdefinitions.Master.User_Enter_Mandatory_fields_of_New_BOM_page(Master.java:1041) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | T002_Create the New BOM with valid inputs | | |
| |  | | |
| 7 | And User click on Add BOM button | SKIPPED | 0.001 s |
| 8 | Then Particular BOM gets created successfully with either "LOADING..." or "Success BOM Added" | SKIPPED | 0.001 s |