

# Cucumber Report

28-Jul-2024, 2:03:36 am

Start : Jul 28, 2:03:00.308 am

End : Jul 28, 2:03:35.230 am

Duration : 34.922 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 7  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Tickets</u>	34.922 s	1	0	1	0	8	7	1	0

#	Feature Name	Scenario Name
1	<u>Tickets</u>	<u>T032_ To verify the Tickets feature clicks close button of uploaded videos</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@all	1	0	1	0	1	0	1	0
@Tickets33	1	0	1	0	1	0	1	0
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@Tickets	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Tickets</u>	1	0	1	0	34.922 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Tickets</u>	<u>T032_ To verify the Tickets feature clicks close button of uploaded videos</u>	8	7	1	0	34.919 s

## Tickets

<b>FAILED</b>	DURATION - 34.922 s	Scenarios		Steps	
/ 2:03:00.308 am // 2:03:35.230 am /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

### T032\_To verify the Tickets feature clicks close button of uploaded videos

<div>FAILED</div> <div>DURATION - 34.919 s</div>		<div></div>	Steps	<div></div>
/ 2:03:00.311 am // 2:03:35.230 am /			Total - 8	
Tickets			Pass - 7	
@all @Tickets33 @smoke @regression @Tickets			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin logged in with valid credentials	PASSED	0.456 s
2	When Al-Arabia overall dashboard should display	PASSED	10.505 s
3	And Admin or user clicks the Tickets module	PASSED	0.619 s
4	And Admin or user clicks the new Ticket button	PASSED	0.138 s
5	And Admin or user enters the all mandatory fields	PASSED	2.164 s
6	And Admin or user clicks the create Ticket	PASSED	0.227 s
7	And The User clicks the Edit button	PASSED	2.373 s
8	Then User Click on close button of uploaded videos and confirmed	FAILED	12.462 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-117-generic', java.version: '17.0.11' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3a2a45d2b06e9a0fbd4c53aa906f193a, actions {actions=[org.openqa.selenium.interactions. Sequence@5c059a68]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:41305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:41305/devtoo..., se:cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: 3a2a45d2b06e9a0fbd4c53aa906f193a   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204)   at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)   at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)   at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)   at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)   at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222)   at java.base/java.util.Map.forEach(Map.java:713)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)   at org.openqa.selenium.json.Json.toJson(Json.java:133)   at org.openqa.selenium.json.Json.toJson(Json.java:119)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)   at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:603)   at org.openqa.selenium.interactions.Actions.perform(Actions.java:568)   at pageobjects.Ticketspage.Upload_video_close(Ticketspage.java:616)   at Stepdefinitions.Tickets.User_Click_on_close_button_of_Upload_videos(Tickets.java:326)   at ?.User Click on close button of uploaded videos and confirmed(file:///home/coducer/Al_Arabia_PhaseII/Al_Arabia_Project/src/test/ resources/Features/06_Tickets.feature:298)   Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-117-generic', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431)     at org.openqa.selenium.json.Json.toJson(Json.java:131)     at org.openqa.selenium.json.Json.toJson(Json.java:119)     at org.openqa.selenium.remote.codec. </pre>		



#	Step / Hook Details	Status	Duration
	<p>AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec.  AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor.  execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor.  invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.  execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.  Actions\$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at pageobjects.  Ticketspage.Upload_video_close(Ticketspage.java:616) at Stepdefinitions.Tickets.  User_Click_on_close_button_of_Upload_videos(Tickets.java:326) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.  invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at  java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.  reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.  invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.  java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.  java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.  runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.  cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.  cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.  CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.  RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.  CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.  run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.  FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.  runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at  org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.  cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.  runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at  org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.  core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.  CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.  evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.  ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)  at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.  runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)  at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.  RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException  at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at java.base/java.util.Map.forEach(Map.java:713) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at pageobjects.Ticketspage.Upload_video_close(Ticketspage.java:616) at Stepdefinitions.Tickets.User_Click_on_close_button_of_Upload_videos(Tickets.java:326) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//img[contains(@class,'position-absolute x_close')])[2]"} (Session info: chrome=126.0.6478.114) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-117-generic', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3a2a45d2b06e9a0fbd4c53aa906f193a, findElement {using=xpath, value=(//img[contains(@class,'position-absolute x_close')])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: /tmp/.org.chromium.Chromium...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:41305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se.cdp: ws://localhost:41305/devtoo..., se.cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3a2a45d2b06e9a0fbd4c53aa906f193a</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy38.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	T032_To verify the Tickets feature clicks close button of uploaded videos		

#	Step / Hook Details	Status	Duration
			