

# WPT TEST

Total points 26/40 ?

Time--45 min, 40 question

NAME \*

Chitransh Mrigank Singh

EMAIL \*

chitransh1709@gmail.com

CENTRE \*

☒ KHARGHAR

☐ JUHU

✗ The correct sequence of HTML tags for starting a webpage is -

0/1

☐ Head, Title, HTML, body

☐ HTML, Body, Title, Head

☐ HTML, Head, Title, Body

☒ HTML,TITLE,BODY

✗

Correct answer

☒ HTML, Head, Title, Body

✓ Which of the following tag is used to insert a line-break in HTML?

1/1

☒ <br>

✓

☐ <a>

☐ <pre>

☐ <b>

✓ Which character is used to represent the closing of a tag in HTML?

1/1

☐ \

☐ !

☒ /

✓

☐ .

✗ How to add a background color in HTML?

0/1

☐ <marquee bg color: "red">

☐ <marquee bg-color = "red">

☐ <marquee bgcolor = "red">

☒ <marquee color = "red">

✗

Correct answer

☒ <marquee bgcolor = "red">

✓ Which of the following attribute is used to provide a unique name to an element?

1/1

- ☐ class
- ☒ id ✓
- ☐ type
- ☐ None of the above

✓ Which of the following HTML tag is used to display the text with scrolling effect? 1/1

- ☒ <marquee> ✓
- ☐ <scroll>
- ☐ <div>
- ☐ None of the above

✗ Which of the following is the correct way to send mail in HTML? 0/1

- ☐ <a href = "mailto: xy@y">
- ☐ <a href = "xy@y">
- ☒ <mail xy@y</mail> ✗
- ☐ None of the above

Correct answer

- ☒ <a href = "mailto: xy@y">

✓ Which of the following HTML attribute is used to define inline styles? 1/1

- ☒ style ✓
- ☐ type
- ☐ class
- ☐ None of the above

✓ A program in HTML can be rendered and read by - 1/1

- ☒ Web browser ✓
- ☐ Server
- ☐ Interpreter
- ☐ None of the above

✓ Which of the following are the attributes of the tag? 1/1

- ☐ method
- ☐ action
- ☒ Both (a) & (b) ✓
- ☐ None of the above

✓ Which of the following is the correct syntax to make the background-color of all paragraph elements to yellow? 1/1

- ☒ p {background-color : yellow;} ✓
- ☐ p {background-color : #yellow;}
- ☐ all {background-color : yellow;}
- ☐ all p {background-color : #yellow;}

✓ Which of the following property is used as the shorthand property for the padding properties? 1/1

- ☐ padding-left
- ☐ padding-right
- ☒ padding ✓
- ☐ All of the above

✓ The CSS property used to specify the transparency of an element is - 1/1

- ☒ opacity ✓
- ☐ filter
- ☐ visibility
- ☐ overlay

✓ The CSS property used to specify whether the text is written in the horizontal or vertical direction? 1/1

- ☒ writing-mode ✓
- ☐ text-indent
- ☐ word-break
- ☐ None of the above

✓ The CSS property used to draw a line around the elements outside the border? 1/1

- ☐ border
- ☒ outline ✓
- ☐ padding
- ☐ line

✗ Which of the following class in Bootstrap is used to provide a responsive fixed width container? 0/1

- ☐ container-fixed
- ☒ container-fluid ✗
- ☐ container
- ☐ All of the above

Correct answer

- ☒ container

✓ How many columns are allowed in a bootstrap grid system? 1/1

- ☐ 2
- ☒ 12 ✓
- ☐ 3
- ☐ 5

✓ Which of the following class in bootstrap is used to create a big box for

calling extra attention?

- ☐ .box
- ☐ .container
- ☐ .container-fluid
- ☒ .jumbotron ✓

✓ The correct syntax of creating a standard navigation bar is -

1/1

- ☐ <nav class="navigationbar navbar">
- ☐ <nav class="navbar navbar-default">
- ☒ <nav class="nav navbar"> ✓
- ☐ <nav class="navbar default">

✗ Which of the following is the correct syntax of creating a standard navigation tab?

0/1

- ☐ <ul class="navigation nav-tabs">
- ☒ <ul class="nav tab"> ✗
- ☐ <ul class="nav nav-tabs">
- ☐ <ul class="navigation tabs">

Correct answer

- ☒ <ul class="nav nav-tabs">

✓ Which of the following class is used to create a black navigation bar?

1/1

- ☐ .navbar-default
- ☒ .navbar-inverse ✓
- ☐ .navbar-black
- ☐ .navbar-dark

✓ The plugin used to create a cycle through elements as a slideshow is -

1/1

- ☐ slideshow
- ☐ scrollspy
- ☒ carousel ✓
- ☐ None of the above

✓ Which of the following class in Bootstrap is used to create a basic list group?

1/1

- ☐ .grouped-list
- ☐ .select-list
- ☒ .list-group ✓
- ☐ Option 4

✗ Which of the following class in Bootstrap is used to add a zebra-stripe to a table?

0/1

- ☐ .tab-striped
- ☐ .zebra-strip
- ☐ .table-striped

☐ .table-striped

☒ .table-striped

✗

Correct answer

☒ .table-striped

✓ Which of the following class in Bootstrap is used to create a large button? 1/1

☐ .btn-xl

☐ .btn-lrg

☐ .btn-large

☒ .btn-lg

✓

✗ Which of the following plugin in Bootstrap is used to create a modal window? 0/1

☐ popup

☒ alert

✗

☐ modal

☐ window

Correct answer

☒ modal

✗ The class in Bootstrap which is used to specify the collapsible elements is - 0/1

☐ .collapse

☐ .carousel

☒ .pager

✗

☐ None of the above

Correct answer

☒ .collapse

✓ The class used for creating the small size wells is - 1/1

☐ .well-small

☐ .well-short

☐ .well-lg

☒ .well-sm

✓

✗ Which of the following is the correct syntax to insert search icon? 0/1

☐ <span class = "glyph glyphicon-search"> </span>

☐ <span class = "glyphicon glyph-search"> </span>

☐ <span class = "glyphicon glyphicon-search"> </span>

☒ <span class = "glyphicon-search"> </span>

✗

Correct answer

☒ <span class = "glyphicon glyphicon-search"> </span>

✗ Which of the following is correct method to add a success button? 0/1

☐ <button class = "btn btn-success"> success </button>

☐ <button class = "btn button-success"> success </button>

☒ <button class = "button btn-success"> success </button> ❌

☐ <button class = "button btn-primary"> success </button>

Correct answer

☒ <button class = "btn btn-success"> success </button>

✓ Is it true that the Bootstrap grid system works across multiple devices? 1/1

☒ True ✓

☐ False

☐ Can't say

☐ May be

✓ The class "xs" in Bootstrap is used for - 1/1

☐ tablets

☒ phones ✓

☐ desktop

☐ All of the above

❌ Which of the following class in Bootstrap is used to create an animated progress bar? 0/1

☐ .active

☐ .progress-success

☒ .progress-active ❌

☐ None of the above

Correct answer

☒ .active

❌ The element \_\_\_\_\_ simply groups items within an enclosed dd tag, though it may associate them with a caption defined by a dt tag. 0/1

☐ object

☐ figure

☒ embed ❌

☐ collect

Correct answer

☒ object

❌ The \_\_\_\_\_ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side. 0/1

☐ metadata

☐ css

☐ canvas

☒ art ❌

Correct answer

☒ canvas

✓ . Consider the following markup and answer the question that follow. 1/1  
<source src="html\_5.mp4" type="video/mp4"><source src="html\_5.ogv" type="video/ogg">What is the need to add multiple file formats for the same file?

- ☐ To provide fallback support
- ☐ To address the media support problem
- ☒ To provide fallback support & address the media support problem ✓
- ☐ To provide foul back support

✓ In HTML Audio/Video DOM, \_\_\_\_\_ sets or returns whether the audio/video should be loaded when the page loads. 1/1

- ☒ preload ✓
- ☐ autoplay
- ☐ buffered
- ☐ controller

✗ Which of the following is not a HTML5 tag? 0/1

- ☐ <video>
- ☐ <source>
- ☒ <track> ✗
- ☐ <slider>

Correct answer

- ☒ <slider>

✓ Which of the following HTML Video – Media Type is not supported in IE? 1/1

- ☐ WebM
- ☐ MP4
- ☒ Ogg ✓
- ☐ MP4 FLAC

✓ In HTML Audio/Video DOM, \_\_\_\_\_ returns a TimeRanges object representing the buffered parts of the audio/video. 1/1

- ☐ preload
- ☐ networkState
- ☒ buffered ✓
- ☐ controller

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Does this form look suspicious? [Report](#)

Google Forms