WJP CCEE Practice Quiz

chitransh1709@gmail.com Switch accounts

Draft saved

Your email address will be recorded when you submit this form

* Indicates required question

Questions

Which JSP directive is used to include a file during the translation phase? *   1 point

- ○ A. <jsp:include>
- ● B. <%@ include file="filename" %>
- ○ C. <%@ page include="filename" %>
- ○ D. <jsp:directive.include file="filename" %>

Which class provide implementation for service() method ? *   1 point

- ● A. GenericServlet
- ○ B. HttpServlet
- ○ C. Servlet
- ○ D. none of the above

In JSP, which tag is used to declare a variable or method that gets inserted into the generated servlet class? *   1 point

- ● A. <%! ... %>
- ○ B. <%= ... %>
- ○ C. <% ... %>
- ○ D. <%@ ... %>

When the object of servlet context is created? *   1 point

- ○ A. during initialization
- ● B. during request time
- ○ C. during deployment
- ○ D. during response time

What is the purpose of the <c:set> tag in JSTL? *   1 point

- ○ A. To output text to the response
- ● B. To set the value of a variable
- ○ C. To loop through a collection
- ○ D. To perform conditional logic

What does the <c:if> tag do in JSTL? *   1 point

- ● A. Iterates over a collection
- ○ B. Sets a variable's value
- ○ C. Outputs text conditionally
- ○ D. Executes conditional logic

Which tag would you use to access data from a database in JSTL? *   1 point

- ○ A. <sql:query>
- ● B. <c:query>

C. <sql:select>

D. <c:select>

Which JSTL tag library contains tags for iteration, conditionals, and URL management? * 1 point

○ A. JSTL Core Library

● B. JSTL XML Library

○ C. JSTL SQL Library

○ D. JSTL Formatting Library

Which of the following is true about the JSP lifecycle? * 1 point

● A. JSP pages are compiled into servlets.

○ B. JSP pages are interpreted at runtime.

○ C. JSP pages cannot handle client requests directly.

○ D. JSP pages must use JavaScript for backend processing.

Which JSTL tag would you use to import the content of another web resource? * 1 point

● A. <c:include>

○ B. <c:import>

○ C. <c:forward>

○ D. <c:redirect>

Which JSP action tag is used to include the output of another JSP file or servlet? * 1 point

● A. <jsp:import>

○ B. <jsp:include>

○ C. <%@ include %>

○ D. <jsp:forward>

In JSP, which implicit object is used to retrieve request parameters? * 1 point

○ A. response

● B. out

○ C. request

○ D. session

Which implicit object in JSP is used to send output to the client? * 1 point

● A. response

○ B. request

○ C. out

○ D. config

Which of the following is not an implicit object in JSP? * 1 point

○ A. request

○ B. response

● C. context

○ D. session

What is the default scope of an object created using <jsp:useBean>? *   1 point

○ A. application

○ B. session

● C. request

○ D. page

How do you declare a page as an error page in JSP? *   1 point

○ A. <%@ page error="true" %>

● B. <%@ page isErrorPage="true" %>

○ C. <%@ page errorPage="true" %>

○ D. <%@ page isError="true" %>

How do you escape XML tags in JSTL? *   1 point

● A. <c:escape>

○ B. <c:out escapeXml="true"/>

○ C. <c:xml>

○ D. <c:parse escape="true"/>

Which JSTL core tag is used to iterate over a collection of items? *   1 point

● A. <c:forEach>

○ B. <c:forTokens>

○ C. <c:iterate>

○ D. <c:loop>

Which taglib directive is used to import a custom tag library in JSP? *   1 point

○ A. <%@ taglib uri="URI" prefix="prefix" %>

● B. <%@ include uri="URI" prefix="prefix" %>

○ C. <%@ page import="library" %>

○ D. <%@ include file="library" %>

Which method is used to send the same request and response objects to another servlet ? *   1 point

○ A. forward()

○ B. next()

○ C. sendForward()

● D. sendRedirect()

Back   **Submit**   ━━━━━━━━━━ Page 2 of 2   Clear form