Week 1 Quiz

Now that you've applied late days, your due date for this quiz is Mon 14 Dec 2015 4:30 PM PST.

Introduction

This first quiz will check your ability to execute basic operations on objects in R and to understand some basic concepts. For questions 11–20 you will need to load a dataset into R and do some basic manipulations in order to answer the questions on the quiz.

You may want to print a copy of the quiz questions to look at as you work on the assignment. It is recommended that you save your answers as you go in the event that a technical problem should occur with your network connection or computer. Ultimately, you must submit the quiz online to get credit!

Data

The zip file containing the data for questions 11–20 in this Quiz can be downloaded here:

Week 1 Quiz Data

For this assignment you will need to unzip this file in your working directory.

☐ In accordance with the Coursera Honor Code, I (Vincent Chiu) certify that the answers here are my own work.

Question 1

R was developed by statisticians working at

- StatSci
- The University of Auckland
- Harvard University
- Insightful

Question 2

The definition of free software consists of four freedoms (freedoms 0 through 3). Which of the following is NOT one of the freedoms that are part of the definition?

- The freedom to run the program, for any purpose.
- The freedom to sell the software for any price.
- The freedom to study how the program works, and adapt it to your needs.

The freedom to improve the program, and release your improvements to the public, so that the whole community benefits.

Question 3

In R the following are all atomic data types EXCEPT

- numeric
- matrix
- logical
- character

Question 4

If I execute the expression x <- 4L in R, what is the class of the object x' as determined by the class()' function?

- complex
- character
- matrix
- integer

Question 5

What is the	class of the object defined by x <- c(4, TRUE)?
integer	
O list	
o matrix	
o numeric	
Questi	on 6
If I have two	vectors $x \leftarrow c(1,3,5)$ and $y \leftarrow c(3,2,10)$, what is produced by the expression
cbind(x, y)?	
a 2 by 3	matrix
a 2 by 2	matrix
a 3 by 3	matrix
o a 3 by 2	numeric matrix
Questi A key prope	on 7
A key prope	on 7 rty of vectors in R is that
A key prope the lengt	on 7
A key prope the lengt elements	on 7 rty of vectors in R is that h of a vector must be less than 32,768
A key prope the lengt elements elements	on 7 ty of vectors in R is that h of a vector must be less than 32,768 of a vector can be of different classes
A key prope the lengt elements elements	on 7 Interpretation of the same class of a vector all must be of the same class. In of a vector can only be character or numeric of a vector all must be of the same class.
A key prope the lengt elements elements elements	on 7 Interpretation of the same class of a vector all must be of the same class. In of a vector can only be character or numeric of a vector all must be of the same class.
A key prope the lengt elements elements elements Understing Questi	on 7 Intry of vectors in R is that the of a vector must be less than 32,768 In of a vector can be of different classes In of a vector can only be character or numeric In of a vector all must be of the same class on 8

- o a numeric vector containing the element 2.
- a character vector containing the element "2".

Question 9

Suppose I have a vector x <- 1:4 and y <- 2:3. What is produced by the expression x + y?

Coursera

- a warning
- o an integer vector with the values 3, 5, 5, 7.
- a numeric vector with the values 3, 5, 3, 4.
- an numeric vector with the values 3, 5, 5, 7.

Question 10

Suppose I have a vector x <- c(17, 14, 4, 5, 13, 12, 10) and I want to set all elements of this vector that are greater than 10 to be equal to 4. What R code achieves this?

- x[x >= 11] <- 4
- x[x > 10] == 4
- x[x > 4] < 10

Question 11

In the dataset provided for this Quiz, what are the column names of the dataset?

- Ozone, Solar.R, Wind
- Month, Day, Temp, Wind
- 0 1, 2, 3, 4, 5, 6
- Ozone, Solar.R, Wind, Temp, Month, Day

Question 12

Extract the first 2 rows of the data frame and print them to the console. What does the output look like?

Ozone Solar.R Wind Temp Month Day
1 18 224 13.8 67 9 17
2 NA 258 9.7 81 7 22

Ozone Solar.R Wind Temp Month Day
1 7 NA 6.9 74 5 11
2 35 274 10.3 82 7 17

Ozone Solar.R Wind Temp Month Day
1 9 24 10.9 71 9 14
2 18 131 8.0 76 9 29

Ozone Solar.R Wind Temp Month Day
1 41 190 7.4 67 5 1
2 36 118 8.0 72 5 2

Question 13

How many observations (i.e. rows) are in this data frame?

O 129

O 160

153

O 45

Question 14

Extract the last 2 rows of the data frame and print them to the console. What does the output look

like?

Ozone Solar.R Wind Temp Month Day 152 11 44 9.7 62 5 20 153 108 223 8.0 85 7 25

Ozone Solar.R Wind Temp Month Day 152 34 307 12.0 66 5 17 153 13 27 10.3 76 9 18

Ozone Solar.R Wind Temp Month Day 152 31 244 10.9 78 8 19 153 29 127 9.7 82 6 7

Ozone Solar.R Wind Temp Month Day
152 18 131 8.0 76 9 29
153 20 223 11.5 68 9 30

Question 15

What is the value of Ozone in the 47th row?

- O 63
- 34
- O 18
- 21

Question 16

How many missing values are in the Ozone column of this data frame?

- 0 43
- 37

O 78			
O 9			

Question 17

What is the mean of the Ozone column in this dataset? Exclude missing values (coded as NA) from this calculation.

- 53.2
- 0 18.0
- 31.5
- **42.1**

Question 18

Extract the subset of rows of the data frame where Ozone values are above 31 and Temp values are above 90. What is the mean of Solar.R in this subset?

- 0 185.9
- 205.0
- 334.0
- 212.8

Question 19

What is the mean of "Temp" when "Month" is equal to 6?

- 75.3
- 90.2
- 0 85.6
- 79.1

wnat was	the maximum ozone value in the month of May (i.e. Month = 5)?
115	
97	
O 100	
<u> </u>	
	ordance with the Coursera Honor Code, I (Vincent Chiu) certify that the answers are my own work.
	Submit Answers Save Answers