



# BENJAMIN & WINSTON CO. LTD.

RC No 56392

NO 51A, FIRST AVENUE, BY K CLOSE  
P.O.BOX 3190 FESTAC TOWN  
LAGOS, NIGERIA  
TEL: 07044821333, 08063578917  
E-MAIL: jebere06@yahoo.com  
www.benjaminandwinston.com

1<sup>ST</sup> JUNE 2025

## PRICE LIST

PLEASE NOTE THAT THIS PRICE LIST IS **INDICATORY** AND PRICES ARE SUBJECT TO CHANGE AT ANY TIME, DUE TO FLUCTUATION OF EXCHANGE RATES.

PLEASE **CHECK/CONFIRM** PRICE VALIDITY BEFORE ANY ORDERS ARE PLACED.

UNLESS OTHERWISE STATED ALL LIGHT FITTINGS ARE SUPPLIED WITHOUT TUBES/LAMPS. HOWEVER, THESE CAN BE SUPPLIED AT EXTRA COST

### ASTRALUX ENCLOSED FLUORESCENT DIFFUSER LUMINAIRE

|       |                                      |   | <u>EACH</u> |
|-------|--------------------------------------|---|-------------|
| AX102 | 1x18W LPF Single Fluorescent Fitting | ₦ | 5500        |
| AX202 | 2x18W LPF Twin Fluorescent Fitting   | ₦ | 6800        |
| AX104 | 1x36W LPF Single Fluorescent Fitting | ₦ | 7200        |
| AX204 | 2x36W LPF Twin Fluorescent Fitting   | ₦ | 12500       |

### POWERTEC FLUORESCENT BATTEN FITTINGS

|                                          |   |       |
|------------------------------------------|---|-------|
| 4FT 1X36W LPF SINGLE Fluorescent Fitting | ₦ | 4300  |
| 4FT 2X36W LPF DOUBLE Fluorescent Fitting | ₦ | 6000  |
| 4FT 18W LED FLOURESCENT FITTING          | ₦ | 11000 |

### POWERTEC LED TUBES

|                  |   |      |
|------------------|---|------|
| 9W/2/C/DAYLIGHT  | ₦ | 5000 |
| 18W/4/C/DAYLIGHT | ₦ | 7000 |

### FLUORESCENT MODULAR LUMINAIRES

#### RECESSED C/W PRISMATIC DIFFUSER

|                 |                                              |   |       |
|-----------------|----------------------------------------------|---|-------|
| NU-ERA/4X18/HF/ | 4X18W HF Recessed MODULAR PRISMATIC DIFFUSER | ₦ | 22395 |
| NU-ERA/4X18/HF/ | 4X18W HF RECESSED MODULAR LOUVRE             | ₦ | 22464 |

#### RECESSED MODULAR C/W ALUMINIUM LOUVRE

|                |                           |   |       |
|----------------|---------------------------|---|-------|
| SPECTRUM       |                           | ₦ | 12500 |
| PWTC/LED/40W   | 40W LED LIGHT PANEL       | ₦ | 32000 |
| BELL/09950 LED | 36W 6000K LED LIGHT PANEL | N | 50000 |

#### EMERGENCY CONVERSION KIT

|      |                              |   |       |
|------|------------------------------|---|-------|
| ROHS | EMERGENCY CONVERSION KIT 3HR | ₦ | 23500 |
| PWTC | EMERGENCY CONVERSION KIT 3HR | ₦ | 30000 |

#### ANSELL CORROSION / WEATHERPROOF FLUORESCENT FITTING

|        |                               |   |       |
|--------|-------------------------------|---|-------|
| ADP118 | 1x18W LPF Fluorescent Fitting | ₦ | 10000 |
| ADP218 | 2X18W LPF Fluorescent Fitting | ₦ | 12000 |
| ADP136 | 1x36W LPF Fluorescent Fitting | ₦ | 13200 |
| ADP236 | 2x36W LPF Fluorescent Fitting | ₦ | 19000 |

**ANSELL "STORMLOC" LED NON CORROSIVE IP65**

|        |                                        |   |       |
|--------|----------------------------------------|---|-------|
| ASLED4 | 1X26W WEATHERPROOF FLUORESCENT FITTING | N | 45000 |
|--------|----------------------------------------|---|-------|

**ANSELL TONADO LED NON CORROSIVE IP65**

|           |                                              |   |       |
|-----------|----------------------------------------------|---|-------|
| ATORPLED4 | 1 X 20W LED WEATHERPFOOF FLOURESCENT FITTING | N | 45000 |
|-----------|----------------------------------------------|---|-------|

|             |                                              |   |       |
|-------------|----------------------------------------------|---|-------|
| ATORPLED2X4 | 2 X 20W LED WEATHERPFOOF FLOURESCENT FITTING | N | 60000 |
|-------------|----------------------------------------------|---|-------|

**CHOKES/BALLAST**

|       |                     |   |      |
|-------|---------------------|---|------|
| ASTRA | 20W 50HZ 240V CHOKE | N | 1700 |
|-------|---------------------|---|------|

|       |                     |   |      |
|-------|---------------------|---|------|
| ASTRA | 40W 50HZ 240V CHOKE | N | 1700 |
|-------|---------------------|---|------|

|       |                     |   |      |
|-------|---------------------|---|------|
| ASTRA | 65W 50HZ 240V CHOKE | N | 2000 |
|-------|---------------------|---|------|

|     |                      |   |      |
|-----|----------------------|---|------|
| V/S | 125W MERCURY BALLAST | N | 6000 |
|-----|----------------------|---|------|

|     |                      |   |       |
|-----|----------------------|---|-------|
| V/S | 250W MERCURY BALLAST | N | 17000 |
|-----|----------------------|---|-------|

|     |                      |   |       |
|-----|----------------------|---|-------|
| V/S | 400W MERCURY BALLAST | N | 25260 |
|-----|----------------------|---|-------|

|     |                                  |   |       |
|-----|----------------------------------|---|-------|
| V/S | 250W SODIUM/METAL HALIDE BALLAST | N | 10000 |
|-----|----------------------------------|---|-------|

|     |                                  |   |       |
|-----|----------------------------------|---|-------|
| V/S | 400W SODIUM/METAL HALIDE BALLAST | N | 26540 |
|-----|----------------------------------|---|-------|

**ANSELL IP65 DISCHARGE FLOODLIGHTS C/W LAMP**

|        |                                 |   |       |
|--------|---------------------------------|---|-------|
| A70MHL | 70W HQI (METAL HALIDE) C/W LAMP | N | 27600 |
|--------|---------------------------------|---|-------|

|         |                   |   |       |
|---------|-------------------|---|-------|
| A150MHL | 150W METAL HALIDE | N | 39600 |
|---------|-------------------|---|-------|

|          |          |   |       |
|----------|----------|---|-------|
| A150SONT | 150W SON | N | 36000 |
|----------|----------|---|-------|

|          |                          |   |       |
|----------|--------------------------|---|-------|
| A250SONT | 250WATT SON/T FLOODLIGHT | N | 42360 |
|----------|--------------------------|---|-------|

|          |                          |   |       |
|----------|--------------------------|---|-------|
| A400SONT | 400WATT SON/T FLOODLIGHT | N | 56000 |
|----------|--------------------------|---|-------|

|         |                                 |   |       |
|---------|---------------------------------|---|-------|
| A250MHL | 250WATT METAL HALIDE FLOODLIGHT | N | 54000 |
|---------|---------------------------------|---|-------|

|         |                                 |   |       |
|---------|---------------------------------|---|-------|
| A400MHL | 400WATT METAL HALIDE FLOODLIGHT | N | 63600 |
|---------|---------------------------------|---|-------|

|        |                      |   |       |
|--------|----------------------|---|-------|
| ANSLEY | 70W SON-T FLOODLIGHT | N | 29580 |
|--------|----------------------|---|-------|

**ANSELL "MIRA" IP65 LED FLOODLIGHTS (NON DIMMABLE 50,000 HRS)**

|         |                |   |       |
|---------|----------------|---|-------|
| AMLED50 | 50W COOL WHITE | N | 60970 |
|---------|----------------|---|-------|

|          |                 |   |       |
|----------|-----------------|---|-------|
| AMLED100 | 100W COOL WHITE | N | 95000 |
|----------|-----------------|---|-------|

**ANSELL WALL/CEILING LUMINAIRE C/W LAMP**

|             |                                                                                         |   |      |
|-------------|-----------------------------------------------------------------------------------------|---|------|
| DLKER 16BPL | CIRCULAR FITTING SWITCHSTART C/W 16W 2D LAMP<br>PRISMATIC DIFFUSER, BLACK OR WHITE BASE | N | 9060 |
|-------------|-----------------------------------------------------------------------------------------|---|------|

|             |                                                                                         |   |       |
|-------------|-----------------------------------------------------------------------------------------|---|-------|
| DLKER 28BPL | CIRCULAR FITTING SWITCHSTART C/W 28W 2D LAMP<br>PRISMATIC DIFFUSER, BLACK OR WHITE BASE | N | 10560 |
|-------------|-----------------------------------------------------------------------------------------|---|-------|

**ANSELL VEGA DOWNLIGHT COMPLETE WITH DROP GLASS AND LAMP**

|                       |                  |   |       |
|-----------------------|------------------|---|-------|
| AV118/W/HF – AV/DG1/W | 1X18W LAMP 12870 | N | 13200 |
|-----------------------|------------------|---|-------|

|                       |                  |   |       |
|-----------------------|------------------|---|-------|
| AV218/W/HF – AV/DG1/W | 2X18W LAMP 12870 | N | 13200 |
|-----------------------|------------------|---|-------|

|                       |                  |   |       |
|-----------------------|------------------|---|-------|
| AV126/W/HF – AV/DG1/W | 1X26W LAMP 35236 | N | 13200 |
|-----------------------|------------------|---|-------|

|                       |                  |   |       |
|-----------------------|------------------|---|-------|
| AV226/W/HF – AV/DG1/W | 2X26W LAMP 35236 | N | 13200 |
|-----------------------|------------------|---|-------|

**ANSELL LED RECESSED DOWNLIGHT**

|                                    |  |   |       |
|------------------------------------|--|---|-------|
| AVEGLED1/CW 18W VEGA LED DOWNLIGHT |  | N | 22000 |
|------------------------------------|--|---|-------|

|                                      |  |   |       |
|--------------------------------------|--|---|-------|
| ABXLED190/CW 20W BEXAR LED DOWNLIGHT |  | N | 20000 |
|--------------------------------------|--|---|-------|

|                                      |  |   |       |
|--------------------------------------|--|---|-------|
| ABXLED140/CW 12W BEXAR LED DOWNLIGHT |  | N | 15000 |
|--------------------------------------|--|---|-------|

|                                                                      |                                                    |    |                         |       |
|----------------------------------------------------------------------|----------------------------------------------------|----|-------------------------|-------|
| <b><u>ANSELL TWISTLOCK</u></b>                                       |                                                    |    |                         |       |
| ATLD/CH                                                              | ANSELL TWISTLOCK 1X50W DIE-CAST DOWNLIGHT          | N  |                         | 6500  |
| <b><u>ANSELL DISCO</u></b>                                           |                                                    |    |                         |       |
| ANSELL DISCO                                                         | AD116/HF TC-DD 16W                                 | N  |                         | 12840 |
| ANSELL DISCO                                                         | AD128HF DISCO 28W                                  | N  |                         | 14400 |
| ANSELL DISCO                                                         | ADLED1-DISCO 8W LED                                | N  |                         | 28000 |
| <b><u>ANSELL SCORPION</u></b>                                        |                                                    |    |                         |       |
| ANSELL SCORPION                                                      | ASC75/B 75W BLACK CIRCULAR                         | N  |                         | 10500 |
| <b><u>VARIOUS LIGHTING PRODUCTS</u></b>                              |                                                    |    |                         |       |
| APOLLO                                                               | BLACK CIRCULAR BULKHEAD                            | N  |                         | 6500  |
| MK K708WHI                                                           | SHAVERLIGHT                                        | N  |                         | 27510 |
| MK K811WHI                                                           | 15W SHAVERLIGHT                                    | N  |                         | 8000  |
| ETERNA/LEDSDVO                                                       | LED SHAVERLIGHT                                    | N  |                         | 59000 |
| THORN/ELSA/BML/450                                                   | ELSA LED 450 800 840 MWS WH                        | N  |                         | 9500  |
| LEGRAND                                                              | SHAVER SOCKET OUTLET                               | N  |                         | 10000 |
| LEGRAND 7360-30-20A                                                  | TERMINAL BLOCK                                     | N  |                         | 2000  |
| ETERNA YD630NM                                                       | EMERGENCY 1X8W NON-MAINTAINED C/W LAMP             | N  |                         | 19800 |
| ETERNA ETNA/EMLED3NM                                                 | LED EMERGENCY LIGHT                                | N  |                         | 41000 |
| ETERNA ETNA/EBLSLIM                                                  | 5.2W SLIM LED EXIT SIGN                            | N  |                         | 45000 |
| POWERTEC PWTC/EM/22445E                                              | 5W LED EMERGENCY LIGHT                             | N  |                         | 25000 |
| SUPALUX / WINDSOR                                                    | EMERGENCY EXIT BOX DECORATIVE 3HR                  | N  |                         | 17910 |
|                                                                      | NON-MAINTAINED EMWIBHSNM3                          |    |                         |       |
| SL/SMAT300/M3/WH/CCT                                                 | MARTIN 15W LED EMERGENCY LIGHT WHITE               | N  |                         | 57000 |
| SL/SMAT350/M3/WH/CCT                                                 | MARTIN 25W LED EMERGENCY LIGHT WHITE               | N  |                         | 66000 |
| SL/SGEK/15/M3/CCT                                                    | GEKKO MINI WALL PACK 15W LED EMERGENCY LIGHT BLACK | N  |                         | 38000 |
| SL/SHA/OA/M3/CCT                                                     | SHARK 15W LED EMERGENCY LIGHT BLACK                | N  |                         | 95000 |
| MIRROR LIGHT                                                         |                                                    | N  |                         | 6625  |
| PELSIS/TGX22W                                                        | CIRCLINE LAMP                                      | N  |                         | 5500  |
| <b><u>STEEL CONDUIT ACCESSORIES</u></b>                              |                                                    |    |                         |       |
| <b><u>GALVANISED SWITCH/SOCKET BOXES</u></b>                         |                                                    |    |                         |       |
| GAL/3"x 3"                                                           | 35mm deep Sw/Skt Box                               | N  |                         | 1140  |
| GAL/3"x 6"                                                           | 35mm deep Sw/Skt Box                               | N  |                         | 1230  |
| <b><u>MK "PRESTIGE 3D" DADO AND SKIRTING TRUNKING 170 X 57MM</u></b> |                                                    |    |                         |       |
|                                                                      |                                                    |    | <b><u>PER/METER</u></b> |       |
| <b><u>DADO</u></b>                                                   |                                                    |    |                         |       |
| VP180                                                                | MAIN CARRIER                                       | 1  | N                       | 15000 |
| VP100                                                                | STRAIGHT COVER                                     | 1  | N                       | 5500  |
| VP110                                                                | CURVED COVER                                       | X2 | N                       | 11000 |
|                                                                      | <b>COMBINED SECTION COMPRISING OF ABOVE</b>        |    | N                       | 31500 |
| <b><u>TRUNKING ACCESSORIES</u></b>                                   |                                                    |    |                         |       |
| VP105                                                                | CABLE RETAINER                                     |    | N                       | 700   |
| VP121                                                                | 1 GANG BACK BOX                                    |    | N                       | 4030  |
| VP122                                                                | 2 GANG BACK BOX                                    |    | N                       | 5035  |
| VP123                                                                | 3 GANG BACK BOX                                    |    | N                       | 2500  |

|                                                                               |                                                    |   |        |
|-------------------------------------------------------------------------------|----------------------------------------------------|---|--------|
| VP129                                                                         | SOCKET SPACER                                      | N | 1900   |
| VP181                                                                         | INTERNAL CORNER - DADO                             | N | 7245   |
| VP182                                                                         | EXTERNAL CORNER - DADO                             | N | 8000   |
| VP183                                                                         | END CAP (PAIR) - DADO                              | N | 9775   |
| VP184                                                                         | JOINT COVER (COUPLER) - DADO                       | N | 4905   |
| VP185                                                                         | FLAT ANGLE - DADO                                  | N | 35000  |
| VP187                                                                         | FLAT TEE - DADO                                    | N | 26000  |
| VP188                                                                         | ADAPTOR MINI TRUNKING/CONDUIT                      | N | 2600   |
| VP193                                                                         | END CAP (PAIR) - SKIRTING                          | N | 2900   |
| VP194                                                                         | JOINT COVER (COUPLER) - SKIRTING                   | N | 2500   |
| VTS1000                                                                       | SCREW FIXING KIT                                   | N | 3800   |
| <b><u>LINNING BOX</u></b>                                                     |                                                    |   |        |
| QFB1WHI                                                                       | 1 GANG LINING BOX                                  | N | 1500   |
| QFB2WHI                                                                       | 2 GANG LINING BOX                                  | N | 2700   |
| <b><u>POWERTEC CHANGEOVER SWITCHES</u></b>                                    |                                                    |   |        |
| PWTC/32                                                                       | 32A 4 POLE                                         | N | 74000  |
| PWTC/63                                                                       | 63A 4 POLE                                         | N | 160000 |
| PWTC/100                                                                      | 100 4 POLE                                         | N | 295000 |
| PWTC/125                                                                      | 125A 4 POLE                                        | N | 298000 |
| PWTC/200                                                                      | 200A 4 POLE                                        | N | 380000 |
| PWTC/400                                                                      | 400A 4 POLE                                        | N | 777000 |
| <b><u>POWERTEC MCCB WITH METAL ENCLOSURE</u></b>                              |                                                    |   |        |
| NM1-100S/3300/F2                                                              | 16KA/25KA 3POLE 32A MCCB C/W ENCLOSURE             | N | 34000  |
| <b><u>POWERTEC RCCB - ELCB CIRCUIT BREAKERS</u></b>                           |                                                    |   |        |
| *PWTC/2P/63A/100MA                                                            | RCCB 2POLE 63A DP 100MA                            | N | 30000  |
| *PWTC/2P/100A/100MA                                                           | RCCB 2POLE 100A DP 100MA                           | N | 36000  |
| *PWTC/4P/100A/100MA                                                           | RCCB 4POLE 100A FP 100MA                           | N | 50000  |
| <b><u>PLASTIC ENCLOSURES FOR ABOVE</u></b>                                    |                                                    |   |        |
| *PWTC/PE2W                                                                    | 2WAY ENCLOSURE                                     | N | 2000   |
| *PWTC/PE4W                                                                    | 4WAY ENCLOSURE                                     | N | 3200   |
| <b><u>SHEET STEEL ENCLOSURES FOR ABOVE</u></b>                                |                                                    |   |        |
| *PWTC/SS4W                                                                    | 4WAY ENCLOSURE                                     | N | 4000   |
| <b><u>CRABTREE RCCB CIRCUIT BREAKER C/W ENCLOSURE (WHILE STOCKS LAST)</u></b> |                                                    |   |        |
| 18R63/100/4                                                                   | 63A 4P 100mA RCCB                                  | N | 21850  |
| <b><u>COPPER EARTHING EQUIPMENT</u></b>                                       |                                                    |   |        |
| CBER 1258                                                                     | 5/8" (nom) x 1200mm Extensible Copperbond Earthrod | N | 8000   |
| FURSE/RC010                                                                   | 4FT Sound Copper Earthrod                          | N | 55000  |
| 5/8" Rod Coupling                                                             |                                                    | N | 4100   |
| *FURSE/ST010                                                                  | 5/8" Driving Stud Class 2A Threads BS2470          | N | 2800   |
| *FURSE/CR105                                                                  | Type A Rod to Tape Connector Clamp                 | N | 5800   |
| *FURSE/CR515                                                                  | Type G Rod to Cable Connector Clamp                | N | 4000   |

|                                                                              |                                                                                       |          |                |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|----------------|
| <b>FURSE</b>                                                                 | 25x3mm HC Cost Copper Tape to BS1432 C101<br>in approximate 50/100mtr coils per metre | <b>N</b> | <b>15000/M</b> |
| <b>FURSE/CTC25</b>                                                           | 25x3mm Tape Clip BS1432 Grade C101                                                    | <b>N</b> | <b>3000</b>    |
| <b>FURSE/CP517</b>                                                           | 25X3MM TAPE CLIP/ PVC COV COP/T                                                       | <b>N</b> | <b>1800</b>    |
| <b>*FURSE/CT305</b>                                                          | 25MM SCREW DOWN TEST CLAMP                                                            | <b>N</b> | <b>18000</b>   |
| <b>FURSE/STC253</b>                                                          | Square Clamp                                                                          | <b>N</b> | <b>11000</b>   |
| <b>FURSE/MPC16</b>                                                           | MULTI-POINT SET COMPLETE                                                              | <b>N</b> | <b>40000</b>   |
|                                                                              | 500MM AIR ROD AND BASE                                                                |          |                |
| <b>FURSE</b>                                                                 | PVC COVERED 25mmx3mm SOFT COPPER TAPE<br>(COLOURS AVAILABLE: GREEN)                   | <b>N</b> | <b>19000/M</b> |
| <b>FURSE/PT005</b>                                                           | PVC INSPECTION PIT                                                                    | <b>N</b> | <b>2000</b>    |
| <b><u>PENDANT LIGHTING FITTING</u></b>                                       |                                                                                       |          |                |
| <b>ACPF/FR</b>                                                               | ANSELL CARLA 40W G9 PENDANT FITTING                                                   | <b>N</b> | <b>11000</b>   |
| <b>ATUPLED</b>                                                               | ANSELL TUBA 11W LED PENDANT FITTING                                                   | <b>N</b> | <b>20790</b>   |
| <b>SKD30</b>                                                                 | SCARTTERLIGHT 30W LED PENDANT FITTING                                                 | <b>N</b> | <b>18250</b>   |
| <b>SKD50</b>                                                                 | SCARTTERLIGHT 30W LED PENDANT FITTING                                                 | <b>N</b> | <b>21350</b>   |
| <b><u>HIGHBAY INDUSTRIAL LIGHTING OPEN REFLECTORS (While stock last)</u></b> |                                                                                       |          |                |
| <b>CED 400W HIGH BAY C/W LAMP</b>                                            |                                                                                       | <b>N</b> | <b>37000</b>   |
| <b><u>EXTENSION LEADS AND ACCESSORIES</u></b>                                |                                                                                       |          |                |
| <b>EH-22513</b>                                                              | 25mtr 2x13A Cable Reel                                                                | <b>N</b> | <b>54830</b>   |
| <b>EH-25013</b>                                                              | 50mtr 2x13A Cable Reel                                                                | <b>N</b> | <b>116875</b>  |
| <b>STATUS 4WS2MCP20/ST-85</b>                                                | Extension Socket 4 Way with 2 Metre Cable                                             | <b>N</b> | <b>8055</b>    |
| <b>EH-S6W2NC</b>                                                             | Extension Socket 6 Way with 2 Metres Surge/Spike                                      | <b>N</b> | <b>13000</b>   |
| <b>ROLSON</b>                                                                | Extension Socket 6 Way with 2 Metres Surge/Spike                                      | <b>N</b> | <b>13000</b>   |
| <b><u>PLUG TOPS</u></b>                                                      |                                                                                       |          |                |
| <b>VOLEX</b>                                                                 | VOLEX 13A 3PIN PLUG TOP                                                               | <b>N</b> | <b>2160</b>    |
| <b>VOLEX</b>                                                                 | VOLEX 15A 3PIN PLUG TOP                                                               | <b>N</b> | <b>2400</b>    |
| <b><u>CED HOUSE (METAL CLAD)</u></b>                                         |                                                                                       |          |                |
| <b>CED</b>                                                                   | 13A 1-GANG SWITCH SOCKET METALCLAD                                                    | <b>N</b> | <b>10000</b>   |
| <b>CED</b>                                                                   | 13A 2-GANG SWITCH SOCKET METALCLAD                                                    | <b>N</b> | <b>15000</b>   |
| <b><u>POWERTEC SWITCHES AND SWITCHFUSES</u></b>                              |                                                                                       |          |                |
| <b>PWTC/32</b>                                                               | 32A TPN Switchfuse Re-Wireable                                                        | <b>N</b> | <b>42000</b>   |
| <b>PWTC/63</b>                                                               | 63A TPN Switchfuse Re-Wireable                                                        | <b>N</b> | <b>61000</b>   |
| <b><u>MEM EXEL SWITCHFUSE</u></b>                                            |                                                                                       |          |                |
| <b>MSF1003</b>                                                               | 100A TPN Switchfuse Re-Wireable                                                       | <b>N</b> | <b>86400</b>   |
| <b><u>WIRING ACCESSORIES</u></b>                                             |                                                                                       |          |                |
| <b>EH-TWCRTTP</b>                                                            | Ceiling Rose                                                                          | <b>N</b> | <b>1000</b>    |
| <b>M011 (F2400)</b>                                                          | 10A 1-gang 1-way Switch                                                               | <b>N</b> | <b>500</b>     |
| <b>M021 (F2401)</b>                                                          | 10A 1-gang 2-way Switch                                                               | <b>N</b> | <b>650</b>     |
| <b>M022 (F2402)</b>                                                          | 10A 2-gang 2-way Switch                                                               | <b>N</b> | <b>900</b>     |
| <b>M023 (F2403)</b>                                                          | 10A 3-gang 2-way Switch                                                               | <b>N</b> | <b>1400</b>    |
| <b>M015 (F2409)</b>                                                          | 10A 1-gang Bell Push                                                                  | <b>N</b> | <b>825</b>     |

|                |                                      |   |       |
|----------------|--------------------------------------|---|-------|
| M511 (F3100)   | 13A Switch Socket Single             | N | 950   |
| M512 (F3101)   | 13A Switch Socket Twin               | N | 1755  |
| M351 (F3500)   | TV Socket Single                     | N | 955   |
| M303N (F2203)  | 20A DP Switch/Neon 'Water Heater'    | N | 2110  |
| F2204          | 20A DP SWITCH/NEON "Air Conditioner" | N | 2110  |
| M315 (F4012)   | 15A Switch Socket                    | N | 1435  |
| "MK" 5011/5120 | 6x6 Cooker Control Unit C/w Back BoX | N | 44000 |
| M360 (F3594)   | Telephone Socket                     | N | 2520  |
| M301N (F2202)  | 20A DP SWITCH C/W NEON               | N | 2160  |

#### **"MK" SLIMLINE PLUS WIRING ACCESSORIES**

##### **SWITCHES (ROCKER - MODULAR)**

|           |                         |   |      |
|-----------|-------------------------|---|------|
| S8870WHI  | 1GANG 1 WAY S.P. SWITCH | N | 1870 |
| S8871WHI  | 1GANG 2 WAY S.P. SWITCH | N | 1980 |
| S8872WHI  | 2GANG 2 WAY S.P. SWITCH | N | 3025 |
| S8873WHI  | 3GANG 2 WAY S.P. SWITCH | N | 4685 |
| S8878BWHI | BELL PUSH               | N | 3500 |
| S8879WHI  | INTERMEDIATE SWITCH     | N | 5200 |

##### **SWITCHES (WIDE ROCKER)**

|              |                      |   |      |
|--------------|----------------------|---|------|
| S4781-W1-WHI | 1GANG 1WAY SP SWITCH | N | 1700 |
| S4781WHI     | 1GANG 2WAY SP SWITCH | N | 1900 |
| S4782WHI     | 2GANG 2WAY SP SWITCH | N | 2300 |
| S4783WHI     | 3GANG 2WAY SP SWITCH | N | 3500 |

##### **DIMMER SWITCHES**

|          |                                |   |      |
|----------|--------------------------------|---|------|
| S8501WHI | 500W 1GANG 2 WAY DIMMER SWITCH | N | 3595 |
| S8522WHI | 500W 2GANG 2 WAY DIMMER SWITCH | N | 5400 |
| S1535WHI | 1000W 1GANG 1WAY DIMMER SWITCH | N | 6120 |

##### **SWITCH SOCKETS**

|            |                                           |   |       |
|------------|-------------------------------------------|---|-------|
| S2757WHI   | 13A 1GANG S.P. SWITCH SOCKET              | N | 3000  |
| S2747WHI   | 13A 2GANG S.P. SWITCH SOCKET              | N | 5680  |
| S2893WHI   | 15A 1GANG S.P. SWITCH SOCKET              | N | 1700  |
| S2493WHI   | 15A 1GANG S.P. SWITCH WITH NEON           | N | 2500  |
| S2657WHI   | 13A 1GANG S.P. SWITCH SOCKET WITH NEON    | N | 3000  |
| MV24354WHI | 13A 1 GANG DP SWITCH SOCKET WITH USB PORT | N | 20025 |
| MV24344WHI | 13A 2 GANG DP SWITCH SOCKET WITH USB PORT | N | 22000 |

##### **GENERAL ITEMS**

|             |                                                       |   |       |
|-------------|-------------------------------------------------------|---|-------|
| S701WHI     | SHAVER SUPPLY UNIT DUAL VOLTAGE 115/230V              | N | 12240 |
| S8423WH/WHI | 20A D.P. SWITCH WITH NEON MARKED<br>"WATER HEATER"    | N | 6740  |
| S8423AC/WHI | 20A D.P. SWITCH WITH NEON MARKED<br>"AIR CONDITIONER" | N | 6740  |
| S3521WHI    | 1 GANG TV SOCKET                                      | N | 3750  |
| S4817WHI    | MASTER TELEPHONE SOCKET RJ11 (AMERICAN)               | N | 5200  |
| S5450WHI    | 1 GANG 1 MODULE FRONTPLATE                            | } | 4400  |
| SX5453WHI   | MODULE ADAPTOR                                        |   |       |
| SX5454      | RJ45 CAT5E JACK MODULE                                |   |       |

|                                                                                     |                                                               |   |        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------|---|--------|
| S5451WHI                                                                            | 1 GANG 2 MODULE FRONTPLATE                                    |   |        |
| SX5453WHI x 2                                                                       | MODULE ADAPTOR                                                | N | 7935   |
| SX5454 x 2                                                                          | RJ45 CAT5E JACK MODULES                                       |   |        |
| S5450WHI                                                                            | 1 GANG 1 MODULE FRONTPLATE                                    |   |        |
| SX5453WHI                                                                           | MODULE ADAPTOR                                                | N | 3855   |
| SX5455                                                                              | RJ11 JACK MODULE                                              |   |        |
| NOTE: IF SX5457 RJ45 CAT6 REQUIRED IN PLACE OF SX5454, THEN NO DIFFERENCE IN PRICE. |                                                               |   |        |
| S5061WHI                                                                            | 45A DP COOKER UNIT C/W 13A SWITCH SOCKET AND NEONS            | N | 15000  |
| S1091WHI                                                                            | 13A UNSWITCHED FUSE CONNETION UNIT WITH FRONT FLEX OUTLET     | N | 5850   |
| S3522WHI                                                                            | DOUBLE ISOLATED TV/FM CO-AX OUTLET                            | N | 2500   |
| S3827WHI                                                                            | 3x3 BLANK PLATE                                               | N | 1350   |
| S3828WHI                                                                            | 3x6 BLANK PLATE                                               | N | 2460   |
| S1070WHI                                                                            | 13A SWITCHED FUSED CONNECTION UNIT WIT FRONT FLEX OUTLET/NEON | N | 6200   |
| GRN/BK/PXCSS-C-1P65                                                                 | 13A 1G WEATHERPROOF SWITCH SOCKET                             | N | 20000  |
| GRN/BK/PXCWTS                                                                       | 13A 2G WEATHERPROOF SWITCH SOCKET                             | N | 35000  |
| 647WHI                                                                              | 13A NON STANDARD SAFETY PLUG                                  | N | 6000   |
| K1257WHI                                                                            | 13A 1G DP NON STANDARD SWITCH SOCKET                          | N | 7000   |
| K370WHI                                                                             | 13A DP SWITCH CONNECTION UNIT BOTTOM FLEX/NEON                | N | 7000   |
| K4878B                                                                              | BELL PUSH                                                     | N | 2500   |
| K4870                                                                               | 1 GANG 1WAY SWITCH                                            | N | 2000   |
| K4871                                                                               | 1 GANG 2WAY SWITCH                                            | N | 2800   |
| K4872                                                                               | 2 GANG 2WAY SWITCH                                            | N | 4000   |
| K3703                                                                               | 3 GANG GRID SWITCH                                            | N | 3800   |
| K3702                                                                               | 2 GANG GRID SWITCH                                            | N | 3000   |
| K2747WHI                                                                            | 13A 2 GANG DP SWITCH SOCKET                                   | N | 8000   |
| K1534WHI                                                                            | 1 GANG 2 WAY DIMMER SWITCH                                    | N | 12000  |
| K4873WHI                                                                            | 3 GANG 2 WAY SWITCH                                           | N | 6000   |
| K2893WHI                                                                            | 15A 1 GANG SWITCH SOCKET                                      | N | 6000   |
| K1246D1 RED                                                                         | 13A 2 GANG NON-STANDARD SWITCH SOCKET                         | N | 28000  |
| WICKES VICTORIAN                                                                    | 13A 1 GANG BRASS SWITCH SOCKET                                | N | 4000   |
| <b>MEM CHANGEOVER SWITCH</b>                                                        |                                                               |   |        |
| 630DAM                                                                              | 63A 4 POLE                                                    | N | 38940  |
| <b>MEM GLASGOW FUSE SWITCHES</b>                                                    |                                                               |   |        |
| 63GNC                                                                               | 63amp TPN Fuse Switch.                                        | N | 205000 |
| <b>CONTACTUM FUSE GEAR SWICHES</b>                                                  |                                                               |   |        |
| CNTM/DFS063N                                                                        | 63amp TPN Fuse Switch.                                        | N | 315000 |
| CNTM/DFS100N                                                                        | 100amp TPN Fuse Switch                                        | N | 371850 |
| CNTM/DFS200N                                                                        | 200amp TPN Fuse Switch                                        | N | 380000 |
| CNTM/DFS400N                                                                        | 400amp TPN Fuse Switch                                        | N | 954000 |
| CNTM/DFS800N                                                                        | 800amp TPN Fuse Switch                                        | N | 236700 |

**EATON-MEM CONSUMER UNIT SINGLE PHASE C/W MCB**

|       |                            |   |       |
|-------|----------------------------|---|-------|
| 8DASS | 8-way Single Phase c/w MCB | N | 26500 |
|-------|----------------------------|---|-------|

**EATON-MEM DISTRIBUTION BOARD THREE PHASE C/W MCB**

|         |                                    |   |        |
|---------|------------------------------------|---|--------|
| 81DBSS  | 8-way 100A TPN Dist/Board c/w MCB  | N | 80000  |
| 121DBSS | 12-way 100A TPN Dist/Board c/w MCB | N | 105000 |

**POWERTEC CONSUMER UNIT SINGLE PHASE C/W MCB**

|            |                            |   |       |
|------------|----------------------------|---|-------|
| PWTC 4WAY  | 4WAY SP c/w 100A ISOLATOR  | N | 34000 |
| PWTC 6WAY  | 6WAY SP c/w 100A ISOLATOR  | N | 37000 |
| PWTC 8WAY  | 8WAY SP c/w 100A ISOLATOR  | N | 40000 |
| PWTC 12WAY | 12WAY SP c/w 100A ISOLATOR | N | 80000 |

**POWERTEC DISTRIBUTION BOARD THREE PHASE C/W MCB**

|            |                  |   |        |
|------------|------------------|---|--------|
| PWTC 4WAY  | 4WAY SP c/w MCB  | N | 105000 |
| PWTC 6WAY  | 6WAY SP c/w MCB  | N | 130000 |
| PWTC 8WAY  | 8WAY SP c/w MCB  | N | 170000 |
| PWTC 12WAY | 12WAY SP c/w MCB | N | 200000 |

**EATON-MEM MEMSHIELD-3 BOARDS**

|                |                               |   |       |
|----------------|-------------------------------|---|-------|
| EBM81+ EBMS125 | 8-WAY TPN WITH 125A ISOLATOR  | N | 73925 |
| EBM121+EBMS125 | 12-WAY TPN WITH 125A ISOLATOR | N | 94685 |

**FLUORESCENT TUBES AND FLUORESCENT STARTERS**

|            |                           |   |      |
|------------|---------------------------|---|------|
| PHILIPS/GE | FSU-4/80W Universal (S10) | N | 700  |
| PHILIPS/GE | FS2-4/22W Universal (S2)  | N | 700  |
| PHILIPS/GE | 2ft T8 18W Daylight       | N | 2660 |
| PHILIPS/GE | 4ft T8 36W Daylight       | N | 2800 |

**ENERGY SAVING LAMPS**

|         |                                           |   |      |
|---------|-------------------------------------------|---|------|
| PHILIPS | "GENIE" 11 Watt (60W) ES/BC Cool daylight | N | 2000 |
|---------|-------------------------------------------|---|------|

**GE**

|                              |   |      |
|------------------------------|---|------|
| "GE" 11W ES/BC COOL DAYLIGHT | N | 2175 |
| "GE" 23W ES/BC COOL DAYLIGHT | N | 2900 |
| "GE" 20W ES/BC COOL DAYLIGHT | N | 2900 |

**SPARE LAMPS FOR ANSELL (DELTA/ASTRO)**

|                                |   |      |
|--------------------------------|---|------|
| GE 16W/2D/835/4PIN GR10q 4174  | N | 4000 |
| GE 28W/2D/835/4PIN GR10q 10567 | N | 5000 |

**DISCHARGE LAMPS**

|                |   |      |
|----------------|---|------|
| 250W E40 SON-T | N | 4400 |
| 250W E40 MBF/U | N | 2500 |
| 400W E40 MBF/U | N | 3725 |
| 400W E40 SON-T | N | 7000 |
| 250W M/HALIDE* | N | 7200 |
| 400W M/HALIDE* | N | 7000 |

**STREET LIGHTING LANTERNS**

|         |                                    |   |       |
|---------|------------------------------------|---|-------|
| PHILIPS | PHILIPS MALAGA 125W MBF/U HGS101   | N | 31200 |
| PHILIPS | PHILIPS MALAGA 250W SON/T SGS 102K | N | 58500 |
| TRITON  | 250W SON/MH                        | N | 36000 |
| TRITON  | 400W SON/MH                        | N | 48500 |
| ZODION  | PHOTOCELL KIT                      | N | 7000  |

**TWIN EARTH CABLE**

|        |                                                    |   |        |
|--------|----------------------------------------------------|---|--------|
| 1.5TWE | 1.5mm Solid White/Grey Sheath reel/carton - 100mts | N | 117000 |
| 2.5TWE | 2.5mm Solid White/Grey Sheath reel/carton - 100mts | N | 180000 |

**GENERAL WIRING CABLES**

|  |                                                      | <b><u>PER REELS</u></b> |        |
|--|------------------------------------------------------|-------------------------|--------|
|  |                                                      | <b><u>/100 YDS</u></b>  |        |
|  | 1.5mm 6491X Single Cable 100 yds (BLACK)             | N                       | 54850  |
|  | 1.5mm 6491X Single Cable 100 yds (BLUE, BROWN & G/Y) | N                       | 54850  |
|  | 2.5mm 6491X Single Cable 100 Yds (BLUE, BROWN        | N                       | 77940  |
|  | 2.5mm 6491X Single Cable 100 Yds (BLACK, RED & G/Y)  | N                       | 63000  |
|  | 4.0mm 6491X Single Cable 100 Yds (BLUE, BROWN & G/Y) | N                       | 117570 |
|  | 4.0mm 6491X Single Cable 100 Yds (BLACK, RED)        | N                       | 90000  |
|  | 6.0mm 6491X Single Cable 100 Yds (RED, BLACK & G/Y)  | N                       | 155000 |
|  | 10.0mm 6491X Single Cable 100 Yds (RED, BLACK & G/Y) | N                       | 267000 |
|  | 16.0mm 6491X Single Cable 100 Yds (RED, BLACK G/Y)   | N                       | 414000 |

**FLEXIBLE CABLES**

|  |                                                  |   |        |
|--|--------------------------------------------------|---|--------|
|  | DONCASTER 1.5mm x 3 core flexible cable          | N | 138000 |
|  | DONCASTER 2.5mm x 3 core flexible cable          | N | 250000 |
|  | DONCASTER 4.0mm x 3 core flexible cable          | N | 505800 |
|  | BICC 4.0mm x 3 Core Flexible Cable 3183Y 100 Yds | N | 260000 |

**FIREPROOF CABLE**

|         |                               |   |        |
|---------|-------------------------------|---|--------|
| FP200/2 | 2 X 1.5MM RED FIREPROOF CABLE | N | 180000 |
|---------|-------------------------------|---|--------|

**UNION COOL BREEZE CEILING FAN**

|  |                                                                          |   |       |
|--|--------------------------------------------------------------------------|---|-------|
|  | Union Cool Breeze Ceiling Fan (24 Inch Sweep)<br>C/w Mk/S8601 Controller | N | 20000 |
|  | Union Cool Breeze Ceiling Fan (56 Inch Sweep)                            | N | 48100 |

**POWERTEC COOL BREEZE CEILING FAN**

|  |                                            |   |       |
|--|--------------------------------------------|---|-------|
|  | POWERTEC COOL BREEZE CEILING FAN (56 INCH) | N | 58000 |
|--|--------------------------------------------|---|-------|

**XPELAIR**

|       |         |   |         |
|-------|---------|---|---------|
| GXC6  | 6" FAN  | N | 144000  |
| GX6   | 6" FAN  | N | 155880  |
| GXC9  | 9" FAN  | N | 155000  |
| GX9   | 9" FAN  | N | 2655000 |
| GXC12 | 12" FAN | N | 333200  |
| DX100 | 6" FAN  | N | 66735   |

**VENT-AXIA**

|                |         |   |        |
|----------------|---------|---|--------|
| VA/AVA150P-6   | 6" FAN  | N | 30700  |
| VA/AVA150AS-6  | 6" FAN  | N | 40000  |
| VA/AVA230P-9   | 9" FAN  | N | 85000  |
| VA/AVA300AS-12 | 12" FAN | N | 170000 |

**MANROSE**

|        |             |   |        |
|--------|-------------|---|--------|
| WF100P | 4 INCH FAN  | N | 49900  |
| WF150P | 6 INCH FAN  | N | 73000  |
| WF230P | 9 INCH FAN  | N | 170460 |
| WF230P | 12 INCH FAN | N | 285000 |

**SOLLATEK**

|           |                                |   |       |
|-----------|--------------------------------|---|-------|
| SOL/AVS13 | 13A AUTOMATIC VOLTAGE SWITCHER | N | 55000 |
| SOL/AVS15 | 15A AUTOMATIC VOLTAGE SWITCHER | N | 55000 |
| SOL/AVS30 | 30A AUTOMATIC VOLTAGE SWITCHER | N | 75000 |

**"HAVELL" 4 POLE ON-LOAD CHANGEOVER SWITCH (WHILE STOCK LASTS)**

|                |                           |   |        |
|----------------|---------------------------|---|--------|
| HAVEL/CNFE0200 | 200A 4P CHANGEOVER SWITCH | N | 105625 |
|----------------|---------------------------|---|--------|

**\*\*ALL PRICES EX-WAREHOUSE FESTAC\*\***

DUE TO  
VARIATIONS IN IMPORT DUTY AND EXCHANGE RATES,  
ALL PRICES ARE SUBJECT TO CONFIRMATION AT TIME OF ORDER

ALL LIGHTING PRODUCTS DO NOT INCLUDE TUBES/LAMPS UNLESS STATED

PRICES DO NOT INCLUDE **VAT** AND ARE NOT SUBJECT TO **WHT**

Email:

**[jebere06@yahoo.com](mailto:jebere06@yahoo.com)**

Tel: **07044821333, 08033077511, 08063578917**