

CRUD With

A X ↕ O S



What is CRUD?

CRUD stands for Create, Read, Update, and Delete.

Create operation generates new data. Read operation read or retrieve existing data.

Update operation modify or update existing data. Lastly, Delete operation deletes or remove existing data.



Create Data (POST)

We can simple use POST HTTP method with Axios to create a new resource.

```
index.js

const axios = require('axios');

// POST request with Axios
try {
  const res = await axios.post('https://jsonplaceholder.typicode.com/posts', {
    title: 'foo',
    body: 'bar',
    userId: 1,
  });

  console.log(res.data);
} catch (err) {
  console.log(err);
}
```



Read Data (GET)

Axios also lets us retrieve data from an API by making a GET request to it.

```
index.js

const axios = require('axios');

// GET request with Axios
try {
  const res = await axios.get('https://jsonplaceholder.typicode.com/posts/1');

  console.log(res.data);
} catch (err) {
  console.log(err);
}
```



Update Data (PUT)

We can easily update existing data using Axios with PUT HTTP method.

```
index.js

const axios = require('axios');

// PUT request with Axios
try {
  const res = await axios.put('https://jsonplaceholder.typicode.com/posts/1', {
    id: 1,
    title: 'foo',
    body: 'bar',
    userId: 1,
  });

  console.log(res.data);
} catch (err) {
  console.log(err);
}
```



Delete Data (DELETE)

Lastly, we can also delete existing data from the database using Axios.

```
index.js

const axios = require('axios');

// DELETE request with Axios
try {
  const res = await axios.delete('https://jsonplaceholder.typicode.com/posts/1');

  console.log(res.data);
} catch (err) {
  console.log(err);
}
```



**Was it
helpful?
follow for more!**



Muhammad Zubair
@iamzubairarain



Like



Comment



Share



Save

Did you know? I'm a freelancer too!  Visit my Upwork profile:
[<https://www.upwork.com/freelancers/~014ffd655fc0791835>]