


IP网络划分与路由配置



记录地址块的分配方案，列出每个局域网的网络号、子网掩码、最小主机IP、最大主机IP。

波音

网络号：172.16.203.254

子网掩码：255.255.254.0

最小主机IP：172.16.202.1

最大主机IP：172.16.203.254

文学

网络号：172.16.201.254

子网掩码：255.255.254.0

最小主机IP：172.16.200.1

最大主机IP：172.16.201.254

计网

网络号：172.16.199.254

子网掩码：255.255.248.0

最小主机IP：172.16.192.1

最大主机IP：172.16.199.254

记录各路由器的路由表。

Router0

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

Static Routes

Network

Mask

Next Hop

Network Address

0.0.0.0/0 via 114.245.173.2

Router0

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

IP Configuration

IPv4 Address

Subnet Mask

Tx Ring Limit

100 Mbps

10 Mb

Half Duplex

Full Dupl

000C.CFDB.E829

220.181.111.254

255.255.255.0

10

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

Serial2/0

Port Status

Duplex

☒ Full Duplex

Clock Rate

2000000

IP Configuration

IPv4 Address

114.245.173.1

Subnet Mask

255.255.255.252

Tx Ring Limit

10

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

Static

Network

Mask

Next Hop

Network Address

172.16.192.0/21 via 172.16.204.3

172.16.202.0/23 via 172.16.204.2

172.16.200.0/23 via 172.16.204.1

220.181.111.188/32 via 114.245.173.1

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

0060.2F1E.D8BE

IP Configuration

IPv4 Address

172.16.204.4

Subnet Mask

255.255.254.0

Tx Ring Limit

10

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

Serial2/0

Port Status

Duplex

Clock Rate

Full Duplex

2000000

IP Configuration

IPv4 Address

114.245.173.2

Subnet Mask

255.255.255.252

Tx Ring Limit

10

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

Static F

Network

Mask

Next Hop

Network Address

172.16.202.0/23 via 172.16.204.2

172.16.192.0/21 via 172.16.204.3

220.181.111.188/32 via 172.16.204.4

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

000C.859D.BE01

IP Configuration

IPv4 Address

172.16.204.1

Subnet Mask

255.255.254.0

Tx Ring Limit

10

☒ 100 M☐ Half Duplex

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/1

Port Status

Bandwidth

Duplex

MAC Address

000C.859D.BE02

IP Configuration

IPv4 Address

172.16.201.254

Subnet Mask

255.255.254.0

Tx Ring Limit

10

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

Static Routes

Network

Mask

Next Hop

Network Address

0.0.0.0/0 via 172.16.204.1

172.16.200.0/23 via 172.16.204.1

172.16.192.0/21 via 172.16.204.3

220.181.111.188/32 via 172.16.204.4

Router3

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

0050.0F39.4E01

IP Configuration

IPv4 Address

172.16.204.2

Subnet Mask

255.255.254.0

Tx Ring Limit

10

Router3

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/1

Port Status

Bandwidth

Duplex

MAC Address

0050.0F39.4E02

IP Configuration

IPv4 Address

172.16.203.254

Subnet Mask

255.255.254.0

Tx Ring Limit

10

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

Sta

Network

Mask

Next Hop

Network Address

172.16.200.0/23 via 172.16.204.1

172.16.202.0/23 via 172.16.204.2

220.181.111.188/32 via 172.16.204.4

Physical Config CLI Attributes**GLOBAL**

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

00D0.D3DA.6101

☒ 100 Mbps☐ Half Duplex

IP Configuration

IPv4 Address

172.16.204.3

Subnet Mask

255.255.254.0

Tx Ring Limit

10

Router4

Physical

Config

CLI

Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/1

Port Status

Bandwidth

Duplex

MAC Address

IP Configuration

IPv4 Address

Subnet Mask

Tx Ring Limit

100

Half Duplex

00D0.D3DA.6102

172.16.199.254

255.255.248.0

10

记录各主机的网络配置情况

Cisco Packet Tracer - D:\class\2.2\term\net\exp5\实验5参考案例(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical

Physical

220.181.111.108
255.255.255.0
Server-PT
Server0

220.181.111.254
255.255.255.0
Router-PT
Router0

114.245.173.1
255.255.255.252
Router-PT
Router1

114.245.173.2
255.255.255.252
Router-PT
Router2

172.16.204.4
255.255.254.0
Switch-PT
Switch0

172.16.204.1
255.255.254.0
Switch-PT
Switch1

172.16.204.2
255.255.254.0
Switch-PT
Switch2

172.16.204.3
255.255.254.0
Switch-PT
Switch3

172.16.201.254
255.255.254.0
PC-PT
PC0

172.16.202.1
255.255.254.0
PC-PT
PC1

172.16.202.2
255.255.254.0
PC-PT
PC2

172.16.192.1
255.255.248.0
PC-PT
PC3

172.16.192.2
255.255.248.0
PC-PT
PC4

校园网的IP地址块为 172.16.192.0/20

文学院

播音学院

计算机学院

PC0

Physical Config Desktop Programming Attributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

FastEthernet0

Bluetooth

Global Settings

Display Name: PC0

Interfaces: FastEthernet0

Gateway/DNS IPv4

DHCP

Static

Default Gateway: 172.16.201.254

DNS Server:

Gateway/DNS IPv6

Automatic

Static

Default Gateway:

DNS Server:

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1382, y: 0

220.181.111.188 255.255.255.0 Server-PT Server0
114.245.173.1 255.255.255.0 Router0
114.245.173.2 255.255.255.252 Router-PT
172.16.204.4 255.255.254.0 PT
172.16.204.1 255.255.254.0 Switch0
172.16.204.2 255.255.254.0 Switch1
172.16.203.254 255.255.254.0 Switch2
172.16.199.254 255.255.248.0 Switch3
172.16.200.1 255.255.254.0 PC-PT
172.16.200.2 255.255.254.0 PC-PT
172.16.202.1 255.255.254.0 PC-PT
172.16.202.2 255.255.254.0 PC-PT
172.16.192.1 255.255.248.0 PC-PT
172.16.192.2 255.255.248.0 PC-PT

校园网的IP地址块为 172.16.192.0/20

文学院 播音学院 计算机学院

Time: 00:37:47

1941

PC0

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

FastEthernet0

Port Status On
Bandwidth 100 Mbps
Duplex Full Duplex
MAC Address 0000.0CD3.245C

IP Configuration
Static
IPv4 Address 172.16.200.1
Subnet Mask 255.255.254.0

IPv6 Configuration
Automatic
IPv6 Address
Link Local Address FE80::200:CFF:FED3:245C

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1488, y: 7

220.181.111.188 255.255.255.0 Server-PT Server0
114.245.173.1 255.255.255.0 Router0
114.245.173.2 255.255.255.252 Router-PT
172.16.204.4 255.255.254.0 PT
172.16.204.1 255.255.254.0 Switch0
172.16.204.2 255.255.254.0 Switch1
172.16.203.254 255.255.254.0 Switch2
172.16.199.254 255.255.248.0 Switch3
172.16.200.1 255.255.254.0 PC-PT
172.16.200.2 255.255.254.0 PC-PT
172.16.202.1 255.255.254.0 PC-PT
172.16.202.2 255.255.254.0 PC-PT
172.16.192.1 255.255.248.0 PC-PT
172.16.192.2 255.255.248.0 PC-PT

校园网的IP地址块为 172.16.192.0/20

文学院 播音学院 计算机学院

Time: 00:37:51

1941

PC1

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

Global Settings

Display Name PC1
Interfaces FastEthernet0

Gateway/DNS IPv4
Static
Default Gateway 172.16.201.254
DNS Server

Gateway/DNS IPv6
Automatic
Default Gateway
DNS Server

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1451, y: 3

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router1

172.16.204.4 255.255.254.0 Switch0

172.16.204.1 255.255.254.0 Switch1

172.16.204.2 255.255.254.0 Switch2

172.16.204.3 255.255.254.0 Switch3

172.16.201.254 255.255.254.0 PC-PT PC1

172.16.200.2 255.255.254.0 PC-PT PC2

172.16.202.1 255.255.254.0 PC-PT PC3

172.16.202.2 255.255.254.0 PC-PT PC4

172.16.192.1 255.255.248.0 PC-PT PC5

172.16.192.2 255.255.248.0 PC-PT PC6

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:37:54

1941

PC1

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

FastEthernet0

Port Status On

Bandwidth 100 Mbps

Duplex Full Duplex

MAC Address 0000.3E13.9477

IP Configuration

Static

IPv4 Address 172.16.200.2

Subnet Mask 255.255.254.0

IPv6 Configuration

Static

IPv6 Address

Link Local Address FE80::260:3EFF:FE13:9477

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1167, y: 2

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router1

172.16.204.4 255.255.254.0 Switch0

172.16.204.1 255.255.254.0 Switch1

172.16.204.2 255.255.254.0 Switch2

172.16.204.3 255.255.254.0 Switch3

172.16.201.254 255.255.254.0 PC-PT PC1

172.16.200.2 255.255.254.0 PC-PT PC2

172.16.202.1 255.255.254.0 PC-PT PC3

172.16.202.2 255.255.254.0 PC-PT PC4

172.16.192.1 255.255.248.0 PC-PT PC5

172.16.192.2 255.255.248.0 PC-PT PC6

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:37:57

1941

PC2

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

Global Settings

Display Name PC2

Interfaces FastEthernet0

Gateway/DNS IPv4

Static

Default Gateway 172.16.203.254

DNS Server

Gateway/DNS IPv6

Static

Default Gateway

DNS Server

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1348, y: 1

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router-PT

172.16.204.4 255.255.254.0

2950-24 Switch0

172.16.204.1 255.255.254.0

172.16.204.2 255.255.254.0

172.16.203.254 255.255.254.0

172.16.202.1 255.255.254.0

172.16.202.2 255.255.254.0

172.16.199.254 255.255.248.0

172.16.192.1 255.255.248.0

172.16.200.1 255.255.254.0

172.16.200.2 255.255.254.0

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:37:59

1941

PC2

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

FastEthernet0

Port Status On

Bandwidth 100 Mbps 10 Mbps

Duplex Half Duplex Full Duplex Auto

MAC Address 0009.7C3B.0B6E

IP Configuration

DHCP

Static

IPv4 Address 172.16.202.1

Subnet Mask 255.255.254.0

IPv6 Configuration

Automatic

Static

IPv6 Address

Link Local Address FE80:209:7CFF:FE3B:B6E

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1094, y: 102

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router-PT

172.16.204.4 255.255.254.0

2950-24 Switch0

172.16.204.1 255.255.254.0

172.16.204.2 255.255.254.0

172.16.203.254 255.255.254.0

172.16.202.1 255.255.254.0

172.16.202.2 255.255.254.0

172.16.199.254 255.255.248.0

172.16.192.1 255.255.248.0

172.16.200.1 255.255.254.0

172.16.200.2 255.255.254.0

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:38:03

1941

PC3

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

Global Settings

Display Name PC3

Interfaces FastEthernet0

Gateway/DNS IPv4

DHCP

Static

Default Gateway 172.16.203.254

DNS Server

Gateway/DNS IPv6

Automatic

Static

Default Gateway

DNS Server

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1335, y: 0

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router-PT

172.16.204.4 255.255.254.0

2950-24 Switch0

172.16.204.1 255.255.254.0

172.16.204.2 255.255.254.0

172.16.203.254 255.255.254.0

172.16.202.1 255.255.254.0

172.16.202.2 255.255.254.0

172.16.199.254 255.255.248.0

172.16.192.1 255.255.248.0

172.16.192.2 255.255.248.0

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:38:06

1941

PC3

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

FastEthernet0

Port Status On

Bandwidth 100 Mbps

Duplex Full Duplex

MAC Address 0002.4AE9.C8EE

IP Configuration

Static

IPv4 Address 172.16.202.2

Subnet Mask 255.255.254.0

IPv6 Configuration

Static

IPv6 Address

Link Local Address FE80::202:4AFF:FEE9:C8EE

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1138, y: 38

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router-PT

172.16.204.4 255.255.254.0

2950-24 Switch0

172.16.204.1 255.255.254.0

172.16.204.2 255.255.254.0

172.16.203.254 255.255.254.0

172.16.202.1 255.255.254.0

172.16.202.2 255.255.254.0

172.16.199.254 255.255.248.0

172.16.192.1 255.255.248.0

172.16.192.2 255.255.248.0

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:38:08

1941

PC4

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

Global Settings

Display Name PC4

Interfaces FastEthernet0

Gateway/DNS IPv4

Static

Default Gateway 172.16.199.254

DNS Server

Gateway/DNS IPv6

Static

Default Gateway

DNS Server

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1429, y: 0

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router-PT

172.16.204.4 255.255.254.0

2950-24 Switch0

172.16.204.1 255.255.254.0

172.16.204.2 255.255.254.0

172.16.203.254 255.255.254.0

172.16.202.1 255.255.254.0

172.16.202.2 255.255.254.0

172.16.199.254 255.255.248.0

172.16.192.1 255.255.248.0

172.16.192.2 255.255.248.0

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:38:10

1941

PC4

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

FastEthernet0

Port Status On

Bandwidth 100 Mbps 10 Mbps

Duplex Half Duplex Full Duplex Auto

MAC Address 0006.2AEC.D585

IP Configuration

DHCP Static

Static

IPv4 Address 172.16.192.1

Subnet Mask 255.255.248.0

IPv6 Configuration

Automatic Static

Static

IPv6 Address

Link Local Address FE80:206:2AFF:FEEC:D585

Realtime Simulation

Cisco Packet Tracer - D:\class\2.2term\net\exp5\实验5参考答案(1)\实验5-Answer1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1327, y: 46

220.181.111.188 255.255.255.0 Server-PT Server0

114.245.173.1 255.255.255.252 Router0

114.245.173.2 255.255.255.252 Router-PT

172.16.204.4 255.255.254.0

2950-24 Switch0

172.16.204.1 255.255.254.0

172.16.204.2 255.255.254.0

172.16.203.254 255.255.254.0

172.16.202.1 255.255.254.0

172.16.202.2 255.255.254.0

172.16.199.254 255.255.248.0

172.16.192.1 255.255.248.0

172.16.192.2 255.255.248.0

文学院 播音学院 计算机学院

校园网的IP地址块为 172.16.192.0/20

Time: 00:38:13

1941

PC5

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE

Global Settings

Display Name PC5

Interfaces FastEthernet0

Gateway/DNS IPv4

DHCP Static

Default Gateway 172.16.199.254

DNS Server

Gateway/DNS IPv6

Automatic Static

Default Gateway

DNS Server

Realtime Simulation