



Introduction



Part 1 - The Basics



Part 2 - Core MVC 1.0 Features



Part 3 - Useful MVC 1.0 Features



Summary



Part 3 Useful MVC 1.0 Features



Security





```
@Controller
@Path("csrf")
public class HelloController {
   @CsrfValid
   @POST
   public Response post(@FormParam("greeting") String greet {
```





```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
   <head>
     <title>MVC 1.0 Hello Demo</title>
   </head>
   <body>
     <form action="csrf" method="post" accept-charset="utf-8">
           <input type="submit" value="Click here"/>
           <input type="hidden" name="${mvc.csrf.name}"</pre>
                                 value="${mvc.csrf.token}"/>
      </form>
   </body>
</html>
```




Scopes

@RedirectScoped



```
@Named("greeting")
@RedirectScoped
public class Greeting {
   private String message;
   public void setMessage(String message) {
     this.message = message;
   public void getMessage() { return message; }
```

@RedirectScened




```
Ontroller Ontroller
```


```
@Controller
public class HelloController {
   @Inject
   private Greeting greeting;
                                     @RedirectScoped
   @POST
   @Path("from")
   public String hello() {
      greeting.setMessage("Hello Cologne!");
      return "redirect:/to";
```

@RedirectScoped



```
@Controller
public class HelloController {
   @Inject
   private Greeting greeting;
                                            Same Bean
   @POST
   @Path("to")
   public String hello() {
      return "here.jsp";
```







Internationalization


Controller



```
@Controller
@Path("hello")
public class HelloController {
   @Inject
   private MvcContext mvc;
  @GET
  public String get() {
    Locale locale = mvc.getLocale();
```



Events





AfterControllerEvent



ControllerRedirectEvent

BeforeProcessViewEvent

View

AfterProcessViewEvent

Events Example



```
@ApplicationScoped
public class EventObserver {
   void onBeforeController(@Observes BeforeControllerEvent e) {
      println("URI: " + e.getUriInfo().getRequestURI());
   void onAfterController(@Observes AfterControllerEvent e) {
      println("Controller: " +
                     e.getResourceInfo().getResourceMethod());
```



View Engines



Bring Your Own View Engine

ViewEngine



```
public interface ViewEngine {
   boolean supports(String view);
   void processView(ViewEngineContext context)
       throws ViewEngineException;
}
```

View Engine Conflicts



```
@Priority(OUTRAGEOSLY_HIGH)
@ApplicationScoped
public class FreemarkerViewEngine extends ViewEngineBase {
```



Part 1

https://github.com/ivargrimstad/mvc-hol