

psicret User Manual

Chlewey

2015

Resumen

`psicret` is a package that include a library and some few interfaces for making psychrometric calculations. The interaces include a command line interface, a graphical interface, and a web (PHP) interface.

This manual focuses on the command line interface (CLI) and the library.

Índice

1. Introduction	1
1.1. Psychrometrics	1
1.2. Psychrometric chart	2
2. The library	2
3. The command line	2
3.1. Text output	2
3.2. Graphical output	3
4. Graphical interface	4
5. Web interface	4
6. Installation	4
7. License	4

1. Introduction

1.1. Psychrometrics

Psychrometrics or psychrometry or hygrometry are terms used to describe the field of engineering concerned with the determination of physical and thermodynamic properties of gas-vapor mixtures. The term derives from the

Greek psuchron (ψυχρόν) meaning “cold” and metron (μέτρον) meaning “means of measurement”.¹

1.2. Psychrometric chart

A psychrometric chart is a graph of the thermodynamic parameters of moist air at a constant pressure, often equated to an elevation relative to sea level. The ASHRAE-style psychrometric chart was pioneered by Willis Carrier in 1904. It depicts these parameters and is thus a graphical equation of state.

The “Mollier *i-x*” (Enthalpy - Humidity Mixing Ratio) diagram, developed by Richard Mollier in 1923, is an alternative psychrometric chart, preferred by many users in Scandinavia, Eastern Europe, and Russia.

2. The library

3. The command line

3.1. Text output

`--si -m` Uses international metric system (SI or metric) for input and output units. This is the default.

`--english -e` Uses imperial/English units for input and output.

`--pressure=pres -p` Sets the pressure in kilopascal or psi. a letter suffix might change the default unit: **kpa** kilopascal, **pa** pascal, **bar**, **atm** atmosphere, **tor** torr, **hg** or **mmhg** millimeter of mercury, **psi** pounds per square inch.

`--elevation=height -h` Sets the elevation in meters or feet above sea level. It can accept a unit suffix including **m** meter, **ft** feet.

If both elevation and pressure parameters are given, it makes calculations using pressure. (For graphical output both parameters will show in the chart, but calculations are made using pressure.)

If neither is provided, it assumes sea level (1 atm pressure).

`--dbt=temp -t` Sets the dry bulb temperature. Units are celcius or farenheight degrees. Unit suffixes include **K** for Kelvin, **C** for celcius and **F** for farenheight. suffixes are not case-sensitive.

`--wbt=temp -w` Sets the wet bulb temperature.

`--relative=percentage -p` Sets the relative humidity.

`--dpt=temp -d` Sets the dew point temperature.

`--humidity=prop -h` Sets the specific humidity.

¹<http://en.wikipedia.org/wiki/Psychrometrics>

--absolute=*value* -a Sets the absolute humidity (water vapor density).
--enthalpy=*value* -e Sets the specific enthalpy.
--volume=*value* -v Sets the specific volume.
--ratio=*value* -r Sets the psychrometric ratio.
--heat=*value* Sets the humid heat.
--lang=*language* Sets the output language. Default is English. *language* is usually a two-letter code, which refers to the file `bab-language.dic` in the program path with translations of the different terms and units.

When a text output is required, two parameters should be provided aside pressure/elevation.

3.2. Graphical output

The command line interface can create an ASHRAE-style or a Mollier *i-x* psychrometric chart for a given air pressure (or height), either empty or with a marked point.

If one variable (aside pressure/elevation) is provided, the chart will highlight that respective line.

If two variables (aside pressure/elevation) are provided, the chart will mark the specific point, highlight all relevant lines, and display all calculated variables in a table.

The following parameters can be used (this settings are for ASHRAE-style charts in landscape mode, Mollier *i-x* charts are in portrait mode and width and height are traspossed accordingly):

--svg=*file* -V Outputs to *file* (or *file.svg* if no extension provided) using scalable vector graphics (SVG) format. If no further commands are issued, this will be a 11 inch \times 21 cm output with 2 cm margins.
--ps=*file* Outputs to *file* (or *file.ps* if no extension provided) using postscript format. If no further commands are issued, this will be a 11 inch \times 21 cm output with 2 cm margins.
--png=*file* -R Outputs to *file* (or *file.png* if no extension provided) using portable network graphics (PNG) format. If no further commands are issued, this will be a 800 \times 600 pixels output with 2 cm margins.
--width=*x* -W Set the width of the output file to *x* pixels or, if a twoletter unit code is set, to that specific length. Default is 800 pixels for raster output (PNG) or 11 inch (-2 cm margin at each side) for scalable output.
--height=*y* -H Set the height of the output file to *y* pixels or, if a twoletter unit code is set, to that specific length. Default is 600 pixels for raster output (PNG) or 21 cm (-2 cm margin at each side) for scalable output.

`--dpi=res` -D Sets the resolution in dots per inch. Default is 90 dpi.

`--dpm=res` Sets the resolution in dots per meter. Default is 3543.307087 d/m.

`--margin=top, left, bottom, right` -M Sets the margins for the output. The default is zero for raster and 2 cm at each side for scalable formats. If no *right* value is provided, it takes it equal to *left*. If *bottom* is missing, it takes it equal to *top*. If *left* is missing, it takes it equal to *top*.

The default units are pixels. If only one of the parameters have a twocode unit name, that unit is used for all other margins.

Example: `-m 1,1.5cm,2` will set left and right margins to 1.5 cm, the top margin to 1 cm and the bottom margin to 2 cm.

`--size=format` -S Sets the size for the output using a keyword. Common keywords include: `letter` for letter papersize (11 inch \times 8,5 inch), 1 inch margins. `a4` for A4 papersize (297 mm \times 210 mm), 25 mm margins. `b4` for B4 papersize (353 mm \times 250 mm), 30 mm margins. `hd` for 1080p widescreen format (1920 \times 1080 pixels), no margins. `vga` for VGA screen format (640 \times 480 pixels), no margins. `default` for default format, according if it is a scalable or a raster format.

-A shorthand for `-size=a4`

-B shorthand for `-size=b4`

-L shorthand for `-size=letter`

`--title="the title"` -T Sets a title for the chart

`--no-lines -n` Will not highlight the relevant lines if a point is given.

`--no-table -N` Will not print the table of values if a point is given.

4. Graphical interface

5. Web interface

6. Installation

7. License

The following is the text of the license by which this package is distributed.

Copyright 2015 Carlos Thompson

This is still not an standard license.

DISCLAIMER

This software is distributed AS IS. No responsibility may be inferred to the author for any damage produced by this software unless a support contract has been subscribed and the software is used as per the support contract.

PERMISSIONS

The user may use this software for their own purposes, as final user, or to modify and redistribute this piece of software for both commercial and non-commercial purposes, as long as no copyright or copyleft note is removed or masked.

OBLIGATIONS

Redistribution of unmodified versions of this software MUST keep this license.

Modifications that can be regarded as bug-fixing SHOULD be sent back to the Author and if sent the bug-fix MUST be free. The modified version MAY be redistributed with this or any free license. When the bug fix is incorporated to the main branch, it will keep this original license.

Modifications that can be regarded as minor feature enhancements, SHOULD be sent back to the Author for inclusion in future versions. The modified version MAY be redistributed with this or any free license. If the modification is incorporated to the main branch, it will keep this original license.

A modification is regarded as minor feature enhancement if the overall functionality of the package is still recognisable.

A modification can be regarded as plugin if the original code is not modified. Plugins can be licensed as pleased. A version that is enhanced with plugins can be distributed under the license the version compiler wants as long as the original (or fixed or monirly enhanced) code keeps this or any other free license.

A modification that is regarded as major only requires that the original Author is credited.

If you make money from this software and plan to keep using it you are encourage to do at least any of the following actions:

- * wire me 1% (or more) of your profit.
- * buy me a soft-drink or a lunch.
- * send me a (non-electronic) postcard.
- * hire me.
- * tell me your success story.

RELICENSING

If this license is changed in any future for a more restrictive license, any version of the software that was acquire before the relicensing can be used, distributed or modified according to this original license.

If this license is changed in any future for a less restrictive license, that license will also apply to past versions of the package.