apache154配置

httpd.conf:
ServerTokens OS
ServerRoot "/etc/httpd"
PidFile run/httpd.pid   #PID文件
Timeout 120
KeepAlive Off
MaxKeepAliveRequests 100
KeepAliveTimeout 15

```
[root@SN208_Pharm_WEB154 ~]# httpd -l
Compiled in modules:
  core.c
  prefork.c
  http_core.c
  mod_so.c
[root@SN208_Pharm_WEB154 ~]#
```
#154上使用到的模块

<IfModule prefork.c>   #用于服务器优化，该模式是为了兼容一些旧版本的程序。
StartServers 8   #启动apache时最少所需的进程数
MinSpareServers 5   #保持服务器的最小空闲进程数
MaxSpareServers 20   #保持服务器的最大空闲进程数
ServerLimit 256   #服务器允许配置进程上限数
MaxClients 256   #最大并发连接数
MaxRequestsPerChild 4000 #每个子进程请求服务多少次后被kill掉
</IfModule>
<IfModule worker.c>
StartServers 2
MaxClients 150
MinSpareThreads 25   #服务器保持的最小空闲线程数
MaxSpareThreads 75   #服务器保持的最大空闲线程数
ThreadsPerChild 25   #每个子进程产生的线程数
MaxRequestsPerChild 0   #每个子进程被请求服务多少次后被kill掉，0表示不限制
</IfModule>
#该模式是由线程来监听客户的连接。当有新客户连接时，由其中的一个空闲线程接受连接。服务器在启动时启动两个进程，每个进程产生的线程数是固定的(ThreadsPerChild决定)，因此启动时有50个线程。当50个线程不够用时，服务器自动fork一个进程，再产生25个线程。

Listen 80
LoadModule auth_basic_module modules/mod_auth_basic.so
LoadModule auth_digest_module modules/mod_auth_digest.so
LoadModule authn_file_module modules/mod_authn_file.so
LoadModule authn_alias_module modules/mod_authn_alias.so
LoadModule authn_anon_module modules/mod_authn_anon.so
LoadModule authn_dbm_module modules/mod_authn_dbm.so
LoadModule authn_default_module modules/mod_authn_default.so
LoadModule authz_host_module modules/mod_authz_host.so
LoadModule authz_user_module modules/mod_authz_user.so
LoadModule authz_owner_module modules/mod_authz_owner.so
LoadModule authz_groupfile_module modules/mod_authz_groupfile.so
LoadModule authz_dbm_module modules/mod_authz_dbm.so
LoadModule authz_default_module modules/mod_authz_default.so
LoadModule ldap_module modules/mod_ldap.so
LoadModule authnz_ldap_module modules/mod_authnz_ldap.so
LoadModule include_module modules/mod_include.so
LoadModule log_config_module modules/mod_log_config.so
LoadModule logio_module modules/mod_logio.so
LoadModule env_module modules/mod_env.so
LoadModule ext_filter_module modules/mod_ext_filter.so
LoadModule mime_magic_module modules/mod_mime_magic.so
LoadModule expires_module modules/mod_expires.so
LoadModule deflate_module modules/mod_deflate.so
LoadModule headers_module modules/mod_headers.so
LoadModule usertrack_module modules/mod_usertrack.so
LoadModule setenvif_module modules/mod_setenvif.so
LoadModule mime_module modules/mod_mime.so

```
LoadModule dav_module modules/mod_dav.so
LoadModule status_module modules/mod_status.so
LoadModule autoindex_module modules/mod_autoindex.so
LoadModule info_module modules/mod_info.so
LoadModule dav_fs_module modules/mod_dav_fs.so
LoadModule vhost_alias_module modules/mod_vhost_alias.so
LoadModule negotiation_module modules/mod_negotiation.so
LoadModule dir_module modules/mod_dir.so
LoadModule actions_module modules/mod_actions.so
LoadModule speling_module modules/mod_speling.so
LoadModule userdir_module modules/mod_userdir.so
LoadModule alias_module modules/mod_alias.so
LoadModule rewrite_module modules/mod_rewrite.so
LoadModule proxy_module modules/mod_proxy.so
LoadModule proxy_balancer_module modules/mod_proxy_balancer.so
LoadModule proxy_ftp_module modules/mod_proxy_ftp.so
LoadModule proxy_http_module modules/mod_proxy_http.so
LoadModule proxy_connect_module modules/mod_proxy_connect.so
LoadModule cache_module modules/mod_cache.so
LoadModule suexec_module modules/mod_suexec.so
LoadModule disk_cache_module modules/mod_disk_cache.so
LoadModule file_cache_module modules/mod_file_cache.so
LoadModule mem_cache_module modules/mod_mem_cache.so
LoadModule cgi_module modules/mod_cgi.so
LoadModule version_module modules/mod_version.so
Include conf.d/*.conf

User apache
Group apache
ServerAdmin root@localhost
ServerName www.example.com:80
UseCanonicalName Off
DocumentRoot "/var/www/html"
<Directory />
Options FollowSymLinks
AllowOverride None
</Directory>
<Directory "/var/www/pharmnet">
Options Includes FollowSymLinks SymLinksifOwnerMatch ExecCGI MultiViews
AllowOverride All
Order allow,deny
Allow from all
</Directory>
<IfModule mod_userdir.c>
#
# UserDir is disabled by default since it can confirm the presence
# of a username on the system (depending on home directory
# permissions).
#
UserDir disable
#
# To enable requests to /~user/ to serve the user's public_html
# directory, remove the "UserDir disable" line above, and uncomment
# the following line instead:
#
#UserDir public_html
</IfModule>
DirectoryIndex index.html index.html.var index.cgi index.php index.htm
AccessFileName .htaccess
<Files ~ "^\.ht">
Order allow,deny
Deny from all
</Files>
TypesConfig /etc/mime.types
DefaultType text/plain
<IfModule mod_mime_magic.c>
MIMEMagicFile conf/magic
</IfModule>
```

HostnameLookups Off
ErrorLog logs/error_log
LogLevel warn
#默认是warn，这时debug、info级别的日志是不会记录在日志文件中的，如果是初期调试，可以设置为debug便于排错，线上环境还是用warn比较合理。
LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\"" combined
LogFormat "%h %l %u %t \"%r\" %>s %b" common
LogFormat "%{Referer}i -> %U" referer
LogFormat "%{User-agent}i" agent
LogFormat "%{Host}i %{X-Forwarded-For}i %h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\"" vcombined
CustomLog logs/All-access_log vcombined   #CustomLog用来设定access_log的名字和位置
                                                           #LogFormat用来设定access_log的格式。

ServerSignature On
Alias /icons/ "/var/www/icons/"
<Directory "/var/www/icons">
Options Indexes MultiViews
AllowOverride None
Order allow,deny
Allow from all
</Directory>
<IfModule mod_dav_fs.c>
Location of the WebDAV lock database.
DAVLockDB /var/lib/dav/lockdb
</IfModule>
ScriptAlias /cgi-bin/ "/var/www/cgi-bin/"
<Directory "/var/www/cgi-bin">
AllowOverride None
Options None
Order allow,deny
Allow from all
</Directory>
IndexOptions FancyIndexing VersionSort NameWidth=* HTMLTable
AddIconByEncoding (CMP,/icons/compressed.gif) x-compress x-gzip
AddIconByType (TXT,/icons/text.gif) text/*
AddIconByType (IMG,/icons/image2.gif) image/*
AddIconByType (SND,/icons/sound2.gif) audio/*
AddIconByType (VID,/icons/movie.gif) video/*
AddIcon /icons/binary.gif .bin .exe
AddIcon /icons/binhex.gif .hqx
AddIcon /icons/tar.gif .tar
AddIcon /icons/world2.gif .wrl .wrl.gz .vrml .vrm .iv
AddIcon /icons/compressed.gif .Z .z .tgz .gz .zip
AddIcon /icons/a.gif .ps .ai .eps
AddIcon /icons/layout.gif .html .shtml .htm .pdf
AddIcon /icons/text.gif .txt
AddIcon /icons/c.gif .c
AddIcon /icons/p.gif .pl .py
AddIcon /icons/f.gif .for
AddIcon /icons/dvi.gif .dvi
AddIcon /icons/uuencoded.gif .uu
AddIcon /icons/script.gif .conf .sh .shar .csh .ksh .tcl
AddIcon /icons/tex.gif .tex
AddIcon /icons/bomb.gif core
AddIcon /icons/back.gif ..
AddIcon /icons/hand.right.gif README
AddIcon /icons/folder.gif ^^DIRECTORY^^
AddIcon /icons/blank.gif ^^BLANKICON^^
DefaultIcon /icons/unknown.gif
ReadmeName README.html
HeaderName HEADER.html
IndexIgnore .??* *~ *# HEADER* README* RCS CVS *,v *,t
AddLanguage ca .ca
AddLanguage cs .cz .cs
AddLanguage da .dk
AddLanguage de .de
AddLanguage el .el
AddLanguage en .en
AddLanguage eo .eo

AddLanguage es .es
AddLanguage et .et
AddLanguage fr .fr
AddLanguage he .he
AddLanguage hr .hr
AddLanguage it .it
AddLanguage ja .ja
AddLanguage ko .ko
AddLanguage ltz .ltz
AddLanguage nl .nl
AddLanguage nn .nn
AddLanguage no .no
AddLanguage pl .po
AddLanguage pt .pt
AddLanguage pt-BR .pt-br
AddLanguage ru .ru
AddLanguage sv .sv
AddLanguage zh-CN .zh-cn
AddLanguage zh-TW .zh-tw
LanguagePriority en ca cs da de el eo es et fr he hr it ja ko ltz nl nn no pl pt pt-BR ru sv zh-CN zh-TW
ForceLanguagePriority Prefer Fallback
AddType application/x-compress .Z
AddType application/x-gzip .gz .tgz
AddHandler cgi-script .cgi .pl .pm .lib
AddHandler type-map var
AddType text/html .shtml
AddOutputFilter INCLUDES .shtml
Alias /error/ "/var/www/error/"
<IfModule mod_negotiation.c>
<IfModule mod_include.c>
<Directory "/var/www/error">
AllowOverride None
Options IncludesNoExec
AddOutputFilter Includes html
AddHandler type-map var
Order allow,deny
Allow from all
LanguagePriority en es de fr
ForceLanguagePriority Prefer Fallback
</Directory>
</IfModule>
</IfModule>
BrowserMatch "Mozilla/2" nokeepalive
BrowserMatch "MSIE 4\.0b2;" nokeepalive downgrade-1.0 force-response-1.0
BrowserMatch "RealPlayer 4\.0" force-response-1.0
BrowserMatch "Java/1\.0" force-response-1.0
BrowserMatch "JDK/1\.0" force-response-1.0
BrowserMatch "Microsoft Data Access Internet Publishing Provider" redirect-carefully
BrowserMatch "MS FrontPage" redirect-carefully
BrowserMatch "^WebDrive" redirect-carefully
BrowserMatch "^WebDAVFS/1.[0123]" redirect-carefully
BrowserMatch "^gnome-vfs/1.0" redirect-carefully
BrowserMatch "^XML Spy" redirect-carefully
BrowserMatch "^Dreamweaver-WebDAV-SCM1" redirect-carefully
<LocationMatch "\.svn">
Order allow,deny
Deny from all
</LocationMatch>
Include /var/www/conf/*.conf

conf.d/*里面配置内容
this is php.conf
#
PHP is an HTML-embedded scripting language which attempts to make it
easy for developers to write dynamically generated webpages.
#
<IfModule prefork.c>

```
    LoadModule php5_module modules/libphp5.so
</IfModule>
<IfModule worker.c>
    LoadModule php5_module modules/libphp5-zts.so
</IfModule>

#
# Cause the PHP interpreter to handle files with a .php extension.
#
AddHandler php5-script .php
AddType text/html .php

#
# Add index.php to the list of files that will be served as directory
# indexes.
#
DirectoryIndex index.php

#
# Uncomment the following line to allow PHP to pretty-print .phps
# files as PHP source code:
#
#AddType application/x-httpd-php-source .phps

LoadModule proxy_ajp_module modules/mod_proxy_ajp.so
```

this is proxy_ajp

```
#
# When loaded, the mod_proxy_ajp module adds support for
# proxying to an AJP/1.3 backend server (such as Tomcat).
# To proxy to an AJP backend, use the "ajp://" URI scheme;
# Tomcat is configured to listen on port 8009 for AJP requests
# by default.
#

#
# Uncomment the following lines to serve the ROOT webapp
# under the /tomcat/ location, and the jsp-examples webapp
# under the /examples/ location.
#
#ProxyPass /tomcat/ ajp://localhost:8009/
#ProxyPass /examples/ ajp://localhost:8009/jsp-examples/
```

This directory holds Apache 2.0 module-specific configuration files;
any files in this directory which have the ".conf" extension will be
processed as Apache configuration files.

Files are processed in alphabetical order, so if using configuration
directives which depend on, say, mod_perl being loaded, ensure that
these are placed in a filename later in the sort order than "perl.conf".

```
#
# This is /etc/httpd/conf.d/squid.conf
#

ScriptAlias /Squid/cgi-bin/cachemgr.cgi /usr/lib64/squid/cachemgr.cgi

# Only allow access from localhost by default
<Location /Squid/cgi-bin/cachemgr.cgi>
  order allow,deny
  allow from localhost.localdomain
 # Add additional allowed hosts as needed
 # allow from .example.com
</Location>
#
```

the root URL. To disable the Welcome page, comment
out all the lines below.
#
<LocationMatch "^/+$">
    Options -Indexes
    ErrorDocument 403 /error/noindex.html
</LocationMatch>

/var/www/conf/pharmnettp.conf   这里存放的是各种虚拟主机的信息
<Directory "/var/www/pharmnet">
Options Includes FollowSymLinks SymLinksifOwnerMatch ExecCGI MultiViews
AllowOverride All
Order allow,deny
Allow from all
</Directory>

NameVirtualHost *:80

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000-2/adwords
AddOutputFilter INCLUDES .shtml .html
DirectoryIndex index.html index.htm index.php index.shtml index.cgi
ServerName my.pharmnet.com.cn
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/pharmnet/image
ServerName img1.pharmnet.com.cn
ErrorLog logs/www2.pharmnet-error_log
CustomLog logs/www2.pharmnet-access_log common
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/chinapharmnet/image
ServerName img.chinapharmnet.com
ServerAlias img.chinamedevice.com
ErrorLog logs/www2.pharmnet-error_log
ErrorDocument 404 /error.html
CustomLog logs/www2.pharmnet-access_log common
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/netsun/web
ServerName www3.pharmnet.com.cn
ErrorLog logs/www2.pharmnet-error_log
CustomLog logs/www2.pharmnet-access_log common
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/pharmnet/bbs
ServerName forum.pharmnet.com.cn
DirectoryIndex index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>

```
    ServerAdmin webmaster@hi2000.com
    DocumentRoot /var/www/pharmnet/hi2000/pharmnet/news
    AddOutputFilter INCLUDES .shtml .html
    ServerName news.pharmnet.com.cn
    ErrorLog logs/pharmnet-error_log
    # CustomLog logs/pharmnet-access_log combined
    </VirtualHost>

    <VirtualHost *:80>
    ServerAdmin info@pharmnet.com.cn
    DocumentRoot /var/www/pharmnet/hi2000/pharmnet
    AddOutputFilter INCLUDES .shtml .html .htm
    ServerName www.pharmnet.com.cn
    ErrorLog logs/pharmnet-error_log
    # CustomLog logs/pharmnet-access_log combined
    </VirtualHost>

    <VirtualHost *:80>
    ServerAdmin info@pharmnet.com.cn
    ServerName www.chinapharmnet.com
    ServerAlias chinapharmnet.com pharmnet.com.cn www.zgyyw.com www.tcmtang.com
    Redirect permanent / http://www.pharmnet.com.cn/
    </VirtualHost>

    <VirtualHost *:80>
    ServerAdmin info@pharmnet.com.cn
    DocumentRoot /var/www/pharmnet/hi2000/chinapharmnet
    AddOutputFilter INCLUDES .shtml .html .htm
    ServerName www.chinamedevice.com
    ServerAlias www.chinamedevice.com chinamedevice.com
    ErrorDocument 404 /error.html
    ErrorLog logs/pharmnet-error_log
    # CustomLog logs/pharmnet-access_log combined
    </VirtualHost>


    <VirtualHost *:80>
    ServerName new.pharmnet.com.cn
    ServerAlias www2.pharmnet.com.cn
    Redirect permanent / http://www.pharmnet.com.cn/
    </VirtualHost>

    <VirtualHost *:80>
    ServerAdmin info@pharmnet.com.cn
    DocumentRoot /var/www/pharmnet/hi2000/pharmnet/Q
    AddOutputFilter INCLUDES .shtml .html
    ServerName q.pharmnet.com.cn
    ErrorLog logs/pharmnet-error_log
    # CustomLog logs/pharmnet-access_log combined
    </VirtualHost>

    <VirtualHost *:80>
    ServerAdmin info@pharmnet.com.cn
    DocumentRoot /var/www/pharmnet/hi2000/pharmnet/Q/tags
    AddOutputFilter INCLUDES .shtml .html
    ServerName www.q.pharmnet.com.cn
    ServerAlias *.q.pharmnet.com.cn
    ErrorLog logs/pharmnet-error_log
    # CustomLog logs/pharmnet-access_log combined
    </VirtualHost>

    <VirtualHost *:80>
    ServerAdmin webmaster@hi2000.com
    DocumentRoot /var/www/pharmnet/hi2000/pharmnet/yyzs
    ServerName expo.pharmnet.com.cn
    AddOutputFilter INCLUDES .shtml .html
    ServerAlias pharm.chinaexponet.com
```

ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/hi2000/pharmnet/yyzs/childsite
ServerName www.ksszs.com
ServerAlias www.ksszs.cn www.xlxgyzs.com www.xnxgyzs.com www.zsyzs.com www.ekyzs.com www.fkys.com www.fkyzs.com
www.ybyzs.com www.wgkyzs.com www.wgkzs.com www.pfkyzs.com
AddOutputFilter INCLUDES .shtml .html
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
#DocumentRoot /var/www/pharmnet/hi2000/pharmnet/health
ServerName health.pharmnet.com.cn
Redirect permanent / http://www.pharmnet.com.cn/health/
#AddOutputFilter INCLUDES .shtml .html
#ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/hi2000/pharmnet/jkjy/peopleotc
ServerName otc.pharmnet.com.cn
AddOutputFilter INCLUDES .shtml .html
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@pharmnet.com.cn
DocumentRoot /var/www/pharmnet/pharmnet/en/web
ServerName www1.chinapharmnet.com
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chinaexponet.com
DocumentRoot /var/www/pharmnet/hi2000-3/chinaexponet/pharm
ServerName www11.pharmnet.com.cn
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@pharmnet.com.cn
DocumentRoot /var/www/pharmnet/hi2000/chinamed
ServerName chinamed.pharmnet.com.cn
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000-2
AddOutputFilter INCLUDES .shtml .html
DirectoryIndex index.html index.htm index.php index.shtml index.cgi
ServerName pub.pharmnet.com.cn
ServerAlias www1.pharmnet.com.cn
ErrorLog logs/pub.pharmnet.com-error_log

```
# CustomLog logs/pharmnet-access_log combined
</VirtualHost>


<VirtualHost *:80>
ServerAdmin fdclaw@hi2000.com
DocumentRoot /var/www/pharmnet/chinafdc-law/en
ServerName www.chinafdc-law.com
ServerAlias chinafdc-law.com
ErrorLog logs/fdc-law-error_log
# CustomLog logs/fdc-law-access_log common
</VirtualHost>


<VirtualHost *:80>
ServerAdmin fdclaw@hi2000.com
DocumentRoot /var/www/pharmnet/chinafdc-law/cn
ServerName law.pharmnet.com.cn
ErrorLog logs/fdc-law-error_log
# CustomLog logs/fdc-law-access_log common
</VirtualHost>
<VirtualHost *:80>
ServerAdmin fdclaw@hi2000.com
DocumentRoot /var/www/pharmnet/chinafdc-law/cn/law
ServerName www.fdc-law.com.cn
ServerAlias fdc-law.com.cn
ErrorLog logs/fdc-law-error_log
# CustomLog logs/fdc-law-access_log common
</VirtualHost>


<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/chinafdc-law/national
DirectoryIndex index.php index.html index.htm index.shtml index.shtml index.cgi
ServerName www.fdc-intl.com
ErrorLog logs/fdc-law-error_log
# CustomLog logs/fdc-law-access_log common
</VirtualHost>


<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/adstat
ServerName adstat.chemnet.com
ServerAlias adstat.texnet.com.cn adstat.pharmnet.com.cn
# ErrorLog logs/gl.hi2000-error_log
# CustomLog logs/gl.hi2000-access_log common
</VirtualHost>


<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/gl
ServerName gl.hi2000.com
ServerAlias adadmin.hi2000.com
# ErrorLog logs/gl.hi2000-error_log
# CustomLog logs/gl.hi2000-access_log common
</VirtualHost>


<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/book
ServerName book.hi2000.com
# ErrorLog logs/gl.hi2000-error_log
# CustomLog logs/gl.hi2000-access_log common
</VirtualHost>


<VirtualHost *:80>
ServerAdmin webmaster@hi2000.com
DocumentRoot /var/www/pharmnet/hi2000/drugforum
ServerName www.drugforum.cn
```

```
ServerAlias www.drugforum.com.cn drugforum.cn
# ErrorLog logs/drugforum-error_log
# CustomLog logs/drugforum-access_log common
</VirtualHost>

<VirtualHost *:80>
ServerName www.koreachemnet.com
ServerAlias www.koreachemnet.net
Redirect permanent / http://kr.chemnet.com/

# ServerAdmin webmaster@hi2000.com
# DocumentRoot /var/www/pharmnet/hi2000/chemnet-korea
# ServerName kr.chemnet.com
# ServerAlias korea.chemnet.com www.koreachemnet.com www.koreachemnet.net
# AddDefaultCharset EUC-KR
# DirectoryIndex index.shtml index.html index.html.var index.cgi index.htm index.php
ErrorLog logs/krchemnet-error_log
# CustomLog logs/krchemnet-access_log common
</VirtualHost>

#<VirtualHost *:80>
# ServerAdmin webmaster@hi2000.com
# DocumentRoot /var/www/pharmnet/hi2000/garment
# ServerName www.yifu.com
# ServerAlias yifu.com garment.hi2000.com
# ErrorLog logs/yifu-error_log
# CustomLog logs/yifu-access_log common
#</VirtualHost>

<VirtualHost *:80>
ServerName www.chinaagronet.com
ServerAlias chinaagronet.com en.agronet.com.cn
Redirect permanent / http://www.agriculture.com.cn/

# ServerAdmin webmaster@zj.com
# DocumentRoot /var/www/pharmnet/hi2000/en_agronet
# ServerName www.chinaagronet.com
# ServerAlias chinaagronet.com en.agronet.com.cn www.agriculture.com.cn agriculture.com.cn
# ErrorLog logs/agronet-error_log
# CustomLog logs/agronet-access_log common
</VirtualHost>

<VirtualHost *:80>
ServerName chinasuppliers.chemnet.com
Redirect permanent / http://www.chinachemnet.com/

# ServerAdmin info@chemnet.com
# DocumentRoot /var/www/pharmnet/hi2000-2
# AddOutputFilter INCLUDES .shtml .html
# DirectoryIndex index.html index.htm index.php index.shtml index.cgi
# ServerName chinasuppliers.chemnet.com
# ErrorLog logs/chemnet-error_log
# CustomLog logs/chemnet-access_log common
</VirtualHost>


#<VirtualHost *:80>
# ServerAdmin webmaster@hi2000.com
# DocumentRoot /var/www/pharmnet/hi2000/bbs
# ServerName bbs.chemnet.com
# ErrorLog logs/chemnet-error_log
# CustomLog logs/chemnet-access_log common
#</VirtualHost>

#<VirtualHost *:80>
# ServerAdmin info@pharmnet.com.cn
# DocumentRoot /var/www/pharmnet/pharmnet/cn
# AddOutputFilter INCLUDES .shtml .html
```

```
# ServerName info.texnet.com.cn
# ErrorLog logs/texnet-error_log
# CustomLog logs/texnet-access_log common
#</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/adsadmin
ServerName adsadmin.pharmnet.com.cn
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-adsadmin-error_log
# CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/ecp
ServerName im.pharmnet.com.cn
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
# CustomLog logs/pharmnet-access_log combined
</VirtualHost>


<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/pharmnet/company_show
ServerName www.c.pharmnet.com.cn
ServerAlias *.c.pharmnet.com.cn *.pharmnet.com.cn
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
# CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/chinamedevice
ServerName www.chinamedevice.cn
ServerAlias develop.chinamedevice.cn
AddOutputFilter INCLUDES .shtml .html .htm
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
# CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerName www.chinamedevice.com.cn
ServerAlias chinamedevice.com.cn
Redirect permanent / http://www.chinamedevice.cn/
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/chinamedevice/news
ServerName news.chinamedevice.cn
AddOutputFilter INCLUDES .shtml .html .htm
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
# CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/pharmnet/ylqx
ServerName www1.chinamedevice.cn
# ServerAlias *.chinamedevice.cn
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
```

CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerAdmin info@chemnet.com
DocumentRoot /var/www/pharmnet/hi2000/chinapharmnet/company_show
ServerName www.c.chinapharmnet.com
ServerAlias *.c.chinapharmnet.com *.chinapharmnet.com *.chinamedevice.com
DirectoryIndex index.cgi index.html index.html.var index.htm index.php index.shtml
ErrorLog logs/pharmnet-error_log
CustomLog logs/pharmnet-access_log combined
</VirtualHost>

<VirtualHost *:80>
ServerName www.pharmnet.cn
Redirect permanent / http://www.pharmnet.com.cn/
</VirtualHost>