

Job Listings:

1. Job: Web Developer / Term: "Angular 1"

Angular 1 is a platform catered towards app building that seems to be great at tackling innovative solutions to interactive development challenges. Also this is useful for integrating web, mobile, and desktop adaptations.

2. Job: Front-End Developer / Term: "CSS3"

A moderation to CSS. This is known as a simpler model, and works well with Flexbox and Grid's dimension-agnostic layout concepts. However, it is not consistent with the CSS block layout, and causes the margins to collapse to zero when used in an auto-height container. CSS3 is consistent with vertical margins in a block or table layout. But, it uses auto-height boxes, and enables the "aspect ratio".

3. Job: Back-End Developer / Term: "Git Version Control"

A system for tracking changes in source code during software development. It is designed for coordinating work among programmers, but it can be used to track changes in any set of files.

4. Job: JavaScript Developer / Term: "RESTful API"

An application program interface (API) that uses HTTP requests to GET, PUT, POST and DELETE data. A RESTful API breaks down a transaction to create a series of small modules. Each module addresses a particular underlying part of the transaction. This modularity provides developers with a lot of flexibility, but it can be challenging for developers to design from scratch. Currently, the models provided by Amazon Simple Storage Service, Cloud Data Management Interface and OpenStack Swift are the most popular.

5. JavaScript Developer: "JSON"

An open-standard file format that uses human-readable text to transmit data objects consisting of attribute-value pairs and array data types (or any other serializable value). It is a very common data format used for asynchronous browser-server communication, including as a replacement for XML in some AJAX-style systems.

Chloe Kitts

University of Texas - Austin, Coding Bootcamp 2019

Module #2, PAGE 2:

6. JavaScript Developer: "React.JS"

Used for building user interfaces. It is maintained by Facebook and a community of individual developers and companies. React can be used as a base in the development of single-page or mobile applications. Complex React applications usually require the use of additional libraries for state management, routing, and interaction with an API.

7. Front-End Developer: "Mocha"

Mocha is a Javascript framework running on Node.js, featuring browser support, asynchronous testing, test coverage reports, and use of any assertion library.

8. Back-End Developer: "LESS"

Less (which stands for Leaner Style Sheets) is a backwards-compatible language extension for CSS. This is the official documentation for Less, the language and Less.js, the JavaScript tool that converts your Less styles to CSS styles.

Because Less looks just like CSS, learning it is a breeze. Less only makes a few convenient additions to the CSS language, which is one of the reasons it can be learned so quickly.

9. Web Developer: "SASS"

Sass (Syntactically Awesome Style Sheets) is a CSS preprocessor. It is to CSS what CoffeeScript is to Javascript. Sass adds a feature set to your stylesheet markup that makes writing styles fun again.

10: Full-Stack Javascript Developer: "AWS"

Amazon Web Services (AWS) is a secure cloud services platform, offering compute power, database storage, content delivery and other functionality to help businesses scale and grow. Running web and application servers in the cloud to host dynamic websites.

