

# 메디브릿지

영업의 거리를 넘어, 의약품 공급과 발주를 연결하다

CSO와 약국·병원을 잇는 비대면 제품 탐색·추천·발주 플랫폼

Product Owner 김민주 | Scrum Master 최승우 | Front 임형준 | Backend 권주현 | Service Planning 전해민

# 문제는 제품 부족이 아니라 ‘연결의 한계’입니다

## • 약국·병원

- • 다양한 제약사의 유사 제품 비교와 신규 제품 탐색이 어렵다

- • 지역에 따라 제품 정보 접근 기회가 달라진다

## • CSO 운영사


- • 영업사원 1명이 담당할 수 있는 거래처에 한계가 있다

- • 거래처별 수요를 체계적으로 활용하기 어렵다

## • 제약회사

- • 기존 영업망이 닿지 않는 거래처에 제품을 노출하기 어렵다

- 공통 핵심 | 판매·주문 이력이 영업과 구매 판단에 충분히 활용되지 않는다



# 백로그는 가치·의존성·실습 가능성으로 정렬했습니다

- 1 핵심 가치 | 사용자가 탐색부터 발주까지 끝낼 수 있는가
- 2 업무 의존성 | 사용자·제품·주문 데이터가 먼저 존재하는가
- 3 학습 가치 | REST, Kafka, 인증 등 MSA 흐름을 경험하는가
- 4 시간·위험 | 5시간 안에 검증 가능한 크기인가
- 결론
- Sprint 1은 ‘거래 완주’, Sprint 2는 ‘서비스 간 연동과 추천 확장’

# Sprint 1 — 사용자가 발주까지 완주하는 MVP

- SPRINT GOAL

- 로그인 → 의약품 조회 → 발주 신청까지 완료

- 01 로그인 /login → OAuth2 → /callback

- 02 목록 조회 GET /courses

- 03 상세 조회 GET /courses/{id}

- 04 발주 신청 POST /api/enrollments → PENDING

- 05 상태 확인 GET /enrollments

- Definition of Done

- Swagger 응답 성공 · 상태 저장 확인 · 다음 단계에서 조회 가능



# Sprint 2 — 결제 이벤트와 추천으로 MSA 경험 확장

• 구매 승인 → payment-service → Kafka 결제 완료 이벤트 → order-service 상태 반영 → recommend-service 추천

• 핵심 구현

• • 결제 완료 이벤트 전달

• • 주문 상태 변경

• • 구매 이력 기반 미구매 제품 추천

• 상태 의미 정정

• ACTIVE = 입고 완료 ✕

• ACTIVE = 발주 확정 / 결제 완료 ○

• 배송·입고 이벤트가 없는 현재 코드에서는 ‘입고 완료’를 확인할 수 없습니다.

# 업무와 데이터 책임을 기준으로 5개 서비스로 분리했습니다


- Web / App → API Gateway → 인증 서버 · Eureka
- ↓
- partner-service · product-service · order-service · payment-service · recommend-service
- 계정·거래처      의약품 정보      발주·상태      결제·승인      추천
- REST
- 사용자 조회·명령과 서비스 간 동기 통신
- Kafka
- payment-service — PaymentCompleted —▶ order-service
- 원칙
- 각 서비스가 자신의 업무 결과 데이터를 소유하고 API 계약·이벤트로 연결

| users      |              |      |
|------------|--------------|------|
| id 🔗       | bigint       |      |
| email @    | varchar(255) | NN   |
| password   | varchar(255) | NN   |
| name       | varchar(100) | NN   |
| role       | user_role    | E NN |
| created_at | datetime     |      |
| updated_at | datetime     |      |

| products         |                |      |
|------------------|----------------|------|
| id 🔗             | bigint         |      |
| product_name     | varchar(255)   | NN   |
| description      | text           |      |
| category         | varchar(50)    | NN   |
| price            | decimal(10,2)  | NN   |
| cso_manager_id 🔗 | bigint         | NN   |
| order_count      | int            | NN   |
| status           | product_status | E NN |
| created_at       | datetime       |      |
| updated_at       | datetime       |      |

| orders       |              |      |
|--------------|--------------|------|
| id 🔗         | bigint       |      |
| user_id 🔗    | bigint       | NN   |
| product_id 🔗 | bigint       | NN   |
| status       | order_status | E NN |
| created_at   | datetime     |      |
| updated_at   | datetime     |      |

| payments         |                |      |
|------------------|----------------|------|
| id 🔗             | bigint         |      |
| user_id 🔗        | bigint         | NN   |
| product_id 🔗     | bigint         | NN   |
| amount           | decimal(10,2)  | NN   |
| status           | payment_status | E NN |
| transaction_id @ | varchar(255)   |      |
| created_at       | datetime       |      |
| updated_at       | datetime       |      |





## 프론트엔드는 Gateway를 통해 이 API를 호출합니다

- POST /api/users/register 거래처 계정 등록 201 / user
- GET /api/users/me 로그인 사용자 확인 200 / role
- GET /courses 의약품 목록·카테고리 조회 200 / ACTIVE products
- GET /courses/{id} 의약품 상세 조회 200 / product
- POST /api/enrollments 발주 신청 201 / PENDING
- GET /enrollments 내 발주 상태 조회 200 / PENDING·ACTIVE
- GET /api/recommend/{userId} 구매 이력 기반 추천 200 / unpurchased products

• ※ 기존 템플릿 경로(course, enrollment)는 유지하고 화면·설명에서 의약품/발주 의미로 치환

Server response

Code

Details

201  
*Undocumented*

Response body

```
{
  "success": true,
  "message": "성공",
  "data": {
    "id": 5,
    "email": "123@example.com",
    "name": "test",
    "role": "STUDENT",
    "createdAt": "2026-09-03T05:58:32.323371721"
  }
}
```

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Thu,03 Sep 2026 05:58:32 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

핵심

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "성공",
  "data": [
    {
      "id": 1,
      "title": "test1",
      "description": "test",
      "category": "FRONTEND",
      "price": 30000,
      "instructorId": 4,
      "enrollmentCount": 1,
      "status": "ACTIVE",
      "createdAt": "2026-09-02T06:41:49.156338"
    }
  ]
}
```

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Thu,03 Sep 2026 05:57:14 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Code

Details

201  
*Undocumented*

Response body

```
{
  "success": true,
  "message": "성공",
  "data": {
    "id": 2,
    "userId": 1,
    "courseId": 1,
    "status": "PENDING",
    "createdAt": "2026-09-03T06:00:56.157353885",
    "course": null
  }
}
```

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Thu,03 Sep 2026 06:00:56 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "성공",
  "data": [
    {
      "id": 2,
      "userId": 1,
      "courseId": 1,
      "status": "ACTIVE",
      "createdAt": "2026-09-03T06:00:56.157353",
      "course": {
        "id": 1,
        "title": "test1",
        "description": "test",
        "category": "프론트엔드",
        "price": 30000,
        "thumbnail": null,
        "instructorName": null,
        "enrollmentCount": 2
      }
    }
  ]
}
```

Response headers

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "성공",
  "data": {
    "id": 1,
    "title": "test1",
    "description": "test",
    "category": "FRONTEND",
    "price": 30000,
    "instructorId": 4,
    "enrollmentCount": 1,
    "status": "ACTIVE",
    "createdAt": "2026-09-02T06:41:49.156338"
  }
}
```

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Thu,03 Sep 2026 05:56:26 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

# 작게 완주하고, 데이터가 생긴 뒤 확장합니다

- 검증한 것

- • 이해관계자별 Pain Point 정의

- • 로그인-조회-발주 흐름

- • 서비스-데이터 책임 분리

- • Swagger 기반 API 응답

- 다음 백로그

- • 유사 거래처 추천 · 추천 이유 제공

- • 재주문 시점 알림 · 재고/납기 기반 대체 제품

- 메디브릿지는 영업사원을 없애는 서비스가 아니라, CSO가 더 적은 인력으로 더 많은 거래처에 도달하게 하는 운영 플랫폼입니다.