

ReaClassical v23.19

Release Notes

Changelog:

- * Whole Project View: Switch back to original vertical zoom function for updated SWS
- * Aux and submix: Allow for creation of aux and submix (@ track prefix) that stay visible
- * Sync FX and routing: All child routing is now also copied from destination to source groups
- * Classical Take Record: Add guard clause if no folder/track selected
- * New Script: Add Aux/Submix @ track with color #4C9165 to end of tracklist
- * Create Source Groups: Don't apply grouping for aux/submix tracks
- * Various Scripts: Use Solo in Place (SIP) to allow for unmuted sends to aux/submixes
- * Various scripts: Change color of @ aux/submix tracks if created manually
- * New Script: Reposition Tracks
- * Reposition Tracks: Now works with both prepared takes grouping (T) and newer media/razor editing grouping
- * Create CD markers: If run save a key/value pair and change opening dialog to yes/no options.
- * Reposition Tracks: Use key/value pair to automatically re-run Create CD Markers after repositioning
- * Reposition Tracks: Add guard clauses to deal with zero track count, zero media items or presence of empty items
- * Reposition Tracks: Rename to Reposition Album Tracks
- * Add Aux/Submix @ track: Only allow use if a folder exists already
- * Prepare Takes: Change messagebox to yes/no if edits present
- * Prepare Takes: Improve wording of message when offering to remove item take names when edits present
- * Prepare Takes: Always ask if user wants to remove item take names
- * mpl Markers to CUE: Complete revision of code including correcting a cue file specification error, added width to dialog box, removal of external dependencies and simplifying the main function to use separated functions
- * Added Markers to CUE script to ReaClassical repository with permission
- * Remove JS API from UserPlugins
- * Create Source Groups: Allow for creating lead/follow groups with existing manually-created folders
- * Create CD Markers: Create pregap markers by prefixing take name with "!"
- * Markers to CUE: Match CUE file name with audio filename given in dialog
- * Markers to CUE: Save user-inputted metadata and recall on next run
- * PDF Guide: Switch to sans serif font and add typesetting info on first page

Instructions for a new install:

1. Download the latest portable install as per the installation guide (it will create a new ReaClassical folder with a short year + quarter suffix e.g. "ReaClassical_23Q2"). Run the REAPER binary inside the folder!

Instructions to update ReaClassical:

1. Sync ReaPack to get the latest version of the ReaClassical scripts (you can uninstall the old *mpl_Generate CUE from project markers.lua* script if ReaPack prompts you as it has been replaced with my improved version included in the ReaClassical metapackage).
2. Download the latest portable install as noted above for a new install.
3. Copy across any updated files/settings to your previous install according to the notes below:

Updated config files to be copied to your existing resource path (Options > Show REAPER resource path...):

- * SWS Extensions plugin from *UserPlugins* folder
- * reaclassical-splash.png (found in the root of the portable install folder)
- * Custom toolbar from *MenuSets* + contents of *Data/Toolbar_icons*
- * In the Actions list (?), import the "ReaClassical" keymap from *KeyMaps*

Delete the downloaded new portable install and restart REAPER.