ISLAMIC UNIVERSITY OF TECHNOLOGY (IUT) ORGANISATION OF ISLAMIC COOPERATION (OIC)

Department of Computer Science and Engineering (CSE)

FINAL SEMESTER EXAMINATION

SUMMER SEMESTER, 2018-2019

DURATION: 3 Hours

FULL MARKS: 150

CSE 4803: Graph Theory

Programmable calculators are not allowed. Do not write anything on the question paper.

There are 8 (eight) questions. Answer any 6 (six) of them.

Figures in the right margin indicate marks.

- 2×5 1. a) Define the followings with example and figure Matching ii. Cocycle i. Residual Graph iv. Covering iii. Orientable Graph V. b) Prove that the number of vertices of odd degree in a graph is always even. 7 c) Let G be a connected graph. Prove that G is orientable if and only if each edge of G is 8 contained in at least one cycle. 8 Generate a labelled tree represented by the sequence (3, 3, 4, 5, 5, 6) b) In Figure 1, the subgraph in bold lines indicates a spanning tree T of the graph G. 2 What is the rank and nullity of graph 3 G? C3 What is the maximum distance ii. b3 6 between any two spanning trees in G? Draw a spanning tree T_2 that is at a iii. Cs 6 distance of 4 from T. List all the fundamental circuits with iv. C6 respect to T_2 . Figure 1: Graph for Question 2 (b) 3. a) Define DAG and Topological Ordering with example and figure. 6 5 Discuss a real-life example of vertex coloring problem. c) Let G be a simple graph with n vertices and m edges. Use induction on m, together with the equation $P_G(k) = P_{G-e}(k) - P_{G/e}(k)$, to prove the following: 7 i. The coefficient of k^{n-1} is m. 7 ii. The coefficients of $P_G(k)$ alternates in sign. a) Write down the observations that we can make from the incedence matrix of any graph G. 5 b) Find the structure rank of the following matrix A, using Hungarian Algorithm. Moreover, 20 determine the minimum number of lines (and the particular lines) to contain all 1's of the matrix. 100101000 010001011 001100000 001110000
 - A = 0 0 0 0 1 0 1 1 1 001010000 000110000 111010000 001010000

5.	a)	For each of the following graphs, compare the upper bound for the chromatic number given by Brook's theorem with the correct value.	5×3
		i. K ₂₁ ii. K _{11,21} iii. C ₂₃	
	b)	Find the chromatic polynomials of the following:	5×2
		i. K _{2,5} ii. C ₅	
6.	a)	Prove the following in the context of The Matching Algorithm (TMA):	3×3
		i. TMA terminates within N ² +1 days.	
		ii. Everyone is married in TMA.	
	200	iii. TMA produces stable marriages.	
	b)	Four students want internships in four different companies. The preference lists of the	
		students and companies are given in the following tables. Use TMA to produce upto TWO)
		stable matchings of Students to Companies.	
		Student preference Company preference	
		Student Companies Company Students	
		Abdul Dell, Bose, HP, Apple Apple Didar, Abdul, Choyon, Bari	
		Bari Apple, Bose, Dell, HP Bose Abdul, Bari, Choyon, Didar	
		Choyon HP, Dell, Apple, Bose HP Choyon, Didar, Abdul, Bari	
		Didar Dell, Apple, Bose, HP Dell Bari, Didar, Choyon, Abdul	
7.	wh	opose you are playing a game with your friend. The game is a simplified version of "Nim' ere there are two piles each with three sticks in it. On each turn, a player can take out any other of sticks from a particular pile and the player who takes the last stick(s) wins. Explain why this is a perfect-information, finite game where someone will always in or	7
	b)	lose. Draw a directed graph describing the complete game indicating the possible moves and resulting states. Each state (vertex) should be described with an ordered pair of labels (x,y indicating the number of sticks in the first and second pile respectively.	
	c)	Label the states as "won" or "lost" assuming each player makes the best possible move a	t 6
	0)	each stage.	. 0
	d)	Is there a strategy you can follow so that you always lose? Explain.	5
8.	a)	Prove that the number of vertices of odd degree in a graph is always even.	5
	b)		
		have at least 12 vertices.	
	c)	Give an example of a connected planar graph in which " $e < 3n - 6$ "	3
	d)	Define dual of a graph. A planar graph is called 'self dual' if it is isomorphic to it geometric dual. Prove that if G is a self-dual graph, then " $e = 2n - 2$ "	