BRAND GUIDELINES · VERSION 1.0 · 2026

THE FINTECH ENGINEER

The Aperture identity, its lockups, and the rules that keep it consistent wherever it appears.

01 The mark
02 Lockups
03 Clear space
04 Colour
05 Typography
06 Misuse
07 Application
08 Asset index

01

The mark

Four brackets, one aperture.

Four identical L-brackets rotated ninety degrees about a centre they never touch. The construction is rotational and never reflective, so the mark always holds a direction of travel and cannot collapse into a cross or a plain frame.


The open core is the aperture. The system frames the value; it is not the value. One bracket carries the accent — the entry point.

Everything is a multiple of the 11-unit stroke. Nothing in the mark is drawn by eye.


GEOMETRY

stroke	t = 11
outer inset	a = 14
long arm	L = 43
short arm	S = 27
outer radius	r = 5.5
visual bounds	14 – 86


10 × 10 UNIT GRID



REVERSED



SCALE BEHAVIOUR



120px 72px 44px 28px

02

Lockups

Four configurations. Use the first unless you cannot.


PRIMARY — HORIZONTAL

Default everywhere: banners, headers, decks, email signature.



STACKED

Narrow or square spaces: posters, badges, centred title cards.



MARK ALONE

Only where the name is already present: avatars, favicons, app icons.



WORDMARK ALONE

Body-text contexts and anywhere the mark would be under 24px.




03

Clear space & minimum size

The stroke unit governs both. Never crowd the mark.

Clear space on every side equals the stroke width of the mark — one unit, t. Nothing may enter this zone: no type, no rule, no edge of a photograph, no other logo.

In the horizontal lockup the same unit measures from the outer bounds of the whole lockup, not from the mark alone.



clear space = t on all sides

MINIMUM SIZES

Mark, digital	24 px	below this the aperture closes up
Mark, print	8 mm	
Horizontal lockup, digital	150 px wide	
Horizontal lockup, print	34 mm wide	
Stacked lockup, digital	96 px wide	
Wordmark, digital	120 px wide	

AT MINIMUM



24px mark in a 60px tile



horizontal lockup at 150px wide

04

Colour

Two colours carry the brand. The third is paper.

Ink

#080D18

R8 G13 B24

Primary surface and type

Signal

#2F55E8

R47 G85 B232

One accent bracket, rules, links

Paper

#F1F3F7

R241 G243 B247

Light backgrounds

Slate

#5B6472

R91 G100 B114

Secondary type only

Signal is an accent, never a field. It appears on exactly one bracket of the mark, on the dateline rule, and on interactive text. It is never used as a page background and never colours more than one bracket.

Ink on Paper and White on Ink are the only two approved pairings for the lockup. Signal on Ink clears 4.6:1; Ink on Paper clears 17:1. Do not set Signal on Paper for body text — it fails at small sizes.

05

Typography

Inter, and nothing else.

DISPLAY — INTER DISPLAY BOLD

FINTECH ENGINEER

Lockup, headlines, slide titles. Tracking 0. Never letterspaced by hand.

LABEL — INTER SEMIBOLD, CAPS, +42 TRACKING

THE · SECTION LABELS · EYEBROWS

TEXT — INTER REGULAR / MEDIUM

Body copy is Inter Regular at 16–18px with 1.6 line height. Inter Medium is used for emphasis and for figures. Do not use italics for emphasis; use Medium.


SCALE

Display	Title	Subhead	Body	Caption
Aa	Aa	Aa	Aa	Aa
62 / 1.05	40 / 1.15	24 / 1.3	17 / 1.6	13.5 / 1.5


06

Misuse

Six things that break the mark.




Do not recolour brackets




Do not rotate or mirror




Do not stretch



Do not add effects



Do not outline



Do not crowd

07

Application


How it lands in the places it will actually be seen.

LINKEDIN BANNER 1584 × 396




profile photo sits bottom-left — keep the lockup right of x=420

TITLE SLIDE



CARD




APP ICON & FAVICON



rounded tile for iOS, square for favicon

EMAIL SIGNATURE



08

Asset index

What is in the folder and when to reach for it.

01-logo-svg/	Vector masters. Use these first, at any size.	
tfe-lockup-horizontal-ink / -white	Primary lockup, light and dark backgrounds	SVG
tfe-lockup-stacked-ink / -white	Narrow and square spaces	SVG
tfe-mark-ink / -white	Mark alone, two colours	SVG
tfe-mark-mono-black / -white	Single-colour: embroidery, etching, fax-grade print	SVG
tfe-wordmark-ink / -white	Type only	SVG
02-logo-png/	Raster fallbacks, transparent background.	
tfe-mark-{2048…32}-ink / -white	Mark at seven sizes	PNG
tfe-lockup-horizontal-{2400,1200}w	Lockup at two widths	PNG
03-linkedin/	Drop-in, correct pixel dimensions.	
linkedin-profile-400 / 800 / 1000	Profile photo — circle-safe	PNG
linkedin-banner-1584x396-dark / -light	Cover image, both themes	PNG
04-favicon/	favicon.ico bundles 16/32/48.	
apple-touch-icon-180, icon-512-maskable	iOS and PWA	PNG
05-social/	og-image-1200x630, square-1080	PNG

Type: Inter — free, SIL Open Font License. rsms.me/inter