



# **PinoyFlix**

## **Database Design Document (DDD)**

Prepared by: Almadrones, Kurt Justine  
Calub, John Paul  
Dela Paz, Lance Kenneth  
Liwanag, Heaven Jameel

# Table of Contents

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	DOCUMENT OBJECTIVES.....	1
1.2	INTENDED AUDIENCES.....	1
<b>2</b>	<b>DETAILED DATABASE DESIGN.....</b>	<b>2</b>
2.1	ENTITY RELATIONSHIP DIAGRAM (ERD) .....	2
2.1.1	<i>Data dictionary</i> .....	3
2.1.1.1	Data dictionary for Element: User Table.....	3
2.1.1.2	Data dictionary for Element: Subscription Table.....	3
2.1.1.3	Data dictionary for Element: Payment Method Table .....	3
2.1.1.4	Data dictionary for Element: Transaction Table .....	4
2.1.1.5	Data dictionary for Element: Content Rating Table .....	4
2.1.1.6	Data dictionary for Element: TV Shows Table.....	4
2.1.1.7	Data dictionary for Element: Movies Table .....	5
2.1.1.8	Data dictionary for Element: Genre Table .....	6
2.1.1.9	Data dictionary for Element: Genre Shows Table.....	6
2.1.1.10	Data dictionary for Element: Genre Movies Table .....	7
2.2	SQLITE DATABASE DESIGN (RELATIONAL DATABASE) .....	8
2.2.1	<i>Conceptual diagram</i> .....	8
2.2.2	<i>Description</i> .....	8
2.2.3	<i>Purpose of Tables</i> .....	8
2.2.3.1	Purpose of TV Shows Table.....	8
2.2.3.2	Purpose of Movies Table.....	9
2.2.3.3	Purpose of User Table .....	9
2.2.3.4	Purpose of Subscription Table.....	9
2.2.4	<i>Relations</i> .....	9

---

# 1 Introduction

This document outlines the Database Design Document (DDD) for PinoyFlix, a streaming platform tailored for Filipino audiences, offering a diverse selection of local and international movies, TV shows, and exclusive content. Inspired by platforms like Netflix, PinoyFlix aims to provide an immersive and seamless streaming experience through a well-structured and optimized database system.

A well-designed database is important for ensuring efficient content management, user experience, and secure transactions. The PinoyFlix database is designed to support multiple users, handling real-time content selection, user subscriptions, and payments.

## 1.1 Document Objectives

The objectives of this DDD are:

- To describe the design of databases for PinoyFlix.
- To serve as a blueprint for implementing the database, ensuring it meets the requirements of the platform.
- To provide visibility into the database design for developers, testers, and users.

## 1.2 Intended Audiences

This document is intended for:

- Panelists and supervisors who will evaluate the quality of the design.
- PinoyFlix developers, including:
  - Designers: To ensure the design aligns with the database structure.
  - Programmers: To implement the database as per the design.
  - Testers: To validate the database against the requirements.


## 2 Detailed Database Design

This section outlines the database design for PinoyFlix, including both the Entity-Relationship Diagram (ERD) and the Relational (SQL) Database structure. This ensures data organization, secure transactions, and seamless user experience. It defines structured relationships between entities such as users, subscriptions, movies, TV shows, and payments. The design prioritizes data integrity, consistency, and accessibility, allowing users to browse contents.

Each table within the **Pinoyflix** database contains specific attributes with predefined constraints to maintain accuracy. The relationships between tables are managed using **primary keys** and **foreign keys**, ensuring data transactions.

### 2.1 Entity Relationship Diagram (ERD)

Figure 1: Database design



The Enhanced Entity Relationship Diagram (ERD) for PinoyFlix represents the database structure that facilitates the management of users, content, subscriptions, payments, and genres. This ERD ensures a structured and optimized data flow, allowing for efficient contents, user authentication, and financial transactions. Refer to the section 2.2.3.

## 2.1.1 Data dictionary

### 2.1.1.1 Data dictionary for Element: User Table

Name	Data Type	Constrain	Description
<b>UserID (Primary Key)</b>	INT	AUTO_INCREMENT, PRIMARY KEY	Unique identifier for each user.
<b>Username</b>	VARCHAR(50)	UNIQUE NOT, NULL	<b>The username of the user.</b>
<b>FirstName</b>	VARCHAR(50)	NOT NULL	The first name of the user.
<b>LastName</b>	VARCHAR(50)	NOT NULL	The last name of the user.
<b>Email</b>	VARCHAR(100)	UNIQUE NOT, NULL	The email address of the user.
<b>Created</b>	DATETIME	DEFAULT CURRENT_TIMESTAMP	Date and time of creation of account.
<b>PaymentID</b>	INT	FOREIGN KEY	Reference for Payment of user (Cash, Gcash, etc.)
<b>SubscriptionID</b>	INT	FOREIGN KEY	Reference for Subscription of user (Standard, Premium, etc.)

### 2.1.1.2 Data dictionary for Element: Subscription Table

Name	Data Type	Constrain	Description
<b>SubscriptionID</b>	INT	AUTO_INCREMENT, PRIMARY KEY	Unique Identifier for each subscription plan.
<b>PlanType</b>	VARCHAR(50)	NOT NULL	The type of subscription plan (e.g., Mobile, Basic Standard, Premium).
<b>Price</b>	DECIMAL(10,2)	NOT NULL	Prices of each Subscriptions.

### 2.1.1.3 Data dictionary for Element: Payment Method Table

Name	Data Type	Constrain	Description
<b>PaymentID</b>	INT	AUTO_INCREMENT PRIMARY KEY	Unique identifier for each payment method.
<b>PaymentMethod</b>	VARCHAR(50)	NOT NULL	The details of the payment method (e.g., Card, GCash, Maya)

#### 2.1.1.4 Data dictionary for Element: Transaction Table

Name	Data Type	Constrain	Description
<b>TransactionID</b>	INT	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each transaction.
<b>UserID</b>	INT	FOREIGN KEY	References the UserID in the User Table.
<b>PaymentID</b>	INT	FOREIGN KEY	References the PaymentID in the Payment Method Table.
<b>SubscriptionID</b>	INT	FOREIGN KEY	References the SubscriptionID in the Subscription Table.
<b>Transaction Date</b>	DATETIME	DEFAULT CURRENT_TIMESTAMP	The date when the transaction occurred.

#### 2.1.1.5 Data dictionary for Element: Content Rating Table

Name	Data Type	Constrain	Description
<b>ContentRatingID</b>	INT	PRIMARY KEY	Unique identifier for each content rating.
<b>Classification</b>	VARCHAR(10)	NOT NULL UNIQUE	The classification of the content (e.g., PG, PG-13, R-16, R-18).

#### 2.1.1.6 Data dictionary for Element: TV Shows Table

Name	Data Type	Constrain	Description
<b>ShowID</b>	INT	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each TV show.
<b>Title</b>	VARCHAR(255)	NOT NULL	The title of the TV show.
<b>ReleaseDate</b>	DATE	NOT NULL	The release date of the TV show.
<b>ReleaseYear</b>	INT	(YEAR(ReleaseDate)) STORED	Stores the years for each TV shows.
<b>ContentRatingID</b>	INT	FOREIGN KEY	References the content rating classification of the TV show.
<b>PopularityScore</b>	INT		The popularity score of the TV show.

#### 2.1.1.7 Data dictionary for Element: Movies Table

Name	Data Type	Constrain	Description
<b>MovieID</b>	INT	PRIMARY KEY, AUTO_INCREMENT	Unique identifier for each movie.
<b>Title</b>	VARCHAR(255)	NOT NULL	The title of the movie.
<b>ReleaseDate</b>	DATE	UNIQUE	The release date of the movie.
<b>ReleaseYear</b>	INT	(YEAR(ReleaseDate)) STORED	Stores the years for each Movies.
<b>ContentRatingID</b>	INT	FOREIGN KEY	The content rating classification of the movie.
<b>PopularityScore</b>	INT		The popularity score of the movie.

2.1.1.8  
2.1.1.9

#### 2.1.1.8 Data dictionary for Element: Genre Table

Name	Data Type	Constrain	Description
<b>GenreID</b>	INT	AUTO_INCREMENT PRIMARY KEY	Unique identifier for each genre.
<b>GenreName</b>	VARCHAR(100)		The name of the genre (e.g., Action, Comedy, Drama).

#### 2.1.1.9 Data dictionary for Element: Genre Shows Table

Name	Data Type	Constrain	Description
<b>ShowID</b>	Integer	FOREIGN KEY	References the ShowID in the TV Shows Table.
<b>GenreID (Foreign Key)</b>	Integer	FOREIGN KEY	References the GenreID in the Genre Table.


#### 2.1.1.10 Data dictionary for Element: Genre Movies Table

Name	Data Type	Constrain	Description
<b>MovieID (Foreign Key)</b>	Integer	FOREIGN KEY	References the MovieID in the Movies Table.
<b>GenreID (Foreign Key)</b>	Integer	FOREIGN KEY	References the GenreID in the Genre Table.



## 2.2 Database Design (Relational database)

### 2.2.1 Conceptual diagram



### 2.2.2 Description

This diagram is all about how Pinoyflix works behind the scenes it's like the blueprint that keeps everything running smoothly. At the heart of it are the users, each with their own account where we store basics like their name, email, and a unique UserID. Users pick a subscription plan like basic or premium which decides what kind of content they can watch. Over in the TVShows and Movies sections, we keep track of all the content details: titles, release dates, genres, and ratings, with each show and movie having its own unique ID (ShowID or MovieID) to avoid any mix-ups. The Subscription section handles the different plans and payment details, making sure users get access to the right content based on what they've signed up for. Everything's connected in a way that just works users log in, browse their favorite shows or movies, and enjoy without a hitch. In short, this diagram is the foundation that keeps Pinoyflix organized and ready to deliver a great experience for everyone.

### 2.2.3 Purpose of Tables

#### 2.2.3.8 Purpose of Movies Table

This table stores information about the movies available on Pinoyflix. Each movie has a unique MovieID, along with details like the title, release date, and rating. This table ensures that movie content is properly organized and accessible to users based on their subscription type.

#### 2.2.3.9 Purpose of TV Show Table

This table stores information about TV shows available on Pinoyflix. Each TV show has a unique ShowID, along with details like the title, release date, and popularity score. This ensures that TV series are properly structured and accessible to users.

#### **2.2.3.10 Purpose of User Table**

This table stores the details of users registered on Pinoyflix. Each user has a unique UserID, along with their name and email address. The email address serves as a key identifier for the user. This table also links users to their subscription plans.

#### **2.2.3.11 Purpose of Subscription Table**

This table manages the subscription plans available on Pinoyflix. Each subscription has a unique SubscriptionID, along with details like the plan type (e.g., basic, premium) and payment information. This table ensures that users are granted access to content based on their chosen subscription plan.

#### **2.2.3.12 Purpose of Genres Table**

This table categorizes movies and TV shows based on their genres (e.g., action, drama, comedy). Each genre has a unique GenreID and a descriptive name. This table helps organize content, allowing users to browse and discover movies and TV shows based on their preferred genres.

#### **2.2.3.13 Purpose of Payment Table**

This table records payment details for subscriptions on Pinoyflix. Each payment has a unique PaymentID, along with details such as the amount, payment method (e.g., credit card, e-wallet), and transaction date. This table ensures that all payments are accurately tracked and linked to the corresponding user and subscription plan.

#### **2.2.3.14 Purpose of Movie Genre Table**

This table establishes the relationship between movies and their genres. Since a movie can belong to multiple genres (e.g., an action-comedy), this table links each MovieID to one or more GenreIDs. It ensures that movies are accurately categorized and can be filtered by genre for better content discovery.

#### **2.2.3.15 Purpose of TV Show Genre Table**

This table establishes the relationship between TV shows and their genres. Since a TV show can belong to multiple genres (e.g., drama-thriller), this table links each ShowID to one or more GenreIDs. It helps users find TV shows based on genres.

#### **2.2.3.16 Purpose of TransactionsTable**

This table logs all financial transactions on Pinoyflix, including subscription purchases, renewals, and refunds. Each transaction has a unique TransactionID, along with details such as the UserID, PaymentID, transaction amount, and status (e.g., completed, pending, failed). This table provides a complete record of user transactions for billing and financial reporting purposes.

## 2.2.4 Relations

From Table	To Table	Relation
User	Subscription	A user has one subscription plan.
Subscription	Payment	A subscription requires a payment to go through.
Payment	Transactions	A payment is recorded as a transaction.
Movie	Movie Genre	A movie can belong to multiple genres.
TV Show	TV Show Genre	A TV show can belong to multiple genres.
User	Transactions	A user makes transactions for subscriptions.
Movie Genre	Genres	A genre categorizes multiple movies.
User	Payment	A user makes a payment for their subscription.

