

Index

Note: locators in *italics* and **bold** refer to *figures* and **tables** respectively.

- Aboodarda, S.J. 196
acetabulum 66
achilles tendon 85, 113, 146
acrobats 25
actin 22, 85, 138
active knee extension 35–6
acute dynamic stretching 64, 180
acute foam rolling effects 192–3
acute ischemic compression 65, 198
acute morphological dynamic stretching mechanisms 74–5
acute rehabilitation exercises 221
acute stretching 54–63, 91, 148–9
adipose tissue 214
adiposity 69
aerobic 15, 53, 107, 111, 132, 141–2, 144–8, 151; training 107, 142; warm-up 145, 147, **232**
age/ageing: arterial stiffening 120–1; differences 36–8; effects 142
agility 115–16, 118, 122, 129, 130, 143–5, 148, 213, 227–8
alpha motoneurons 55, 55, 57, 61, 63, 64, 139, 198
Alter, M.J. 18
anabolic signalling pathways 170
anaerobic 107, 131, 163
analgesia 197
anastellin 71
animals stretch 9–10, 12
ankle 5–6, 22, 40, 62, 73, 84, 91, 93, 113, 116, 141, 142, 213, 217, 238, 248; dorsiflexion 22, 40, 91, 93, 217; joint 84, 228; proprioception 141
annulospiral endings 57, 61, 139
antagonist 18, 56, 57, 60, 61, 63, 75, 85, 93, 100, 118, 121, 141, 149
anterior deltoid 203
anterior tibial component syndrome 113
anti-anxiety techniques 23–4
aponeuroses 22, 66
arm (biceps and triceps brachii) 203
arterial stiffness 120–2
arteriosclerosis 121
Ashmore, C.R. 168
atrophy 102, 118–19
autogenic inhibition 14, 49, 59, 63–4, 84, 85, 214

Babault, N. 144
back: and arm (double rolling) 207; percussive massage 214; upright position 205
balance 3, 4, 24, 101, 103, 106, 118, 120, 132, 140–7, 151, 213, 221, 228
ballistic stretching 14, 19, 23, 25, 74, 75, 85–6, 115, 144–6, 180
Bandy, W.D. 99
Barnett, J.G. 168
Bates, G.P. 168
Behm, D.G. 3, 4, 6, 7, 142, 144, 147
biceps brachii 204
Blazevich, A.J. 54, 73, 84–5, 140, 148
blood pressure 24, 104, 120, 123, 195
body mass index 24
body muscular power 129
Bolt, U. 133
bone 35, 36, 39, 57, 58, 67, 70, 75, 117, 134, 135, 141, 198–9
Bouchard, C. 39
Bove, M. 214
breath control exercises 11
breathing techniques 24–5, 104
Budini, F. 62
Bugati sport cars 132

- bursitis 113, 115
 Cadillac 132, 133, 133
 calcium, release and sequestration of 138
 calf muscles 56, 65, 94, 130, 170, 198, 226
 calves (plantar flexors): push up position calf stretch 238; standing calf stretch against wall 239; standing soleus stretch 239
 Canadian Society for Exercise Physiology 15, 143
 capillarization 170
 cardiovascular 24, 120–1, 147, 171
 cartilage 5, 36, 57
 central nervous system (CNS) 144, 196–7
 cervical 23, 93, 217, 221
 chain fibres 57, 57, 61, 139
 Chaouachi, A. 142, 144
 Cheatham, S.W. 192
 children 38–9
 chondroitin 37
 Christensen, D.L. 168
 chronic foam rolling effects 193
 chronic stretching 83, 86, 115, 120, 167, 171
 circadian 40
 Circadian differences 39–40
 CNS *see* central nervous system (CNS)
 coaches 26, 54, 105, 130–1, 144, 148
 cold water immersion 105
 collagen 35–8, 37, 73, 105, 117, 119, 222
 concentric 116, 129, 135–6, 138, 139, 161, 162, 179
 connective tissue 18, 25, 36, 37, 39, 67, 69, 70–2, 102, 103, 114, 116, 119, 179, 191
 continuous stretching 101, 169
 contract relax (CR) 74; PNF 9, 14, 20–1, 63, 74; techniques 20–1
 contract-relax-agonist-contract (CRAC) 74; method 14, 63; PNF 14, 20–1, 63, 74; techniques 20–1
 contralateral: calf 196; hip flexors 119; homologous muscle 89, 93; performance effects 94
 cortical 62, 140, 220; subnucleus reticularis dorsalis 197–8
 corticospinal excitability 60, 62, 93
 cortisol 103, 198
 cost benefit analysis 143
 counter-irritation 197
 COVID-19 pandemic 91
 CR *see* contract relax (CR)
 CRAC *see* contract-relax-agonist-contract (CRAC)
 creatine kinase values 170
 cross-education 90, 119–20
 cross-links 36–7, 119
 crossover or non-local muscle fatigue 89–90
 cryotherapy 105, 108
 cutaneous 60, 70, 75, 105, 150
 cutaneous nerve receptors 60, 60
 cytoplasmic 121
 cytoskeleton 71, 121
 dancer(s) 10, 26, 39, 67, 75, 102, 143
 deep fascia 74
 deep-tissue massage 192
 deep vein thrombosis 198–9
 De Grasse, A. 131
 delayed onset muscle soreness (DOMS) 149–50, 196, 228–9; pain 196; symptoms 228
 Delphi study 198
 deltoid 203, 204, 243
 deltoid cross-over stretch 243
 dendrites 62, 64
 desmin 138
 detraining 85, 121
 diabetes, stretching effects on 121
 diffuse noxious inhibitory control (DNIC) 65, 92, 196–7, 197, 220, 228
 disc herniation 101
 discomfort 91, 92, 100, 196
 disfacilitate 55, 75, 180
 disinaptic reflex 57
 di-synaptic reflex synapse 61
 diurnal 40, 101, 107
 DNA (deoxyribonucleic acid) 41, 58, 72, 168
 DNIC *see* diffuse noxious inhibitory control (DNIC)
 DOMS *see* delayed onset muscle soreness (DOMS)
 dorsiflexion 22, 40, 62, 70, 73, 74, 85, 90, 91, 93, 113, 141, 213, 217, 220, 227
 drop jump 129, 136–8, 162; preparation 136; stretch-shortening cycle reaction forces 137
 Duchateau, J. 54, 60
 dumbbell chest press/flyes: with arms 182; horizontal abduction 182
 duration-response relationship 167
 dynamic stretching 12, 14, 15, 19–22, 20, 23, 25, 55, 64, 74–5, 83, 101, 107, 117–18, 120, 122, 130, 131, 141, 143–7, 150, 151, 163, 178–81, 193, 213, 226; durations of 144; FITT table 163; relationship for 144; studies 141; training 117–18
 dysmenorrhea 120, 122

- eccentric 25, 129, 135, 138, 139, 149,
161–3, 174, 179, 181, 226–7
- E-C coupling 138
- ecological validity 15, 146, 148, 149
- Edin, B.B. 59
- Egger's regression intercept test 107
- elasticity/elastic: changes 22, 161; elastin
proteins 37; energy 138; flexibility 53;
modulus of 35, 129–30; stiffness 139;
tissue deformation 100
- elastin 36–8, 37
- elbow 27, 29, 35, 40, 185–7
- electrical stimulation 196
- electromechanical delay (EMD) 134–7,
134, 135
- electromyography (EMG) 36, 54, 61, 64,
65, 91, 104, 130, 136, 146, 150, 194,
198, 228
- electronic goniometer 26–7, 32
- elite sprinters 133–4
- elongated muscles 14, 57, 63
- EMD *see* electromechanical delay (EMD)
- EMG *see* electromyography (EMG)
- endocrine 36, 40, 41, 147; differences 36,
41; responses 40
- endorphin 65, 92, 198, 220, 228
- endurance 13, 24, 54, 89, 90, 115, 116,
119, 146, 163, 191, 198
- energy efficiency 161
- Enoka, R. 63
- enzymatic cycling 10, 148
- erector spinae 104
- E-reflex 60
- ergoreceptor 197
- estrogen 35, 120
- evoked contractile properties 130, 135
- excitation-contraction (E-C) coupling
137, 138
- exercise balls 207
- exercise-induced muscle damage (EIMD)
149–50
- exercise-related injury 113–14
- external obliques 104
- exteroceptive (E-) reflex 60
- extracellular 37, 53, 54, 121, 194; con-
nective tissue 70–2
- extracellular matrix (ECM) 71, 121
- extrafusal 58, 61
- fascia 35, 36, 54, 74, 120, 122, 191, 194,
220, 221, 228
- fascicles/fasciculi 22, 69, 73–5, 85, 181
- fatigue 89–91, 101, 103, 107, 115, 118,
146, 220
- Ferrari 132, 133, 133
- fibril 35
- fibroblast 69, 213
- fibronectin (FN-I, FN-II and FM-III and
FN-III) 71, 72, 72
- figure skaters 9, 10, 25, 67, 75, 106, 140,
141, 143
- fitness 6, 6, 19, 36, 132, 134, 180–1
- 5BX (5 Basic eXercises) 13, 19
- Fletcher, I.M. 146
- flexibility 5, 6, 22, 39, 69, 85, 90, 113, 135–6;
adaptations 84; ageing differences 36–8;
Circadian differences 39–40; definitions
of 18; degree of 106; dynamic movement
for 13; elastic 53; elevated baseline of
179; of experienced yoga practitioners 11;
genetic differences 39; hamstrings 33;
lack of 34; limb dominance differences
39–40; lumbar spinal 33; optimal degree
of 134; in pelvis 118; programmes 119;
relative 34; sex differences 35–6; sub-
stantial 129; throughout puberty 38;
training 100, 102, 118, 142; youth differ-
ences 38–9
- fleximeter 27, 41
- flossing effects 221; band on calf muscles
226, 226; band on upper arm 226, 227;
description of 226; mechanisms 228;
on pain 228–9; on performance 228–9;
on range of motion 226–7, 226, 227
- foam rolling 6, 7, 83, 91, 93–4, 191, 193–8,
220; acute foam rolling effects 192–3;
description of 191; exercises 199; fascial
restrictions and myofascial adhesions
191; immediate impacts of 192; mechan-
isms 193–8; single bout of 194; training
195; type of foam rollers 191, 192
- foot elevated stretch, kneeling hip flexor
with 233
- forward lunge 187, 233
- Fradkin, A. J. 115
- Frankeny, J. R. 168
- free weights 178–9
- Freitas, S. R. 73
- full elbow flexion 35
- functional performance, stretch training
on: dynamic stretch training 163;
static stretching 161–3, 163
- GABA (-aminobutyric acid) 55
- gamma efferent system 61
- gastrocnemius 35, 54, 73, 85, 228
- gate control theory 150, 151, 151, 197,
214, 228

- genetics 39, 41
 glenohumeral 66
 glenoid fossa (cavity) 66–7
 global warm-up effect 193
 GLUT-4 121
 gluteus (gluteals) 20, 199, 199, 206, 236;
 lying (supine) hip flexion 237; and
 plantar flexors (double rolling) 206;
 reverse pigeon stretch 236; supine
 single leg rotation 237
 Goldilocks flexibility 138
 Golgi tendon organs (GTO) 58, 58, 59,
 62–4, 180, 194, 214
 goniometer/goniometry 26–8, 32, 41
 Goodwin, J. 27
 Gorny, V.S. 228
 groin adductors 199, 200, 238
 growth: hormone 40, 228–9; pains 39
 Guissard, N. 54, 60
 gymnasts 10, 13, 25, 39, 67, 73, 75, 102,
 105–6, 129, 141, 212

 Hadjizadeh Anvar, S. 93
 hamstrings 14, 21, 23, 33–5, 53, 57, 60,
 61, 63, 69, 90, 105, 114, 119, 129, 145,
 149, 179, 193, 194, 198, 201, 212, 213,
 217, 221, 227, 235, 236; band assisted
 stretch 236; contralateral 90; muscles
 193; roller massage of 207; single leg
 elevated stretch 235; static stretching
 83; supine single leg stretch 235
 handheld percussive therapy 213–14
 Hatha Yoga 11
 health(y) 18–19, 25, 26, 69, 103, 103–23,
 119, 132, 134, 191
 heart rate 104, 120, 123, 146–7, 195
 Hill, R.H. 114
 hip(s) 14, 19, 20, 23, 26, 28, 30, 34–5,
 39–40, 61, 63, 66, 67, 69–70, 90, 92,
 115–16, 118, 119, 122, 131, 133, 142,
 144, 161, 179, 217, 220; fractures 140–
 1; mobility hinge 245
 Hoffman (H) reflex 55, 55, 56, 60, 62, 63,
 140, 180, 198, 214, 228
 Holly, R.G. 168
 Hooke, R. 129–30
 horizontal adduction 217, 220
 hormonal concentrations 35
 Hotta, K. 170
 Houdini, H. 67, 68
 H-reflexes 56, 62, 63, 85, 180, 198, 228
 humerus 70
 hurdle jumps 135, 138
 hydration 22, 37

 hyper-laxity/hypermobility 67
 hypermobile joints 67, 68
 hyperthermia 105
 hypertrophied biceps brachii 35
 hypertrophy 70, 72, 85, 102, 130, 162,
 167–71, 178
 hypothalamic–pituitary–adrenal (HPA)
 axis 103
 hypothermia 54
 hysteresis 116, 161

 Ia afferent fibres 55, 61–2, 214
 IASTM *see* instrument-assisted soft
 tissue mobilization (IASTM)
 Ib afferent fibres 61–4, 164
 immobilization 119, 120
 impairments 130, 142; post-stretch neural
 140; static stretch-induced 135
 incline bicep curls with elbows: extended and
 shoulders in extension 186; flexed 187
 inclinometer(s) 27, 32–3, 33, 41
 Indian clubs 12, 12
 individual tendon fibres 117
 inflammation 66, 150, 198, 222
 inflexible muscles 118, 119
 inhibit (inhibition, inhibitory) 14, 22,
 55–65, 69–70, 73, 75, 84, 85, 92, 93,
 104, 105, 140, 145, 147, 150, 180,
 194–8, 214, 220, 228
 inhibitory postsynaptic potentials (IPSPs) 55
 injury reduction and health 113–16; cardi-
 ovascular system 120–1; diabetes 121;
 dynamic stretching and activity effects
 on 117–18; dysmenorrhea 120; effects of
 immobilization on flexibility 119–20;
 history 114; musculotendinous 114–15;
 physiological rationale for 116–17; pos-
 ture, lower back pain, and compensa-
 tory overuse syndromes 118–19; risk
 factors 122, 122
 injury risk 118–19, 122, 122
 inner calf 202
 instrument-assisted soft tissue mobiliza-
 tion (IASTM) 213; acute effects on
 range of motion 217–20; calf, use on
 219; description of 217; devices 218;
 effects on performance 221; forearms,
 use on 219; global effects of 220;
 global responses with 220; myofascial
 tone with 220; quadriceps, use on 218;
 treatment 217, 220
 insulin-like growth factors (IGF) 85, 121, 130
 integrin 71, 72, 72, 168
 intermolecular cross-links 36, 37

- internal muscle tendon mechanics 117
 intracellular connective tissue 70–2
 intracellular protein 70–1
 intrafusal 55, 57, 61–2, 214
 intramuscular fibrous 214
 intra-tester reliability 28
 ipsilateral (unilateral) foam rolling 93–4
 Irion, J.M. 99
 isoinertial resistance training 181
 isokinetic 18, 131, 143, 165, 221
 isometric 20–1, 53, 54, 62, 64, 89, 94,
 117, 138, 143, 162, 220, 227, 228

 jumps 12, 65–6, 101, 106, 118, 129, 131,
 135–8, 141, 142–8, 162–3, 169, 171;
 countermovement, vertical 138, 162

 Kabat, H. 9, 14, 20
 Kawama, R. 179
 Kay, A. D. 73
 keratin 36–7
 kinesiology taping 217
 kinesiotaping 220
 knee 6, 20, 28, 30, 35, 56, 65, 116–19,
 130, 141, 146, 162, 169, 199, 213, 217,
 226, 228, 241, 246, 247, 252
 Knott, M. 20
 Kokkonen, J. 130, 169
 Konrad, A. 83, 90–1, 93, 94, 100, 107,
 146, 227, 228
 Kummel, J. 147

 lactate 10, 131, 135
 Lamborghini 132
 laminin 71
 lateral shoulder (Deltoid) 203
 lateral trunk 206
 latissimus dorsi 71–2, 168, 240–1; banded
 stretch 241; kneeling lunge position
 241; shoulder external rotation with
 band 242; triceps brachii and shoulder
 internal rotation band stretch 242
 lat pulldown: with final position (shoulder
 horizontal extension) 185; with initial
 position (arms extended) 184
 Leighton, J.R. 178
 ligament injuries 114
 ligamentous sprain injuries 100
 ligament(s) 5, 6, 10, 22, 35–7, 57, 66, 67,
 69, 75, 100, 113, 114, 116, 122, 228, 229
 Likert scale for movement ability in 228–9
 Lima, C.S. 162, 169
 limb dominance differences 39–40
 “limbering up” exercises 10–11

 local vibration device 212, 212
 low back pain, incidence and severity of
 118–19
 lower back 205
 lower body stretching 116, 233
 L-type Ca²⁺ ion channels 139
 lumbar 26, 27, 33, 34, 118
 Lumsden, N. 4
 lunge with rotation 234

 Magnusson, S.P. 53, 65, 195
 Marek, S.M. 131
 Marey, E. 167
 martial arts 10–11
 Martin, A.W. 168
 massage 104–5, 198; back percussive 214;
 deep-tissue 192; musculotendinous
 194; percussive devices 213; roller 207;
 superficial 192
 Masugi, Y. 93
 maximal voluntary contraction (MVC)
 54, 61, 147, 213
 McGill, S. 101, 119
 McHugh, M.P. 104, 116, 117
 mechanical stress 58
 mechano growth factor (MGF) 85
 mechanomyogram (MMG) 136
 mechanoreceptors 194–5, 197
 Medeiros, D.M. 162, 169
 meditation 22, 25, 40
 Meissner corpuscle 194–5
 menstrual cycle 35–6
 menstruation 120
 mental fatigue 91
 Merkel receptor 194–5
 meta-analysis 83–4, 91
 metabolism (metabolic) 10, 13, 20, 40,
 54, 103, 131, 228–9
 metaboreceptors 197
 meta-regression 23
 metastability 106, 106, 141
 metastable (metastability) 105–6, 118, 141
 M line 71
 mobility exercise, dynamic: alternating
 hip bridge 246; ankle to opposite hip
 with pause 248; dead bug with band
 247; external rotation of hip 249; hip
 bridge with arms extended 245; hip
 bridge with band 246; inch worm with
 pause 251; lateral lunge with pause
 248; leg kicks with hand touch 250;
 quadriceps squeeze with pause 251;
 side lying rotation 252; single leg hinge
 with arm reach series 249; sprinting

- mechanics 251; standing alternating knee to chest 247
- monosynaptic reflexes 63, 93
- morphological 64, 66, 66–75, 84–6
- Morton, S.K. 25–6
- motoneuronal/motoneurons 55, 57–64, 84, 91–3, 180, 198, 228; excitability 62; firing rates 139–40
- motor evoked potentials (MEPs) 60, 93, 140
- motor neuron 55–6
- motor skills 90
- mTOR 71, 72, 168
- MTU *see* musculotendinous unit (MTU)
- Murphy, M. 4
- muscle action potential wave (M-wave) 55, 91, 134, 138, 150
- muscles: activation 119; baseline stiffness of 136; boundness 70; capillary vasodilation 10; compliance of 72–3; connective tissue 138; contraction/relaxation process 37; cramping 115–16; damage 115; elasticity 181; extensibility 213–14; fascicles 22; fibres 54, 168; hypertrophy 70, 130, 169, 170, 178; lengthening 139; mass 35, 167–8; membrane 71; morphology 180; performance improvements 162; prolonging 141; properties 193; relaxation 92; resistance 54–5; resonant frequency of 136–7; soreness 149–50; stiffness of 10–11, 74, 135–6, 161, 180; stimulation 196; strains 73; strength 90, 102; tendon 58, 117; vascularity of 67–8; vasodilation 13; vibration 212
- muscle spindles 14, 55–8, 60–4, 84, 91–2, 139, 180; nuclear bag fibres 57, 61, 75, 135, 139; nuclear chain fibres 57, 61, 139
- muscle strength and hypertrophy 167; learn from chicken and quails 167–9; mechanisms of stretch-mediated 170; practical applications and limitations 170–1; stimulus to enhance 169–70
- muscular contractions 104–5
- muscular endurance 13
- musculoskeletal pain 229
- musculotendinous 6, 18, 19, 22, 35–8, 41, 54, 59–62, 64, 66, 70, 72–5, 100, 103, 106, 107, 114–18, 122, 130, 132, 133, 135, 138, 141, 143, 150, 161, 179–81, 194, 195, 228; injuries 72–3, 114, 115, 161; lengthening 198; massage 194; stiffness 161; strains 100; system 22
- musculotendinous unit (MTU) 114, 116, 136; compliance 135; elongation of 138–9; mechanical resistance of 117; visco-elasticity 136–8
- M-wave 134, 198
- myelinated ergoreceptor 197
- myofascia/myofascial 93; adhesions 217; chains 93
- myofilament(s) 53, 61, 71, 117, 135, 138, 139; cross-bridge attachments 139; cross-bridge kinetics 135; structure 71
- myosin 13, 22, 53–4, 85, 138
- myositis ossificans 198–9
- myotactic reflex 55–7, 56, 61, 63–4, 139
- neck 206, 244
- nerves 69–70; fibres 197; flexor positioning of 70
- neuro-emotional technique 23
- neuromobilization 22–4, 24
- neuromuscular: adaptations 171; efficiency 38, 149; junction 161
- neurotransmitters 55, 161
- nociceptive (nociceptor) 65, 150, 196, 197
- non-local muscle fatigue (NLMF) 89–90
- non-local receptors, activation of 197
- noradrenaline 197–8
- Nosaka, K. 140
- nuclear bag 57, 57, 61
- nuclear chain fibres 57
- nucleus pulposus 101
- Nunes, J.P. 169
- off-season training 5
- Olympic sprint final 132, 133
- Opplert, J. 144
- optimal resistance training 13–14
- Orban, W.A.R. 13–14
- osteoarthritis 67
- osteomyelitis 198–9
- outer calf 202
- overhead: squat sequence 245; triceps extensions 184
- oxytocin 198
- Pacinian corpuscle 194–5
- pain 91; gate control theory of 197; perception 92–4, 198; studies 196; tolerance 114
- Pain Visual Analog Scale 228–9
- pandiculation 9, 9, 10
- Panidi, I. 169
- parasympathetic 41, 92, 103, 140, 195, 196, 198
- passive: dorsiflexion movement 62; muscle stiffness 85; resistive torque 85, 180; static stretching 18–19, 19, 56; stretching 36, 168

- Pasurka, M. 228
 patellar tendon 56
 Payton, W. 4
 pectoralis major 65
 pectoralis muscle 170
 pectorals 203; band assisted stretch 240;
 wall stretch with rotation 240
 pelvic tilt 33, 114
 pelvis 26, 33, 118, 120
 percussive massage devices 213
 performance: ageing effects 142; ballistic
 stretching on 145–6; combining static
 and dynamic stretching on 144–5; cost
 benefit analysis 143; dynamic stretch-
 ing on 143–4; effects on 213; enhance-
 ment of 9, 145; flexibility training 142;
 full warm-ups 146–8; impairments 94,
 107, 116; limitations of acute stretch-
 ing studies 148–9; limiting muscle
 soreness 149–50; static and PNF
 stretching 129–38; static stretching on
 stretch-shortening cycle 138–40;
 stretching effects on balance 140–2;
 stretching intensity 142–3
 periaqueductal grey nucleus 197
 periostitis 113
 Persian: meels 12, 12; yoga 13
 persistent inward currents (PIC) 91, 139–40
 physical insults 100–1
 piezo-electric 58
 piezoelectricity 58
 plantar: flexion 28, 30, 40, 226, 227; flexors
 56, 65, 94, 99–100, 170, 201, 228
 plastics: morphological adaptations 85–6;
 neural adaptations 84–5
 PNF *see* proprioceptive neuromuscular
 facilitation (PNF)
 Pope, R. 113
 postactivation potentiation enhancement
 (PAPE) 13
 post-activity stretching 107–8
 posterior shoulder (deltoids and trape-
 zius) 204
 post-isometric stretch 220
 postural stability 131
 potential elastic energy 138
 potentiation 10, 13, 119, 139, 144, 147
 power(ful) 4, 5, 13, 36, 38, 54, 89, 90, 101,
 122, 129–31, 133, 138, 140, 143–4, 146,
 149, 177, 220–1, 227–9
 pre-synaptic inhibition 60, 62
 Prill, R. 228
 primary motor cortex 92–3
 progesterone 120
 progressive resistance training 177
 prolonged immobilization 119
 prolonged static stretching 92, 131, 141, 142
 proprioception (proprioceptors) 57–8, 67,
 118, 131, 141, 195
 proprioceptive neuromuscular facilitation
 (PNF) 9, 14–15, 18, 20–23, 21, 25–6,
 63–4, 74, 83, 105, 115–16, 130
 protein(s) 22, 36–8, 41, 54, 58, 61, 69–73,
 75, 85, 102, 103, 105, 168, 170
 proteoglycans 37
 psychological 21, 23–4, 36, 54, 65, 84,
 86, 91, 92, 132, 148, 195
 puberty (pubescence) 38, 39, 41
 pullover: with full shoulder flexion 183;
 with initial position 183
 Pulverenti, T.S. 140
 quadriceps 14, 34, 56, 56–7, 61–3, 89,
 117, 143, 146, 147, 149, 193, 198, 200,
 213, 218, 226, 227, 251
 quickness 13
 Rack, P.M. 139
 range of motion (ROM) 83–4, 167; acute
 dynamic stretching 64; acute effects on
 217–20; acute morphological static
 stretching mechanisms 66–75; acute
 static stretching 54–63; augmentation
 105; beneficial increases in 193–4; ben-
 efits 217; chronic stretch training pro-
 gramme 162; cross transfer
 improvements in 90–1; dorsiflexion
 213; dynamic stretching 60; effects on
 212–13; enhancement in 178; foam
 rolling 193–4; gains in 179; improve-
 ments 93, 180, 199, 212; lower body
 passive 28; magnitude of change in
 193; measuring 26–34; mechanisms
 213–14, 221–2; modified sit-and-reach
 test 31, 32; norms for joint 29–30;
 plastic morphological adaptations
 85–6; plastic neural adaptations 84–5;
 PNF 63–4; psychological adaptations
 86; resistance training on 179–80; sit-
 and-reach test 31, 34; skeletal restric-
 tions on 66, 66; stretching and foam
 rolling on 193; stretch tolerance sen-
 sory theory 65–6; thixotropic effects
 53–4; training effects on 220; upper
 limb and back passive 26, 27
 Raptor/mTOR complex 72, 168
 rate of force development 54, 94, 135, 138
 reaction time(s) 24, 134

- rebound chest press 138
- rebound jumps, types of 135
- reciprocal inhibition 14, 56, 61–4, 75, 85
- rectus femoris strains 116
- recurrent inhibition 59, 59, 63
- reflex: activity 14; energy return 135; excitation 94
- relative flexibility 34
- relaxation techniques 24, 191
- relaxin 36
- Renshaw cells 59, 59, 60, 63, 180
- repetitive stretching actions 121
- resistance-based exercises 177
- resistance training 6, 13, 25, 26, 38, 70, 101–2, 104, 121, 130, 145, 168, 171, 177–81; description of 177–8; effects of 177; holistic impact of 178; isoinertial 181; moderating variables 178–80; possible mechanisms 180–1; research 177–8
- Roberts, J.M. 99
- roller massagers 191, 192
- rolling: intensity and duration of 199; intermittent 199; recommendations 199
- ROM *see* range of motion (ROM)
- Ruffini cylinders 194–5
- running 4, 5, 53, 64, 70, 106, 114–16, 118, 129, 134–5, 149
- Sapega, A.A. 105
- sarcomere(s) 71, 85, 86, 122, 161, 167–8, 199; sarcomerogenesis 85, 167
- sarcoplasm 54
- sarcoplasmic reticulum 138
- scapula 5, 34, 185, 186
- Schmidtbleicher, D. 135
- sciatic 70
- scripture 177
- seated rowing with elbows: extended and scapula protracted 185; flexed and scapula retracted 186
- self-myofascial release 191, 194, 196
- senescence 36
- sensory: neurons 194; theory 65–6, 86
- serotonin 198
- sex 22, 23, 35–6, 104
- Sherrington, C. 20
- Short Form McGill Pain Questionnaire II 228–9
- shoulder 3, 5, 13, 19, 20, 22, 27–29, 35, 39, 40, 63, 65–7, 90, 93, 118, 119, 177, 179, 183, 185, 186, 198, 203, 204, 217, 220, 242, 253–5
- Shrier, I. 161
- sit and reach test 33, 34
- skeletal structures 66–7, 66; acute morphological dynamic stretching mechanisms 74–5; adiposity 69; fascicles 73–4; intracellular and extracellular connective tissue 70–2; ligaments 67–9; muscle hypertrophy 70; nerves 69–70; PNF stretching mechanisms 74; tendons 72–3
- skin 35–7, 53, 123, 194, 196, 214
- Small, K. 113
- Smith, L. L. 170
- soccer 116, 143, 145
- Sola, O.M. 168
- sole of foot 202
- soleus 38, 54, 61, 62, 84–5, 140, 167, 228, 239
- somatosensory 92–3
- spinal: flexion 34; motoneurons 92–3
- spindles 57–8, 61
- sprain 5, 40, 73, 100, 101, 113, 116, 143
- sprint(ing)/sprinters 3, 5, 10, 57, 115–16, 116, 122, 129, 130, 132–5, 138–9, 143, 144–5, 148, 162–3, 169, 171, 192, 196, 221, 227–8, 251; elite 133; performance 171, 192–3; speed 221
- squat 5, 25, 70, 162, 171, 196, 221, 245
- SSC *see* stretch-shortening cycle (SSC)
- Star Excursion Balance Test (SEBT) 141
- static stretching 12, 15, 18, 22–3, 62, 72–3, 83, 129–40, 144–5, 147, 161–3, **163**, 212–13; programme 113; protocols 131; reflexive contractions of 53
- static stretch training 85
- Steele 91–2
- step-up 188
- stiffness 10, 15, 35–8, 41, 64, 65, 70, 73–4, 84–6, 90, 99, 104, 105, 115–22, 129, 135, 136, 141, 142, 145, 146, 150, 161, 180–1, 185
- stimulation, frequencies of 195
- Stöggl, T. 228
- Stove, M.P. 65
- strain 10, 69, 73, 93, 100, 101, 103, 113, 116, 117, 129, 130, 143, 181, 198, 217, 220–2
- strength 4–5, 12–13, 24, 35–8, 54, 69, 70–2, 84, 89, 90, 100–2, 118–20, 130, 142, 146, 167–71, 177, 178, 191–3, 198; related performance 169; training 100, 177, 178
- stress(ors) 18, 23, 58, 59, 63, 69–71, 73, 74, 86, 92, 93, 100, 101–3, 113, 116–18, 121, 129, 130, 133, 161, 179, 194, 198, 214, 217, 221, 222; relaxation 74–5; strain, removal of 69
- stretches/stretching 6, 21, 99; acute effects of 115; balance 140–2; crossover or non-

- local muscle fatigue 89–90; description of 89–91, 99; duration 99–100; effectiveness of 115; of foam rolling 93–4; frequency (days/week) 101–2; global effects of 93–4; history of 9–15; induced changes in range of motion 21–4; intensity 100–1, 142–3; mechanisms underlying 92–3; under metastable conditions 105–6, 106; motivation for 3–7; with muscular contractions or massage 104–5; optimal time of day 101; on performance 91–2; pre- vs. post-workout 103; programmes 39, 102; range of motion norms 26–34; rate of 61; relaxation 103; task specificity of 138; techniques 23; temperature on 105; types of 18–41; under unstable conditions to improve ROM 106, 106; ventilatory effects on 103–4
- stretch-mediated hypertrophy 170
- stretch-shortening cycle (SSC) 37, 115, 132, 135–40, 136, 161; actions 135, 138–40; activities 162; elasticity of 139
- stretch tolerance 36, 38, 54, 64, 64–6, 73–5, 86, 92, 93, 105, 181, 195, 198, 208
- stretch training 23; durations 86; programmes 37
- stride length 5, 25, 129
- stride rate 5, 134
- Strong Women Programme 37
- substantial flexibility 129
- substantial muscle relaxation 61
- superfibronectins 71
- superficial massage 192
- Surin, B. 133
- swimmer(s) 39, 212
- sympathetic excitatory nerve stimulation 92
- sympathetic nervous system 92–3, 103, 195–7
- Tai Chi 12
- telethonin 71
- temperature 20, 40, 41, 53–4, 74, 75, 105, 118, 144, 147, 194, 213–14, 232
- tenascin-C 69
- tendinopathy 10
- tendonitis 113
- tendon reflex (T-reflex) 55, 55, 56
- tendon(s) 10, 22, 35–7, 53–9, 54, 62, 65–7, 72–5, 85–6, 94, 101, 103, 105, 113–17, 129, 134–6, 138, 139, 141, 146, 180–1, 194, 214, 228; compliance of 72–3; sprains 73; stiffness of 10–11, 85–6; temperatures 105; vascularity of 67–8
- tensor fascia latae 200
- testosterone 47
- tetanus/tetanic 137, 196
- therapeutic cupping 217
- thixotropic (thixotropy) 50, 53, 54, 75, 194, 198, 208, 214
- thixotropy 53
- Thomas, E. 100, 102
- Thorpe, C.T. 117
- thyroid 40
- tibialis anterior 201
- tightness 39
- tissue 36–7, 37; inflammation 198–9; stiffness 129
- titin 22, 54, 71, 71, 75, 138
- tonus 22, 24, 194
- torque 18, 35, 60, 72, 85, 101, 116, 122, 129, 131, 133, 134, 141, 143, 146, 161–3, 180, 181, 228
- track and field 130, 144–5, 169
- training equipment 171
- Trajano, G.S. 140
- transcranial magnetic stimulation (TMS) 60
- traumatic brain injury 140–1
- T-reflexes 62, 84, 85, 180
- triceps brachii 204, 205, 243
- trigger points 191, 192, 196, 217
- Tuo, Hua 12
- type III and IV afferents 65, 195
- type III and IV receptors 195
- ulnar 27, 29, 70
- unilateral stretching 90
- upper body mobility: band pull apart series 254; band shoulder external rotation 254; dynamic band shoulder pullovers 253; kneeling dynamic rotation 252; shoulder external rotation sleep stretch 255
- validity 15, 33, 146, 148, 149
- Vallbo, A.B. 59
- vascular cell membrane receptors 121
- vascular remodeling 121
- vasodilation 195
- ventilator 103–4
- vertebral discs 101
- vertical jump characteristics 147–8
- vibration 192–3, 212–14, 217
- visco-elastic effect 53
- viscosity 22, 53, 54, 73, 74, 103, 194, 213, 214; viscoelastic 35, 85, 105, 118, 136, 161; viscoelasticity 105, 118, 161; viscous 53–4, 64, 105, 194

- Voss, D. 20
- warm-up 10, 14, 15, 22–3, 26, 54,
146–9, 199; components **148, 232**;
prior to training or competition
129
- Warneke, K. 168, 171
- Weldon, S.M. 114
- Westbury, D.R. 139
- Wilke, J. 93
- Wilson, K. 99
- Witvrouw, E. 115
- Wohlann, T. 170–1
- Woods, K. 114
- workplace injuries 116
- Worrell, T. 129
- Yahata, K. 169
- Y-balance test 221
- yoga 11, 13, 15, 24–6, 40, 103, 104;
positions 11, *11*; post-classical 11
- youth differences 38–9
- Z disc 71



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>