

References

Chapter 1

1. Gerschler de Fribourg W. "Distance Running." Paper presented at International Running Day conference, March 30, 1958, Karlsruhe, Germany.
2. Åstrand I, Åstrand PO, Christensen EH, Hedman R. Intermittent muscular work. *Acta Physiol Scand*. 1960;48:448-53.
3. Bangsbo J. *Fitness Training in Soccer: A Scientific Approach*. Spring City, PA: Reedswain Publishing; 1994.
4. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: Aerobic interval training. *Sports Med*. 2001;31(1):13-31.
5. Billat LV. Interval training for performance: A scientific and empirical practice. Part II: Anaerobic interval training. *Sports Med*. 2001;31(2):75-90.
6. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle. Part I: Cardiopulmonary emphasis. *Sports Med*. 2013;43(5):313-38.
7. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle. Part II: Anaerobic energy, neuromuscular load and practical applications. *Sports Med*. 2013;43(10):927-54.
8. Buchheit M, Laursen PB, Kuhnle J, Ruch D, Renaud C, Ahmaidi S. Game-based training in young elite handball players. *Int Sports Med*. 2009;30(4):251-8.
9. Castagna C, Belardinelli R, Impellizzeri FM, Abt GA, Coutts AJ, D'Ottavio S. Cardiovascular responses during recreational 5-a-side indoor-soccer. *J Sci Med Sport*. 2007;10(2):89-95.
10. Christensen EH, Hedman R, Saltin B. Intermittent and continuous running. (A further contribution to the physiology of intermittent work.) *Acta Physiol Scand*. 1960;50:269-86.
11. Cipryan L, Tschakert G, Hofman P. Acute and post-exercise physiological responses to high-intensity interval training in endurance and sprint athletes. *J Sports Sci and Med*. 2017;17:219-29.
12. Daniels J. *Jacks Daniels Formula*. Champaign, IL: Human Kinetics; 1998.
13. Ettema JH. Limits of human performance and energy production. *Int Z Angew Physiol*. 1966;22:45-54.
14. Fox EL, Robinson S, Wiegman DL. Metabolic energy sources during continuous and interval running. *J Appl Physiol*. 1969;27(2):174-8.
15. Hill-Haas SV, Dawson B, Impellizzeri FM, Coutts AJ. Physiology of small-sided games training in football: A systematic review. *Sports Med*. 2011;41(3):199-220.
16. Laursen PB. Training for intense exercise performance: High-intensity or high-volume training? *Scandinavian Journal of Medicine & Science in Sports*. 2010;20 Suppl 2:1-10.
17. Laursen PB, Jenkins DG. The scientific basis for high-intensity interval training: Optimising training programmes and maximising performance in highly trained endurance athletes. *Sports Med*. 2002;32(1):53-73.
18. Lydiard A. *Running to the top*. Indianapolis, IN: Cardinal Publishers Group; 2011.
19. MacInnis MJ, Gibala MJ. Physiological adaptations to interval training and the role of exercise intensity. *J Physiol*. 2017;595(9):2915-30.
20. Nader GA. Concurrent strength and endurance training: From molecules to man. *Med Sci Sports Exerc*. 2006;38(11):1965-70.

21. Noakes TD. *The Lore of Running*. Champaign, IL: Leisure Press; 1991.
22. Rampinini E, Impellizzeri FM, Castagna C, Abt G, Chamari K, Sassi A, et al. Factors influencing physiological responses to small-sided soccer games. *J Sports Sci*. 2007;25(6):659-66.
23. Reindell H, Roskamm H. Ein Beitrag zu den physiologischen Grundlagen des Intervall training unter besonderer Berücksichtigung des Kreilaufes. *Schweiz Z Sportmed*. 1959;7:1-8.
24. Seiler S. What is best practice for training intensity and duration distribution in endurance athletes? *Int J Sports Physiol Perform*. 2010;5(3):276-91.
25. Thompson WR. Worldwide survey of fitness trends for 2018: The CREP Edition. *ACSM's Health & Fitness Journal*. 2017;21(6):10-9.
26. Wilt F. *How They Train: Half Mile to Six Mile*. Los Altos, CA: Track and Field News; 1959.
7. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: Aerobic interval training. *Sports Med* 2001;1(31):13-31.
8. Billat LV, Koralsztein JP. Significance of the velocity at VO₂max and time to exhaustion at this velocity. *Sports Med*. 1996;22(2):90-108.
9. Billat V, Renoux JC, Pinoteau J, Petit B, Koralsztein JP. Reproducibility of running time to exhaustion at VO₂max in subelite runners. *Med Sci Sports Exerc*. 1994;26(2):254-7.
10. Blondel N, Berthoin S, Billat V, Lensel G. Relationship between run times to exhaustion at 90, 100, 120, and 140% of vVO₂max and velocity expressed relatively to critical velocity and maximal velocity. *Int J Sports Med*. 2001;22(1):27-33.
11. Bosquet L, Leger L, Legros P. Methods to determine aerobic endurance. *Sports Med*. 2002;32(11):675-700.
12. Boullousa DA, Tuimil JL, Alegre LM, Iglesias E, Lusquinos F. Concurrent fatigue and potentiation in endurance athletes. *Int J Sports Physiol Perform*. 2011;6(1):82-93.
13. Buchheit M. [The 30-15 Intermittent Fitness Test: A new intermittent running field test for intermittent sport players - Part 1. *Approches du Handball*. 2005;87:27-34.
14. Buchheit M, ed. The 30-15 intermittent fitness test: Reliability and implication for interval training of intermittent sport players. 10th European Congress of Sport Science; July 2005; Belgrade, Serbia.
15. Buchheit M. 30-15 Intermittent Fitness Test and repeated sprint ability. *Science & Sports*. 2008;23(1):26-8.
16. Buchheit M. The 30-15 intermittent fitness test: Accuracy for individualizing interval training of young intermittent sport players. *J Strength Cond Res*. 2008;22(2):365-74.
17. Buchheit M. The 30-15 Intermittent Fitness Test: 10 year review. *Myorobie Journal* 2010; 1(September):<http://www.martin-buchheit.net>
18. Buchheit M. Individualizing high-intensity interval training in intermittent sport athletes with the 30-15 Intermittent Fitness Test. NSCA Hot Topic Series www.nasca-lift.org. 2011;November.

Chapter 2

19. Buchheit M. Monitoring training status with HR measures: Do all roads lead to Rome? *Front Physiol.* 2014;5:73.
20. Buchheit M, Mendez-Villanueva A. Supramaximal intermittent running performance in relation to age and locomotor profile in highly-trained young soccer players. *J Sports Sci.* 2013;31(13):1402-11.
21. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part I: Cardiopulmonary emphasis. *Sports Med.* 2013;43(5):313-38.
22. Buchheit M, Mendez-Villanueva A. Reliability and stability of anthropometric and performance measures in highly-trained young soccer players: Effect of age and maturation. *J Sports Sci.* 2013;31(12):1332-43.
23. Buchheit M, Mendez-Villanueva A. Changes in repeated-sprint performance in relation to change in locomotor profile in highly-trained young soccer players. *J Sports Sci.* 2014;32(13):1309-17.
24. Buchheit M, Hader K, Mendez-Villanueva A. Tolerance to high-intensity intermittent running exercise: Do oxygen uptake kinetics really matter? *Front Physiol.* 2012;3:406.
25. Buchheit M, Mendez-Villanueva A, Simpson BM, Bourdon PC. Match running performance and fitness in youth soccer. *Int J Sports Med.* 2010;31(11):818-25.
26. Buchheit M, Abbiss CR, Peiffer JJ, Laursen PB. Performance and physiological responses during a sprint interval training session: Relationships with muscle oxygenation and pulmonary oxygen uptake kinetics. *European Journal of Applied Physiology.* 2012;112(2):767-79.
27. Buchheit M, Simpson BM, Peltola E, Mendez-Villanueva A. Assessing maximal sprinting speed in highly-trained young soccer players. *Int J Sports Physiol Perform.* 2012;7(1):76-8.
28. Buchheit M, Laursen PB, Millet GP, Pactat F, Ahmaidi S. Predicting intermittent running performance: critical velocity versus endurance index. *Int J Sports Med.* 2007;29(4):307-15.
29. Buchheit M, Haydar B, Hader K, Ufland P, Ahmaidi S. Assessing running economy during field running with changes of direction: Application to 20-m shuttle-runs. *Int J Sports Physiol Perform.* 2011;6(3):380-95.
30. Buchheit M, Morgan W, Wallace J, Bode M, Poulos N. Physiological, psychometric, and performance effects of the Christmas break in Australian football. *Int J Sports Physiol Perform.* 2015;10(1):120-3.
31. Buchheit M, Laursen PB, Kuhnle J, Ruch D, Renaud C, Ahmaidi S. Game-based training in young elite handball players. *Int J Sports Med.* 2009;30(4):251-8.
32. Buchheit M, Al Haddad H, Leprêtre PM, Millet G, Newton M, Ahmaidi S. Cardiorespiratory and cardiac autonomic responses to 30-15 intermittent fitness test. *J Strength Cond Res.* 2009;23(1):93-100.
33. Buchheit M, Lepretre PM, Behaegel AL, Millet GP, Cuvelier G, Ahmaidi S. Cardiorespiratory responses during running and sport-specific exercises in handball players. *J Sci Med Sport.* 2009;12(3):399-405.
34. Buchheit M, Kuitunen S, Voss SC, Williams BK, Mendez-Villanueva A, Bourdon PC. Physiological strain associated with high-intensity hypoxic intervals in highly trained young runners. *J Strength Cond Res.* 2012;26(1):94-105.
35. Bundle MW, Hoyt RW, Weyand PG. High-speed running performance: A new approach to assessment and prediction. *J Appl Physiol.* 2003;95(5):1955-62.
36. Casamichana D, Castellano J, Castagna C. Comparing the physical demands of friendly matches and small-sided games in semiprofessional soccer players. *J Strength Cond Res.* 2012;26(3):837-43.
37. Castagna C, Impellizzeri FM, Chaouachi A, Ben Abdelkrim N, Manzi V. Physiological responses to ball-drills in regional level male basketball players. *J Sports Sci.* 2011;29(12):1329-36.
38. Castagna C, Belardinelli R, Impellizzeri FM, Abt GA, Coutts AJ, D'Ottavio S. Cardiovascular responses during recreational 5-a-side indoor-soccer. *J Sci Med Sport.* 2006.
39. Cataldo A, Cerasola D, Russo G, Zangla D, Traina M. Mean power during 20 sec all-out test to predict 2000 m rowing ergometer performance in national level young rowers. *J Sports Med Phys Fitness.* 2015;55(9):872-7.
40. Cazorla G, ed. Test de terrain pour évaluer la capacité aérobie et la vitesse aérobie maximale. Actes du colloque international de la Guadeloupe; 1990.

41. Celine CG, Monnier-Benoit P, Gros Lambert A, Tordi N, Perrey S, Rouillon JD. The perceived exertion to regulate a training program in young women. *J Strength Cond Res.* 2011;25(1):220-4.
42. Cerretelli P, Di Prampero PE. Kinetics of respiratory gas exchange and cardiac output at the onset of exercise. *Scand J Respir Dis.* 1971;Suppl(77):35a-g.
43. Cosgrove MJ, Wilson J, Watt D, Grant SF. The relationship between selected physiological variables of rowers and rowing performance as determined by a 2000 m ergometer test. *J Sports Sci.* 1999;17(11):845-52.
44. Coutts AJ, Rampinini E, Marcora SM, Castagna C, Impellizzeri FM. Heart rate and blood lactate correlates of perceived exertion during small-sided soccer games. *J Sci Med Sport.* 2009;12(1):79-84.
45. Dabonneville M, Berthon P, Vaslin P, Fellmann N. The 5 min running field test: Test and retest reliability on trained men and women. *Eur J Appl Physiol.* 2003;88(4-5):353-60.
46. Daniels J. *Jacks Daniels formula.* Champaign (IL): Human Kinetics; 1998.
47. Daniels J, Scardina N, Hayes J, Foley P. Elite and subelite female middle- and long-distance runners. In Landers DM, ed. *Sport and Elite Performers: The 1984 Olympic Scientific Congress Proceedings, Vol 3.* Champaign, IL: Human Kinetics; 1984:57-72.
48. Daussin FN, Ponsot E, Dufour SP, Lonsdorfer-Wolf E, Doutreleau S, Geny B, et al. Improvement of $\dot{V}O_2$ by cardiac output and oxygen extraction adaptation during intermittent versus continuous endurance training. *Eur J Appl Physiol.* 2007;101(3):377-83.
49. Dellal A, Hill-Haas S, Lago-Penas C, Chamari K. Small-sided games in soccer: Amateur vs. professional players' physiological responses, physical, and technical activities. *J Strength Cond Res.* 2011;25(9):2371-81.
50. Dellal A, Lago-Penas C, Wong del P, Chamari K. Effect of the number of ball contacts within bouts of 4 vs. 4 small-sided soccer games. *Int J Sports Physiol Perform.* 2011;6(3):322-33.
51. Dellal A, Varliette C, Owen A, Chirico EN, Pialoux V. Small-sided games versus interval training in amateur soccer players: Effects on the aerobic capacity and the ability to perform intermittent exercises with changes of direction. *J Strength Cond Res.* 2012;26(10):2712-20.
52. Dellal A, Keller D, Carling C, Chaouachi A, Wong DP, Chamari K. Physiologic effects of directional changes in intermittent exercise in soccer players. *J Strength Cond Res.* 2010;24(12):3219-26.
53. di Prampero PE, Atchou G, Bruckner JC, Moia C. The energetics of endurance running. *Eur J Appl Physiol Occup Physiol.* 1986;55(3):259-66.
54. Di Salvo V, Baron R, Gonzalez-Haro C, Gormasz C, Pigozzi F, Bachl N. Sprinting analysis of elite soccer players during European Champions League and UEFA Cup matches. *J Sports Sci.* 2010;28(14):1489-94.
55. Dishman RK, Patton RW, Smith J, Weinberg R, Jackson A. Using perceived exertion to prescribe and monitor exercise training heart rate. *Int J Sports Med.* 1987;8(3):208-13.
56. Dupont G, Akakpo K, Berthoin S. The effect of in-season, high-intensity interval training in soccer players. *J Strength Cond Res.* 2004;18(3):584-9.
57. Dupont G, Blondel N, Lensel G, Berthoin S. Critical velocity and time spent at a high level of $\dot{V}O_2$ for short intermittent runs at supramaximal velocities. *Can J Appl Physiol.* 2002;27(2):103-15.
58. Dupont G, Defontaine M, Bosquet L, Blondel N, Moalla W, Berthoin S. Yo-Yo intermittent recovery test versus the Université de Montreal Track Test: Relation with a high-intensity intermittent exercise. *J Sci Med Sport.* 2010;13(1):146-50.
59. Fernandez-Fernandez J, Sanz-Rivas D, Sanchez-Muñoz C, Gonzalez de la Aleja Tellez J, Buchheit M, Mendez-Villanueva A. Physiological responses to on-court vs running interval training in competitive tennis players. *Journal of Sports Science and Medicine* 2011;10:540-5.
60. Gabbett TJ. Skill-based conditioning games as an alternative to traditional conditioning for rugby league players. *J Strength Cond Res.* 2006;20(2):309-15.
61. Gibala MJ, McGee SL. Metabolic adaptations to short-term high-intensity interval training: A little pain for a lot of gain? *Exerc Sport Sci Rev.* 2008;36(2):58-63.
62. Harling SA, Tong RJ, Mickleborough TD. The oxygen uptake response running to exhaustion at peak treadmill speed. *Med Sci Sports Exerc.* 2003;35(4):663-8.

63. Hawley JA, Noakes TD. Peak power output predicts maximal oxygen uptake and performance in trained cyclists. *Eur J Appl Physiol*. 1992;65:79-83.
64. Helgerud J, Hoydal K, Wang E, Karlsen T, Berg P, Bjerkaas M, et al. Aerobic high-intensity intervals improve VO₂max more than moderate training. *Med Sci Sports Exerc*. 2007;39(4):665-71.
65. Hill-Haas S, Coutts A, Rowsell G, Dawson B. Variability of acute physiological responses and performance profiles of youth soccer players in small-sided games. *J Sci Med Sport*. 2008;11(5):487-90.
66. Hill-Haas S, Rowsell G, Coutts A, Dawson B. The reproducibility of physiological responses and performance profiles of youth soccer players in small-sided games. *Int J Sports Physiol Perform*. 2008;3(3):393-6.
67. Hill-Haas SV, Coutts AJ, Rowsell GJ, Dawson BT. Generic versus small-sided game training in soccer. *Int J Sports Med*. 2009;30(9):636-42.
68. Hill-Haas SV, Dawson B, Impellizzeri FM, Coutts AJ. Physiology of small-sided games training in football: A systematic review. *Sports Med*. 2011;41(3):199-220.
69. Hill DW, Rowell AL. Running velocity at VO₂max. *Med Sci Sports Exerc*. 1996;28(1):114-9.
70. Hill DW, Rowell AL. Significance of time to exhaustion during exercise at the velocity associated with VO₂max. *Eur J Appl Physiol Occup Physiol*. 1996;72(4):383-6.
71. Hoff J, Wisloff U, Engen LC, Kemi OJ, Helgerud J. Soccer specific aerobic endurance training. *Br J Sports Med*. 2002;36(3):218-21.
72. Iaia FM, Bangsbo J. Speed endurance training is a powerful stimulus for physiological adaptations and performance improvements of athletes. *Scand J Med Sci Sports*. 2010; 20 Suppl 2:11-23.
73. Impellizzeri FM, Marcora SM, Castagna C, Reilly T, Sassi A, Iaia FM, et al. Physiological and performance effects of generic versus specific aerobic training in soccer players. *Int J Sports Med*. 2006;27(6):483-92.
74. Lacour JR, Padilla-Magunacelaya S, Barthelemy JC, Dormois D. The energetics of middle-distance running. *Eur J Appl Physiol Occup Physiol*. 1990;60(1):38-43.
75. Laursen PB, Shing CM, Jenkins DG. Reproducibility of the cycling time to exhaustion at . VO₂peak in highly trained cyclists. *Canadian Journal of Applied Physiology (Revue Canadienne de Physiologie Appliquee)*. 2003;28(4):605-15.
76. Laursen PB, Rhodes EC, Langill RH, McKenzie DC, Taunton JE. Relationship of exercise test variables to cycling performance in an Ironman triathlon. *European Journal of Applied Physiology*. 2002;87:433-40.
77. Laursen PB, Shing CM, Peake JM, Coombes JS, Jenkins DG. Interval training program optimization in highly trained endurance cyclists. *Med Sci Sports Exerc*. 2002;34(11): 1801-7.
78. Laursen PB, Shing CM, Peake JM, Coombes JS, Jenkins DG. Interval training program optimization in highly trained endurance cyclists. *Medicine and Science in Sports and Exercise*. 2002;34(11):1801-7.
79. Leger LA, Boucher R. An indirect continuous running multistage field test: The Université de Montreal track test. *Can J Appl Sport Sci*. 1980;5(2):77-84.
80. Manoel F, Da Silva DF, de Lima J, Machado FA. Peak velocity and its time limit are as good as the velocity associated with VO₂max for training prescription in runners. *Sports Medicine International Open*. 2017;1(1):E8-E15.
81. Marcora S. Perception of effort during exercise is independent of afferent feedback from skeletal muscles, heart, and lungs. *J Appl Physiol*. 2009;106(6):2060-2.
82. Marcora SM. Role of feedback from Group III and IV muscle afferents in perception of effort, muscle pain, and discomfort. *J Appl Physiol*. 2011;110(5):1499; author reply 500.
83. Marcora SM, Staiano W, Manning V. Mental fatigue impairs physical performance in humans. *J Appl Physiol*. 2009;106(3):857-64.
84. Mendez-Villanueva A, Bishop D, Hamer P. Reproducibility of a 6-s maximal cycling sprint test. *J Sci Med Sport*. 2007;10(5):323-6.
85. Mendez-Villanueva A, Hamer P, Bishop D. Fatigue in repeated-sprint exercise is related to muscle power factors and reduced neuromuscular activity. *Eur J Appl Physiol*. 2008;103(4):411-9.
86. Mendez-Villanueva A, Buchheit M, Simpson B, Bourdon PC. Match play intensity distribution in youth soccer. *Int J Sports Med*. 2013;34(2):101-10.
87. Mendez-Villanueva A, Buchheit M, Simpson BM, Bourdon PC. Match play intensity distribution in youth soccer. *Int J Sport Med*. 2013;34(2):101-10.

88. Mendez-Villanueva A, Buchheit M, Simpson B, Peltola E, Bourdon P. Does on-field sprinting performance in young soccer players depend on how fast they can run or how fast they do run? *J Strength Cond Res*. 2011;25(9):2634-8.
89. Mendez-Villanueva A, Buchheit M, Kuitunen S, Poon TK, Simpson B, Peltola E. Is the relationship between sprinting and maximal aerobic speeds in young soccer players affected by maturation? *Ped Exerc Sci*. 2010;4(22):497-510.
90. Midgley AW, McNaughton LR, Wilkinson M. Is there an optimal training intensity for enhancing the maximal oxygen uptake of distance runners?: Empirical research findings, current opinions, physiological rationale and practical recommendations. *Sports Med*. 2006;36(2):117-32.
91. Midgley AW, McNaughton LR, Carroll S. Time at VO₂max during intermittent treadmill running: Test protocol dependent or methodological artefact? *Int J Sports Med*. 2007;28(11): 934-9.
92. Midgley AW, McNaughton LR, Carroll S. Reproducibility of time at or near VO₂max during intermittent treadmill running. *Int J Sports Med*. 2007;28(1): 40-7.
93. Mosey T. High intensity interval training in youth soccer players - using fitness testing results practically. *J Aust Strength Cond*. 2009;17(4):49-51.
94. Noakes TD. Implications of exercise testing for prediction of athletic performance: A contemporary perspective. *Med Sci Sports Exerc*. 1988;20(4):319-30.
95. Noakes TD. Time to move beyond a brainless exercise physiology: The evidence for complex regulation of human exercise performance. *Applied Physiology, Nutrition, and Metabolism (Physiologie Appliquee, Nutrition et Metabolisme)*. 2011;36(1):23-35.
96. Nummela AT, Heath KA, Paavolainen LM, Lambert MI, St Clair Gibson A, Rusko HK, et al. Fatigue during a 5-km running time trial. *Int J Sports Med*. 2008;29(9):738-45.
97. Pirie G. *Running Fast and Injury Free*. Dr. John S. Gilbody; 1996.
98. Pugh LG. The influence of wind resistance in running and walking and the mechanical efficiency of work against horizontal or vertical forces. *J Physiol*. 1971;213(2):255-76.
99. Quod MJ, Martin DT, Martin JC, Laursen PB. The power profile predicts road cycling MMP. *International Journal of Sports Medicine*. 2010;31(6):397-401.
100. Rabbini A, Buchheit M. Heart rate-based versus speed-based high-intensity interval training in young soccer players. *International Research in Science and Soccer II*. 2015: 119-30.
101. Rampinini E, Impellizzeri F, Castagna C, Abt G, Chamari K, Sassi A, et al. Factors influencing physiological responses to small-sided soccer games. *J Sports Sci*. 2007;6(25):659-66.
102. Saltin B, Blomqvist G, Mitchell JH, Johnson RL, Jr., Wildenthal K, Chapman CB. Response to exercise after bed rest and after training. *Circulation*. 1968;38(5 Suppl):VIII-78.
103. Sandford GN, Pearson S, Allen SV, Malcata RM, Kilding AE, Ross A, et al. Tactical Behaviours in Men's 800m Olympic and World Championship Medallists: A Changing of the Guard. *Int J Sports Physiol Perform*. 2017:1-13.
104. Saunders PU, Cox AJ, Hopkins WG, Pyne DB. Physiological measures tracking seasonal changes in peak running speed. *Int J Sports Physiol Perform*. 2010;5(2):230-8.
105. Seiler S, Sjursen JE. Effect of work duration on physiological and rating scale of perceived exertion responses during self-paced interval training. *Scand J Med Sci Sports*. 2004;14(5):318-25.
106. Seiler S, Hetlelid KJ. The impact of rest duration on work intensity and RPE during interval training. *Med Sci Sports Exerc*. 2005;37(9):1601-7.
107. Seiler S, Sylta O. How does interval training prescription impact physiological and perceptual responses? *Int J Sports Physiol Perform*. 2017:1-22.
108. Sheppard JM, Borgeaud R. Skill based conditioning: A perspective from elite volleyball. *NSCA Hot Topic Series*. Dec 2009. www.nsca-lift.org.
109. Ufland P, Ahmaidi S, Buchheit M. Repeated-sprint performance, locomotor profile and muscle oxygen uptake recovery. *Int J sport Med*. 2013;34(10):924-30.
110. Ulmer HV. Concept of an extracellular regulation of muscular metabolic rate during heavy exercise in humans by psychophysiological feedback. *Experientia*. 1996;52(5):416-20.

111. Weyand PG, Bundle MW. Energetics of high-speed running: Integrating classical theory and contemporary observations. *Am J Physiol Regul Integr Comp Physiol*. 2005;288(4):R956-65.
112. Weyand PG, Lin JE, Bundle MW. Sprint performance-duration relationships are set by the fractional duration of external force application. *Am J Physiol Regul Integr Comp Physiol*. 2006;290(3):R758-65.
113. Whipp BJ, Higgenbotham MB, Cobb FC. Estimating exercise stroke volume from asymptotic oxygen pulse in humans. *J Appl Physiol*. 1996;81(6):2674-9.
114. Wisloff U, Helgerud J. Methods for evaluating peak oxygen uptake and anaerobic threshold in upper body of cross-country skiers. *Med Sci Sports Exerc*. 1998;30(6):963-70.
8. Barclay CJ. Mechanical efficiency and fatigue of fast and slow muscles of the mouse. *J Physiol*. 1996;497(Pt 3):781-94.
9. Belardinelli R, Barstow TJ, Porszasz J, Wasserman K. Changes in skeletal muscle oxygenation during incremental exercise measured with near infrared spectroscopy. *Eur J Appl Physiol Occup Physiol*. 1995;70(6):487-92.
10. Beneke R, Leithauser RM, Ochentel O. Blood lactate diagnostics in exercise testing and training. *Int J Sports Physiol Perform*. 2011;6(1):8-24.
11. Bergman BC, Wolfel EE, Butterfield GE, Lopaschuk GD, Casazza GA, Horning MA, et al. Active muscle and whole body lactate kinetics after endurance training in men. *J Appl Physiol*. 1999;87(5):1684-96.

Chapter 3

1. Acevedo EO, Goldfarb AH. Increased training intensity effects on plasma lactate, ventilatory threshold, and endurance. *Med Sci Sports Exerc*. 1989;21(5):563-8.
2. Altenburg TM, Degens H, van Mechelen W, Sargeant AJ, de Haan A. Recruitment of single muscle fibers during submaximal cycling exercise. *J Appl Physiol*. 2007;103(5):1752-6.
3. Andersson H, Raastad T, Nilsson J, Paulsen G, Garthe I, Kadi F. Neuromuscular fatigue and recovery in elite female soccer: Effects of active recovery. *Med Sci Sports Exerc*. 2008;40(2):372-80.
4. Astrand PO, Rodhal K. *Textbook of Work Physiology: Physiological Bases of Exercise*. Champaign, IL: Human Kinetics, MacGraw-Hill Series in Health Education, Physical Education, and Recreation; 2003.
5. Baar K. Nutrition and the adaptation to endurance training. *Sports Med*. 2014;44(Suppl 1):S5-12.
6. Bae SY, Hamaoka T, Katsumura T, Shiga T, Ohno H, Haga S. Comparison of muscle oxygen consumption measured by near infrared continuous wave spectroscopy during supra-maximal and intermittent pedalling exercise. *Int J Sports Med*. 2000;21(3):168-74.
7. Bangsbo J. Quantification of anaerobic energy production during intense exercise. *Med Sci Sports Exerc*. 1998;30(1):47-52.
12. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: Aerobic interval training. *Sports Med* 2001;1(31):13-31.
13. Billat LV, Koralsztein JP. Significance of the velocity at VO₂max and time to exhaustion at this velocity. *Sports Med*. 1996;22(2):90-108.
14. Billat LV, Slawinski J, Bocquet V, Chassaing P, Demarle A, Koralsztein JP. Very short (15s–15s) interval-training around the critical velocity allows middle-aged runners to maintain VO₂ max for 14 minutes. *Int J Sports Med*. 2001;22(3):201-8.
15. Billaut F, Davis JM, Smith KJ, Marino FE, Noakes TD. Cerebral oxygenation decreases but does not impair performance during self-paced, strenuous exercise. *Acta Physiol (Oxf)*. 2010;198(4):477-86.
16. Binnie MJ, Peeling P, Pinnington H, Landers G, Dawson B. Effect of training surface on acute physiological responses following interval training. *J Strength Cond Res*. 2013;27(4):1047-56.
17. Binnie MJ, Dawson B, Pinnington H, Landers G, Peeling P. Effect of training surface on acute physiological responses after interval training. *J Strength Cond Res*. 2013;27(4):1047-56.
18. Bishop D, Spencer M. Determinants of repeated-sprint ability in well-trained team-sport athletes and endurance-trained athletes. *J Sports Med Phys Fitness*. 2004;44(1):1-7.
19. Bompa TO, Haff GG. *Periodization*, 5th Edition. Chicago, IL: Human Kinetics; 2009.

20. Bonacci J, Chapman A, Blanch P, Vicenzino B. Neuromuscular adaptations to training, injury and passive interventions: Implications for running economy. *Sports Med.* 2009;39(11):903-21.
21. Bouchard C, Rankinen T. Individual differences in response to regular physical activity. *Med Sci Sports Exerc.* 2001;33:S446-51.
22. Buchheit M. Performance and physiological responses to repeated-sprint and jump sequences. *Eur J Appl Physiol.* 2010;110(5):1007-18.
23. Buchheit M. Performance and physiological responses to repeated-sprint and jump sequences. *Eur J Appl Physiol.* 2010;101(5):1007-18.
24. Buchheit M. Should we be recommending repeated sprints to improve repeated-sprint performance? *Sports Med.* 2012;42(2):169-72; author reply 72-3.
25. Buchheit M, Ufland P. Effect of endurance training on performance and muscle reoxygenation rate during repeated-sprint running. *Eur J Appl Physiol.* 2011;111(2):293-301.
26. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part I: Cardiopulmonary emphasis. *Sports Med.* 2013;43(5):313-38.
27. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part I: Cardiopulmonary emphasis. *Sports Med.* 2013;43(5):313-38.
28. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle. Part II: Anaerobic energy, neuromuscular load and practical applications. *Sports Med.* 2013;43(10):927-54.
29. Buchheit M, Spencer M, Ahmaidi S. Reliability, usefulness, and validity of a repeated sprint and jump ability test. *Int J Sports Physiol Perform.* 2010;5(1):3-17.
30. Buchheit M, Abbiss CR, Peiffer JJ, Laursen PB. Performance and physiological responses during a sprint interval training session: Relationships with muscle oxygenation and pulmonary oxygen uptake kinetics. *Eur J Appl Physiol.* 2012;112(2):767-79.
31. Buchheit M, Mendez-Villanueva A, Quod MJ, Quesnel T, Ahmaidi S. Improving acceleration and repeated sprint ability in well-trained adolescent handball players: Speed vs. sprint interval training. *Int J Sports Physiol Perform.* 2010;5(2):152-64.
32. Buchheit M, Al Haddad H, Mendez-Villanueva A, Quod MJ, Bourdon PC. Effect of maturation on hemodynamic and autonomic control recovery following maximal running exercise in highly trained young soccer players. *Front Physiol.* 2011;2:69.
33. Buchheit M, Cormie P, Abbiss CR, Ahmaidi S, Nosaka KK, Laursen PB. Muscle deoxygenation during repeated sprint running: Effect of active vs. passive recovery. *Int J Sports Med.* 2009;30(6):418-25.
34. Buchheit M, Kuitunen S, Voss SC, Williams BK, Mendez-Villanueva A, Bourdon PC. Physiological strain associated with high-intensity hypoxic intervals in highly trained young runners. *J Strength Cond Res.* 2012;26(1):94-105.
35. Burgomaster KA, Hughes SC, Heigenhauser GJ, Bradwell SN, Gibala MJ. Six sessions of sprint interval training increases muscle oxidative potential and cycle endurance capacity in humans. *J Appl Physiol.* 2005;98(6):1985-90.
36. Burnley M. Found in translation: The dependence of oxygen uptake kinetics on O₂ delivery and O₂ utilization. *J Appl Physiol.* 2008;105(5):1387-8.
37. Cettolo V, Ferrari M, Biasini V, Quaresima V. Vastus lateralis O₂ desaturation in response to fast and short maximal contraction. *Med Sci Sports Exerc.* 2007;39(11):1949-59.
38. Charloux A, Lonsdorfer-Wolf E, Richard R, Lampert E, Oswald-Mammosser M, Mettauer B, et al. A new impedance cardiograph device for the non-invasive evaluation of cardiac output at rest and during exercise: Comparison with the "direct" Fick method. *Eur J Appl Physiol.* 2000;82(4):313-20.
39. Christmass MA, Dawson B, Arthur PG. Effect of work and recovery duration on skeletal muscle oxygenation and fuel use during sustained intermittent exercise. *Eur J Appl Physiol Occup Physiol.* 1999;80(5):436-47.
40. Christmass MA, Dawson B, Passeretto P, Arthur PG. A comparison of skeletal muscle oxygenation and fuel use in sustained continuous and intermittent exercise. *Eur J Appl Physiol.* 1999;80(5):423-35.

41. Cooper GT. Basic determinants of myocardial hypertrophy: A review of molecular mechanisms. *Annu Rev Med*. 1997;48:13-23.
42. Cotter JD, Thornton SN, Lee JK, Laursen PB. Are we being drowned in hydration advice? Thirsty for more? *Extrem Physiol Med*. 2014;3:18.
43. Coyle EF. Physical activity as a metabolic stressor. *Am J Clin Nutr*. 2000;72(2 Suppl):512S-20S.
44. Coyle EF, Trinity JD. The stroke volume response during or throughout 4-8 min of constant-power exercise that elicits $\dot{V}O_{2\max}$. *J Appl Physiol*. 2008;104(1):282-3; author reply 4-5.
45. Cumming GR. Stroke volume during recovery from supine bicycle exercise. *J Appl Physiol*. 1972;32(5):575-8.
46. Daussin FN, Ponsot E, Dufour SP, Lonsdorfer-Wolf E, Doutreleau S, Geny B, et al. Improvement of $\dot{V}aO_2$ by cardiac output and oxygen extraction adaptation during intermittent versus continuous endurance training. *Eur J Appl Physiol*. 2007;101(3):377-83.
47. Daussin FN, Zoll J, Dufour SP, Ponsot E, Lonsdorfer-Wolf E, Doutreleau S, et al. Effect of interval versus continuous training on cardiorespiratory and mitochondrial functions: Relationship to aerobic performance improvements in sedentary subjects. *Am J Physiol Regul Integr Comp Physiol*. 2008;295(1):R264-72.
48. Daussin FN, Zoll J, Ponsot E, Dufour SP, Doutreleau S, Lonsdorfer E, et al. Training at high exercise intensity promotes qualitative adaptations of mitochondrial function in human skeletal muscle. *J Appl Physiol*. 2008;104(5):1436-41.
49. Dempsey JA, Wagner PD. Exercise-induced arterial hypoxemia. *J Appl Physiol*. 1999;87(6):1997-2006.
50. Di Michele R, Del Curto L, Merni F. Mechanical and metabolic responses during a high-intensity circuit training workout in competitive runners. *J Sports Med Phys Fitness*. 2012;52(1):33-9.
51. Dupont G, Berthoin S. Time spent at a high percentage of $\dot{V}O_{2\max}$ for short intermittent runs: Active versus passive recovery. *Can J Appl Physiol*. 2004;29(Suppl):S3-S16.
52. Dupont G, Moalla W, Guinhouya C, Ahmaidi S, Berthoin S. Passive versus active recovery during high-intensity intermittent exercises. *Med Sci Sports Exerc*. 2004;36(2):302-8.
53. Ekblom J, Hermansen L. Cardiac output in athletes. *J Appl Physiol*. 1968;25:619-25.
54. Enoka RM. *Neuromechanics of Human Movement*, 4th ed. Champaign, IL: Human Kinetics; 2008.
55. Essen B, Hagenfeldt L, Kaijser L. Utilization of blood-borne and intramuscular substrates during continuous and intermittent exercise in man. *J Physiol*. 1977;265(2):489-506.
56. Faisal A, Beavers KR, Robertson AD, Hughson RL. Prior moderate and heavy exercise accelerate oxygen uptake and cardiac output kinetics in endurance athletes. *J Appl Physiol*. 2009;106(5):1553-63.
57. Fernandez-del-Olmo M, Rodriguez FA, Marquez G, Iglesias X, Marina M, Benitez A, et al. Isometric knee extensor fatigue following a Wingate test: Peripheral and central mechanisms. *Scand J Med Sci Sports*. 2013;23(1):57-65.
58. Fontana P, Betschon K, Boutellier U, Toigo M. Cardiac output but not stroke volume is similar in a Wingate and $\dot{V}O_{2\text{peak}}$ test in young men. *Eur J Appl Physiol*. 2011;111(1):155-8.
59. Fox EL, Mathews DK. *Interval Training: Conditioning for Sports and General Fitness*. Orlando, FL: Saunders College Publishing; 1974.
60. Fyfe JJ, Bishop DJ, Stepto NK. Interference between concurrent resistance and endurance exercise: Molecular bases and the role of individual training variables. *Sports Med*. 2014;44(6):743-62.
61. Fyfe JJ, Bishop DJ, Zacharewicz E, Russell AP, Stepto NK. Concurrent exercise incorporating high-intensity interval or continuous training modulates mTORC1 signaling and microRNA expression in human skeletal muscle. *Am J Physiol Regul Integr Comp Physiol*. 2016;310(11):R1297-311.
62. Gajer B, Hanon C, Lehenaff D, Vollmer JC. Analyse comparée de différentes séances de développement de $\dot{V}O_{2\max}$. *Expertise et sport de haut niveau: actes des Entretiens de l'INSEP, Novembre 2002*. Paris: Institut National du Sport et de l'éducation physique; 2002.
63. Garrandes F, Colson SS, Pensini M, Seynnes O, Legros P. Neuromuscular fatigue profile in endurance-trained and power-trained athletes. *Med Sci Sports Exerc*. 2007;39(1):149-58.
64. Gastin PB. Energy system interaction and relative contribution during maximal exercise. *Sports Med*. 2001;31(10):725-41.

65. Gathercole R, Sporer B, Stellingwerff T. Counter-movement jump performance with increased training loads in elite female rugby athletes. *Int J Sports Med.* 2015;36(9):722-8.
66. Girard O, Mendez-Villanueva A, Bishop D. Repeated-sprint ability - Part I: Factors contributing to fatigue. *Sports Med.* 2011;41(8):673-94.
67. Girard O, Micallef JP, Millet GP. Changes in spring-mass model characteristics during repeated running sprints. *Eur J Appl Physiol.* 2011;111(1):125-34.
68. Gollnick PD, Piehl K, Saltin B. Selective glycogen depletion pattern in human muscle fibres after exercise of varying intensity and at varying pedalling rates. *J Physiol.* 1974;241(1):45-57.
69. Gonzalez-Alonso J. Point: Stroke volume does/ does not decline during exercise at maximal effort in healthy individuals. *J Appl Physiol.* 2008;104(1):275-6; discussion 9-80.
70. Gonzalez-Alonso J, Calbet JA. Reductions in systemic and skeletal muscle blood flow and oxygen delivery limit maximal aerobic capacity in humans. *Circulation.* 2003;107(6):824-30.
71. Gorostiaga EM, Asiain X, Izquierdo M, Postigo A, Aguado R, Alonso JM, et al. Vertical jump performance and blood ammonia and lactate levels during typical training sessions in elite 400-m runners. *J Strength Cond Res.* 2010;24(4):1138-49.
72. Grassi B. Skeletal muscle VO₂ on-kinetics: Set by O₂ delivery or by O₂ utilization? New insights into an old issue. *Med Sci Sports Exerc.* 2000;32(1):108-16.
73. Green H, Tupling R, Roy B, O'Toole D, Burnett M, Grant S. Adaptations in skeletal muscle exercise metabolism to a sustained session of heavy intermittent exercise. *Am J Physiol Endocrinol Metab.* 2000;278(1):E118-26.
74. Hamaoka T, McCully KK, Quaresima V, Yamamoto K, Chance B. Near-infrared spectroscopy/ imaging for monitoring muscle oxygenation and oxidative metabolism in healthy and diseased humans. *J Biomed Opt.* 2007;12(6):062105.
75. Hamaoka T, Iwane H, Shimomitsu T, Katsumura T, Murase N, Nishio S, et al. Noninvasive measures of oxidative metabolism on working human muscles by near-infrared spectroscopy. *J Appl Physiol.* 1996;81(3):1410-7.
76. Harmer AR, McKenna MJ, Sutton JR, Snow RJ, Ruell PA, Booth J, et al. Skeletal muscle metabolic and ionic adaptations during intense exercise following sprint training in humans. *J Appl Physiol.* 2000;89(5):1793-803.
77. Heck H, Mader A, Hess G, Mucke S, Muller R, Hollmann W. Justification of the 4-mmol/l lactate threshold. *Int J Sports Med.* 1985;6(3):117-30.
78. Helgerud J, Engen LC, Wisloff U, Hoff J. Aerobic endurance training improves soccer performance. *Med Sci Sports Exerc.* 2001;33(11):1925-31.
79. Helgerud J, Hoydal K, Wang E, Karlsen T, Berg P, Bjerkaas M, et al. Aerobic high-intensity intervals improve VO₂max more than moderate training. *Med Sci Sports Exerc.* 2007;39(4):665-71.
80. Henriksson J, Reitman JS. Time course of changes in human skeletal muscle succinate dehydrogenase and cytochrome oxidase activities and maximal oxygen uptake with physical activity and inactivity. *Acta Physiol Scand.* 1977;99(1):91-7.
81. Hill-Haas SV, Dawson B, Impellizzeri FM, Coutts AJ. Physiology of small-sided games training in football: A systematic review. *Sports Med.* 2011;41(3):199-220.
82. Hill DW, Rowell AL. Significance of time to exhaustion during exercise at the velocity associated with VO₂max. *Eur J Appl Physiol Occup Physiol.* 1996;72(4):383-6.
83. Hodgson M, Docherty D, Robbins D. Post-activation potentiation: Underlying physiology and implications for motor performance. *Sports Med.* 2005;35(7):585-95.
84. Hoff J, Wisloff U, Engen LC, Kemi OJ, Helgerud J. Soccer specific aerobic endurance training. *Br J Sports Med.* 2002;36(3):218-21.
85. Hoier B, Hellsten Y. Exercise-induced capillary growth in human skeletal muscle and the dynamics of VEGF. *Microcirculation.* 2014;21(4):301-14.
86. Holloszy JO, Coyle EF. Adaptations of skeletal muscle to endurance exercise and their metabolic consequences. *J Appl Physiol.* 1984;56(4):831-8.
87. Hoppeler H, Vogt M, Weibel ER, Fluck M. Response of skeletal muscle mitochondria to hypoxia. *Exp Physiol.* 2003;88(1):109-19.
88. Iaia FM, Bangsbo J. Speed endurance training is a powerful stimulus for physiological adapta-

- tions and performance improvements of athletes. *Scand J Med Sci Sports*. 2010;20(Suppl 2):11-23.
89. Illi SK, Held U, Frank I, Spengler CM. Effect of respiratory muscle training on exercise performance in healthy individuals: A systematic review and meta-analysis. *Sports Med*. 2012;42(8):707-24.
 90. Impellizzeri FM, Marcora SM, Castagna C, Reilly T, Sassi A, Iaia FM, et al. Physiological and performance effects of generic versus specific aerobic training in soccer players. *Int J Sports Med*. 2006;27(6):483-92.
 91. Ispirlidis I, Fatouros IG, Jamurtas AZ, Nikolaidis MG, Michailidis I, Douroudos I, et al. Time-course of changes in inflammatory and performance responses following a soccer game. *Clin J Sport Med*. 2008;18(5):423-31.
 92. Jacobs I. Lactate, muscle glycogen and exercise performance in man. *Acta Physiol Scand Suppl*. 1981;495:1-35.
 93. Jacobs I, Kaiser P. Lactate in blood, mixed skeletal muscle, and FT or ST fibres during cycle exercise in man. *Acta Physiol Scand*. 1982;114(3):461-6.
 94. Jeukendrup AE. Periodized nutrition for athletes. *Sports Med*. 2017;47(Suppl 1):51-63.
 95. Jones AM, Poole DC. *Oxygen Uptake Kinetics in Sport, Exercise and Medicine*. London: Routledge; 2005.
 96. Joyner MJ, Coyle EF. Endurance exercise performance: The physiology of champions. *J Physiol*. 2008;586(1):35-44.
 97. Kilding A, Wood M, Sequira G, Bonetti D. Effect of hyperoxic-supplemented interval training on endurance performance in trained cyclists. *Int J Sports Med*. 2012;33(5):359-63.
 98. Komiyama T, Quaresima V, Shigematsu H, Ferrari M. Comparison of two spatially resolved near-infrared photometers in the detection of tissue oxygen saturation: Poor reliability at very low oxygen saturation. *Clin Sci (Lond)*. 2001;101(6):715-18.
 99. Krstrup P, Mohr M, Steensberg A, Bencke J, Kjaer M, Bangsbo J. Muscle and blood metabolites during a soccer game: Implications for sprint performance. *Med Sci Sports Exerc*. 2006;38(6):1165-74.
 100. Krstrup P, Ortenblad N, Nielsen J, Nybo L, Gunnarsson TP, Iaia FM, et al. Maximal voluntary contraction force, SR function and glycogen resynthesis during the first 72 h after a high-level competitive soccer game. *Eur J Appl Physiol*. 2011;111(12):2987-95.
 101. Lattier G, Millet GY, Martin A, Martin V. Fatigue and recovery after high-intensity exercise. Part I: Neuromuscular fatigue. *Int J Sports Med*. 2004;25(6):450-6.
 102. Laursen PB. Training for intense exercise performance: High-intensity or high-volume training? *Scand J Med Sci Sports*. 2010;20(Suppl 2):1-10.
 103. Laursen PB, Shing CM, Peake JM, Coombes JS, Jenkins DG. Interval training program optimization in highly trained endurance cyclists. *Med Sci Sports Exerc*. 2002 Nov;34(11):1801-7.
 104. Lepretre PM, Koralsztein JP, Billat VL. Effect of exercise intensity on relationship between VO₂max and cardiac output. *Med Sci Sports Exerc*. 2004;36(8):1357-63.
 105. Lepretre PM, Foster C, Koralsztein JP, Billat VL. Heart rate deflection point as a strategy to defend stroke volume during incremental exercise. *J Appl Physiol*. 2005;98(5):1660-5.
 106. Lepretre PM, Lopes P, Koralsztein JP, Billat V. Fatigue responses in exercise under control of VO₂. *Int J Sports Med*. 2008;29(3):199-205.
 107. Linossier MT, Dennis C, Dormois D, Geysant A, Lacour JR. Ergometric and metabolic adaptation to a 5-s sprint training programme. *Eur J Appl Physiol*. 1993;67:408-14.
 108. Lopez-Otin C, Galluzzi L, Freije JM, Madeo F, Kroemer G. Metabolic control of longevity. *Cell*. 2016;166(4):802-21.
 109. Lucia A, Hoyos J, Perez M, Chicharro JL. Heart rate and performance parameters in elite cyclists: A longitudinal study. *Med Sci Sports Exerc*. 2000;32(10):1777-82.
 110. MacDougall JD, Hicks AL, MacDonald JR, McKelvie RS, Green HJ, Smith KM. Muscle performance and enzymatic adaptations to sprint interval training. *J Appl Physiol*. 1998;84(6):2138-42.
 111. MacInnis MJ, Gibala MJ. Physiological adaptations to interval training and the role of exercise intensity. *J Physiol*. 2017;595(9):2915-30.
 112. Margaria R, Edwards H, Dill DB. The possible mechanisms of contracting and paying the oxygen debt and the role of lactic acid in muscular contraction. *Am J Physiol*. 1933(106):689-715.

113. Maron BJ, Pelliccia A. The heart of trained athletes: Cardiac remodeling and the risks of sports, including sudden death. *Circulation*. 2006;114(15):1633-44.
114. Marrier B, Le Meur Y, Robineau J, Lacombe M, Couderc A, Hausswirth C, et al. Quantifying neuromuscular fatigue induced by an intense training session in Rugby Sevens. *Int J Sports Physiol Perform*. 2017;12(2):218-23.
115. McCole SD, Davis AM, Fueger PT. Is there a disassociation of maximal oxygen consumption and maximal cardiac output? *Med Sci Sports Exerc*. 2001;33(8):1265-9.
116. Medbo JJ, Mohn AC, Tabata I, Bahr R, Vaage O, Sejersted OM. Anaerobic capacity determined by maximal accumulated O₂ deficit. *J Appl Physiol*. 1988;64(1):50-60.
117. Midgley AW, Mc Naughton LR. Time at or near VO₂max during continuous and intermittent running. A review with special reference to considerations for the optimisation of training protocols to elicit the longest time at or near VO₂max. *J Sports Med Phys Fitness*. 2006;46(1):1-14.
118. Midgley AW, McNaughton LR, Wilkinson M. Is there an optimal training intensity for enhancing the maximal oxygen uptake of distance runners? Empirical research findings, current opinions, physiological rationale and practical recommendations. *Sports Med*. 2006;36(2):117-32.
119. Midgley AW, McNaughton LR, Jones AM. Training to enhance the physiological determinants of long-distance running performance: Can valid recommendations be given to runners and coaches based on current scientific knowledge? *Sports Med*. 2007;37(10):857-80.
120. Millet GY, Muthalib M, Jubeau M, Laursen PB, Nosaka K. Severe hypoxia affects exercise performance independently of afferent feedback and peripheral fatigue. *J Appl Physiol* (1985). 2012;112(8):1335-44.
121. Mortensen SP, Damsgaard R, Dawson EA, Secher NH, Gonzalez-Alonso J. Restrictions in systemic and locomotor skeletal muscle perfusion, oxygen supply and VO₂ during high-intensity whole-body exercise in humans. *J Physiol*. 2008;586(10):2621-35.
122. Mucci P, Blondel N, Fabre C, Nourry C, Berthoin S. Evidence of exercise-induced O₂ arterial desaturation in non-elite sportsmen and sportswomen following high-intensity interval-training. *Int J Sports Med*. 2004;25(1):6-13.
123. Newton RU, Laursen PB, Young W. Clinical exercise testing and assessment of athletes. In: Schwellnus MP, ed. *Olympic Textbook of Medicine in Sport*. XIV. Oxford, UK: Blackwell Publishing; 2008:160-99.
124. Nielsen HB, Bredmose PP, Stromstad M, Volianitis S, Quistorff B, Secher NH. Bicarbonate attenuates arterial desaturation during maximal exercise in humans. *J Appl Physiol* (1985). 2002;93(2):724-31.
125. Nioka S, Moser D, Lech G, Evangelisti M, Verde T, Chance B, et al. Muscle deoxygenation in aerobic and anaerobic exercise. *Adv Exp Med Biol*. 1998;454:63-70.
126. Noordhof DA, de Koning JJ, Foster C. The maximal accumulated oxygen deficit method: A valid and reliable measure of anaerobic capacity? *Sports Med*. 2010;40(4):285-302.
127. Opar DA, Williams MD, Shield AJ. Hamstring strain injuries: Factors that lead to injury and re-injury. *Sports Med*. 2012;42(3):209-26.
128. Paavolainen L, Hakkinen K, Nummela A, Rusko H. Neuromuscular characteristics and fatigue in endurance and sprint athletes during a new anaerobic power test. *Eur J Appl Physiol Occup Physiol*. 1994;69(2):119-26.
129. Palmer CD, Sleivert GG. Running economy is impaired following a single bout of resistance exercise. *J Sci Med Sport*. 2001;4(4):447-59.
130. Parra J, Cadefau JA, Rodas G, Amigo N, Cusso R. The distribution of rest periods affects performance and adaptations of energy metabolism induced by high-intensity training in human muscle. *Acta Physiol Scand*. 2000;169(2):157-65.
131. Paton CD, Hopkins WG, Cook C. Effects of low- vs. high-cadence interval training on cycling performance. *J Strength Cond Res*. 2009;23(6):1758-63.
132. Perrey S, Racinais S, Saimouaa K, Girard O. Neural and muscular adjustments following repeated running sprints. *Eur J Appl Physiol*. 2010;109(6):1027-36.
133. Powers SK, Dodd S, Lawler J, Landry G, Kirtley M, McKnight T, et al. Incidence of exercise induced hypoxemia in elite endurance athletes

- at sea level. *Eur J Appl Physiol Occup Physiol*. 1988;58(3):298-302.
134. Rampinini E, Sassi A, Azzalin A, Castagna C, Menaspa P, Carlomagno D, et al. Physiological determinants of Yo-Yo intermittent recovery tests in male soccer players. *Eur J Appl Physiol*. 2008;108(2):401-9.
 135. Richard R, Lonsdorfer-Wolf E, Dufour S, Doutreleau S, Oswald-Mammosser M, Billat VL, et al. Cardiac output and oxygen release during very high-intensity exercise performed until exhaustion. *Eur J Appl Physiol*. 2004;93(1-2):9-18.
 136. Richard R, Lonsdorfer-Wolf E, Charloux A, Doutreleau S, Buchheit M, Oswald-Mammosser M, et al. Non-invasive cardiac output evaluation during a maximal progressive exercise test, using a new impedance cardiograph device. *Eur J Appl Physiol*. 2001;85(3-4):202-7.
 137. Rodas G, Ventura JL, Cadefau JA, Cusso R, Parra J. A short training programme for the rapid improvement of both aerobic and anaerobic metabolism. *Eur J Appl Physiol*. 2000;82(5-6):480-6.
 138. Rolf C. Overuse injuries of the lower extremity in runners. *Scand J Med Sci Sports*. 1995;5(4):181-90.
 139. Rooks CR, Thom NJ, McCully KK, Dishman RK. Effects of incremental exercise on cerebral oxygenation measured by near-infrared spectroscopy: A systematic review. *Prog Neurobiol*. 2010;92(2):134-50.
 140. Ross A, Leveritt M. Long-term metabolic and skeletal muscle adaptations to short-sprint training: implications for sprint training and tapering. *Sports Med*. 2001;31(15):1063-82.
 141. Ross A, Leveritt M, Riek S. Neural influences on sprint running: training adaptations and acute responses. *Sports Med*. 2001;31(6):409-25.
 142. Rowell LB. *Human Cardiovascular Control*. New York: Oxford University Press; 1993.
 143. Rusko H, Nummela A, Mero A. A new method for the evaluation of anaerobic running power in athletes. *Eur J Appl Physiol Occup Physiol*. 1993;66(2):97-101.
 144. Seiler S. What is best practice for training intensity and duration distribution in endurance athletes? *Int J Sports Physiol Perform*. 2010;5(3):276-91.
 145. Seiler S, Hetlelid KJ. The impact of rest duration on work intensity and RPE during interval training. *Med Sci Sports Exerc*. 2005;37(9):1601-7.
 146. Shibuya K, Tanaka J, Ogaki T. Muscle oxygenation kinetics at the onset of exercise do not depend on exercise intensity. *Eur J Appl Physiol*. 2004;91(5-6):712-5.
 147. Shibuya K, Tanaka J, Kuboyama N, Ogaki T. Cerebral oxygenation during intermittent supramaximal exercise. *Respir Physiol Neurobiol*. 2004;140(2):165-72.
 148. Shibuya K, Tanaka J, Kuboyama N, Murai S, Ogaki T. Cerebral cortex activity during supramaximal exhaustive exercise. *J Sports Med Phys Fitness*. 2004;44(2):215-9.
 149. Simoneau JA, Lortie G, Boulay MR, Marcotte M, Thibault MC, Bouchard C. Effects of two high-intensity intermittent training programs interspaced by detraining on human skeletal muscle and performance. *Eur J Appl Physiol Occup Physiol*. 1987;56(5):516-21.
 150. Skof B, Strojnik V. Neuro-muscular fatigue and recovery dynamics following anaerobic interval workload. *Int J Sports Med*. 2006;27(3):220-5.
 151. Small K, McNaughton LR, Greig M, Lohkamp M, Lovell R. Soccer fatigue, sprinting and hamstring injury risk. *Int J Sports Med*. 2009;30(8):573-8.
 152. Smith KJ, Billaut F. Influence of cerebral and muscle oxygenation on repeated-sprint ability. *Eur J Appl Physiol*. 2010;109(2):989-99.
 153. Sobhani S, Dekker R, Postema K, Dijkstra PU. Epidemiology of ankle and foot overuse injuries in sports: A systematic review. *Scand J Med Sci Sports*. 2013;23(6):669-86.
 154. Stanley J, Buchheit M. Moderate recovery unnecessary to sustain high stroke volume during interval training. A brief report. *J Sports Sci Med*. 2014;13(2):393-6.
 155. Stapelfeldt B, Mornieux G, Oberheim R, Belli A, Gollhofer A. Development and evaluation of a new bicycle instrument for measurements of pedal forces and power output in cycling. *Int J Sports Med*. 2007;28(4):326-32.
 156. Tabata I, Irisawa K, Kouzaki M, Nishimura K, Ogita F, Miyachi M. Metabolic profile of high intensity intermittent exercises. *Med Sci Sports Exerc*. 1997;29(3):390-5.

157. Takahashi T, Hayano J, Okada A, Saitoh T, Kamiya A. Effects of the muscle pump and body posture on cardiovascular responses during recovery from cycle exercise. *Eur J Appl Physiol*. 2005;94(5-6):576-83.
158. Turner AP, Cathcart AJ, Parker ME, Butterworth C, Wilson J, Ward SA. Oxygen uptake and muscle desaturation kinetics during intermittent cycling. *Med Sci Sports Exerc*. 2006;38(3):492-503.
159. Twomey R, Aboodarda SJ, Kruger R, Culos-Reed SN, Temesi J, Millet GY. Neuromuscular fatigue during exercise: Methodological considerations, etiology and potential role in chronic fatigue. *Neurophysiol Clin*. 2017;47(2):95-110.
160. Verges S, Rupp T, Jubeau M, Wuyam B, Esteve F, Levy P, et al. Invited review: Cerebral perturbations during exercise in hypoxia. *Am J Physiol Regul Integr Comp Physiol*. 2012;302(8):R903-16.
161. Volek JS, Noakes T, Phinney SD. Rethinking fat as a fuel for endurance exercise. *Eur J Sport Sci*. 2015;15(1):13-20.
162. Volvaard NB, Constantin-Teodosiu D, Fredriksson K, Rooyackers O, Jansson E, Greenhaff PL, et al. Systematic analysis of adaptations in aerobic capacity and submaximal energy metabolism provides a unique insight into determinants of human aerobic performance. *J Appl Physiol*. 2009;106(5):1479-86.
163. Vuorimaa T, Vasankari T, Rusko H. Comparison of physiological strain and muscular performance of athletes during two intermittent running exercises at the velocity associated with VO₂max. *Int J Sports Med*. 2000;21(2):96-101.
164. Vuorimaa T, Hakkinen K, Vahasoyrinki P, Rusko H. Comparison of three maximal anaerobic running test protocols in marathon runners, middle-distance runners and sprinters. *Int J Sports Med*. 1996;17 Suppl 2:S109-13.
165. Vuorimaa T, Virlander R, Kurkilahti P, Vasankari T, Hakkinen K. Acute changes in muscle activation and leg extension performance after different running exercises in elite long distance runners. *Eur J Appl Physiol*. 2006;96(3):282-91.
166. Warburton DE, Gledhill N. Counterpoint: Stroke volume does not decline during exercise at maximal effort in healthy individuals. *J Appl Physiol*. 2008;104(1):276-8; discussion 8-9.
167. Weston AR, Myburgh KH, Lindsay FH, Dennis SC, Noakes TD, Hawley JA. Skeletal muscle buffering capacity and endurance performance after high-intensity interval training by well-trained cyclists. *Eur J Appl Physiol Occup Physiol*. 1997;75(1):7-13.
168. Wu HC, Hsu WH, Chen T. Complete recovery time after exhaustion in high-intensity work. *Ergonomics*. 2005;48(6):668-79.
169. Yeo WK, Paton CD, Garnham AP, Burke LM, Carey AL, Hawley JA. Skeletal muscle adaptation and performance responses to once a day versus twice every second day endurance training regimens. *J Appl Physiol*. 2008;105(5):1462-70.
170. Yeo WK, McGee SL, Carey AL, Paton CD, Garnham AP, Hargreaves M, et al. Acute signalling responses to intense endurance training commenced with low or normal muscle glycogen. *Exp Physiol*. 2010;95(2):351-8.
171. Yoshida T. Effect of dietary modifications on lactate threshold and onset of blood lactate accumulation during incremental exercise. *Eur J Appl Physiol Occup Physiol*. 1984;53(3):200-5.
172. Zoladz JA, Gladden LB, Hogan MC, Nieckarz Z, Grassi B. Progressive recruitment of muscle fibers is not necessary for the slow component of VO₂ kinetics. *J Appl Physiol*. 2008;105(2):575-80.

Chapter 4

1. Abbiss CR, Burnett A, Nosaka K, Green JP, Foster JK, Laursen PB. Effect of hot versus cold climates on power output, muscle activation, and perceived fatigue during a dynamic 100-km cycling trial. *J Sports Sci*. 2010;28(2):117-25.
2. Abbiss CR, Peiffer JJ, Peake JM, Nosaka K, Suzuki K, Martin DT, et al. Effect of carbohydrate ingestion and ambient temperature on muscle fatigue development in endurance-trained male cyclists. *J Appl Physiol* (1985). 2008;104(4):1021-8.
3. Ahmaidi S, Granier P, Taoutaou Z, Mercier J, Dubouchaud H, Prefaut C. Effects of active recovery on plasma lactate and anaerobic power following repeated intensive exercise. *Med Sci Sports Exerc*. 1996;28(4):450-6.
4. Astrand I, Astrand PO, Christensen EH, Hedman R. Intermittent muscular work. *Acta Physiol Scand*. 1960;48:448-53.

5. Baar K. Nutrition and the adaptation to endurance training. *Sports Med.* 2014;44(Suppl 1):S5-12.
6. Belcastro AN, Bonen A. Lactic acid removal rates during controlled and uncontrolled recovery exercise. *J Appl Physiol.* 1975;39(6):932-6.
7. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: Aerobic interval training. *Sports Med* 2001;1(31):13-31.
8. Bogdanis GC, Nevill ME, Lakomy HK, Graham CM, Louis G. Effects of active recovery on power output during repeated maximal sprint cycling. *Eur J Appl Physiol Occup Physiol.* 1996;74(5):461-9.
9. Bompa TO, Haff GG. *Periodization*, 5th ed. Chicago, IL: Human Kinetics; 2009.
10. Brocherie F, Girard O, Faiss R, Millet GP. Effects of repeated-sprint training in hypoxia on sea-level performance: A meta-analysis. *Sports Med.* 2017;47(8):1651-60.
11. Buchheit M. The 30-15 Intermittent Fitness Test: A new intermittent running field test for intermittent sport players - Part 1. *Approches du Handball.* 2005;87:27-34.
12. Buchheit M. The 30-15 Intermittent Fitness Test: 10 year review. *Myorobie Journal.* Sep 2010;1:<http://www.martin-buchheit.net>.
13. Buchheit M. Should we be recommending repeated sprints to improve repeated-sprint performance? *Sports Med.* 2012;42(2):169-72; author reply 72-3.
14. Buchheit M, Al Haddad H, Mendez-Villanueva A, Quod MJ, Bourdon PC. Effect of maturation on hemodynamic and autonomic control recovery following maximal running exercise in highly trained young soccer players. *Front Physiol.* 2011;2:69.
15. Buchheit M, Cormie P, Abbiss CR, Ahmaidi S, Nosaka KK, Laursen PB. Muscle deoxygenation during repeated sprint running: Effect of active vs. passive recovery. *Int J Sports Med.* 2009;30(6):418-25.
16. Casadio JR, Kilding AE, Cotter JD, Laursen PB. From lab to real world: Heat acclimation considerations for elite athletes. *Sports Med.* 2017;47(8):1467-76.
17. Christensen EH, Hedman R, Saltin B. Intermittent and continuous running. (A further contribution to the physiology of intermittent work.) *Acta Physiol Scand.* 1960;50:269-86.
18. Cipryan L, Plews DJ, Ferretti A, Maffettone P, Laursen PB. Effects of a 4-week very low carbohydrate diet on high-intensity interval training responses. *J Sport Sci Med.* 2018;17(2):259-68.
19. Connolly DAJ, Brennan KM, Lauzon CD. Effects of active versus passive recovery on power output during repeated bouts of short term, high intensity exercise. *J Sports Sci Med.* 2003(2):47-51.
20. Cotter JD, Thornton SN, Lee JK, Laursen PB. Are we being drowned in hydration advice? Thirsty for more? *Extrem Physiol Med.* 2014;3:18.
21. Dorado C, Sanchis-Moysi J, Calbet JA. Effects of recovery mode on performance, O₂ uptake, and O₂ deficit during high-intensity intermittent exercise. *Can J Appl Physiol.* 2004;29(3):227-44.
22. Dupont G, Moalla W, Matran R, Berthoin S. Effect of short recovery intensities on the performance during two Wingate tests. *Med Sci Sports Exerc.* 2007;39(7):1170-6.
23. Dupont G, Moalla W, Guinhouya C, Ahmaidi S, Berthoin S. Passive versus active recovery during high-intensity intermittent exercises. *Med Sci Sports Exerc.* 2004;36(2):302-8.
24. Faiss R, Girard O, Millet GP. Advancing hypoxic training in team sports: From intermittent hypoxic training to repeated sprint training in hypoxia. *Br J Sports Med.* 2013;47 Suppl 1:i45-50.
25. Favier FB, Britto FA, Freysenet DG, Bigard XA, Benoit H. HIF-1-driven skeletal muscle adaptations to chronic hypoxia: Molecular insights into muscle physiology. *Cell Mol Life Sci.* 2015;72(24):4681-96.
26. Febbraio MA, Snow RJ, Stathis CG, Hargreaves M, Carey MF. Effect of heat stress on muscle energy metabolism during exercise. *J Appl Physiol.* 1994;77(6):2827-31.
27. Febbraio MA, Snow RJ, Hargreaves M, Stathis CG, Martin IK, Carey MF. Muscle metabolism during exercise and heat stress in trained men: Effect of acclimation. *J Appl Physiol.* 1994;76(2):589-97.
28. Gandevia SC. Spinal and supraspinal factors in human muscle fatigue. *Physiol Rev.* 2001;81(4):1725-89.
29. Garrett AT, Goosens NG, Rehrer NJ, Patterson MJ, Harrison J, Sammut I, et al. Short-term heat

- acclimation is effective and may be enhanced rather than impaired by dehydration. *Am J Hum Biol.* 2014;26(3):311-20.
30. Gibson OR, Taylor L, Watt PW, Maxwell NS. Cross-adaptation: Heat and cold adaptation to improve physiological and cellular responses to hypoxia. *Sports Med.* 2017;47(9):1751-68.
 31. Girard O, Brocherie F, Millet GP. Effects of altitude/hypoxia on single- and multiple-sprint performance: A comprehensive review. *Sports Med.* 2017;47(10):1931-49.
 32. Girard O, Brocherie F, Morin JB, Millet GP. Running mechanical alterations during repeated treadmill sprints in hot versus hypoxic environments. A pilot study. *J Sports Sci.* 2016;34(12):1190-8.
 33. Girard O, Brocherie F, Morin JB, Racinais S, Millet GP, Periard JD. Mechanical alterations associated with repeated treadmill sprinting under heat stress. *PLoS One.* 2017;12(2):e0170679.
 34. Gorostiaga EM, Asiain X, Izquierdo M, Postigo A, Aguado R, Alonso JM, et al. Vertical jump performance and blood ammonia and lactate levels during typical training sessions in elite 400-m runners. *J Strength Cond Res.* 2010;24(4):1138-49.
 35. Havemann L, West SJ, Goedecke JH, Macdonald IA, St Clair Gibson A, Noakes TD, et al. Fat adaptation followed by carbohydrate loading compromises high-intensity sprint performance. *J Appl Physiol.* 2006;100(1):194-202.
 36. Henstridge DC, Febbraio MA, Hargreaves M. Heat shock proteins and exercise adaptations. Our knowledge thus far and the road still ahead. *J Appl Physiol* (1985). 2016;120(6):683-91.
 37. Hetlelid KJ, Plews DJ, Herold E, Laursen PB, Sieler S. Rethinking the role of fat oxidation: Substrate utilisation during high-intensity interval training in well-trained and recreationally trained runners. *BMJ Open Sport & Exercise Medicine* 2015;1(1).
 38. Hill AV. The physiological basis of athletic records. *Nature.* 1925;116:544-8.
 39. Hill AV. The dimensions of animals and their muscular dynamics. *Sci Prog.* 1950;38:209.
 40. Krstrup P, Mohr M, Steensberg A, Bencke J, Kjaer M, Bangsbo J. Muscle and blood metabolites during a soccer game: Implications for sprint performance. *Med Sci Sports Exerc.* 2006;38(6):1165-74.
 41. Lane SC, Areta JL, Bird SR, Coffey VG, Burke LM, Desbrow B, et al. Caffeine ingestion and cycling power output in a low or normal muscle glycogen state. *Med Sci Sports Exerc.* 2013;45(8):1577-84.
 42. Laursen PB, Shing CM, Peake JM, Coombes JS, Jenkins DG. Interval training program optimization in highly trained endurance cyclists. *Med Sci Sports Exerc.* 2002;34(11):1801-7.
 43. Marquet LA, Hausswirth C, Molle O, Hawley JA, Burke LM, Tiollier E, et al. Periodization of carbohydrate intake: Short-term effect on performance. *Nutrients.* 2016;8(12).
 44. Midgley AW, Mc Naughton LR. Time at or near VO₂max during continuous and intermittent running. A review with special reference to considerations for the optimisation of training protocols to elicit the longest time at or near VO₂max. *J Sports Med Phys Fitness.* 2006;46(1):1-14.
 45. Muller EA. The physiological basis of rest pauses in heavy work. *Q J Exp Physiol Cogn Med Sci.* 1953;38(4):205-15.
 46. Munoz-Martinez FA, Rubio-Arias JA, Ramos-Campo DJ, Alcaraz PE. Effectiveness of resistance circuit-based training for maximum oxygen uptake and upper-body one-repetition maximum improvements: A systematic review and meta-analysis. *Sports Med.* 2017;47(12):2553-68.
 47. Nedeljkovic A, Mirkov DM, Bozic P, Jaric S. Tests of muscle power output: The role of body size. *Int J Sports Med.* 2009;30(2):100-6.
 48. Rowell LB. *Human Cardiovascular Control.* New York: Oxford University Press; 1993.
 49. Seiler S, Hetlelid KJ. The impact of rest duration on work intensity and RPE during interval training. *Med Sci Sports Exerc.* 2005;37(9):1601-7.
 50. Spencer M, Bishop D, Dawson B, Goodman C, Duffield R. Metabolism and performance in repeated cycle sprints: Active versus passive recovery. *Med Sci Sports Exerc.* 2006;38(8):1492-9.
 51. Spencer M, Dawson B, Goodman C, Dascombe B, Bishop D. Performance and metabolism in repeated sprint exercise: Effect of recovery intensity. *Eur J Appl Physiol.* 2008;103(5):545-52.
 52. Stanley J, Buchheit M. Moderate recovery unnecessary to sustain high stroke volume during interval training. A brief report. *J Sports Sci Med.* 2014;13(2):393-6.

53. Stanley J, Halliday A, D'Auria S, Buchheit M, Leicht AS. Effect of sauna-based heat acclimation on plasma volume and heart rate variability. *Eur J Appl Physiol.* 2015;115(4):785-94.
54. Stellingwerff T. Contemporary nutrition approaches to optimize elite marathon performance. *Int J Sports Physiol Perform.* 2013;8(5):573-8.
55. Stepto NK, Hawley JA, Dennis SC, Hopkins WG. Effects of different interval-training programs on cycling time-trial performance. *Med Sci Sports Exerc.* 1999;31(5):736-41.
56. Trincat L, Woorons X, Millet GP. Repeated-sprint training in hypoxia induced by voluntary hypoventilation in swimming. *Int J Sports Physiol Perform.* 2017;12(3):329-35.
57. Volek JS, Noakes T, Phinney SD. Rethinking fat as a fuel for endurance exercise. *Eur J Sport Sci.* 2015;15(1):13-20.
58. Weltman A, Stamford BA, Fulco C. Recovery from maximal effort exercise: Lactate disappearance and subsequent performance. *J Appl Physiol.* 1979;47(4):677-82.
59. Wu HC, Hsu WH, Chen T. Complete recovery time after exhaustion in high-intensity work. *Ergonomics.* 2005;48(6):668-79.
60. Yeo WK, Paton CD, Garnham AP, Burke LM, Carey AL, Hawley JA. Skeletal muscle adaptation and performance responses to once a day versus twice every second day endurance training regimens. *J Appl Physiol.* 2008;105(5):1462-70.
61. Yeo WK, Paton CD, Garnham AP, Burke LM, Carey AL, Hawley JA. Skeletal muscle adaptation and performance responses to once a day versus twice every second day endurance training regimens. *J Appl Physiol.* 2008;105(5):1462-70.
62. Yeo WK, McGee SL, Carey AL, Paton CD, Garnham AP, Hargreaves M, et al. Acute signalling responses to intense endurance training commenced with low or normal muscle glycogen. *Exper Physiol.* 2010;95(2):351-8.
63. Yeo WK, Lessard SJ, Chen ZP, Garnham AP, Burke LM, Rivas DA, et al. Fat adaptation followed by carbohydrate restoration increases AMPK activity in skeletal muscle from trained humans. *J Appl Physiol.* 2008;105(5):1519-26.
64. Zeevi D, Korem T, Zmora N, Israeli D, Rothschild D, Weinberger A, et al. Personalized nutrition by prediction of glycemic responses. *Cell.* 2015;163(5):1079-94.

Chapter 5

1. Abt G, Siegler JC, Akubat I, Castagna C. The effects of a constant sprint-to-rest ratio and recovery mode on repeated sprint performance. *J Strength Cond Res.* 2011;25:1695-1702.
2. Ahmaidi S, Collomp K, Prefaut C. The effect of shuttle test protocol and the resulting lactacidemia on maximal velocity and maximal oxygen uptake during the shuttle exercise test. *Eur J Appl Physiol.* 1992;65:475-9.
3. Ahmaidi S, Granier P, Taoutaou Z, Mercier J, Dubouchaud H, Prefaut C. Effects of active recovery on plasma lactate and anaerobic power following repeated intensive exercise. *Med Sci Sports Exerc.* 1996;28:450-6.
4. Altenburg TM, Degens H, van Mechelen W, Sargeant AJ, de Haan A. Recruitment of single muscle fibers during submaximal cycling exercise. *J Appl Physiol.* 2007;103:1752-6.
5. Astrand I, Astrand PO, Christensen EH, Hedman R. Intermittent muscular work. *Acta Physiol Scand.* 1960;48:448-53.
6. Astrand I, Astrand PO, Christensen EH, Hedman R. Myohemoglobin as an oxygen-store in man. *Acta Physiol Scand.* 1960;48:454-60.
7. Astrand PO, Rodahl K. *Textbook for Work Physiology.* New York, NY: McGraw-Hill; 1977.
8. Balsom PD, Seger JY, Sjodin B, Ekblom B. Maximal-intensity intermittent exercise: Effect of recovery duration. *Int J Sports Med.* 1992;13:528-33.
9. Balsom PD, Seger JY, Sjodin B, Ekblom B. Physiological responses to maximal intensity intermittent exercise. *Eur J Appl Physiol Occup Physiol.* 1992;65:144-9.
10. Barnes KR, Hopkins WG, McGuigan MR, Kilding AE. Effects of different uphill interval-training programs on running economy and performance. *Int J Sports Physiol Perform.* 2013;8:639-47.
11. Barstow TJ, Jones AM, Nguyen PH, Casaburi R. Influence of muscle fiber type and pedal frequency on oxygen uptake kinetics of heavy exercise. *J Appl Physiol.* 1996;81:1642-50.
12. Belcastro AN, Bonen A. Lactic acid removal rates during controlled and uncontrolled recovery exercise. *J Appl Physiol.* 1975;39:932-6.
13. Belfry GR, Paterson DH, Murias JM, Thomas SG. The effects of short recovery duration on VO2

- and muscle deoxygenation during intermittent exercise. *Eur J Appl Physiol.* 2012;112:1907-15.
14. Bergman BC, Wolfel EE, Butterfield GE, Lopaschuk GD, Casazza GA, Horning MA, et al. Active muscle and whole body lactate kinetics after endurance training in men. *J Appl Physiol.* 1999;87:1684-96.
 15. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: Aerobic interval training. *Sports Med.* 2001;1:13-31.
 16. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part II: Anaerobic interval training. *Sports Med.* 2001;31:75-90.
 17. Billat LV, Renoux J, Pinoteau J, Petit B, Koralsztein JP. Validation d'une épreuve maximale de temps limitée VMA (vitesse maximale aérobie) et à $\dot{V}O_2\text{max}$. *Sci Sports.* 1994;9:3-12.
 18. Billat LV, Slawinski J, Bocquet V, Chassaing P, Demarle A, Koralsztein JP. Very short (15s-15s) interval-training around the critical velocity allows middle-aged runners to maintain $\dot{V}O_2\text{max}$ for 14 minutes. *Int J Sports Med.* 2001;22:201-8.
 19. Billat V. *L'entraînement en pleine nature - Conseils de préparation aux sports outdoor*. Paris: De Boeck; 2005.
 20. Billat V, Binsse V, Petit B, Koralsztein JP. High level runners are able to maintain a $\dot{V}O_2$ steady-state below $\dot{V}O_2\text{max}$ in an all-out run over their critical velocity. *Arch Physiol Biochem.* 1998;106:38-45.
 21. Billat V, Petit B, Koralsztein J. Calibration de la durée des répétitions d'une séance d'interval training à la vitesse associée à $\dot{V}O_2\text{max}$ en référence au temps limite continu: Effet sur les réponses physiologiques et la distance parcourue. *Sci Mot.* 1996;28:13-20.
 22. Billat V, Renoux JC, Pinoteau J, Petit B, Koralsztein JP. Reproducibility of running time to exhaustion at $\dot{V}O_2\text{max}$ in subelite runners. *Med Sci Sports Exerc.* 1994;26:254-7.
 23. Billat VL, Blondel N, Berthoin S. Determination of the velocity associated with the longest time to exhaustion at maximal oxygen uptake. *Eur J Appl Physiol Occup Physiol.* 1999;80:159-61.
 24. Billat VL, Slawinski J, Bocquet V, Demarle A, Lafitte L, Chassaing P, et al. Intermittent runs at the velocity associated with maximal oxygen uptake enables subjects to remain at maximal oxygen uptake for a longer time than intense but submaximal runs. *Eur J Appl Physiol.* 2000;81:188-96.
 25. Binnie MJ, Peeling P, Pinnington H, Landers G, Dawson B. Effect of training surface on acute physiological responses following interval training. *J Strength Cond Res.* 2013;27(4):1047-56.
 26. Bisciotti GN. L'incidenza fisiologica dei parametri di durata, intensità e recupero nell'ambito dell'allenamento intermittente. *Sienza di Sport.* 2004;60:90-6.
 27. Bogdanis GC, Nevill ME, Boobis LH, Lakomy HK. Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise. *J Appl Physiol.* 1996;80:876-84.
 28. Bogdanis GC, Nevill ME, Lakomy HK, Graham CM, Louis G. Effects of active recovery on power output during repeated maximal sprint cycling. *Eur J Appl Physiol Occup Physiol.* 1996;74:461-9.
 29. Bravo DF, Impellizzeri FM, Rampinini E, Castagna C, Bishop D, Wisloff U. Sprint vs. interval training in football. *Int J Sports Med.* 2008;29:668-74.
 30. Brito J, Krustup P, Rebelo A. The influence of the playing surface on the exercise intensity of small-sided recreational soccer games. *Human movement science.* 2012;31:946-56.
 31. Brooks GA. Current concepts in lactate exchange. *Med Sci Sports Exerc.* 1991;23:895-906.
 32. Brughelli M, Cronin J, Levin G, Chaouachi A. Understanding change of direction ability in sport: A review of resistance training studies. *Sports Med.* 2008;38:1045-63.
 33. Buchheit M. [The 30-15 Intermittent Fitness Test: A new intermittent running field test for intermittent sport players - Part 1]. *Approches du Handball.* 2005;87:27-34.
 34. Buchheit M. The 30-15 intermittent fitness test: Accuracy for individualizing interval training of young intermittent sport players. *J Strength Cond Res.* 2008;22:365-74.
 35. Buchheit M. The 30-15 Intermittent Fitness Test: 10 year review. *Myorobie Journal.* 2010;1: <http://www.martin-buchheit.net>.
 36. Buchheit M. Performance and physiological responses to repeated- sprint and jump sequences. *Eur J Appl Physiol.* 2010;101:1007-18.

37. Buchheit M. Individualizing high-intensity interval training in intermittent sport athletes with the 30-15 Intermittent Fitness Test. *NSCA Hot Topic Series www.nsca-liftorg* November, 2011.
38. Buchheit M. Should we be recommending repeated sprints to improve repeated-sprint performance? *Sports Med.* 2012;42:169-72.
39. Buchheit M. Programming high intensity training in handball. *Aspetar Sports Medicine Journal.* 2014;3:120-8.
40. Buchheit M. Programming high-intensity training in handball. *Aspetar Sports Medicine Journal.* 2014;3:120-8.
41. Buchheit M, Abbiss C, Peiffer JJ, Laursen PB. Performance and physiological responses during a sprint interval training session: Relationships with muscle oxygenation and pulmonary oxygen uptake kinetics. *Eur J Appl Physiol.* 2012;111:767-79.
42. Buchheit M, Abbiss CR, Peiffer JJ, Laursen PB. Performance and physiological responses during a sprint interval training session: Relationships with muscle oxygenation and pulmonary oxygen uptake kinetics. *Eur J Appl Physiol.* 2012;112:767-79.
43. Buchheit M, Bishop D, Haydar B, Nakamura F, Ahmaidi S. Physiological responses to shuttle repeated-sprint running. *Int J Sports Med.* 2010;31:402-9.
44. Buchheit M, Cormie P, Abbiss CR, Ahmaidi S, Nosaka KK, Laursen PB. Muscle deoxygenation during repeated sprint running: Effect of active vs. passive recovery. *Int J Sports Med.* 2009;30:418-25.
45. Buchheit M, Duthie G, Ahmaidi S. Increasing passive recovery duration leads to greater performance despite higher blood lactate accumulation and physiological strain during repeated shuttle 30-s sprints. Presented at 14th European Congress of Sport Science, Oslo, Norway, 2009.
46. Buchheit M, Haydar B, Ahmaidi S. Repeated sprints with directional changes: Do angles matter? *J Sports Sci.* 2012;30:555-62.
47. Buchheit M, Haydar B, Hader K, Ufland P, Ahmaidi S. Assessing running economy during field running with changes of direction: Application to 20-m shuttle-runs. *Int J Sports Physiol Perform.* 2011;6:380-95.
48. Buchheit M, Kuitunen S, Voss SC, Williams BK, Mendez-Villanueva A, Bourdon PC. Physiological strain associated with high-intensity hypoxic intervals in highly trained young runners. *J Strength Cond Res.* 2012;26:94-105.
49. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part I: Cardiopulmonary emphasis. *Sports Med.* 2013;43:313-38.
50. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part I: Cardiopulmonary emphasis. *Sports Med.* 2013;43:313-38.
51. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle. Part II: Anaerobic energy, neuromuscular load and practical applications. *Sports Med.* 2013;43:927-54.
52. Buchheit M, Laursen PB, Ahmaidi S. Parasympathetic reactivation after repeated sprint exercise. *Am J Physiol Heart Circ Physiol.* 2007;293:H133-H141.
53. Buchheit M, Laursen PB, Ahmaidi S. Effect of prior exercise on pulmonary O₂ uptake and estimated muscle capillary blood flow kinetics during moderate-intensity field running in men. *J Appl Physiol.* 2009;107:460-70.
54. Buchheit M, Laursen PB, Kuhnle J, Ruch D, Renaud C, Ahmaidi S. Game-based training in young elite handball players. *Int J Sports Med.* 2009;30:251-8.
55. Buchheit M, Laursen PB, Millet GP, Pactat F, Ahmaidi S. Predicting intermittent running performance: Critical velocity versus endurance index. *Int J Sports Med.* 2007;29:307-15.
56. Buchheit M, Lepretre PM, Behaegel AL, Millet GP, Cuvelier G, Ahmaidi S. Cardiorespiratory responses during running and sport-specific exercises in handball players. *J Sci Med Sport.* 2009;12:399-405.
57. Buchheit M, Mendez-Villanueva A, Delhomel G, Brughelli M, Ahmaidi S. Improving repeated sprint ability in young elite soccer players: Repeated sprints vs. explosive strength training. *J Strength Cond Res.* 2010;24:2715-22.
58. Buchheit M, Mendez-Villanueva A, Quod MJ, Quesnel T, Ahmaidi S. Improving acceleration and repeated sprint ability in well-trained adolescent handball players: speed vs. sprint

- interval training. *Int J Sports Physiol Perform*. 2010;5:152-64.
59. Buchheit M, Mendez-Villanueva A, Simpson BM, Bourdon PC. Match running performance and fitness in youth soccer. *Int J Sports Med*. 2010;31:818-25.
 60. Buchheit M, Millet GP, Parisy A, Pourchez S, Laursen PB, Ahmaidi S. Supramaximal training and post-exercise parasympathetic reactivation in adolescents. *Med Sci Sports Exerc*. 2008;40:362-71.
 61. Buchheit M, Simpson BM, Mendez-Villanueva A. Repeated high-speed activities during youth soccer games in relation to changes in maximal sprinting and aerobic speeds. *Int J Sport Med*. 2012;34:40-8.
 62. Burnley M, Doust JH, Ball D, Jones AM. Effects of prior heavy exercise on VO(2) kinetics during heavy exercise are related to changes in muscle activity. *J Appl Physiol (1985)*. 2002;93:167-74.
 63. Byrnes WC, Clarkson PM, White JS, Hsieh SS, Frykman PN, Maughan RJ. Delayed onset muscle soreness following repeated bouts of downhill running. *J Appl Physiol*. 1985;59:710-15.
 64. Castagna C, Abt G, Manzi V, Annino G, Padua E, D'Ottavio S. Effect of recovery mode on repeated sprint ability in young basketball players. *J Strength Cond Res*. 2008;22:923-29.
 65. Castagna C, Belardinelli R, Impellizzeri FM, Abt GA, Coutts AJ, D'Ottavio S. Cardiovascular responses during recreational 5-a-side indoor-soccer. *J Sci Med Sport*. 2007;10:89-95.
 66. Castagna C, D'Ottavio S, Granda Vera J, Barbero Alvarez JC. Match demands of professional Futsal: A case study. *J Sci Med Sport*. 2009;12:490-4.
 67. Castagna C, Impellizzeri FM, Chaouachi A, Ben Abdelkrim N, Manzi V. Physiological responses to ball-drills in regional level male basketball players. *J Sports Sci*. 2011;29:1329-36.
 68. Christensen EH, Hedman R, Saltin B. Intermittent and continuous running. (A further contribution to the physiology of intermittent work.) *Acta Physiol Scand*. 1960;50:269-86.
 69. Christmass MA, Dawson B, Arthur PG. Effect of work and recovery duration on skeletal muscle oxygenation and fuel use during sustained intermittent exercise. *Eur J Appl Physiol Occup Physiol*. 1999;80:436-47.
 70. Christmass MA, Dawson B, Passeretto P, Arthur PG. A comparison of skeletal muscle oxygenation and fuel use in sustained continuous and intermittent exercise. *Eur J Appl Physiol*. 1999;80:423-35.
 71. Clemente FM, Martins FM, Mendes RS. Developing aerobic and anaerobic fitness using small-sided soccer games: Methodological proposals. *Strength Cond J*. 2014;36:76-87.
 72. <http://expertise-performance.u-bourgogne.fr/pdf/lactate.pdf>. Accessed January 19, 2012.
 73. Corvino M, Tessitore A, Minganti C, Šibila M. Effect of court dimensions on players' external and internal load during small-sided handball games. *J Sports Sci & Med*. 2014;13:297-303.
 74. Dellal A, Keller D, Carling C, Chaouachi A, Wong DP, Chamari K. Physiologic effects of directional changes in intermittent exercise in soccer players. *J Strength Cond Res*. 2010;24:3219-26.
 75. Dellal A, Lago-Penas C, Wong del P, Chamari K. Effect of the number of ball contacts within bouts of 4 vs. 4 small-sided soccer games. *Int J Sports Physiol Perform*. 2011;6:322-33.
 76. Demarie S, Koralsztejn JP, Billat V. Time limit and time at VO2max during a continuous and an intermittent run. *J Sports Med Phys Fitness*. 2000;40:96-102.
 77. Di Michele R, Del Curto L, Merni F. Mechanical and metabolic responses during a high-intensity circuit training workout in competitive runners. *J Sports Med Phys Fitness*. 2012;52:33-9.
 78. di Prampero PE, Fusi S, Sepulcri L, Morin JB, Belli A, Antonutto G. Sprint running: A new energetic approach. *J Exp Biol*. 2005;208:2809-16.
 79. Dorado C, Sanchis-Moysi J, Calbet JA. Effects of recovery mode on performance, O2 uptake, and O2 deficit during high-intensity intermittent exercise. *Can J Appl Physiol*. 2004;29:227-44.
 80. Dupont G, Akakpo K, Berthoin S. The effect of in-season, high-intensity interval training in soccer players. *J Strength Cond Res*. 2004;18:584-9.
 81. Dupont G, Berthoin S. Time spent at a high percentage of VO2max for short intermittent runs: Active versus passive recovery. *Can J Appl Physiol*. 2004;29(Suppl):S3-S16.

82. Dupont G, Blondel N, Berthoin S. Performance for short intermittent runs: Active recovery vs. passive recovery. *Eur J Appl Physiol.* 2003;89:548-54.
83. Dupont G, Blondel N, Lensele G, Berthoin S. Critical velocity and time spent at a high level of VO₂ for short intermittent runs at supramaximal velocities. *Can J Appl Physiol.* 2002;27:103-15.
84. Dupont G, Millet GP, Guinhouya C, Berthoin S. Relationship between oxygen uptake kinetics and performance in repeated running sprints. *Eur J Appl Physiol.* 2005;95:27-34.
85. Dupont G, Moalla W, Guinhouya C, Ahmaidi S, Berthoin S. Passive versus active recovery during high-intensity intermittent exercises. *Med Sci Sports Exerc.* 2004;36:302-8.
86. Enoka RM, Stuart DG. Neurobiology of muscle fatigue. *J Appl Physiol.* 1992;72:1631-48.
87. Fernandez-Del-Olmo M, Rodriguez FA, Marquez G, Iglesias X, Marina M, Benitez A, et al. Isometric knee extensor fatigue following a Wingate test: Peripheral and central mechanisms. *Scand J Med Sci Sports.* 2013;23(1):57-65.
88. Gabbett TJ, Ullah S. Relationship between running loads and soft-tissue injury in elite team sport athletes. *J Strength Cond Res.* 2012;26(4):953-60.
89. Gaitanos GC, Williams C, Boobis LH, Brooks S. Human muscle metabolism during intermittent maximal exercise. *J Appl Physiol.* 1993;75:712-19.
90. Gajer B, Hanon C, Lehenaff D, Vollmer JC. Analyse comparée de différentes séances de développement de $\dot{V}O_2\text{max}$. In *Expertise et sport de haut niveau: actes des Entretiens de l'INSEP, Novembre 2002*. Paris: Institut national du sport et de l'éducation physique; 2002.
91. Gatin PB. Energy system interaction and relative contribution during maximal exercise. *Sports Med.* 2001;31:725-41.
92. Gaudino P, Gaudino C, Alberti G, Minetti AE. Biomechanics and predicted energetics of sprinting on sand: Hints for soccer training. *J Sci Med Sport.* 2013;16:271-5.
93. Gerbino A, Ward SA, Whipp BJ. Effects of prior exercise on pulmonary gas-exchange kinetics during high-intensity exercise in humans. *J Appl Physiol.* 1996;80:99-107.
94. Gibala MJ, McGee SL. Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain? *Exerc Sport Sci Rev.* 2008;36:58-63.
95. Girard O, Mendez-Villanueva A, Bishop D. Repeated-sprint ability. Part I: Factors contributing to fatigue. *Sports Med.* 2011;41:673-94.
96. Girard O, Micallef JP, Millet GP. Changes in spring-mass model characteristics during repeated running sprints. *Eur J Appl Physiol.* 2011;111:125-34.
97. Gollnick PD, Piehl K, Saltin B. Selective glycogen depletion pattern in human muscle fibres after exercise of varying intensity and at varying pedalling rates. *J Physiol.* 1974;241:45-57.
98. Gollnick PD, Piehl K, Saltin B. Selective glycogen depletion pattern in human muscle fibres after exercise of varying intensity and at varying pedalling rates. *J Physiol.* 1974;241:45-57.
99. Gorostiaga EM, Asiain X, Izquierdo M, Postigo A, Aguado R, Alonso JM, et al. Vertical jump performance and blood ammonia and lactate levels during typical training sessions in elite 400-m runners. *J Strength Cond Res.* 2010;24:1138-49.
100. Gottschall JS, Kram R. Ground reaction forces during downhill and uphill running. *J Biomech.* 2005;38:445-52.
101. Hader K, Mendez-Villanueva A, Williams B, Ahmaidi S, Buchheit M. Changes of direction during high-intensity intermittent runs: Neuromuscular and metabolic responses. *BMC Sports Sci Med Rehabil.* 2014;6:2.
102. Harling SA, Tong RJ, Mickleborough TD. The oxygen uptake response running to exhaustion at peak treadmill speed. *Med Sci Sports Exerc.* 2003;35:663-8.
103. Harris RC, Edwards RH, Hultman E, Nordesjo LO, Nylin B, Sahlin K. The time course of phosphorylcreatine resynthesis during recovery of the quadriceps muscle in man. *Pflugers Arch.* 1976;367:137-42.
104. Haydar B, Al Haddad H, Buchheit M. Assessing inter-efforts recovery and change of direction abilities with the 30-15 Intermittent Fitness Test. *J Sports Sci Med.* 2011;10:346-54.
105. Hetlelid KJ, Plews DJ, Herold E, Laursen PB, Sieler S. Rethinking the role of fat oxidation: Substrate utilisation during high-intensity

- interval training in well-trained and recreationally trained runners. *BMJ Open Sport & Exercise Medicine*. 2015;1(1):e000047.
106. Higashihara A, Ono T, Kubota J, Okuwaki T, Fukubayashi T. Functional differences in the activity of the hamstring muscles with increasing running speed. *J Sports Sci*. 2010;28:1085-92.
 107. Hill DW, Halcomb JN, Stevens EC. Oxygen uptake kinetics during severe intensity running and cycling. *Eur J Appl Physiol*. 2003;89:612-18.
 108. Hill DW, Rowell AL. Responses to exercise at the velocity associated with VO₂max. *Med Sci Sports Exerc*. 1997;29:113-16.
 109. Hill DW, Stevens EC. VO₂ response profiles in severe intensity exercise. *J Sports Med Phys Fitness*. 2005;45:239-47.
 110. Hill DW, Williams CS, Burt SE. Responses to exercise at 92% and 100% of the velocity associated with VO₂max. *Int J Sports Med*. 1997;18:325-9.
 111. Hill-Haas SV, Coutts AJ, Dawson BT, Rowsell GJ. Time-motion characteristics and physiological responses of small-sided games in elite youth players: The influence of player number and rule changes. *J Strength Cond Res*. 2010;24:2149-56.
 112. Hill-Haas SV, Dawson B, Impellizzeri FM, Coutts AJ. Physiology of small-sided games training in football: A systematic review. *Sports Med*. 2011;41:199-220.
 113. Hodgson M, Docherty D, Robbins D. Post-activation potentiation: Underlying physiology and implications for motor performance. *Sports Med*. 2005;35:585-95.
 114. Hughson RL, O'Leary DD, Betik AC, Hebestreit H. Kinetics of oxygen uptake at the onset of exercise near or above peak oxygen uptake. *J Appl Physiol*. 2000;88:1812-19.
 115. Iaia FM, Bangsbo J. Speed endurance training is a powerful stimulus for physiological adaptations and performance improvements of athletes. *Scand J Med Sci Sports*. 2010;20(Suppl 2):11-23.
 116. Impellizzeri FM, Marcora SM, Castagna C, Reilly T, Sassi A, Iaia FM, et al. Physiological and performance effects of generic versus specific aerobic training in soccer players. *Int J Sports Med*. 2006;27:483-92.
 117. Karcher C, Buchheit M. On-court demands of elite handball, with special reference to playing positions. *Sports Med*. 2014;44:797-814.
 118. Kilding AE, Winter EM, Fysh M. A comparison of pulmonary oxygen uptake kinetics in middle- and long-distance runners. *Int J Sports Med*. 2006;27:419-26.
 119. Lakomy J, Haydon DT. The effects of enforced, rapid deceleration on performance in a multiple sprint test. *J Strength Cond Res*. 2004;18:579-83.
 120. Lattier G, Millet GY, Martin A, Martin V. Fatigue and recovery after high-intensity exercise. Part I: Neuromuscular fatigue. *Int J Sports Med*. 2004;25:450-6.
 121. Laursen PB, Jenkins DG. The scientific basis for high-intensity interval training: Optimising training programmes and maximising performance in highly trained endurance athletes. *Sports Med*. 2002;32:53-73.
 122. Laursen PB, Rhodes EC, Langill RH, McKenzie DC, Taunton JE. Relationship of exercise test variables to cycling performance in an Ironman triathlon. *Eur J Appl Physiol*. 2002;87:433-40.
 123. Laursen PB, Shing CM, Jenkins DG. Temporal aspects of the VO₂ response at the power output associated with VO₂peak in well trained cyclists—implications for interval training prescription. *Res Q Exerc Sport*. 2004;75:423-8.
 124. Little T. Optimizing the use of soccer drills for physiological development. *Strength Cond J*. 2009;31:67-74.
 125. Little T, Williams AG. Effects of sprint duration and exercise: Rest ratio on repeated sprint performance and physiological responses in professional soccer players. *J Strength Cond Res*. 2007;21:646-8.
 126. Little T, Williams AG. Measures of exercise intensity during soccer training drills with professional soccer players. *J Strength Cond Res*. 2007;21:367-71.
 127. McCartney N, Spriet LL, Heigenhauser GJ, Kowalchuk JM, Sutton JR, Jones NL. Muscle power and metabolism in maximal intermittent exercise. *J Appl Physiol*. 1986;60:1164-9.
 128. McCartney N, Spriet LL, Heigenhauser GJ, Kowalchuk JM, Sutton JR, Jones NL. Muscle power and metabolism in maximal intermittent exercise. *J Appl Physiol* (1985). 1986;60:1164-9.
 129. Medbo JJ, Mohn AC, Tabata I, Bahr R, Vaage O, Sejersted OM. Anaerobic capacity determined

- by maximal accumulated O₂ deficit. *J Appl Physiol.* 1988;64:50-60.
130. Mendez-Villanueva A, Buchheit M, Simpson BM, Bourdon PC. Match play intensity distribution in youth soccer. *Int J Sport Med.* 2012;34(2):101-10.
 131. Mendez-Villanueva A, Hamer P, Bishop D. Fatigue responses during repeated sprints matched for initial mechanical output. *Med Sci Sports Exerc.* 2007;39:2219-25.
 132. Midgley AW, Mc Naughton LR. Time at or near VO₂max during continuous and intermittent running. A review with special reference to considerations for the optimisation of training protocols to elicit the longest time at or near VO₂max. *J Sports Med Phys Fitness.* 2006;46:1-14.
 133. Midgley AW, McNaughton LR, Carroll S. Physiological determinants of time to exhaustion during intermittent treadmill running at vVO₂(2max). *Int J Sports Med.* 2007;28:273-80.
 134. Midgley AW, McNaughton LR, Carroll S. Reproducibility of time at or near VO₂max during intermittent treadmill running. *Int J Sports Med.* 2007;28:40-7.
 135. Midgley AW, McNaughton LR, Carroll S. Time at VO₂max during intermittent treadmill running: Test protocol dependent or methodological artefact? *Int J Sports Med.* 2007;28:934-9.
 136. Millet GP, Candau R, Fattori P, Bignet F, Varray A. VO₂ responses to different intermittent runs at velocity associated with VO₂max. *Can J Appl Physiol.* 2003;28:410-23.
 137. Millet GP, Libicz S, Borrani F, Fattori P, Bignet F, Candau R. Effects of increased intensity of intermittent training in runners with differing VO₂ kinetics. *Eur J Appl Physiol.* 2003;90:50-7.
 138. Minetti AE, Moia C, Roi GS, Susta D, Ferretti G. Energy cost of walking and running at extreme uphill and downhill slopes. *J Appl Physiol.* 2002;93:1039-46.
 139. Mooney M, O'Brien B, Cormack S, Coutts A, Berry J, Young W. The relationship between physical capacity and match performance in elite Australian football: A mediation approach. *J Sci Med Sport.* 2011;14:447-52.
 140. Nakamura FY, Soares-Caldeira LF, Laursen PB, Polito MD, Leme LC, Buchheit M. Cardiac autonomic responses to repeated shuttle sprints. *Int J Sports Med.* 2009;30:808-13.
 141. Ngo JK, Tsui MC, Smith AW, Carling C, Chan GS, Wong del P. The effects of man-marking on work intensity in small-sided soccer games. *J Sports Sci Med.* 2012;11:109-14.
 142. Nimmerichter A, Eston R, Bachl N, Williams C. Effects of low and high cadence interval training on power output in flat and uphill cycling time-trials. *Eur J Appl Physiol.* 2012;112:69-78.
 143. Norris SR, Petersen SR. Effects of endurance training on transient oxygen uptake responses in cyclists. *J Sports Sci.* 1998;16:733-8.
 144. Nummela A, Vuorimaa T, Rusko H. Changes in force production, blood lactate and EMG activity in the 400-m sprint. *J Sports Sci.* 1992;10:217-28.
 145. Oliver JL. Is a fatigue index a worthwhile measure of repeated sprint ability? *J Sci Med Sport.* 2009;12:20-3.
 146. Omeyer C, Buchheit M. Vertical jump performance in response to different high-intensity running sessions. In: *Faculté des sciences du sport (STAPS)*. Strasbourg, 2002.
 147. Opar DA, Williams MD, and Shield AJ. Hamstring strain injuries: Factors that lead to injury and re-injury. *Sports Med.* 2012;42:209-26.
 148. Osgnach C, Poser S, Bernardini R, Rinaldo R, di Prampero PE. Energy cost and metabolic power in elite soccer: A new match analysis approach. *Med Sci Sports Exerc.* 2010;42:170-8.
 149. Paavolainen L, Nummela A, Rusko H. Muscle power factors and VO₂max as determinants of horizontal and uphill running performance. *Scand J Med Sci Sports.* 2000;10:286-91.
 150. Parolin ML, Chesley A, Matsos MP, Spriet LL, Jones NL, Heigenhauser GJ. Regulation of skeletal muscle glycogen phosphorylase and PDH during maximal intermittent exercise. *Am J Physiol.* 1999;277:E890-900.
 151. Perrey S, Racinais S, Saimouaa K, Girard O. Neural and muscular adjustments following repeated running sprints. *Eur J Appl Physiol.* 2010;109(6):1027-36.
 152. Pringle JS, Carter H, Doust JH, Jones AM. Oxygen uptake kinetics during horizontal and uphill treadmill running in humans. *Eur J Appl Physiol.* 2002;88:163-9.
 153. Pringle JS, Doust JH, Carter H, Tolfrey K, Campbell IT, Sakkas GK, et al. Oxygen uptake kinetics during moderate, heavy and severe intensity "submaximal" exercise in humans: the

- influence of muscle fibre type and capillarisation. *Eur J Appl Physiol.* 2003;89:289-300.
154. Pugh LG. The influence of wind resistance in running and walking and the mechanical efficiency of work against horizontal or vertical forces. *J Physiol.* 1971;213:255-76.
 155. Putman CT, Jones NL, Lands LC, Bragg TM, Hollidge-Horvat MG, Heigenhauser GJ. Skeletal muscle pyruvate dehydrogenase activity during maximal exercise in humans. *Am J Physiol.* 1995;269:E458-68.
 156. Rampinini E, Impellizzeri FM, Castagna C, Abt G, Chamari K, Sassi A, et al. Factors influencing physiological responses to small-sided soccer games. *J Sports Sci.* 2007;25:659-66.
 157. Rebelo AN, Silva P, Rago V, Barreira D, Krstrup P. Differences in strength and speed demands between 4v4 and 8v8 small-sided football games. *J Sports Sci.* 2016;34:2246-54.
 158. Ross A, Leveritt M, Riek S. Neural influences on sprint running: Training adaptations and acute responses. *Sports Med.* 2001;31:409-25.
 159. Rozenek R, Funato K, Kubo J, Hoshikawa M, Matsuo A. Physiological responses to interval training sessions at velocities associated with VO₂max. *J Strength Cond Res.* 2007;21:188-92.
 160. Rusko H, Nummela A, Mero A. A new method for the evaluation of anaerobic running power in athletes. *Eur J Appl Physiol.* 1993;66:97-101.
 161. Rusko HK, Tikkanen HO, Peltonen JE. Altitude and endurance training. *J Sports Sci.* 2004;22:928-44; discussion 945.
 162. Seiler S, Hetlelid KJ. The impact of rest duration on work intensity and RPE during interval training. *Med Sci Sports Exerc.* 2005;37:1601-7.
 163. Seiler S, Sjursen JE. Effect of work duration on physiological and rating scale of perceived exertion responses during self-paced interval training. *Scand J Med Sci Sports.* 2004;14:318-25.
 164. Skof B, Strojnik V. Neuro-muscular fatigue and recovery dynamics following anaerobic interval workload. *Int J Sports Med.* 2006;27:220-5.
 165. Slawinski J, Dorel S, Hug F, Couturier A, Fournel V, Morin JB, et al. Elite long sprint running: A comparison between incline and level training sessions. *Med Sci Sports Exerc.* 2008;40:1155-62.
 166. Small K, McNaughton LR, Greig M, Lohkamp M, Lovell R. Soccer fatigue, sprinting and hamstring injury risk. *Int J Sports Med.* 2009;30:573-8.
 167. Smith TP, Coombes JS, Geraghty DP. Optimising high-intensity treadmill training using the running speed at maximal O₂ uptake and the time for which this can be maintained. *Eur J Appl Physiol.* 2003;89:337-43.
 168. Smith TP, McNaughton LR, Marshall KJ. Effects of 4-wk training using V_{max}/T_{max} on VO₂max and performance in athletes. *Med Sci Sports Exerc.* 1999;31:892-6.
 169. Stepto NK, Hawley JA, Dennis SC, Hopkins WG. Effects of different interval-training programs on cycling time-trial performance. *Med Sci Sports Exerc.* 1998;31:736-41.
 170. Stepto NK, Martin DT, Fallon KE, Hawley JA. Metabolic demands of intense aerobic interval training in competitive cyclists. *Med Sci Sports Exerc.* 2001;33:303-10.
 171. Stratton G, Reilly T, Williams AM, Richardson D. *Youth Soccer: From Science to Performance.* London: Routledge; 2004.
 172. Tabata I, Irisawa K, Kouzaki M, Nishimura K, Ogita F, Miyachi M. Metabolic profile of high intensity intermittent exercises. *Med Sci Sports Exerc.* 1997;29:390-5.
 173. Tardieu-Berger M, Thevenet D, Zouhal H, Prioux J. Effects of active recovery between series on performance during an intermittent exercise model in young endurance athletes. *Eur J Appl Physiol.* 2004;93:145-52.
 174. Thevenet D, Leclair E, Tardieu-Berger M, Berthoin S, Regueme S, and Prioux J. Influence of recovery intensity on time spent at maximal oxygen uptake during an intermittent session in young, endurance-trained athletes. *J Sports Sci.* 2008;26:1313-21.
 175. Thevenet D, Tardieu M, Zouhal H, Jacob C, Abderrahman BA, Prioux J. Influence of exercise intensity on time spent at high percentage of maximal oxygen uptake during an intermittent session in young endurance-trained athletes. *Eur J Appl Physiol.* 2007;102:19-26.
 176. Thevenet D, Tardieu-Berger M, Berthoin S, Prioux J. Influence of recovery mode (passive vs. active) on time spent at maximal oxygen uptake during an intermittent session in young and endurance-trained athletes. *Eur J Appl Physiol.* 2007;99:133-42.

177. Tomazin K, Morin JB, Strojnik V, Podpecan A, Millet GY. Fatigue after short (100-m), medium (200-m) and long (400-m) treadmill sprints. *Eur J Appl Physiol*. [Epub ahead of print], 2011.
178. van Beijsterveldt AM, van de Port IG, Vereijken AJ, Backx FJ. Risk factors for hamstring injuries in male soccer players: A systematic review of prospective studies. *Scand J Med Sci Sports*. 2013;23(3):253-62.
179. Vuorimaa T, Hakkinen K, Vahasoyrinki P, Rusko H. Comparison of three maximal anaerobic running test protocols in marathon runners, middle-distance runners and sprinters. *Int J Sports Med*. 1996;17(Suppl 2): S109-13.
180. Vuorimaa T, Vasankari T, Rusko H. Comparison of physiological strain and muscular performance of athletes during two intermittent running exercises at the velocity associated with VO₂max. *Int J Sports Med*. 2000;21:96-101.
181. Wakefield BR, Glaister M. Influence of work-interval intensity and duration on time spent at a high percentage of VO₂max during intermittent supramaximal exercise. *J Strength Cond Res*. 2009;23:2548-54.
182. Clemente FM, Lourenco Martins FM, Mendes RS. Developing aerobic and anaerobic fitness using small-sided soccer games methodological proposals. *Strength Cond J*. 2014;36(3):76-87.
183. Impey SG, Hammond KM, Shepherd SO, Sharples AP, Stewart C, Limb M, et al. Fuel for the work required: A practical approach to amalgamating train-low paradigms for endurance athletes. *Physiol Rep*. 2016;4(10).
184. Impey SG, Hearn MA, Hammond KM, Bartlett JD, Louis J, Close GL, et al. Fuel for the work required: A theoretical framework for carbohydrate periodization and the glycogen threshold hypothesis. *Sports Med*. 2018;48(5):1031-48.
185. Vernillo G, Giandolini M, Edwards WB, Morin JB, Samozino P, Horvais N, et al. Biomechanics and physiology of uphill and downhill running. *Sports Med*. 2017;47(4):615-29.
3. Apro W, Moberg M, Hamilton DL, Ekblom B, van Hall G, Holmberg HC, et al. Resistance exercise-induced S6K1 kinase activity is not inhibited in human skeletal muscle despite prior activation of AMPK by high-intensity interval cycling. *Am J Physiol Endocrinol Metab*. 2015;308(6):E470-81.
4. Areta JL, Burke LM, Ross ML, Camera DM, West DW, Broad EM, et al. Timing and distribution of protein ingestion during prolonged recovery from resistance exercise alters myofibrillar protein synthesis. *J Physiol*. 2013;591(Pt 9):2319-31.
5. Atherton PJ, Babraj J, Smith K, Singh J, Rennie MJ, Wackerhage H. Selective activation of AMPK-PGC-1 α or PKB-TSC2-mTOR signaling can explain specific adaptive responses to endurance or resistance training-like electrical muscle stimulation. *FASEB J*. 2005;19(7):786-8.
6. Baar K. Using molecular biology to maximize concurrent training. *Sports Med*. 2014;44(Suppl 2):S117-25.
7. Balabinis CP, Psarakis CH, Moukas M, Vassiliou MP, Behrakis PK. Early phase changes by concurrent endurance and strength training. *J Strength Cond Res*. 2003;17(2):393-401.
8. Bartlett JD, Hawley JA, Morton JP. Carbohydrate availability and exercise training adaptation: Too much of a good thing? *Eur J Sport Sci*. 2015;15(1):3-12.
9. Bell GJ, Syrotuik D, Martin TP, Burnham R, Quinney HA. Effect of concurrent strength and endurance training on skeletal muscle properties and hormone concentrations in humans. *Eur J Appl Physiol*. 2000;81(5):418-27.
10. Bentley DJ, Zhou S, Davie AJ. The effect of endurance exercise on muscle force generating capacity of the lower limbs. *J Sci Med Sport*. 1998;1(3):179-88.
11. Bentley DJ, Smith PA, Davie AJ, Zhou S. Muscle activation of the knee extensors following high intensity endurance exercise in cyclists. *Eur J Appl Physiol*. 2000;81(4):297-302.
12. Bergstrom J, Hermansen L, Hultman E, Saltin B. Diet, muscle glycogen and physical performance. *Acta Physiol Scand*. 1967;71(2):140-50.
13. Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part II: Anaerobic energy, neuromuscular load

Chapter 6

1. Aagaard P, Andersen JL. Effects of strength training on endurance capacity in top-level endurance athletes. *Scand J Med Sci Sports*. 2010;20(Suppl 2):39-47.
2. Abernethy PJ. Influence of acute endurance activity on isokinetic strength. *J Strength Cond Res*. 1993;7:141-6.

- and practical applications. *Sports Med.* 2013;43(10):927-54.
14. Buchheit M, Kuitunen S, Voss SC, Williams BK, Mendez-Villanueva A, Bourdon PC. Physiological strain associated with high-intensity hypoxic intervals in highly trained young runners. *J Strength Cond Res.* 2012;26(1):94-105.
 15. Buckner SL, Dankel SJ, Mattocks KT, Jessee MB, Mouser JG, Counts BR, et al. The problem of muscle hypertrophy: revisited. *Muscle Nerve.* 2016;54(6):1012-14.
 16. Burke LM, Hawley JA, Wong SH, Jeukendrup AE. Carbohydrates for training and competition. *J Sports Sci.* 2011;29(Suppl 1):S17-27.
 17. Burt DG, Twist C. The effects of exercise-induced muscle damage on cycling time-trial performance. *J Strength Cond Res.* 2011;25(8):2185-92.
 18. Bush JE, Plews DJ, Kilding AE, Olsen R, Laursen PB. Cardiac autonomic recovery and high-intensity interval training performance following strength training in elite sprint endurance athletes: implications for concurrent training. SPoRT INnovation (SPIN) Summit; October 4-6; Richmond, British Columbia, 2017.
 19. Camera DM, West DW, Burd NA, Phillips SM, Garnham AP, Hawley JA, et al. Low muscle glycogen concentration does not suppress the anabolic response to resistance exercise. *J Appl Physiol.* 2012;113(2):206-14.
 20. Cantrell GS, Schilling BK, Paquette MR, Murlasits Z. Maximal strength, power, and aerobic endurance adaptations to concurrent strength and sprint interval training. *Eur J Appl Physiol.* 2014;114(4):763-71.
 21. Chtara M, Chamari K, Chaouachi M, Chaouachi A, Koubaa D, Feki Y, et al. Effects of intra-session concurrent endurance and strength training sequence on aerobic performance and capacity. *Br J Sports Med.* 2005;39(8):555-60.
 22. Coffey VG, Hawley JA. Concurrent exercise training: do opposites distract? *J Physiol.* 2016;595(9):2883-96.
 23. Cormie P, McGuigan MR, Newton RU. Developing maximal neuromuscular power: Part 1: Biological basis of maximal power production. *Sports Med.* 2011;41(1):17-38.
 24. Craig B, Lucas J, Pohlman R. Effects of running, weightlifting and a combination of both on growth hormone release. *J Appl Sport Sci Res.* 1991;5:198-203.
 25. Davis JK, Green JM. Caffeine and anaerobic performance: Ergogenic value and mechanisms of action. *Sports Med.* 2009;39(10):813-32.
 26. Davis WJ, Wood DT, Andrews RG, Elkind LM, Davis WB. Concurrent training enhances athletes' strength, muscle endurance, and other measures. *J Strength Cond Res.* 2008;22(5):1487-502.
 27. de Salles Painelli V, Alves VT, Ugrinowitsch C, Benatti FB, Artioli GG, Lancha AH, Jr., et al. Creatine supplementation prevents acute strength loss induced by concurrent exercise. *Eur J Appl Physiol.* 2014;114(8):1749-55.
 28. de Souza EO, Tricoli V, Franchini E, Paulo AC, Regazzini M, Ugrinowitsch C. Acute effect of two aerobic exercise modes on maximum strength and strength endurance. *J Strength Cond Res.* 2007;21(4):1286-90.
 29. Di Donato DM, West DW, Churchward-Venne TA, Breen L, Baker SK, Phillips SM. Influence of aerobic exercise intensity on myofibrillar and mitochondrial protein synthesis in young men during early and late postexercise recovery. *Am J Physiol Endocrinol Metab.* 2014;306(9):E1025-32.
 30. Dolezal BA, Potteiger JA. Concurrent resistance and endurance training influence basal metabolic rate in nondieting individuals. *J Appl Physiol.* 1998;85(2):695-700.
 31. Doma K, Deakin GB. The effects of combined strength and endurance training on running performance the following day. *Int J Sport Health Sci.* 2013;11:1-9.
 32. Doma K, Deakin GB, Bentley DJ. Implications of impaired endurance performance following single bouts of resistance training: An alternate concurrent training perspective. *Sports Med.* 2017;47(11): 2187-200.
 33. Doncaster GG, Twist C. Exercise-induced muscle damage from bench press exercise impairs arm cranking endurance performance. *Eur J Appl Physiol.* 2012;112(12):4135-42.
 34. Dudley GA, Djamil R. Incompatibility of endurance- and strength-training modes of exercise. *J Appl Physiol.* 1985;59(5):1446-51.
 35. Egan B, Zierath JR. Exercise metabolism and the molecular regulation of skeletal muscle adaptation. *Cell Metab.* 2013;17(2):162-84.

36. Fyfe JJ, Bishop DJ, Stepto NK. Interference between concurrent resistance and endurance exercise: Molecular bases and the role of individual training variables. *Sports Med.* 2014;44(6):743-62.
37. Fyfe JJ, Bishop DJ, Zacharewicz E, Russell AP, Stepto NK. Concurrent exercise incorporating high-intensity interval or continuous training modulates mTORC1 signalling and microRNA expression in human skeletal muscle. *Am J Physiol Regul Integr Comp Physiol.* 2016;310(11):R1297-311.
38. Fyfe JJ, Bartlett JD, Hanson ED, Stepto NK, Bishop DJ. Endurance training intensity does not mediate interference to maximal lower-body strength gain during short-term concurrent training. *Front Physiol.* 2016;Nov 3;7(487).
39. Glowacki SP, Martin SE, Maurer A, Baek W, Green JS, Crouse SF. Effects of resistance, endurance, and concurrent exercise on training outcomes in men. *Med Sci Sports Exerc.* 2004;36(12):2119-27.
40. Glynn EL, Fry CS, Drummond MJ, Dreyer HC, Dhanani S, Volpi E, et al. Muscle protein breakdown has a minor role in the protein anabolic response to essential amino acid and carbohydrate intake following resistance exercise. *Am J Physiol Regul Integr Comp Physiol.* 2010;299(2):R533-40.
41. Häkkinen K, Alen M, Kraemer WJ, Gorostiaga E, Izquierdo M, Rusko H, et al. Neuromuscular adaptations during concurrent strength and endurance training versus strength training. *Eur J Appl Physiol.* 2003;89(1):42-52.
42. Hamilton DL, Philp A. Can AMPK mediated suppression of mTORC1 explain the concurrent training effect? *Cel Mol Ex Physiol.* 2013;2(1).
43. Harber MP, Konopka AR, Douglass MD, Minchev K, Kaminsky LA, Trappe TA, et al. Aerobic exercise training improves whole muscle and single myofiber size and function in older women. *Am J Physiol Regul Integr Comp Physiol.* 2009;297(5):R1452-9.
44. Harber MP, Konopka AR, Undem MK, Hinkley JM, Minchev K, Kaminsky LA, et al. Aerobic exercise training induces skeletal muscle hypertrophy and age-dependent adaptations in myofiber function in young and older men. *J Appl Physiol (1985).* 2012;113(9):1495-504.
45. Hawley JA. Molecular responses to strength and endurance training: Are they incompatible? *Appl Physiol Nutr Metab.* 2009;34(3):355-61.
46. Hennessy L, Watson A. The interference effects of training for strength and endurance simultaneously. *J Strength Cond Res.* 1994;12:9-12.
47. Hickson RC. Interference of strength development by simultaneously training for strength and endurance. *Eur J Appl Physiol Occup Physiol.* 1980;45(2-3):255-63.
48. Hickson RC, Rosenkoetter MA, Brown MM. Strength training effects on aerobic power and short-term endurance. *Med Sci Sports Exerc.* 1980;12(5):336-9.
49. Hodgson M, Docherty D, Robbins D. Post-activation potentiation: Underlying physiology and implications for motor performance. *Sports Med.* 2005;35(7):585-95.
50. Hoff J, Helgerud J. Endurance and strength training for soccer players: Physiological considerations. *Sports Med.* 2004;34(3):165-80.
51. Hood DA, Tryon LD, Carter HN, Kim Y, Chen CC. Unravelling the mechanisms regulating muscle mitochondrial biogenesis. *Biochem J.* 2016;473(15):2295-314.
52. Howarth KR, Phillips SM, MacDonald MJ, Richards D, Moreau NA, Gibala MJ. Effect of glycogen availability on human skeletal muscle protein turnover during exercise and recovery. *J Appl Physiol (1985).* 2010;109(2):431-8.
53. Hunter G, Demment R, Miller D. Development of strength and maximum oxygen uptake during simultaneous training for strength and endurance. *J Sports Med Phys Fitness.* 1987;27:269-75.
54. Inoki K, Zhu T, Guan KL. TSC2 mediates cellular energy response to control cell growth and survival. *Cell.* 2003;115(5):577-90.
55. Jones TW, Howatson G, Russell M, French DN. Performance and neuromuscular adaptations following differing ratios of concurrent strength and endurance training. *J Strength Cond Res.* 2013;27(12):3342-51.
56. Kazior Z, Willis SJ, Moberg M, Apro W, Calbet JA, Holmberg HC, et al. Endurance exercise enhances the effect of strength training on muscle fiber size and protein expression of Akt and mTOR. *PLoS One.* 2016;11(2):e0149082.

57. Kraemer WJ, Patton JF, Gordon SE, Harman EA, Deschenes MR, Reynolds K, et al. Compatibility of high-intensity strength and endurance training on hormonal and skeletal muscle adaptations. *J Appl Physiol* (1985). 1995;78(3):976-89.
58. Kreider RB, Kalman DS, Antonio J, Ziegenfuss TN, Wildman R, Collins R, et al. International Society of Sports Nutrition position stand: Safety and efficacy of creatine supplementation in exercise, sport, and medicine. *J Int Soc Sports Nutr*. 2017;14:18.
59. Lemos A, Simao R, Polito M, Salles B, Rhea MR, Alexander J. The acute influence of two intensities of aerobic exercise on strength training performance in elderly women. *J Strength Cond Res*. 2009;23(4):1252-7.
60. Lepers R, Hausswirth C, Maffiuletti N, Brisswalter J, van Hoecke J. Evidence of neuromuscular fatigue after prolonged cycling exercise. *Med Sci Sports Exerc*. 2000;32(11):1880-6.
61. Leveritt M, Abernethy P. Acute effects of high-intensity endurance exercise on subsequent resistance activity. *J Strength Cond Res*. 1999;13:47-51.
62. Leveritt M, MacLaughlin H, Abernethy PJ. Changes in leg strength 8 and 32 h after endurance exercise. *J Sports Sci*. 2000;18(11):865-71.
63. Leveritt M, Abernethy PJ, Barry BK, Logan PA. Concurrent strength and endurance training. A review. *Sports Med*. 1999;28(6):413-27.
64. Lovell R, Siegler JC, Knox M, Brennan S, Marshall PW. Acute neuromuscular and performance responses to Nordic hamstring exercises completed before or after football training. *J Sports Sci*. 2016;34(24):2286-94.
65. Lundberg TR, Fernandez-Gonzalo R, Gustafsson T, Tesch PA. Aerobic exercise alters skeletal muscle molecular responses to resistance exercise. *Med Sci Sports Exerc*. 2012;44(9):1680-8.
66. Lundberg TR, Fernandez-Gonzalo R, Gustafsson T, Tesch PA. Aerobic exercise does not compromise muscle hypertrophy response to short-term resistance training. *J Appl Physiol* (1985). 2013;114(1):81-9.
67. Macnaughton LS, Wardle SL, Witard OC, McGlory C, Hamilton DL, Jeromson S, et al. The response of muscle protein synthesis following whole-body resistance exercise is greater following 40 g than 20 g of ingested whey protein. *Physiol Rep*. 2016;4(15).
68. Marcotte GR, West DW, Baar K. The molecular basis for load-induced skeletal muscle hypertrophy. *Calcif Tissue Int*. 2015;96(3):196-210.
69. Mascher H, Ekblom B, Rooyackers O, Blomstrand E. Enhanced rates of muscle protein synthesis and elevated mTOR signalling following endurance exercise in human subjects. *Acta Physiol (Oxf)*. 2011;202(2):175-84.
70. McCarthy JP, Pozniak MA, Agre JC. Neuromuscular adaptations to concurrent strength and endurance training. *Med Sci Sports Exerc*. 2002;34(3):511-9.
71. Millet GY, Lepers R. Alterations of neuromuscular function after prolonged running, cycling and skiing exercises. *Sports Med*. 2004;34(2):105-16.
72. Millward DJ, Bowtell JL, Pacy P, Rennie MJ. Physical activity, protein metabolism and protein requirements. *Proc Nutr Soc*. 1994;53(1):223-40.
73. Moore DR, Camera DM, Areta JL, Hawley JA. Beyond muscle hypertrophy: Why dietary protein is important for endurance athletes. *Appl Physiol Nutr Metab*. 2014;39(9):987-97.
74. Moritani T, deVries HA. Neural factors versus hypertrophy in the time course of muscle strength gain. *Am J Phys Med*. 1979;58(3):115-30.
75. Morton RW, Murphy KT, McKellar SR, Schoenfeld BJ, Henselmans M, Helms E, et al. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *Br J Sports Med*. 2018;52(6):376-84.
76. Murlasits Z, Kneffel Z, Thalib L. The physiological effects of concurrent strength and endurance training sequence: A systematic review and meta-analysis. *J Sports Sci*. 2018;36(11):1212-19.
77. Nader GA. Concurrent strength and endurance training: From molecules to man. *Med Sci Sports Exerc*. 2006;38(11):1965-70.
78. Nelson AG, Arnall DA, Loy SF, Silvester LJ, Conlee RK. Consequences of combining strength and endurance training regimens. *Phys Ther*. 1990;70(5):287-94.
79. Panissa VL, Tricoli VA, Julio UF, Ribeiro N, de Azevedo Neto RM, Carmo EC, et al. Acute effect of high-intensity aerobic exercise performed on treadmill and cycle ergometer on strength

- performance. *J Strength Cond Res.* 2015;29(4):1077-82.
80. Perez-Schindler J, Hamilton DL, Moore DR, Baar K, Philp A. Nutritional strategies to support concurrent training. *Eur J Sport Sci.* 2015;15(1):41-52.
 81. Perry CG, Lally J, Holloway GP, Heigenhauser GJ, Bonen A, Spriet LL. Repeated transient mRNA bursts precede increases in transcriptional and mitochondrial proteins during training in human skeletal muscle. *J Physiol.* 2010;588(Pt 23):4795-810.
 82. Putman CT, Xu X, Gillies E, MacLean IM, Bell GJ. Effects of strength, endurance and combined training on myosin heavy chain content and fibre-type distribution in humans. *Eur J Appl Physiol.* 2004;92(4-5):376-84.
 83. Ratamess NA, Kang J, Porfido TM, Ismaili CP, Selamie SN, Williams BD, et al. Acute resistance exercise performance is negatively impacted by prior aerobic endurance exercise. *J Strength Cond Res.* 2016;30(10):2667-81.
 84. Res PT, Groen B, Pennings B, Beelen M, Wallis GA, Gijsen AP, et al. Protein ingestion before sleep improves postexercise overnight recovery. *Med Sci Sports Exerc.* 2012;44(8):1560-9.
 85. Roberts LA, Raastad T, Markworth JF, Figueiredo VC, Egner IM, Shield A, et al. Post-exercise cold water immersion attenuates acute anabolic signalling and long-term adaptations in muscle to strength training. *J Physiol.* 2015;593(18):4285-301.
 86. Robineau J, Babault N, Piscione J, Lacombe M, Bigard AX. Specific training effects of concurrent aerobic and strength exercises depend on recovery duration. *J Strength Cond Res.* 2016;30(3):672-83.
 87. Ronnestad BR, Mujika I. Optimizing strength training for running and cycling endurance performance: A review. *Scand J Med Sci Sports.* 2014;24(4):603-12.
 88. Ronnestad BR, Hansen EA, Raastad T. High volume of endurance training impairs adaptations to 12 weeks of strength training in well-trained endurance athletes. *Eur J Appl Physiol.* 2012;112(4):1457-66.
 89. Sale DG, Jacobs I, MacDougall JD, Garner S. Comparison of two regimens of concurrent strength and endurance training. *Med Sci Sports Exerc.* 1990;22(3):348-56.
 90. Sands WA, McNeal JR, Murray SR, Stone MH. Dynamic compression enhances pressure-to-pain threshold in elite athlete recovery: Exploratory study. *J Strength Cond Res.* 2015;29(5):1263-72.
 91. Snijders T, Res PT, Smeets JS, van Vliet S, van Kranenburg J, Maase K, et al. Protein ingestion before sleep increases muscle mass and strength gains during prolonged resistance-type exercise training in healthy young men. *J Nutr.* 2015;145(6):1178-84.
 92. Sporer BC, Wenger HA. Effects of aerobic exercise on strength performance following various periods of recovery. *J Strength Cond Res.* 2003;17(4):638-44.
 93. Staples AW, Burd NA, West DW, Currie KD, Atherton PJ, Moore DR, et al. Carbohydrate does not augment exercise-induced protein accretion versus protein alone. *Med Sci Sports Exerc.* 2011;43(7):1154-61.
 94. Stephens JM, Halson S, Miller J, Slater GJ, Askew CD. Cold-water immersion for athletic recovery: One size does not fit all. *Int J Sports Physiol Perform.* 2017;12(1):2-9.
 95. Suchomel TJ, Nimphius S, Stone MH. The importance of muscular strength in athletic performance. *Sports Med.* 2016;46(10):1419-49.
 96. Tan JG, Coburn JW, Brown LE, Judelson DA. Effects of a single bout of lower-body aerobic exercise on muscle activation and performance during subsequent lower- and upper-body resistance exercise workouts. *J Strength Cond Res.* 2014;28(5):1235-40.
 97. Tipton KD, Ferrando AA, Phillips SM, Doyle D, Jr., Wolfe RR. Postexercise net protein synthesis in human muscle from orally administered amino acids. *Am J Physiol.* 1999;276(4 Pt 1):E628-34.
 98. van Wessel T, de Haan A, van der Laarse WJ, Jaspers RT. The muscle fiber type-fiber size paradox: Hypertrophy or oxidative metabolism? *Eur J Appl Physiol.* 2010;110(4):665-94.
 99. Wilkinson SB, Phillips SM, Atherton PJ, Patel R, Yarasheski KE, Tarnopolsky MA, et al. Differential effects of resistance and endurance exercise in the fed state on signalling molecule phosphorylation and protein synthesis in human muscle. *J Physiol.* 2008;586(Pt 15):3701-17.
 100. Wilson JM, Marin PJ, Rhea MR, Wilson SM, Loenneke JP, Anderson JC. Concurrent train-

ing: A meta-analysis examining interference of aerobic and resistance exercises. *J Strength Cond Res.* 2012;26(8):2293-307.

101. Zourdos MC, Dolan C, Quiles JM, Klemp A, Jo E, Loenneke JP, et al. Efficacy of daily one-repetition maximum training in well-trained powerlifters and weightlifters: A case series. *Nutricion Hospitalaria.* 2016;33(2):437-43.

Chapter 7

1. *Dietary Reference Intakes for Thiamin, Riboflavin, Niacin, Vitamin B6, Folate, Vitamin B12, Pantothenic Acid, Biotin, and Choline.* The National Academies Collection: Reports funded by National Institutes of Health. Washington, DC; 1998.
2. Ackland TR, Lohman TG, Sundgot-Borgen J, Maughan RJ, Meyer NL, Stewart AD, et al. Current status of body composition assessment in sport: Review and position statement on behalf of the ad hoc research working group on body composition health and performance, under the auspices of the I.O.C. Medical Commission. *Sports Med.* 2012;42(3):227-49.
3. Alaranta A, Alaranta H, Heliovaara M, Airaksinen M, Helenius I. Ample use of physician-prescribed medications in Finnish elite athletes. *Int J Sports Med.* 2006;27(11):919-25.
4. Alentorn-Geli E, Myer GD, Silvers HJ, Samitier G, Romero D, Lazaro-Haro C, et al. Prevention of non-contact anterior cruciate ligament injuries in soccer players. Part 1: Mechanisms of injury and underlying risk factors. *Knee Surg Sports Traumatol Arthrosc.* 2009;17(7):705-29.
5. Alshahrani F, Aljohani N. Vitamin D: Deficiency, sufficiency and toxicity. *Nutrients.* 2013;5(9):3605-16.
6. American Dietetic A, Dietitians of C, American College of Sports M, Rodriguez NR, Di Marco NM, Langley S. American College of Sports Medicine position stand. Nutrition and athletic performance. *Med Sci Sports Exerc.* 2009;41(3):709-31.
7. Angeli A, Minetto M, Dovio A, Paccotti P. The overtraining syndrome in athletes: A stress-related disorder. *J Endocrinol Invest.* 2004;27(6):603-12.
8. Aragon AA, Schoenfeld BJ, Wildman R, Kleiner S, VanDusseldorp T, Taylor L, et al. International society of sports nutrition position stand: Diets and body composition. *J Int Soc Sports Nutr.* 2017;14:16.
9. Armas LA, Hollis BW, Heaney RP. Vitamin D2 is much less effective than vitamin D3 in humans. *J Clin Endocrinol Metab.* 2004;89(11):5387-91.
10. Armstrong LE, Johnson EC, Kunces LJ, Ganio MS, Judelson DA, Kupchak BR, et al. Drinking to thirst versus drinking ad libitum during road cycling. *J Athl Train.* 2014;49(5):624-31.
11. Ashwell M, Hsieh SD. Six reasons why the waist-to-height ratio is a rapid and effective global indicator for health risks of obesity and how its use could simplify the international public health message on obesity. *Int J Food Sci Nutr.* 2005;56(5):303-7.
12. Asif IM, Harmon KG. Incidence and etiology of sudden cardiac death: New updates for athletic departments. *Sports Health.* 2017;9(3):268-79.
13. Aubry A, Hausswirth C, Louis J, Coutts AJ, Buchheit M, Le Meur Y. The development of functional overreaching is associated with a faster heart rate recovery in endurance athletes. *PLoS One.* 2015;10(10):e0139754.
14. Baguley B, Zilujko J, Leveritt MD, Desbrow B, Irwin C. The effect of ad libitum consumption of a milk-based liquid meal supplement vs. a traditional sports drink on fluid balance after exercise. *Int J Sport Nutr Exerc Metab.* 2016;26(4):347-55.
15. Bandegan A, Courtney-Martin G, Rafii M, Pencharz PB, Lemon PW. Indicator amino acid-derived estimate of dietary protein requirement for male bodybuilders on a nontraining day is several-fold greater than the current recommended dietary allowance. *J Nutr.* 2017;147(5):850-7.
16. Bartlett JD, Hawley JA, Morton JP. Carbohydrate availability and exercise training adaptation: Too much of a good thing? *Eur J Sport Sci.* 2015;15(1):3-12.
17. Bartolotto C. Does consuming sugar and artificial sweeteners change taste preferences? *Perm J.* 2015;19(3):81-4.
18. Beard J, Tobin B. Iron status and exercise. *Am J Clin Nutr.* 2000;72(Suppl 2):594S-7S.
19. Bernardis LL, Bellinger LL. The lateral hypothalamic area revisited: Ingestive behavior. *Neurosci Biobehav Rev.* 1996;20(2):189-287.
20. Bezard J, Blond JP, Bernard A, Clouet P. The metabolism and availability of essential fatty acids in animal and human tissues. *Reprod Nutr Dev.* 1994;34(6):539-68.

21. Bjelakovic G, Gluud LL, Nikolova D, Whitfield K, Wetterslev J, Simonetti RG, et al. Vitamin D supplementation for prevention of mortality in adults. *Cochrane Database Syst Rev*. 2014;(1):CD007470.
22. Bonnavion P, Mickelsen LE, Fujita A, de Lecea L, Jackson AC. Hubs and spokes of the lateral hypothalamus: Cell types, circuits and behaviour. *J Physiol*. 2016;594(22):6443-62.
23. Brenna JT. Efficiency of conversion of alpha-linolenic acid to long chain n-3 fatty acids in man. *Curr Opin Clin Nutr Metab Care*. 2002;5(2):127-32.
24. Brooks KA, Carter JG. Overtraining, exercise and adrenal Insufficiency. *Novel Physiotherapies*. 2013;3(1).
25. Buchheit M. Monitoring training status with HR measures: Do all roads lead to Rome? *Front Physiol*. 2014;5:73.
26. Buchheit M, Simpson MB, Al Haddad H, Bourdon PC, Mendez-Villanueva A. Monitoring changes in physical performance with heart rate measures in young soccer players. *Eur J Appl Physiol*. 2012;112(2):711-23.
27. Buchheit M, Chivot A, Parouty J, Mercier D, Al Haddad H, Laursen PB, et al. Monitoring endurance running performance using cardiac parasympathetic function. *Eur J Appl Physiol*. 2010;108(6):1153-67.
28. Bueno NB, de Melo IS, de Oliveira SL, da Rocha Ataide T. Very-low-carbohydrate ketogenic diet v. low-fat diet for long-term weight loss: A meta-analysis of randomised controlled trials. *Br J Nutr*. 2013;110(7):1178-87.
29. Burke LM, Hawley JA, Wong SH, Jeukendrup AE. Carbohydrates for training and competition. *J Sports Sci*. 2011;29(Suppl 1):S17-27.
30. Burke LM, Slater G, Broad EM, Haukka J, Modulon S, Hopkins WG. Eating patterns and meal frequency of elite Australian athletes. *Int J Sport Nutr Exerc Metab*. 2003;13(4):521-38.
31. Campagnolo N, Iudakhina E, Irwin C, Schubert M, Cox GR, Leveritt M, et al. Fluid, energy and nutrient recovery via ad libitum intake of different fluids and food. *Physiol Behav*. 2017;171:228-35.
32. Cannell JJ, Hollis BW, Sorenson MB, Taft TN, Anderson JJ. Athletic performance and vitamin D. *Med Sci Sports Exerc*. 2009;41(5):1102-10.
33. Carbone A, D'Andrea A, Riegler L, Scarafilo R, Pezzullo E, Martone F, et al. Cardiac damage in athlete's heart: When the "supernormal" heart fails! *World J Cardiol*. 2017;9(6):470-80.
34. Chang CH, Shau WY, Kuo CW, Chen ST, Lai MS. Increased risk of stroke associated with nonsteroidal anti-inflammatory drugs: A nationwide case-crossover study. *Stroke*. 2010;41(9):1884-90.
35. Chang CK, Borer K, Lin PJ. Low-carbohydrate-high-fat diet: Can it help exercise performance? *J Hum Kinet*. 2017;56:81-92.
36. Chazaud B. Inflammation during skeletal muscle regeneration and tissue remodeling: Application to exercise-induced muscle damage management. *Immunol Cell Biol*. 2016;94(2):140-5.
37. Cheung SS, McGarr GW, Mallette MM, Wallace PJ, Watson CL, Kim IM, et al. Separate and combined effects of dehydration and thirst sensation on exercise performance in the heat. *Scand J Med Sci Sports*. 2015;25(Suppl 1):104-11.
38. Chmura J, Nazar K. Parallel changes in the onset of blood lactate accumulation (OBLA) and threshold of psychomotor performance deterioration during incremental exercise after training in athletes. *Int J Psychophysiol*. 2010;75(3):287-90.
39. Cillard J, Cillard P. Prooxidant effect of alpha-tocopherol on essential fatty acids in aqueous media. *Ann Nutr Aliment*. 1980;34(3):579-91.
40. Clark A, Mach N. Exercise-induced stress behavior, gut-microbiota-brain axis and diet: A systematic review for athletes. *J Int Soc Sports Nutr*. 2016;13:43.
41. Coleman LS. Stress repair mechanism activity explains inflammation and apoptosis. *Advances in Bioscience and Biotechnology*. 2012;3:459-503.
42. Collins SM, Silberlicht M, Perzinski C, Smith SP, Davidson PW. The relationship between body composition and preseason performance tests of collegiate male lacrosse players. *J Strength Cond Res*. 2014;28(9):2673-9.
43. Cordain L, Eaton SB, Sebastian A, Mann N, Lindeberg S, Watkins BA, et al. Origins and evolution of the Western diet: Health implications for the 21st century. *Am J Clin Nutr*. 2005;81(2):341-54.
44. Corrado D, Basso C, Thiene G. Letter by Corrado et al. regarding article, "Sudden deaths in young competitive athletes: analysis of 1866 deaths in the United States, 1980-2006." *Circulation*. 2009;120(16):e143; author reply e4.

45. Corrado D, Basso C, Rizzoli G, Schiavon M, Thiene G. Does sports activity enhance the risk of sudden death in adolescents and young adults? *J Am Coll Cardiol*. 2003;42(11):1959-63.
46. Corrigan B, Kazlauskas R. Medication use in athletes selected for doping control at the Sydney Olympics (2000). *Clin J Sport Med*. 2003;13(1):33-40.
47. Cotter JD, Thornton SN, Lee JK, Laursen PB. Are we being drowned in hydration advice? Thirsty for more? *Extrem Physiol Med*. 2014;3:18.
48. Cox PJ, Kirk T, Ashmore T, Willerton K, Evans R, Smith A, et al. Nutritional ketosis alters fuel preference and thereby endurance performance in athletes. *Cell Metab*. 2016;24(2):256-68.
49. Databases UFC. 2017. Available from: <https://ndb.nal.usda.gov/ndb/>
50. Dattilo M, Antunes HK, Medeiros A, Monico Neto M, Souza HS, Tufik S, et al. Sleep and muscle recovery: Endocrinological and molecular basis for a new and promising hypothesis. *Med Hypotheses*. 2011;77(2):220-2.
51. de Oliveira EP, Burini RC, Jeukendrup A. Gastrointestinal complaints during exercise: Prevalence, etiology, and nutritional recommendations. *Sports Med*. 2014;44(Suppl 1):S79-85.
52. Decroix L, Lamberts RP, Meeusen R. Can the Lamberts Submaximal Cycle Test reflect overreaching in professional cyclists? *Int J Sports Physiol Perform*. 2018;13(1):23-8.
53. DePalma MT, Koszewski WM, Romani W, Case JG, Zuiderhof NJ, McCoy PM. Identifying college athletes at risk for pathogenic eating. *Br J Sports Med*. 2002;36(1):45-50.
54. Dupuy O, Renaud M, Bherer L, Bosquet L. Effect of functional overreaching on executive functions. *Int J Sports Med*. 2010;31(9):617-23.
55. Elliott KR, Harmatz JS, Zhao Y, Greenblatt DJ. Body size changes among National Collegiate Athletic Association New England Division III football players, 1956-2014: Comparison with age-matched population controls. *J Athl Train*. 2016;51(5):373-81.
56. Emerson DM, Torres-McGehee TM, Emerson CC, LaSalle TL. Individual fluid plans versus ad libitum on hydration status in minor professional ice hockey players. *J Int Soc Sports Nutr*. 2017;14:25.
57. Enoka RM, Stuart DG. Neurobiology of muscle fatigue. *J Appl Physiol* (1985). 1992;72(5):1631-48.
58. Faraut B, Boudjeltia KZ, Dyzma M, Rousseau A, David E, Stenuit P, et al. Benefits of napping and an extended duration of recovery sleep on alertness and immune cells after acute sleep restriction. *Brain Behav Immun*. 2011;25(1):16-24.
59. Feinman RD, Pogozelski WK, Astrup A, Bernstein RK, Fine EJ, Westman EC, et al. Dietary carbohydrate restriction as the first approach in diabetes management: Critical review and evidence base. *Nutrition*. 2015;31(1):1-13.
60. Flegal KM, Carroll MD, Kit BK, Ogden CL. Prevalence of obesity and trends in the distribution of body mass index among US adults, 1999-2010. *JAMA*. 2012;307(5):491-7.
61. Fondell E, Axelsson J, Franck K, Ploner A, Lekander M, Balter K, et al. Short natural sleep is associated with higher T cell and lower NK cell activities. *Brain Behav Immun*. 2011;25(7):1367-75.
62. Fretts AM, Howard BV, Siscovick DS, Best LG, Beresford SA, Mete M, et al. Processed meat, but not unprocessed red meat, is inversely associated with leukocyte telomere length in the strong heart family study. *J Nutr*. 2016;146(10):2013-18.
63. Friedman JE, Lemon PW. Effect of chronic endurance exercise on retention of dietary protein. *Int J Sports Med*. 1989;10(2):118-23.
64. Fritsch P, Dalla Pozza R, Ehringer-Schetitska D, Jokinen E, Herceg V, Hidvegi E, et al. Cardiovascular pre-participation screening in young athletes: Recommendations of the Association of European Paediatric Cardiology. *Cardiol Young*. 2017;27(9):1655-60.
65. Fry AC, Kraemer WJ, Ramsey LT. Pituitary-adrenal-gonadal responses to high-intensity resistance exercise overtraining. *J Appl Physiol* (1985). 1998;85(6):2352-9.
66. Fry RW, Morton AR, Keast D. Overtraining in athletes. An update. *Sports Med*. 1991;12(1):32-65.
67. Fuller JT, Bellenger CR, Thewlis D, Arnold J, Thomson RL, Tsiros MD, et al. Tracking performance changes with running-stride variability when athletes are functionally overreached. *Int J Sports Physiol Perform*. 2017;12(3):357-63.
68. Garber CE, Blissmer B, Deschenes MR, Franklin BA, Lamonte MJ, Lee IM, et al. American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and

- neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Med Sci Sports Exerc.* 2011;43(7):1334-59.
69. Garrett AT, Goossens NG, Rehrer NJ, Patterson MJ, Harrison J, Sammut I, et al. Short-term heat acclimation is effective and may be enhanced rather than impaired by dehydration. *Am J Hum Biol.* 2014;26(3):311-20.
 70. Garth AK, Burke LM. What do athletes drink during competitive sporting activities? *Sports Med.* 2013;43(7):539-64.
 71. Gibson AL, Heyward VH, Mermier CM, Janot JM, Wilmerding MV. Comparison of DXA, Siri's 2C, and Lohman's Db-mineral models for estimating the body fat of physically active adults. *Int J Sport Nutr Exerc Metab.* 2004;14(6):657-72.
 72. Gillen JB, Trommelen J, Wardenaar FC, Brinkmans NY, Versteegen JJ, Jonvik KL, et al. Dietary protein intake and distribution patterns of well-trained Dutch athletes. *Int J Sport Nutr Exerc Metab.* 2017;27(2):105-14.
 73. Gorski T, Cadore EL, Pinto SS, da Silva EM, Correa CS, Beltrami FG, et al. Use of NSAIDs in triathletes: Prevalence, level of awareness and reasons for use. *Br J Sports Med.* 2011;45(2):85-90.
 74. Guellich A, Seiler S, Emrich E. Training methods and intensity distribution of young world-class rowers. *Int J Sports Physiol Perform.* 2009;4(4):448-60.
 75. Hackney AC, Kallman A, Hosick KP, Rubin DA, Battaglini CL. Thyroid hormonal responses to intensive interval versus steady-state endurance exercise sessions. *Hormones (Athens).* 2012;11(1):54-60.
 76. Halson SL. Sleep in elite athletes and nutritional interventions to enhance sleep. *Sports Med.* 2014;44(Suppl 1):S13-23.
 77. Halson SL, Jeukendrup AE. Does overtraining exist? An analysis of overreaching and overtraining research. *Sports Med.* 2004;34(14):967-81.
 78. Halton TL, Hu FB. The effects of high protein diets on thermogenesis, satiety and weight loss: A critical review. *J Am Coll Nutr.* 2004;23(5):373-85.
 79. Harray AJ, Boushey CJ, Pollard CM, Panizza CE, Delp EJ, Dhaliwal SS, et al. Perception v. actual intakes of junk food and sugar-sweetened beverages in Australian young adults: Assessed using the mobile food record. *Public Health Nutr.* 2017;1-8.
 80. Heikura IA, Burke LM, Mero AA, Uusitalo ALT, Stellingwerff T. Dietary microperiodization in elite female and male runners and race walkers during a block of high intensity precompetition training. *Int J Sport Nutr Exerc Metab.* 2017;27(4):297-304.
 81. Hetlelid KJ, Plews DJ, Herold E, Laursen PB, Sieler S. Rethinking the role of fat oxidation: Substrate utilisation during high-intensity interval training in well-trained and recreationally trained runners. *BMJ Open Sport & Exercise Medicine* 2015;1(1):e000047.
 82. Holick MF. Vitamin D deficiency. *N Engl J Med.* 2007;357(3):266-81.
 83. Holmes MV, Newcombe P, Hubacek JA, Sofat R, Ricketts SL, Cooper J, et al. Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: A meta-analysis of genetic studies and randomised trials. *Lancet.* 2011;378(9791):584-94.
 84. Holmes N, Cronholm PF, Duffy AJ, 3rd, Webner D. Nonsteroidal anti-inflammatory drug use in collegiate football players. *Clin J Sport Med.* 2013;23(4):283-6.
 85. Hu FB. Resolved: There is sufficient scientific evidence that decreasing sugar-sweetened beverage consumption will reduce the prevalence of obesity and obesity-related diseases. *Obes Rev.* 2013;14(8):606-19.
 86. Hynynen E, Uusitalo A, Kontinen N, Rusko H. Cardiac autonomic responses to standing up and cognitive task in overtrained athletes. *Int J Sports Med.* 2008;29(7):552-8.
 87. Iellamo F, Legramante JM, Pigozzi F, Spataro A, Norbiato G, Lucini D, et al. Conversion from vagal to sympathetic predominance with strenuous training in high-performance world class athletes. *Circulation.* 2002;105(23):2719-24.
 88. Institute of Medicine FaNB. *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids.* Washington, DC: National Academies Press; 2005.
 89. Jensen RK, Fletcher P. Distribution of mass to the segments of elderly males and females. *J Biomech.* 1994;27(1):89-96.

90. Jerome SP, Sticka KD, Schnurr TM, Mangum SJ, Reynolds AJ, Dunlap KL. 25(OH)D levels in trained versus sedentary university students at 64 degrees north. *Int J Circumpolar Health*. 2017;76(1):1314414.
91. Jordan TR, Khubchandani J, Wiblishauser M. The impact of perceived stress and coping adequacy on the health of nurses: A pilot investigation. *Nurs Res Pract*. 2016;2016:5843256.
92. Juanola-Falgarona M, Salas-Salvado J, Ibarrola-Jurado N, Rabassa-Soler A, Diaz-Lopez A, Guasch-Ferre M, et al. Effect of the glycemic index of the diet on weight loss, modulation of satiety, inflammation, and other metabolic risk factors: A randomized controlled trial. *Am J Clin Nutr*. 2014;100(1):27-35.
93. Kaur N, Chugh V, Gupta AK. Essential fatty acids as functional components of foods: A review. *J Food Sci Technol*. 2014;51(10):2289-303.
94. Kavazis AN. Exercise preconditioning of the myocardium. *Sports Med*. 2009;39(11):923-35.
95. Kentta G, Hassmen P. Overtraining and recovery. A conceptual model. *Sports Med*. 1998;26(1):1-16.
96. Keteyian SJ, Hibner BA, Bronsteen K, Kerrigan D, Aldred HA, Reasons LM, et al. Greater improvement in cardiorespiratory fitness using higher-intensity interval training in the standard cardiac rehabilitation setting. *J Cardiopulm Rehabil Prev*. 2014;34(2):98-105.
97. Khodae M, Olewinski L, Shadgan B, Kiningham RR. Rapid weight loss in sports with weight classes. *Curr Sports Med Rep*. 2015;14(6):435-41.
98. Kilian Y, Engel F, Wahl P, Achtzehn S, Sperlich B, Mester J. Markers of biological stress in response to a single session of high-intensity interval training and high-volume training in young athletes. *Eur J Appl Physiol*. 2016;116(11-12):2177-86.
99. Knutson KL, Spiegel K, Penev P, Van Cauter E. The metabolic consequences of sleep deprivation. *Sleep Med Rev*. 2007;11(3):163-78.
100. Konig D, Berg A, Weinstock C, Keul J, Northoff H. Essential fatty acids, immune function, and exercise. *Exerc Immunol Rev*. 1997;3:1-31.
101. Koundourakis NE, Avgoustinaki PD, Malliaraki N, Margioris AN. Muscular effects of vitamin D in young athletes and non-athletes and in the elderly. *Hormones (Athens)*. 2016;15(4):471-88.
102. Kraemer WJ, French DN, Paxton NJ, Hakkinen K, Volek JS, Sebastianelli WJ, et al. Changes in exercise performance and hormonal concentrations over a Big Ten soccer season in starters and nonstarters. *J Strength Cond Res*. 2004;18(1):121-8.
103. Kreher JB. Diagnosis and prevention of overtraining syndrome: An opinion on education strategies. *Open Access J Sports Med*. 2016;7:115-22.
104. Kreher JB, Schwartz JB. Overtraining syndrome: A practical guide. *Sports Health*. 2012;4(2):128-38.
105. Kreider RB, Wilborn CD, Taylor L, Campbell B, Almada AL, Collins R, et al. ISSN exercise & sport nutrition review: Research & recommendations. *J Int Soc Sports Nutr*. 2010;7:7.
106. Kuipers H, Keizer HA. Overtraining in elite athletes. Review and directions for the future. *Sports Med*. 1988;6(2):79-92.
107. Kuster M, Renner B, Oppel P, Niederweis U, Brune K. Consumption of analgesics before a marathon and the incidence of cardiovascular, gastrointestinal and renal problems: A cohort study. *BMJ Open*. 2013;3(4).
108. Landsberg L. Feast or famine: The sympathetic nervous system response to nutrient intake. *Cell Mol Neurobiol*. 2006;26(4-6):497-508.
109. Langfort J, Pilis W, Zarzeczny R, Nazar K, Kaciuba-Uscilko H. Effect of low-carbohydrate-ketogenic diet on metabolic and hormonal responses to graded exercise in men. *J Physiol Pharmacol*. 1996;47(2):361-71.
110. Larson-Meyer DE, Willis KS. Vitamin D and athletes. *Curr Sports Med Rep*. 2010;9(4):220-6.
111. Lautenbacher S, Kundermann B, Krieg JC. Sleep deprivation and pain perception. *Sleep Med Rev*. 2006;10(5):357-69.
112. Layman DK, Evans E, Baum JI, Seyler J, Erickson DJ, Boileau RA. Dietary protein and exercise have additive effects on body composition during weight loss in adult women. *J Nutr*. 2005;135(8):1903-10.
113. Le Meur Y, Buchheit M, Aubry A, Coutts AJ, Hausswirth C. Assessing overreaching with heart-rate recovery: What is the minimal exercise intensity required? *Int J Sports Physiol Perform*. 2017;12(4):569-73.
114. Le Meur Y, Hausswirth C, Natta F, Couturier A, Bignet F, Vidal PP. A multidisciplinary approach to overreaching detection in endurance trained athletes. *J Appl Physiol (1985)*. 2013;114(3):411-20.

115. Le Meur Y, Louis J, Aubry A, Gueneron J, Pichon A, Schaal K, et al. Maximal exercise limitation in functionally overreached triathletes: Role of cardiac adrenergic stimulation. *J Appl Physiol* (1985). 2014;117(3):214-22.
116. Leeder J, Glaister M, Pizzoferro K, Dawson J, Pedlar C. Sleep duration and quality in elite athletes measured using wristwatch actigraphy. *J Sports Sci*. 2012;30(6):541-5.
117. Lewis NA, Collins D, Pedlar CR, Rogers JP. Can clinicians and scientists explain and prevent unexplained underperformance syndrome in elite athletes: An interdisciplinary perspective and 2016 update. *BMJ Open Sport Exerc Med*. 2015;1(1):e000063.
118. Longland TM, Oikawa SY, Mitchell CJ, Devries MC, Phillips SM. Higher compared with lower dietary protein during an energy deficit combined with intense exercise promotes greater lean mass gain and fat mass loss: A randomized trial. *Am J Clin Nutr*. 2016;103(3):738-46.
119. Luden N, Hayes E, Galpin A, Minchev K, Jemiole B, Raue U, et al. Myocellular basis for tapering in competitive distance runners. *J Appl Physiol* (1985). 2010;108(6):1501-9.
120. Luger A, Deuster PA, Kyle SB, Gallucci WT, Montgomery LC, Gold PW, et al. Acute hypothalamic-pituitary-adrenal responses to the stress of treadmill exercise. Physiologic adaptations to physical training. *N Engl J Med*. 1987;316(21):1309-15.
121. Lukaski HC. Vitamin and mineral status: Effects on physical performance. *Nutrition*. 2004;20(7-8):632-44.
122. Lukaski HC, Penland JG. Functional changes appropriate for determining mineral element requirements. *J Nutr*. 1996;126(Suppl 9):2354S-64S.
123. Maffetone P. *Complementary Sports Medicine*. Champaign, IL: Human Kinetics; 1999.
124. Maffetone P, Laursen PB. Athletes: Fit but unhealthy? *Sports Med*. 2015;2(24).
125. Maffetone PB, Laursen PB. Reductions in training load and dietary carbohydrates help restore health and improve performance in an Ironman triathlete. *Int J Sports Sci Coach*. 2017;12(4):514-19.
126. Maffetone PB, Rivera-Dominguez I, Laursen PB. Overfat and underfat: New terms and definitions long overdue. *Front Public Health*. 2016;4:279.
127. Maffetone PB, Rivera-Dominguez I, Laursen PB. Overfat adults and children in developed countries: The public health importance of identifying excess body fat. *Front Public Health*. 2017;5:190.
128. Mah CD, editor. Annual Meeting of the Associated Professional Sleep Societies; June 9, 2008; Baltimore MD.
129. Mah CD, Mah KE, Kezirian EJ, Dement WC. The effects of sleep extension on the athletic performance of collegiate basketball players. *Sleep*. 2011;34(7):943-50.
130. Manore MM. Exercise and the Institute of Medicine recommendations for nutrition. *Curr Sports Med Rep*. 2005;4(4):193-8.
131. Maron BJ, Zipes DP, Kovacs RJ. Eligibility and disqualification recommendations for competitive athletes with cardiovascular abnormalities: Preamble, principles, and general considerations: A scientific statement from the American Heart Association and American College of Cardiology. *J Am Coll Cardiol*. 2015;66(21):2343-9.
132. Maron BJ, Doerer JJ, Haas TS, Tierney DM, Mueller FO. Sudden deaths in young competitive athletes: Analysis of 1866 deaths in the United States, 1980-2006. *Circulation*. 2009;119(8):1085-92.
133. Maron BJ, Haas TS, Murphy CJ, Ahluwalia A, Rutten-Ramos S. Incidence and causes of sudden death in U.S. college athletes. *J Am Coll Cardiol*. 2014;63(16):1636-43.
134. Matava MJ. Ethical considerations for analgesic use in sports medicine. *Clin Sports Med*. 2016;35(2):227-43.
135. Mathur N, Pedersen BK. Exercise as a means to control low-grade systemic inflammation. *Mediators Inflamm*. 2008;2008:109502.
136. Matthews MJ, Green D, Matthews H, Swanwick E. The effects of swimming fatigue on shoulder strength, range of motion, joint control, and performance in swimmers. *Phys Ther Sport*. 2017;23:118-22.
137. McArdle A, Pattwell D, Vasilaki A, Griffiths RD, Jackson MJ. Contractile activity-induced oxidative stress: Cellular origin and adaptive responses. *Am J Physiol Cell Physiol*. 2001;280(3):C621-7.

138. McGinnis GR, Ballmann C, Peters B, Nanayakara G, Roberts M, Amin R, et al. Interleukin-6 mediates exercise preconditioning against myocardial ischemia reperfusion injury. *Am J Physiol Heart Circ Physiol*. 2015;308(11):H1423-33.
139. McKay JM, Selig SE, Carlson JS, Morris T. Psychophysiological stress in elite golfers during practice and competition. *Aust J Sci Med Sport*. 1997;29(2):55-61.
140. McLeay Y, Stannard S, Houltham S, Starck C. Dietary thiols in exercise: Oxidative stress defence, exercise performance, and adaptation. *J Int Soc Sports Nutr*. 2017;14:12.
141. Meardon SA, Hamill J, Derrick TR. Running injury and stride time variability over a prolonged run. *Gait Posture*. 2011;33(1):36-40.
142. Medicine ACoS. *ACSM's Health-Related Physical Fitness Assessment, 4th Ed*. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins health; 2013.
143. Meerlo P, Sgoifo A, Suchecki D. Restricted and disrupted sleep: Effects on autonomic function, neuroendocrine stress systems and stress responsivity. *Sleep Med Rev*. 2008;12(3):197-210.
144. Meeusen R, Duclos M, Foster C, Fry A, Gleeson M, Nieman D, et al. Prevention, diagnosis, and treatment of the overtraining syndrome: Joint consensus statement of the European College of Sport Science and the American College of Sports Medicine. *Med Sci Sports Exerc*. 2013;45(1):186-205.
145. Miyajima H, Sakamoto M, Takahashi Y, Mizoguchi K, Nishimura Y. [Muscle carnitine deficiency associated with myalgia and rhabdomyolysis following exercise]. *Rinsho Shinkeigaku*. 1989;29(1):93-7.
146. Mohammadi F, Roozdar A. Effects of fatigue due to contraction of evertor muscles on the ankle joint position sense in male soccer players. *Am J Sports Med*. 2010;38(4):824-8.
147. Monteiro CA. Nutrition and health. The issue is not food, nor nutrients, so much as processing. *Public Health Nutr*. 2009;12(5):729-31.
148. Morales-Alamo D, Ponce-Gonzalez JG, Guadalupe-Grau A, Rodriguez-Garcia L, Santana A, Cusso MR, et al. Increased oxidative stress and anaerobic energy release, but blunted Thr172-AMPKalpha phosphorylation, in response to sprint exercise in severe acute hypoxia in humans. *J Appl Physiol* (1985). 2012;113(6):917-28.
149. Morelli KM, Brown LB, Warren GL. Effect of NSAIDs on recovery from acute skeletal muscle injury: A systematic review and meta-analysis. *Am J Sports Med*. 2018;46(1):224-33.
150. Mountjoy M, Sundgot-Borgen J, Burke L, Carter S, Constantini N, Lebrun C, et al. The IOC consensus statement: Beyond the female athlete triad—relative energy deficiency in sport (RED-S). *Br J Sports Med*. 2014;48(7):491-7.
151. Mullington JM, Simpson NS, Meier-Ewert HK, Haack M. Sleep loss and inflammation. *Best Pract Res Clin Endocrinol Metab*. 2010;24(5):775-84.
152. Murach K, Raue U, Wilkerson B, Minchev K, Jemiolo B, Bagley J, et al. Single muscle fiber gene expression with run taper. *PLoS One*. 2014;9(9):e108547.
153. Murphy MH, Breslin G, Trinick T, McClean C, Moore W, Duly E, et al. The biochemical, physiological and psychological consequences of a “1,000 miles in 1,000 hours” walking challenge. *Eur J Appl Physiol*. 2012;112(2):781-8.
154. National Institutes of Health NH, Lung and Blood Institute. 2017 [Available from: <https://www.nhlbi.nih.gov/health/health-topics/topics/ida/diagnosis>.]
155. Neary JP, Martin TP, Quinney HA. Effects of taper on endurance cycling capacity and single muscle fiber properties. *Med Sci Sports Exerc*. 2003;35(11):1875-81.
156. Noakes T, Volek JS, Phinney SD. Low-carbohydrate diets for athletes: What evidence? *Br J Sports Med*. 2014;48(14):1077-8.
157. Noakes TD. Changes in body mass alone explain almost all of the variance in the serum sodium concentrations during prolonged exercise. Has commercial influence impeded scientific endeavour? *Br J Sports Med*. 2011;45(6):475-7.
158. Noakes TD, Windt J. Evidence that supports the prescription of low-carbohydrate high-fat diets: A narrative review. *Br J Sports Med*. 2017;51(2):133-9.
159. Noakes TD, St Clair Gibson A, Lambert EV. From catastrophe to complexity: A novel model of integrative central neural regulation of effort and fatigue during exercise in humans. *Br J Sports Med*. 2004;38(4):511-4.

160. Noakes TD, Sharwood K, Speedy D, Hew T, Reid S, Dugas J, et al. Three independent biological mechanisms cause exercise-associated hyponatremia: Evidence from 2,135 weighed competitive athletic performances. *Proc Natl Acad Sci USA*. 2005;102(51):18550-5.
161. O'Donnell S, Driller MW. Sleep-hygiene education improves sleep indices in elite female athletes. *Int J Exerc Sci*. 2017;10(4):522-30.
162. O'Keefe JH, Franklin B, Lavie CJ. Exercising for health and longevity vs peak performance: Different regimens for different goals. *Mayo Clin Proc*. 2014;89(9):1171-5.
163. Ohlund I, Silfverdal SA, Hernell O, Lind T. Serum 25-hydroxyvitamin D levels in preschool-age children in northern Sweden are inadequate after summer and diminish further during winter. *J Pediatr Gastroenterol Nutr*. 2013;56(5):551-5.
164. Owens DJ, Sharples AP, Polydorou I, Alwan N, Donovan T, Tang J, et al. A systems-based investigation into vitamin D and skeletal muscle repair, regeneration, and hypertrophy. *Am J Physiol Endocrinol Metab*. 2015;309(12):E1019-31.
165. Page AJ, Reid SA, Speedy DB, Mulligan GP, Thompson J. Exercise-associated hyponatremia, renal function, and nonsteroidal antiinflammatory drug use in an ultraendurance mountain run. *Clin J Sport Med*. 2007;17(1):43-8.
166. Paoli A, Bianco A, Grimaldi KA. The ketogenic diet and sport: A possible marriage? *Exerc Sport Sci Rev*. 2015;43(3):153-62.
167. Paoli A, Grimaldi K, D'Agostino D, Cenci L, Moro T, Bianco A, et al. Ketogenic diet does not affect strength performance in elite artistic gymnasts. *J Int Soc Sports Nutr*. 2012;9(1):34.
168. Paoloni JA, Milne C, Orchard J, Hamilton B. Non-steroidal anti-inflammatory drugs in sports medicine: Guidelines for practical but sensible use. *Br J Sports Med*. 2009;43(11):863-5.
169. Parijat P, Lockhart TE. Effects of quadriceps fatigue on the biomechanics of gait and slip propensity. *Gait Posture*. 2008;28(4):568-73.
170. Park SW, Son SM, Lee NK. Exercise-induced muscle fatigue in the unaffected knee joint and its influence on postural control and lower limb kinematics in stroke patients. *Neural Regen Res*. 2017;12(5):765-9.
171. Paulsen G, Cumming KT, Hamarsland H, Borsheim E, Berntsen S, Raastad T. Can supplementation with vitamin C and E alter physiological adaptations to strength training? *BMC Sports Sci Med Rehabil*. 2014;6:28.
172. Pedrinelli A, Ejnisman L, Fagotti L, Dvorak J, Tscholl PM. Medications and nutritional supplements in athletes during the 2000, 2004, 2008, and 2012 FIFA Futsal World Cups. *Biomed Res Int*. 2015;2015:870308.
173. Perrier ET. Shifting focus: From hydration for performance to hydration for health. *Ann Nutr Metab*. 2017;70(Suppl 1):4-12.
174. Phillips SM, Van Loon LJ. Dietary protein for athletes: From requirements to optimum adaptation. *J Sports Sci*. 2011;29(Suppl 1):S29-38.
175. Picard M, Hepple RT, Burelle Y. Mitochondrial functional specialization in glycolytic and oxidative muscle fibers: Tailoring the organelle for optimal function. *Am J Physiol Cell Physiol*. 2012;302(4):C629-41.
176. Plews DJ, Laursen PB, Stanley J, Kilding AE, Buchheit M. Training adaptation and heart rate variability in elite endurance athletes: Opening the door to effective monitoring. *Sports Med*. 2013;43(9):773-81.
177. Plunkett BA, Callister R, Watson TA, Garg ML. Dietary antioxidant restriction affects the inflammatory response in athletes. *Br J Nutr*. 2010;103(8):1179-84.
178. Powers HJ. Riboflavin (vitamin B-2) and health. *Am J Clin Nutr*. 2003;77(6):1352-60.
179. Pravenec M, Kozich V, Krijt J, Sokolova J, Zidek V, Landa V, et al. Folate deficiency is associated with oxidative stress, increased blood pressure, and insulin resistance in spontaneously hypertensive rats. *Am J Hypertens*. 2013;26(1):135-40.
180. Providencia R, Teixeira C, Segal OR, Ullstein A, Lambiase PD. Call for joint informed consent in athletes with inherited cardiac conditions. *Open Heart*. 2017;4(1):e000516.
181. Quail SL, Morris RW, Balleine BW. Stress associated changes in Pavlovian-instrumental transfer in humans. *Q J Exp Psychol (Hove)*. 2017;70(4):675-85.
182. Raasch WG, Hergan DJ. Treatment of stress fractures: The fundamentals. *Clin Sports Med*. 2006;25(1):29-36, vii.

183. Rapoport BI. Metabolic factors limiting performance in marathon runners. *PLoS Comput Biol.* 2010;6(10):e1000960.
184. Robson-Ansley PJ, Gleeson M, Ansley L. Fatigue management in the preparation of Olympic athletes. *J Sports Sci.* 2009;27(13):1409-20.
185. Rossi FE, Landreth A, Beam S, Jones T, Norton L, Cholewa JM. The Effects of a sports nutrition education intervention on nutritional status, sport nutrition knowledge, body composition, and performance during off season training in NCAA Division I baseball players. *J Sports Sci Med.* 2017;16(1):60-8.
186. Ruiz-Nunez B, Pruimboom L, Dijck-Brouwer DA, Muskiet FA. Lifestyle and nutritional imbalances associated with Western diseases: Causes and consequences of chronic systemic low-grade inflammation in an evolutionary context. *J Nutr Biochem.* 2013;24(7):1183-201.
187. Samuels C. Sleep, recovery, and performance: The new frontier in high-performance athletics. *Phys Med Rehabil Clin N Am.* 2009;20(1):149-59, ix.
188. Sandlin MI, Rosenbaum AJ, Taghavi CE, Charlton TP, O'Malley MJ. High-risk stress fractures in elite athletes. *Instr Course Lect.* 2017;66:281-92.
189. Savoie FA, Dion T, Asselin A, Goulet ED. Sodium-induced hyperhydration decreases urine output and improves fluid balance compared with glycerol- and water-induced hyperhydration. *Appl Physiol Nutr Metab.* 2015;40(1):51-8.
190. Savva SC, Tornaritis M, Savva ME, Kourides Y, Panagi A, Silikiotou N, et al. Waist circumference and waist-to-height ratio are better predictors of cardiovascular disease risk factors in children than body mass index. *Int J Obes Relat Metab Disord.* 2000;24(11):1453-8.
191. Saw AE, Main LC, Gastin PB. Monitoring the athlete training response: Subjective self-reported measures trump commonly used objective measures: A systematic review. *Br J Sports Med.* 2016;50(5):281-91.
192. Sawka MN, Burke LM, Eichner ER, Maughan RJ, Montain SJ, Stachenfeld NS. American College of Sports Medicine position stand. Exercise and fluid replacement. *Med Sci Sports Exerc.* 2007;39(2):377-90.
193. Schoenfeld BJ. The use of nonsteroidal anti-inflammatory drugs for exercise-induced muscle damage: Implications for skeletal muscle development. *Sports Med.* 2012;42(12):1017-28.
194. Schwartz RS, Merkel-Kraus S, Schwarz JG, Wickstrom KK, Peichel G, Garberich RF, et al. Increased coronary artery plaque volume among male marathon runners. *Missouri Medicine.* 2014;111(2):85.
195. Seiler S, Haugen O, Kuffel E. Autonomic recovery after exercise in trained athletes: Intensity and duration effects. *Med Sci Sports Exerc.* 2007;39(8):1366-73.
196. Selye H. Forty years of stress research: Principal remaining problems and misconceptions. *Can Med Assoc J.* 1976;115(1):53-6.
197. Selye H. A syndrome produced by diverse nocuous agents. 1936. *J Neuropsychiatry Clin Neurosci.* 1998;10(2):230-1.
198. Shahidi F. Nutraceuticals and functional foods: Whole versus processed foods. *Food Sci Technol.* 2009;20:376-87.
199. Sharwood KA, Collins M, Goedecke JH, Wilson G, Noakes TD. Weight changes, medical complications, and performance during an Ironman triathlon. *Br J Sports Med.* 2004;38(6):718-24.
200. Shirreffs SM, Sawka MN. Fluid and electrolyte needs for training, competition, and recovery. *J Sports Sci.* 2011;29(Suppl 1):S39-46.
201. Shuler FD, Wingate MK, Moore GH, Giangarra C. Sports health benefits of vitamin D. *Sports Health.* 2012;4(6):496-501.
202. Siegl A, E MK, Tam N, Koschnick S, Langerak NG, Skorski S, et al. Submaximal markers of fatigue and overreaching: Implications for monitoring athletes. *Int J Sports Med.* 2017;38(9):675-82.
203. Siems W, Wiswedel I, Salerno C, Crifo C, Augustin W, Schild L, et al. Beta-carotene breakdown products may impair mitochondrial functions—potential side effects of high-dose beta-carotene supplementation. *J Nutr Biochem.* 2005;16(7):385-97.
204. Simpson NS, Gibbs EL, Matheson GO. Optimizing sleep to maximize performance: implications and recommendations for elite athletes. *Scand J Med Sci Sports.* 2017;27(3):266-74.

205. Skaug A, Sveen O, Raastad T. An antioxidant and multivitamin supplement reduced improvements in VO(2)max. *J Sports Med Phys Fitness*. 2014;54(1):63-9.
206. Slyper AH. The influence of carbohydrate quality on cardiovascular disease, the metabolic syndrome, type 2 diabetes, and obesity - an overview. *J Pediatr Endocrinol Metab*. 2013;26(7-8):617-29.
207. Spargoli G. The acute effects of concentric versus eccentric muscle fatigue on shoulder active repositioning sense. *Int J Sports Phys Ther*. 2017;12(2):219-26.
208. Spiegel K, Leproult R, Van Cauter E. Impact of sleep debt on metabolic and endocrine function. *Lancet*. 1999;354(9188):1435-9.
209. Spiegel K, Tasali E, Penev P, Van Cauter E. Brief communication: Sleep curtailment in healthy young men is associated with decreased leptin levels, elevated ghrelin levels, and increased hunger and appetite. *Ann Intern Med*. 2004;141(11):846-50.
210. Spiegel K, Knutson K, Leproult R, Tasali E, Van Cauter E. Sleep loss: A novel risk factor for insulin resistance and Type 2 diabetes. *J Appl Physiol* (1985). 2005;99(5):2008-19.
211. Sripetchwandee J, Pipatpiboon N, Chattipakorn N, Chattipakorn S. Combined therapy of iron chelator and antioxidant completely restores brain dysfunction induced by iron toxicity. *PLoS One*. 2014;9(1):e85115.
212. Stanhope KL, Schwarz JM, Havel PJ. Adverse metabolic effects of dietary fructose: Results from the recent epidemiological, clinical, and mechanistic studies. *Curr Opin Lipidol*. 2013;24(3):198-206.
213. Stanley J, Peake JM, Buchheit M. Cardiac parasympathetic reactivation following exercise: Implications for training prescription. *Sports Med*. 2013;43(12):1259-77.
214. Sundgot-Borgen J, Meyer NL, Lohman TG, Ackland TR, Maughan RJ, Stewart AD, et al. How to minimise the health risks to athletes who compete in weight-sensitive sports review and position statement on behalf of the Ad Hoc Research Working Group on Body Composition, Health and Performance, under the auspices of the IOC Medical Commission. *Br J Sports Med*. 2013;47(16):1012-22.
215. Suzuki K, Nakaji S, Yamada M, Totsuka M, Sato K, Sugawara K. Systemic inflammatory response to exhaustive exercise. Cytokine kinetics. *Exerc Immunol Rev*. 2002;8:6-48.
216. Teixeira V, Valente H, Casal S, Marques F, Moreira P. Antioxidant status, oxidative stress, and damage in elite trained kayakers and canoeists and sedentary controls. *Int J Sport Nutr Exerc Metab*. 2009;19(5):443-56.
217. Temme KE, Hoch AZ. Recognition and rehabilitation of the female athlete triad/tetrad: A multidisciplinary approach. *Curr Sports Med Rep*. 2013;12(3):190-9.
218. Ten Haaf T, van Staveren S, Oudenhoven E, Piacentini MF, Meeusen R, Roelands B, et al. Prediction of functional overreaching from subjective fatigue and readiness to train after only 3 days of cycling. *Int J Sports Physiol Perform*. 2017;12(Suppl 2):S287-S94.
219. Thein-Nissenbaum J, Hammer E. Treatment strategies for the female athlete triad in the adolescent athlete: Current perspectives. *Open Access J Sports Med*. 2017;8:85-95.
220. Theodorou AA, Nikolaidis MG, Paschalis V, Koutsias S, Panayiotou G, Fatouros IG, et al. No effect of antioxidant supplementation on muscle performance and blood redox status adaptations to eccentric training. *Am J Clin Nutr*. 2011;93(6):1373-83.
221. Thomas DT, Erdman KA, Burke LM. Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and athletic performance. *J Acad Nutr Diet*. 2016;116(3):501-28.
222. Thompson PD, Funk EJ, Carleton RA, Sturner WQ. Incidence of death during jogging in Rhode Island from 1975 through 1980. *JAMA*. 1982;247(18):2535-8.
223. Thunenkotter T, Schmied C, Grimm K, Dvorak J, Kindermann W. Precompetition cardiac assessment of football players participating in the 2006 FIFA World Cup Germany. *Clin J Sport Med*. 2009;19(4):322-5.
224. Tidball JG. Inflammatory processes in muscle injury and repair. *Am J Physiol Regul Integr Comp Physiol*. 2005;288(2):R345-53.
225. Trappe S, Costill D, Thomas R. Effect of swim taper on whole muscle and single muscle fiber

- contractile properties. *Med Sci Sports Exerc.* 2000;32(12):48-56.
226. Tscholl P, Feddermann N, Junge A, Dvorak J. The use and abuse of painkillers in international soccer: Data from 6 FIFA tournaments for female and youth players. *Am J Sports Med.* 2009;37(2):260-5.
 227. Tscholl PM, Vaso M, Weber A, Dvorak J. High prevalence of medication use in professional football tournaments including the World Cups between 2002 and 2014: A narrative review with a focus on NSAIDs. *Br J Sports Med.* 2015;49(9):580-2.
 228. Ulrich-Lai YM, Herman JP. Neural regulation of endocrine and autonomic stress responses. *Nat Rev Neurosci.* 2009;10(6):397-409.
 229. Urhausen A, Gabriel H, Kindermann W. Blood hormones as markers of training stress and overtraining. *Sports Med.* 1995;20(4):251-76.
 230. Van Cauter E, Spiegel K, Tasali E, Leproult R. Metabolic consequences of sleep and sleep loss. *Sleep Med.* 2008;9(Suppl 1):S23-8.
 231. Van Wijck K, Lenaerts K, Van Bijnen AA, Boonen B, Van Loon LJ, Dejong CH, et al. Aggravation of exercise-induced intestinal injury by ibuprofen in athletes. *Med Sci Sports Exerc.* 2012;44(12):2257-62.
 232. Virchenko O, Skoglund B, Aspenberg P. Parecoxib impairs early tendon repair but improves later remodeling. *Am J Sports Med.* 2004;32(7):1743-7.
 233. Volek JS, Noakes T, Phinney SD. Rethinking fat as a fuel for endurance exercise. *Eur J Sport Sci.* 2015;15(1):13-20.
 234. Volek JS, Freidenreich DJ, Saenz C, Kunces LJ, Creighton BC, Bartley JM, et al. Metabolic characteristics of keto-adapted ultra-endurance runners. *Metabolism.* 2016;65(3):100-10.
 235. Wall BA, Watson G, Peiffer JJ, Abbiss CR, Siegel R, Laursen PB. Current hydration guidelines are erroneous: Dehydration does not impair exercise performance in the heat. *Br J Sports Med.* 2015;49(16):1077-83.
 236. Wardenaar F, Brinkmans N, Ceelen I, Van Rooij B, Mensink M, Witkamp R, et al. Micronutrient intakes in 553 Dutch elite and sub-elite athletes: Prevalence of low and high intakes in users and non-users of nutritional supplements. *Nutrients.* 2017;9(2).
 237. Warner DC, Schnepf G, Barrett MS, Dian D, Swigonski NL. Prevalence, attitudes, and behaviors related to the use of nonsteroidal anti-inflammatory drugs (NSAIDs) in student athletes. *J Adolesc Health.* 2002;30(3):150-3.
 238. Watanabe S, Aizawa J, Shimoda M, Enomoto M, Nakamura T, Okawa A, et al. Effect of short-term fatigue, induced by high-intensity exercise, on the profile of the ground reaction force during single-leg anterior drop-jumps. *J Phys Ther Sci.* 2016;28(12):3371-5.
 239. Watson TA, Callister R, Taylor RD, Sibbritt DW, MacDonald-Wicks LK, Garg ML. Antioxidant restriction and oxidative stress in short-duration exhaustive exercise. *Med Sci Sports Exerc.* 2005;37(1):63-71.
 240. Webster CC, Noakes TD, Chacko SK, Swart J, Kohn TA, Smith JA. Gluconeogenesis during endurance exercise in cyclists habituated to a long-term low carbohydrate high fat diet. *J Physiol.* 2016;594(15):4389-405.
 241. Weidner TG, Gehlsen G, Dwyer GB, Schurr T. Effects of viral upper respiratory illness on running gait. *J Athl Train.* 1997;32(4):309-14.
 242. Westman EC. Is dietary carbohydrate essential for human nutrition? *Am J Clin Nutr.* 2002;75(5):951-3; author reply 3-4.
 243. Wojtys EM, Wylie BB, Huston LJ. The effects of muscle fatigue on neuromuscular function and anterior tibial translation in healthy knees. *Am J Sports Med.* 1996;24(5):615-21.
 244. Wright CJ, Abbey EL, Brandon BA, Reisman EJ, Kirkpatrick CM. Cardiovascular disease risk profile of NCAA Division III intercollegiate football athletes: A pilot study. *Phys Sportsmed.* 2017;45(3):280-5.
 245. Wright M, Chesterton P, Wijnbergen M, O'Rourke A, Macpherson T. The Effect of a simulated soccer match on anterior cruciate ligament injury risk factors. *Int J Sports Med.* 2017;38(8):620-6.
 246. Yamamoto JB, Yamamoto BE, Yamamoto PP, Yamamoto LG. Epidemiology of college athlete sizes, 1950s to current. *Res Sports Med.* 2008;16(2):111-27.
 247. Yashiro H, Takagahara S, Tamura YO, Miyahisa I, Matsui J, Suzuki H, et al. A novel selective inhibitor of delta-5 desaturase lowers Insulin resistance and reduces body weight in diet-

- induced obese C57BL/6J mice. *PLoS One*. 2016;11(11):e0166198.
248. Young AJ, Lowe GM. Antioxidant and prooxidant properties of carotenoids. *Arch Biochem Biophys*. 2001;385(1):20-7.
 249. Zajac A, Poprzecki S, Maszczyk A, Czuba M, Michalczyk M, Zydek G. The effects of a ketogenic diet on exercise metabolism and physical performance in off-road cyclists. *Nutrients*. 2014;6(7):2493-508.
 250. Zappacosta B, Mastroiacovo P, Persichilli S, Pounis G, Ruggeri S, Minucci A, et al. Homocysteine lowering by folate-rich diet or pharmacological supplementations in subjects with moderate hyperhomocysteinemia. *Nutrients*. 2013;5(5):1531-43.
 251. Zhang Q, Zheng J, Qiu J, Wu X, Xu Y, Shen W, et al. ALDH2 restores exhaustive exercise-induced mitochondrial dysfunction in skeletal muscle. *Biochem Biophys Res Commun*. 2017;485(4):753-60.
- ## Chapter 8
1. Abbiss CR, Quod MJ, Levin G, Martin DT, Laursen PB. Accuracy of the Velotron ergometer and SRM power meter. *Int J Sports Med*. 2009;30(2):107-12.
 2. Abotel K. The Crippling Cost of Sports Injuries. <https://www.forbes.com/sites/sap/2015/08/11/the-crippling-cost-of-sports-injuries/#d25f5db4d1f7>. 2015.
 3. Abt G, Lovell R. The use of individualized speed and intensity thresholds for determining the distance run at high-intensity in professional soccer. *J Sports Sci*. 2009;27(9):893-8.
 4. Akenhead R, Nassis GP. Training load and player monitoring in high-level football: Current practice and perceptions. *Int J Sports Physiol Perform*. 2016;11(5):587-93.
 5. Akenhead R, French D, Thompson KG, Hayes PR. The acceleration dependent validity and reliability of 10 Hz GPS. *J Sci Med Sport*. 2014;17(5):562-6.
 6. Banister EW. Modeling elite athletic performance. In MacDougall JD, Wenger HA, Green HJ, eds. *Physiological Testing of Elite Athletes*. Champaign, IL: Human Kinetics; 1991.
 7. Beneke R, von Duvillard SP. Determination of maximal lactate steady state response in selected sports events. *Med Sci Sports Exerc*. 1996;28(2):241-6.
 8. Beneke R, Leithauser RM, Hutler M. Dependence of the maximal lactate steady state on the motor pattern of exercise. *Br J Sports Med*. 2001;35(3):192-6.
 9. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: Aerobic interval training. *Sports Med* 2001;1(31):13-31.
 10. Billat LV. Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part II: Anaerobic interval training. *Sports Med*. 2001;31(2):75-90.
 11. Billat V, Sirvent P, Py G, Koralsztejn JP, Mercier J. The concept of maximal lactate steady state: A bridge between biochemistry, physiology and sport science. *Sports Med*. 2003;33(6):407-26.
 12. Bishop PA, Smith JF, Kime JC, Mayo JM, Tin YH. Comparison of a manual and an automated enzymatic technique for determining blood lactate concentrations. *Int J Sports Med*. 1992;13(1):36-9.
 13. Borg GA. Psychophysical bases of perceived exertion. *Med Sci Sports Exerc*. 1982;14(5):377-81.
 14. Bowen L, Gross AS, Gimpel M, Li FX. Accumulated workloads and the acute:chronic workload ratio relate to injury risk in elite youth football players. *Br J Sports Med*. 2017;51(5):452-9.
 15. Brooks GA. The lactate shuttle during exercise and recovery. *Med Sci Sports Exerc*. 1986;18(3):360-8.
 16. Brown DM, Dwyer DB, Robertson SJ, Gastin PB. Metabolic power method underestimates energy expenditure in field sport movements using a GPS tracking system. *Int J Sports Physiol Perform*. 2016;11(8):1067-73.
 17. Buchheit M. Monitoring training status with HR measures: Do all roads lead to Rome? *Front Physiol*. 2014;27(5):73.
 18. Buchheit M. Player tracking technology: What if we were all wrong? Monitoring Athlete Training Loads - The Hows and Whys; 23-25/02/2016; Doha, Qatar: 2nd Aspire Sport Science Conference, <https://vimeo.com/159904163>; 2016.