

Index

Note: The italicized *f* and *t* following page numbers refer to figures and tables, respectively.

A

- AA (arachidonic acid) 152
- accelerometers 166, 200, 201*t*, 203, 205, 221
- active vs. passive recovery 55-59, 57-59*f*
- acute–chronic (A/C) workload ratio 201-203, 202*f*
- acute hypothesis for interference effect 121, 124
- acute stress 145-146
- adenosine triphosphate (ATP) 34, 41-45, 42*f*, 45*f*, 150, 150*f*
- adrenal insufficiency 147
- aerobic oxidative response 34-45
 - cardiac function and 35-39, 36-39*f*
 - muscle and cerebral oxygenation in 39-40
 - overview 34
 - respiratory function and 35
 - skeletal muscle and 40-45, 41-45*f*
 - time at $\dot{V}O_{2\max}$ and 35
- aerobic power 285
- aerobic respiration 34, 41
- aerobic threshold 8, 43, 56*f*
- all-out sprint training 26, 29, 29*f*. *See also* repeated-sprint training (RST); sprint interval training (SIT)
- all-rounders, in road cycling 301-302
- altitude training 64-65
- American College of Sports Medicine (ACSM) 149, 159
- American football 379-392
 - case study 391-392
 - controllable and uncontrollable factors 387
 - defensive backs and wide receivers 382
 - description and factors of winning 379-380, 380*f*
 - game-based HIIT for 384
 - incorporation of HIIT into 388-389
 - linebackers, running backs, and tight ends 382-383
 - manipulation of interval training variables for 384-385
 - offensive and defensive linemen 382
 - percentage of HIIT weapons used in 383, 383*f*
 - performance demands 379-381
 - quarterbacks, punters, and kickers 383
 - relative contribution of physical performance 380-381, 381*f*
 - repeated-sprint training for 385
 - sample training programs 389, 389-390*t*
 - short-interval HIIT for 384
 - sprint interval training for 385
 - structure and progression of training program 387-388, 388*f*
 - surveillance and monitoring tools 385-386, 386*f*
 - targets of physical performance 382-383
- anaerobic glycolytic response
 - assessment of 45-47, 46*f*
 - comparison among HIIT weapons 110, 112, 112*t*, 113*f*
 - to game-based HIIT 108-109
 - to long-interval HIIT 79-82, 81*f*
 - manipulation of 218
 - to repeated-sprint training 97-99, 98-100*f*
 - to short-interval HIIT 89-92, 90-91*f*
 - to sprint interval training 102-103
- anaerobic speed reserve (ASR) 23-24, 23-24*f*
- anaerobic swim training 337-338, 338*f*
- anaerobic threshold 21, 43, 44*f*, 170
- anaerobic work capacity (W') 55-57, 56*f*, 61
- analgesics 155
- anemia 157
- angiogenesis 41
- anorexia nervosa 159
- anti-inflammatories 155
- antioxidants 157
- arachidonic acid (AA) 152
- Arcelli, Enrico 9
- ASR (anaerobic speed reserve) 23-24, 23-24*f*
- assault bike 488
- association football. *See* soccer
- Åstrand, Per-Olof 5, 7-8, 75
- athlete profiles, in selection of HIIT programming 12-13
- ATP. *See* adenosine triphosphate (ATP)
- Australian football 393-409
 - case study 408-409
 - controllable and uncontrollable factors 403
 - description and factors of winning 393-394, 394-395*f*

Australian football (*continued*)

- game-based HIIT for 400-401
- incorporation of HIIT into 404-406
- long-interval HIIT for 398-399
- manipulation of interval training variables for 398-401
- midfield and hybrid players 396-397
- percentage of HIIT weapons used in 398, 398f
- performance demands 393-396
- relative contribution of physical performance 394-396, 395f
- repeated-sprint training for 399-400
- ruckmen 397
- sample training programs 405t, 406-407, 406f
- short-interval HIIT for 399
- structure and progression of training program 403-404, 404f
- surveillance and monitoring tools 401-402, 402f
- tall forwards 397
- targets of physical performance 396-397
- work:rest ratio in 398-400

B

- back row players (Rugby Union) 514
- balanced training 138, 139f
- Bangsbo, Jens 9
- Bannister, Roger 7
- baseball 411-424
 - batters and baserunners 415
 - case study 424
 - catchers 416-417
 - controllable and uncontrollable factors 421-423
 - description and factors of winning 411-414, 412f
 - game-based HIIT for 421
 - incorporation of HIIT into 423
 - long-interval HIIT for 420
 - manipulation of interval training variables for 418-421
 - percentage of HIIT weapons used in 418, 418f
 - performance demands 411-415
 - pitchers 415-416
 - position players 417
 - relative contribution of physical performance 414-415, 414f
 - repeated-sprint training for 420-421
 - sample training programs 422t, 423
 - short-interval HIIT for 419-420
 - structure and progression of training program 422t, 423
 - surveillance and monitoring tools 421
 - targets of physical performance 415-417
 - work:rest ratio in 419-421
- baserunners (baseball) 415
- basketball 425-441
 - case study 440-441, 441f
 - change of direction in 425
 - controllable and uncontrollable factors 436-437
 - court dimension changes 432-433
 - description and factors of winning 425
 - incorporation of HIIT into 438

- manipulation of interval training variables for 430-433
- orientation and level characteristics 428-429t, 430-433
- percentage of HIIT weapons used in 427, 430, 430f
- performance demands 425-426
- player height 427
- relative contribution of physical performance 425-426, 426f
- sample training programs 438, 439t
- small-sided games in 433-438, 433-438f
- structure and progression of training program 437
- surveillance and monitoring tools 433-436
- targets of physical performance 426-427
- work:rest ratio in 427, 431, 432

- batters 415, 446
- benchmarking, in field hockey 457-458, 458f, 458t
- Bettini, Paolo 301
- blood glucose levels 66, 67
- blood lactate levels 170-172
- body composition 157-159, 158f
- body mass index (BMI) 159
- Bolt, Usain 325
- bowlers (cricket) 446-447
- Brasher, Chris 7
- breakdowns, in Rugby Union 512
- Broad, Nick 191
- bulimia nervosa 159

C

- caffeine 67-68, 133-134, 291
- carbohydrates 66-67, 133, 134, 150-152, 307, 373
- cardiac function 35-39, 36-39f, 142-143
- cardiopulmonary system 34-35, 41, 74, 216-217, 529, 550
- case studies
 - American football 391-392
 - Australian football 408-409
 - baseball 424
 - basketball 440-441, 441f
 - combat sports 245-246
 - cricket 454
 - cross-country skiing 258-259
 - field hockey 475-476
 - handball 508-510, 509t
 - ice hockey 493-494
 - middle-distance running 282
 - road cycling 309
 - road running 295-296, 296f
 - rowing 323
 - Rugby Sevens 544-546, 544f
 - Rugby Union 524
 - soccer 564
 - swimming 345
 - tennis 361
 - triathlon 376-377
- catchers (baseball) 416-417
- Cavendish, Mark 301
- cerebral oxygenation 39-40
- Cerutti, Percy Wells 8, 295-296
- Chalmers, Kyle 328

- change of direction (COD)
 - anaerobic glycolytic response to 92, 93f
 - in basketball 425
 - in cricket 446
 - neuromuscular response to 94-95, 95f
 - in repeated-sprint training 99, 101
 - in Rugby Sevens 530
 - in soccer 551
 - 30-15 intermittent fitness test for 24-26
- chase-the-rabbit tracking drill 487, 487f
- Chataway, Chris 7
- cholecalciferol 157
- chronic hypothesis for interference effect 121-124, 124f
- chronic overtraining 147-148
- Cielo, Cesar 325
- Cipollini, Mario 301
- climbers, in road cycling 302
- CMJ. *See* countermovement jump (CMJ)
- COD. *See* change of direction (COD)
- Coe, Sebastian 8
- Cohen's effect size principle 193
- combat sports 227-246
 - case study 245-246
 - controllable and uncontrollable factors 240
 - description and factors of winning 227
 - fight-based training 236-238, 237t
 - grappling techniques 230
 - hybrid 230-231
 - incorporation of HIIT into 242
 - long-interval HIIT for 232, 234f, 234t, 235
 - longitudinal effects of training 238, 238f
 - manipulation of interval training variables for 232-238, 233f
 - percentage of HIIT weapons used in 231-232, 231f
 - performance demands 227-228
 - relative contribution of physical performance 227-228, 228f
 - repeated-sprint training for 236
 - ring dimension changes 237-238
 - sample training programs 242, 243-244t
 - short-interval HIIT for 235, 235t
 - sprint interval training for 236
 - striking sports 229
 - structure and progression of training program 240-241, 241f
 - surveillance and monitoring tools 239-240, 239f
 - targets of physical performance 228-231, 229f
 - work:rest ratio in 236
 - wrestling techniques 229-230
- concurrent training 119-135. *See also* interference effect
 - adaptive responses to 123, 125, 134-135
 - age and training status as factors for 129-130
 - defined 119
 - HIIT programming during 130, 131-132f
 - intensity of exercise in 126-127
 - logistical challenges associated with 119
 - modality of exercise in 127-128
 - neuromuscular demands influencing 123, 125-130, 126f
 - synopsis and review 218-219
- conditioning. *See* metabolic conditioning
- Contador, Alberto 302
- controllable and uncontrollable factors
 - American football 387
 - Australian football 403
 - baseball 421-423
 - basketball 436-437
 - combat sports 240
 - cricket 451
 - cross-country skiing 256
 - field hockey 470
 - handball 504-505
 - ice hockey 490
 - middle-distance running 271-272
 - road cycling 306
 - road running 288-289
 - rowing 321
 - Rugby Sevens 535-536
 - Rugby Union 522
 - soccer 557-558
 - tennis 356-358
 - triathlon 372
- core temperature of body 63
- Costa, Carlos da 291-292, 291f
- countermovement jump (CMJ)
 - in field hockey 458
 - manipulation of variables and 112, 116f
 - measurement of 48-49f, 50
 - neuromuscular response to 83, 95, 95f
 - playing surface and 109, 110f
 - in soccer 553f, 554
 - in tennis 353
- CP (critical power) 55, 56f
- creatine supplementation 133-134
- cricket 443-454
 - batters 446
 - bowlers 446-447
 - case study 454
 - change of direction in 446
 - controllable and uncontrollable factors 451
 - description and factors of winning 443-445, 444f
 - fielders 447
 - game-based HIIT for 450
 - incorporation of HIIT into 451-452
 - long-interval HIIT for 450
 - manipulation of interval training variables for 450
 - percentage of HIIT weapons used in 447-448, 448f
 - performance demands 443-446
 - relative contribution of physical performance 445-446, 445f
 - repeated-sprint training for 448-450, 449-450f
 - sample training programs 452, 452-453f
 - short-interval HIIT for 448, 448f
 - structure and progression of training program 451

cricket (*continued*)
 surveillance and monitoring tools 450-451
 targets of physical performance 446-447
 wicketkeepers 447
 work:rest ratio in 448, 450
 critical power (CP) 55, 56f
 cross-country skiing 247-259
 case study 258-259
 controllable and uncontrollable factors 256
 description and factors of winning 247-248
 incorporation of HIIT into 257
 long-interval HIIT for 253-255
 manipulation of interval training variables for 250-251t, 251-255
 metabolic demands of 252, 253-254f
 percentage of HIIT weapons used in 249-251, 250f, 252f
 performance demands 247-248
 races 252-253
 relative contribution of physical performance 248, 248f
 short-interval HIIT for 255
 sprint interval training for 255
 structure and progression of training program 256-257
 surveillance and monitoring tools 255-256
 targets of physical performance 248-249
 cross-ice tracking drill 485, 485f
 cryotherapy 133
 cycling. *See also* road cycling
 isometric force production during 50
 maximal aerobic speed and power in 18, 20
 neuromuscular fatigue from 102
 neuromuscular strain from 127
 peak cycling power 24
 power output measures for 165-166
 strength training compromised by 128

D

daily readiness approach 201, 201t
 Daniels, Jack 9
 defensemen (ice hockey) 480
 defensive backs (American football) 382
 defensive linemen (American football) 382
 dehydration 67, 147, 154-156
Diagnostic and Statistical Manual of Mental Disorders 159
 diet and nutrition. *See also* macronutrients
 assessment of 149
 caffeine 67-68, 133-134, 291
 defined 149
 eating disorders 159
 hydration status 67, 147, 154-156
 importance of 65-66, 68f
 junk food 149, 150t, 153
 micronutrients 156-157, 158t
 periodized 290-291, 307, 322, 373
 disease prevention 372
 disordered eating 159
 distance swimming 331, 333-334f, 334
 dual x-ray absorptiometry (DXA) 159
 duration of exercise
 in game-based HIIT 107-108

in long-interval HIIT 75-77, 76-77f, 81-82, 81f
 manipulation of 55
 in short-interval HIIT 86-87, 86f, 90-91f
 DXA (dual x-ray absorptiometry) 159

E

EAH (exercise-associated hyponatremia) 147
 eating disorders 159
 eating habits. *See* diet and nutrition
 Edith Cowan University 52-53, 53f
 eicosapentaenoic acid (EPA) 152
 EIH (exercise-induced arterial hypoxemia) 35
 Einstein, Albert 215
 Elliott, Herb 8
 endurance training. *See also* metabolic conditioning
 adaptive responses to 120f, 122
 bidirectional interaction with strength training 129
 integration into periodized regime 119
 interference effect in 119-121, 120f, 124
 nutrition and 134
 residual fatigue from 125, 127, 128
 for speed 47, 102, 494
 environmental conditions 63-65, 65f, 68f
 EPA (eicosapentaenoic acid) 152
 ergocalciferol 157
 exercise-associated hyponatremia (EAH) 147
 exercise heart rate 183-185, 185-186f
 exercise-induced arterial hypoxemia (EIH) 35
 external training load
 internal training load vs. 161, 162f
 locomotor-based rates of movement and 166-168, 166f, 169f
 power output and 165-166
 relative and absolute thresholds for 177, 177t
 sensor technology for 164, 164f
 speed/power-based intensity zones and 173-174
 in triathlon 370-371, 371f
 variables related to 165-168, 166f, 169f

F

Fartlek (speed play running) 5-6, 277, 295, 467
 fasted training 67
 fatigue. *See* neuromuscular fatigue
 fats (oils) 152-153, 153f
 fatty acids 152, 153f
 ferritin 157
 fielders (cricket) 447
 field hockey 455-474
 benchmarking 457-458, 458f, 458t
 case study 475-476
 controllable and uncontrollable factors 470
 countermovement jump in 458
 description and factors of winning 455-456, 456f
 field tests and order of performance 458-459, 459-461f
 game format change (halves vs. quarters) 463, 464f
 goalkeepers 463
 longitudinal effects of training 472-473f, 473t, 474
 manipulation of interval training variables for 464-468, 465-468t, 465f, 468f
 outfield players 462, 462t

percentage of HIIT weapons used in 463-464, 464f
 performance demands 455-459
 relative contribution of physical performance 456-459, 457f
 sample training programs 471-472f, 472t, 474
 small-sided games in 467, 468
 structure and progression of training program 470, 474
 surveillance and monitoring tools 468-470, 470f
 targets of physical performance 459, 461-462, 462t
 fight-based training 236-238, 237t
 fit but unhealthy paradigm 138, 141, 153, 154f
 fitness. *See* health and fitness
Fitness Training in Soccer: A Scientific Approach (Bangsbo) 9
 5 v 5 (half court) 436, 436f
 5 v 5/5 v 5/5 v 5 drill 437, 437f
 5 v 5 scrimmage 438, 438f
 five-zone training intensity model 172-174, 173t
 fL (force load) 204, 205, 207f
 fly drill 489, 489f
 folate 157, 158t
 folic acid 157
 Food and Nutrition Board (Institute of Medicine) 150
 food consumption. *See* diet and nutrition
 football. *See* American football; Australian football; soccer
 force load (fL) 204, 205, 207f
 forwards (ice hockey) 480
 4 v 4/4 v 4/4v 4 drill 435, 435f
 four-corner tracking drill 488, 488f
 fox and rabbit off-ice tag game 489
 fractional utilization of aerobic power 285
 Fribourg interval training method 7
 Frodeno, Jan 364, 364f
 Froome, Chris 302
 functional overreaching 139, 186
 functional resistance training 370

G

gait analysis 145
 game-based HIIT (GBHIIT) 103-109. *See also* small-sided games (SSGs)
 for American football 384
 anaerobic glycolytic response to 108-109
 for Australian football 400-401
 for baseball 421
 for cricket 450
 duration of exercise in 107-108
 for handball 499-502, 501-502f
 intensity of exercise in 104, 104f, 107, 107f
 manipulation of variables in 69, 71f
 neuromuscular response to 109, 110f
 oxidative responses to 105-108, 106-109f
 playing surface and 108, 108f, 109, 110f
 recovery period for 108, 109, 109f
 for Rugby Sevens 534-535, 540t, 541f
 for Rugby Union 516-517, 516-519f
 for soccer 552-555, 553-556f
 Stratton model of 104-105, 105f
 in team training schedules 9
 for tennis 353, 355, 356f

Gerschler, Woldemar 6, 6t, 7
 Gianniotis, Spiros 334
 Gilbert, Philippe 301
 global positioning system (GPS) technology
 activity profiles with 512, 513
 advancements in 205
 between-player comparisons with 201t, 203
 daily readiness assessment with 201, 201t
 external power output estimation with 166
 game demand example derived from 517
 limitations of 167-168, 169f
 as monitoring tool 20, 522, 535, 556
 speed measurement with 24
 for training load tracking 200-201, 469, 521
 glycogen 43-45, 47, 67, 91, 91f, 133
 goalkeepers 463, 496, 548
 goaltenders (ice hockey) 481
 GPS technology. *See* global positioning system (GPS) technology
 grappling techniques 230
 Greipel, Andre 301

H

half-Ironman distance event 366f, 367
 Hamilton RSA protocol 459, 459f, 461f
 handball 495-510
 case study 508-510, 509t
 controllable and uncontrollable factors 504-505
 court dimension changes 501-502
 description and factors of winning 495
 game-based HIIT for 499-502, 501-502f
 goalkeepers 548
 incorporation of HIIT into 505
 long-interval HIIT for 497
 longitudinal effects of training 502-503, 503f
 manipulation of interval training variables for 497-502
 outfield players 496
 percentage of HIIT weapons used in 496-497, 497f
 performance demands 495
 relative contribution of physical performance 495, 496f
 repeated-sprint training for 498-499, 500f
 sample training programs 505, 505-507t
 short-interval HIIT for 497-498, 498-499f
 small-sided games in 499-502
 sprint interval training for 499
 structure and progression of training program 505
 surveillance and monitoring tools 504, 504f
 targets of physical performance 495-496
 Harbig, Rudolf 6, 6t, 7
 health and fitness. *See also* stress
 balanced training for 138, 139f
 body composition 157-159, 158f
 definitions of 137, 219
 physiological systems related to 137, 138f
 sudden death among athletes 142-143
 wellness measures 208-212, 210t, 212f, 469-470
 heart rate-based prescription 21-22f, 21-23
 heart rate measures 181-199
 acknowledging uncertainty within 194-197

- heart rate measures (*continued*)
 - acute responses 187-188, 187-188f
 - chronic responses 188-190, 189f
 - examples of 198, 199-200f
 - during exercise 183-185, 185-186f
 - interpreting changes in 190-197, 192t, 194f
 - limitations of 197-198
 - multiple complex indices of 182
 - overview 181-182
 - post-exercise 185-187
 - resting 182-183, 183t, 184f
 - saturated variability profile 190, 191f
 - selection of 197, 198f
- heat load 63-64, 65f
- heat stress/heat stroke 154, 290
- high-aerobic swim training 337
- high-intensity interval training (HIIT). *See also* game-based HIIT (GBHIIT); long-interval HIIT; longitudinal effects of training; manipulation of interval training variables; physiological responses to HIIT; sample training programs; short-interval HIIT
 - all-out sprint training 26, 29, 29f
 - anaerobic speed reserve measures 23-24, 23-24f
 - during concurrent training 130, 131-132f
 - defining 3-5, 4f
 - fight-based 236-238, 237t
 - heart rate-based prescription 21-22f, 21-23
 - history and evolution of 5-9, 213-214
 - HPA axis in adaptation to 139-141, 140f
 - maximal aerobic speed and power-based method 18-21, 19f
 - for performance enhancement 10-11
 - recovery duration between strength training and 128-129
 - RPE-based prescription 17-18
 - selection of programming 11-15, 12-14f, 74, 74f
 - synopsis of science and application of 213, 214f
 - in team sports 9
 - 30-15 intermittent fitness test 22-26, 26-28f, 52
 - track-and-field approach 29-30, 30f
- hill training 78-79, 83, 370
- hockey. *See* field hockey; ice hockey
- Holmé, Gösta 5-6
- Horwill, Franck 8
- HPA (hypothalamic-pituitary-adrenal) axis 139-141, 140f
- Hron, Josef 6, 7
- hybrid combat sports 230-231
- hybrid players (Australian football) 396-397
- hydration status 67, 147, 154-156
- hypoglycemia 66
- hyponatremia 147, 155
- hypothalamic-pituitary-adrenal (HPA) axis 139-141, 140f
- hypoxia 64-65, 65f, 290
- I
- ice hockey 477-494
 - case study 493-494
 - controllable and uncontrollable factors 490
 - description and factors of winning 477-478
 - fly drill in 489, 489f
 - forwards and defensemen 480
 - goaltenders 481
 - long-interval HIIT for 484
 - manipulation of interval training variables for 482-486
 - metabolic conditioning in 484-486, 487t
 - on-ice 45 s shift length conditioning drill in 484, 484f
 - percentage of HIIT weapons used in 481-482, 481f
 - performance demands 477-479
 - recovery programming and adjunct training 486, 490
 - relative contribution of physical performance 478-479, 478f
 - repeated-sprint training for 482
 - sample training programs 490-491, 491-492t
 - short-interval HIIT for 482, 484
 - sprint interval training for 482
 - surveillance and monitoring tools 486-487, 490
 - targets of physical performance 479-481, 480f
 - 30-15 intermittent ice test for 483, 483f
 - tracking drills in 485-488, 485-488f
 - work:rest ratio in 480, 482
- Igloi, Mihály 7
- Iharos, Sándor 7
- illness, prevention of 372
- individualized training impulse (iTRIMP) 175, 175f
- infielders (baseball) 417
- inflammation, medications for 155
- inside backs (Rugby Union) 514
- insulin resistance 148, 157, 190
- intensity of exercise
 - in concurrent training 126-127
 - in game-based HIIT 104, 104f, 107, 107f
 - during long intervals 75, 80, 81f
 - manipulation of 54-55
 - power output as marker of 165-166
 - during short intervals 84-86, 85-86f, 90-91, 90f
- interference effect
 - acute hypothesis for 121, 124
 - chronic hypothesis for 121-124, 124f
 - mitigation of 125-127, 130, 133-135
 - unidirectional nature of 119-120, 120f
- internal training load
 - blood lactate and 170-172
 - external training load vs. 161, 162f
 - heart rate and 170, 171f
 - internal load-related intensity zones and 174-175
 - neuromuscular function and 172
 - pros and cons of intensity markers 173, 173f
 - relative and absolute thresholds for 177, 177t
 - sensor technology for 164, 164f
 - session-RPE method and 176, 176f, 178
 - training impulse and 175, 175f
 - in triathlon 370-371, 371f
 - variables related to 169-172, 171f
- International Society of Sports Nutrition 149
- iron deficiencies 157
- Ironman event 366f, 367
- iTRIMP (individualized training impulse) 175, 175f

J

Jack Daniels' Formula (Daniels) 9
 jet lag 372
 jumps. *See* countermovement jump (CMJ)
 junk food 149, 150t, 153

K

ketogenic state 151
 kickers (American football) 383
 Kittel, Marcel 301
 Kolehmainen, Hannes 5, 7

L

LA (linoleic acid) 152
 lactate threshold 3-5, 4f, 43-45, 44f, 170-171, 174-175, 213
 lactic training 47
 LCHF (low-carbohydrate high-fat) diet 66-67, 151, 373
 Ledecy, Katie 331
 linear position transducer (LPT) technology 168-169, 193
 linebackers (American football) 382-383
 lineout, in Rugby Union 513
 linoleic acid (LA) 152
 linolenic acid (LNA) 152
 LNA (linolenic acid) 152
 locomotor-based rates of movement 166-168, 166f, 169f
 long-interval HIIT 75-84
 anaerobic glycolytic response to 79-82, 81f
 for Australian football 398-399
 for baseball 420
 cardiac function during 37, 39
 for combat sports 232, 234f, 234t, 235
 for cricket 450
 for cross-country skiing 253-255
 duration of exercise in 75-77, 76-77f, 81-82, 81f
 for handball 497
 for ice hockey 484
 intensity of exercise during 75, 80, 81f
 manipulation of variables in 68-69, 69f
 modality of exercise in 82
 neuromuscular response to 82-84, 83f
 oxidative responses to 75-79, 76-78f, 80f
 recovery period for 58, 59, 69, 78, 82
 for road cycling 302-303
 for road running 286-287, 287f
 for rowing 317, 317t
 for Rugby Sevens 529, 530-531t, 532f
 for Rugby Union 521
 for soccer 549-550
 for tennis 350-351, 351f
 time at $\dot{V}O_2$ max and 89, 89f
 for triathlon 367-368, 368t
 uphill running during 78-79
 volume of work performed 77-78, 78f
 longitudinal effects of training
 combat sports 238, 238f
 field hockey 472-473f, 473t, 474
 handball 502-503, 503f
 soccer 555-556
 tennis 355, 357t
 long-pass tracking drill 486, 486f

Lore of Running, The (Noakes) 9
 low-aerobic swim training 336-337
 low-carbohydrate high-fat (LCHF) diet 66-67, 151, 373
 LPT (linear position transducer) technology 168-169, 193
 Lydiard, Arthur 8

M

macronutrients 149-156
 balancing 149-150, 152f
 carbohydrates 66-67, 133, 134, 150-152, 307, 373
 fats 152-153, 153f
 proteins 66, 133-135, 153-154
 water 154-156
 manipulation of interval training variables 51-72
 for American football 384-385
 for Australian football 398-401
 author experiences with 51-52
 for baseball 418-421
 for basketball 430-433
 between-series recovery 61, 61f
 for combat sports 232-238, 233f
 for cricket 450
 for cross-country skiing 250-251t, 251-255
 duration of exercise 55
 environment 63-65, 65f, 68f
 for field hockey 464-468, 465-468t, 465f, 468f
 in game-based HIIT 69, 71f
 for handball 497-502
 for ice hockey 482-486
 intensity of exercise 54-55
 for long intervals 68-69, 69f
 for middle-distance running 269-270, 269f, 270-271t
 modality of exercise 61-63, 62f
 number of intervals 59-61, 60f
 nutrition 65-68, 68f
 overview 53-54, 54f
 recovery period 55-59, 57-59f
 in repeated-sprint training 69, 70f
 for road cycling 302-304, 305f
 for road running 286-287
 for rowing 317-319
 for Rugby Sevens 528-535
 for Rugby Union 516-521
 series duration 59-60, 60f
 series number 60-61
 for short intervals 69, 70f
 for soccer 549-555
 in sprint interval training 69, 71f
 for swimming 334-339
 synopsis and review 215-218, 217f
 for tennis 349-355
 for triathlon 367-370
 MAOD (maximal accumulated oxygen deficit) method 45, 46f
 maximal accumulated oxygen deficit (MAOD) method 45, 46f
 maximal aerobic speed and power-based method 18-21, 19f
 maximal oxygen uptake ($\dot{V}O_2$ max)
 comparison among HIIT weapons 110, 111t, 112f

- maximal oxygen uptake ($\dot{V}O_{2\max}$) (*continued*)
 - defined 18
 - in game-based HIIT 105-108, 106-109f
 - in long-interval HIIT 75-79, 76-78f, 80f
 - in repeated-sprint training 95-97, 96-97f
 - in short-interval HIIT 84-89, 85-89f
 - during small-sided games 30, 31f
 - speed and power associated with 18-21, 19f
 - in sprint interval training 102
 - time at 18, 19f, 35, 89, 89f
- maximal sprinting speed (MSS) 23, 24
- maximal sympathetic mobilization 190
- medicine ball toss and chase 486, 487t
- meditation 486, 490
- Merckx, Eddy 301
- metabolic conditioning
 - adaptive responses to 14, 120f, 122
 - in ice hockey 484-486, 487t
 - interference effect in 120-121, 134
 - residual fatigue from 128, 129
 - in Rugby Sevens 528
- metabolic processes 33-34, 34f
- micronutrients 156-157, 158t
- middle-distance running 261-282
 - case study 282
 - controllable and uncontrollable factors 271-272
 - description and factors of winning 261-264, 261t, 262-263f, 263t
 - incorporation of HIIT into 272
 - manipulation of interval training variables for 269-270, 269f, 270-271t
 - percentage of HIIT weapons used in 268-269, 269f
 - performance demands 261-266
 - relative contribution of physical performance 264-265f, 264-266, 266t
 - sample training programs 272-277, 273-281t
 - structure and progression of training program 272, 272t
 - surveillance and monitoring tools 271
 - targets of physical performance 266-267, 267t, 268f
- middle-distance swimming 330-331, 332-333f
- midfield players (Australian football) 396-397
- minimum effective dose 295
- modality of exercise
 - in concurrent training 127-128
 - in long-interval HIIT 82
 - manipulation of 61-63, 62f
 - in repeated-sprint training 99, 99-100f
 - in short-interval HIIT 92, 93f
- molecular hypothesis for interference effect 121-124, 124f
- monitoring tools. *See* surveillance and monitoring tools
- MSS (maximal sprinting speed) 23, 24
- muscle oxygenation 39, 40
- muscle relaxants 155
- N**
 - napping 148
 - natural interval training 6
 - neuromuscular fatigue
 - assessment of 50, 470
 - concurrent training and 126-129
 - consequences of 47, 49, 504
 - duration of 128
 - intensity of exercise and 126, 127
 - minimization of 133-134, 558
 - playing surfaces and 109
 - recovery from 101-102, 497
 - from repeated-sprint training 101-102
 - from short-interval HIIT 529, 550
 - from small-sided games 554
 - from sprint interval training 499
 - stress-related 148
 - neuromuscular hypothesis for interference effect 121, 124
 - neuromuscular load 176
 - neuromuscular response
 - comparison among HIIT weapons 112-113, 114-115t, 116-117f
 - concurrent training and 123, 125-130, 126f
 - to game-based HIIT 109, 110f
 - internal training load and 172
 - to long-interval HIIT 82-84, 83f
 - manipulation of 218
 - measurement of 47-50, 48-49f
 - to repeated-sprint training 99-102, 100-101f
 - to short-interval HIIT 92-95, 93-95f
 - to sprint interval training 103
- Noakes, Tim 9
- nonfunctional overreaching 139, 146, 182
- nonsteroidal anti-inflammatory drugs (NSAIDs) 155
- number of intervals 59-61, 60f
- Nurmi, Paavo 5, 5f, 7
- nutrition. *See* diet and nutrition
- O**
 - offensive linemen (American football) 382
 - Olivier, Marc-Antoine 334
 - Olympic distance triathlon 366, 366f
 - Olympic-style weightlifting 485-486
 - omega-3 fatty acids 152
 - omega-6 fatty acids 152
 - on-ice 45 s shift length conditioning drill 484, 484f
 - open-water swimmers 334, 335f
 - Osler, William 143
 - outfield players
 - baseball 417
 - field hockey 462, 462t
 - handball 496
 - soccer 548
 - outside backs (Rugby Union) 514
 - overfat 159
 - overhydration 155
 - overreaching
 - acute stress as 145
 - assessment of 144
 - defined 139
 - functional 139, 186
 - nonfunctional 139, 146, 182

- overtraining
 - chronic 147-148
 - consequences of 33
 - defined 138
 - diagnosis of 141
 - risk factors for 61, 78, 138, 197
 - sympathetic 146
- oxygen consumption. *See* maximal oxygen uptake ($\dot{V}O_2\text{max}$)
- P**
 - pain medications 155
 - passive vs. active recovery 55-59, 57-58f
 - Peaty, Adam 329
 - Pereira, Moniz 8
 - performance, defined 10
 - performance demands
 - American football 379-381
 - Australian football 393-396
 - baseball 411-415
 - basketball 425-426
 - combat sports 227-228
 - comparison among sports 12, 13f
 - cricket 443-446
 - cross-country skiing 247-248
 - field hockey 455-459
 - handball 495
 - ice hockey 477-479
 - middle-distance running 261-266
 - road cycling 297-300
 - road running 283-285
 - rowing 311-314
 - Rugby Sevens 10, 11f, 525-527
 - Rugby Union 511-515
 - in selection of HIIT programming 11-12
 - soccer 10, 11f, 547
 - tennis 347-348
 - triathlon 10, 11f, 363-366
 - performance enhancement 10-11
 - performance-enhancing drugs 143
 - periodized nutrition 290-291, 307, 322, 373
 - personality archetypes 222-223, 222f
 - Phelps, Michael 327
 - physical poke 466
 - physiological responses to HIIT 33-50. *See also* aerobic oxidative response; anaerobic glycolytic response; neuromuscular response
 - benefits of 7, 138, 140
 - cardiac function 35-39, 36-39f, 142-143
 - metabolic processes and 33-34, 34f
 - muscle and cerebral oxygenation 39-40
 - progressive overload principle and 33
 - respiratory function 35
 - in skeletal muscle 40-45, 41-45f
 - synopsis and review 215
 - Pihkala, Lauri 5
 - Pilates 486
 - pitchers (baseball) 415-416
 - playing surface considerations 108, 108f, 109, 110f
 - polarized training 8
 - post-exercise heart rate 185-187
 - power output, as marker of mechanical intensity 165-166
 - progressive overload principle 33
 - prooxidants 157
 - proteins 66, 133-135, 153-154
 - punters (American football) 383
- Q**
 - Qigong 486, 490
 - quarterbacks (American football) 383
 - Quintana, Nairo 302
- R**
 - race-specific swim training 338, 339t
 - rating of perceived exertion (RPE)-based prescription 17-18. *See also* session rating of perceived exertion (sRPE)
 - recovery period
 - active vs. passive 55-59, 57-59f
 - between-series intensity and duration 61, 61f
 - in game-based HIIT 108, 109, 109f
 - in ice hockey 486, 490
 - in long-interval HIIT 58, 59, 69, 78, 82
 - in short-interval HIIT 57, 69, 87-88, 87-88f, 91-92
 - between strength training and HIIT 128-129
 - in swimming 339
 - Reilly, Tom 9
 - relative energy deficiency in sport 158
 - repeated-sprint training (RST) 95-102
 - for American football 385
 - anaerobic glycolytic response to 97-99, 98-100f
 - for Australian football 399-400
 - for baseball 420-421
 - change of direction in 99, 101
 - for combat sports 236
 - for cricket 448-450, 449-450f
 - for handball 498-499, 500f
 - for ice hockey 482
 - manipulation of variables in 69, 70f
 - modality of exercise in 99, 99-100f
 - neuromuscular response to 99-102, 100-101f
 - oxidative responses to 95-97, 96-97f
 - physiological responses to 26, 29, 40
 - for Rugby Sevens 531, 533, 534f, 536-539t
 - for Rugby Union 520-521
 - for soccer 552
 - for tennis 351, 353, 354f
 - work:rest ratio in 97-99, 98f
 - resistance training
 - benefits of 119
 - circuit-based 62-63, 418
 - functional 370
 - nutrition and 134, 153-154
 - respiratory function 35
 - resting heart rate measures 182-183, 183t, 184f
 - riboflavin 157
 - road cycling 297-309
 - case study 309
 - controllable and uncontrollable factors 306

- road cycling (*continued*)
 - description and factors of winning 297-299, 298f
 - long-interval HIIT for 302-303
 - manipulation of interval training variables for 302-304, 305f
 - percentage of HIIT weapons used in 302, 303f
 - performance demands 297-300
 - periodized nutrition and 307
 - relative contribution of physical performance 299-300, 300f
 - sample training programs 307, 308f
 - short-interval HIIT for 303
 - sprint interval training for 303
 - structure and progression of training program 307
 - surveillance and monitoring tools 304-306
 - targets of physical performance 300-302, 302f
 - work:rest ratio in 303
- road running 283-296
 - aerobic power in 285
 - case study 295-296, 296f
 - controllable and uncontrollable factors 288-289
 - description and factors of winning 283, 284f
 - economy in 285-286
 - incorporation of HIIT into 291
 - long-interval HIIT for 286-287, 287f
 - manipulation of interval training variables for 286-287
 - percentage of HIIT weapons used in 286, 286f
 - performance demands 283-285
 - periodized nutrition and 290-291
 - relative contribution of physical performance 283, 285
 - sample training programs 13, 14f, 291-292, 292-294f
 - short-interval HIIT for 287, 287f
 - structure and progression of training program 289-291, 289f
 - surveillance and monitoring tools 287-288
 - targets of physical performance 285-286
 - work:rest ratio in 285-287
- rowing 311-323
 - case study 323
 - controllable and uncontrollable factors 321
 - description and factors of winning 311-314, 312t, 313f
 - long-interval HIIT for 317, 317t
 - manipulation of interval training variables for 317-319
 - maximal aerobic speed and power in 20
 - performance demands 311-314
 - periodized nutrition and 322
 - relative contribution of physical performance 314, 314f
 - sample training programs 319-320t, 322
 - short-interval HIIT for 317-318, 318t
 - sprint interval training for 318
 - structure and progression of training program 321-322
 - surveillance and monitoring tools 319-320
 - targets of physical performance 314-316, 315-316f, 315t
 - work:rest ratio in 317-318
- Rózsavölgyi, István 7, 8t
- RPE-based prescription. *See* rating of perceived exertion (RPE)-based prescription
- RST. *See* repeated-sprint training (RST)
- ruckmen (Australian football) 397
- Rugby Sevens 525-546
 - case study 544-546, 544f
 - change of direction in 530
 - controllable and uncontrollable factors 535-536
 - description and factors of winning 525
 - fatiguing session 50
 - game-based HIIT for 534-535, 540t, 541f
 - incorporation of HIIT into 538-539
 - long-interval HIIT for 529, 530-531t, 532f
 - manipulation of interval training variables for 528-535
 - metabolic conditioning in 528
 - percentage of HIIT weapons used in 528, 528f
 - performance demands 10, 11f, 525-527
 - relative contribution of physical performance 526-527, 526f
 - repeated-sprint training for 531, 533, 534f, 536-539t
 - sample training programs 530-531t, 536-539t, 539, 542t
 - short-interval HIIT for 529-531, 532-533f
 - small-sided games in 535, 541f
 - speed in 527-528
 - sprint interval training for 533-534, 536-539t
 - structure and progression of training program 536-537, 542-543t
 - surveillance and monitoring tools 535
 - targets of physical performance 527-528
- Rugby Union 511-524
 - back row players 514
 - breakdowns in 512
 - case study 524
 - controllable and uncontrollable factors 522
 - description and factors of winning 511-513, 512f
 - game-based HIIT for 516-517, 516-519f
 - incorporation of HIIT into 523
 - inside backs 514
 - lineout in 513
 - long-interval HIIT for 521
 - manipulation of interval training variables for 516-521
 - outside backs 514
 - passing and kicking in 512
 - percentage of HIIT weapons used in 515, 515f
 - performance demands 511-515
 - relative contribution of physical performance 513, 514f
 - repeated-sprint training for 520-521
 - scrum in 513
 - short-interval HIIT for 518-520, 520f
 - small-sided games in 516, 517-519f
 - sprint interval training for 521
 - structure and progression of training program 522-523
 - surveillance and monitoring tools 521-522
 - tackling in 512
 - targets of physical performance 513-515
 - tight forwards 514
 - work:rest ratio in 514-515
- running. *See also* middle-distance running; road running
 - hill training 78-79, 83, 370
 - maximal aerobic speed and power in 18, 20
 - neuromuscular efficiency during 203, 204f

- neuromuscular strain from 127
- professionalization of 8-9
- stride characteristics 205, 207
- running backs (American football) 382-383
- S**
- Sagan, Peter 301
- sample training programs
 - American football 389, 389-390t
 - Australian football 405t, 406-407, 406f
 - baseball 422t, 423
 - basketball 438, 439t
 - combat sports 242, 243-244t
 - cricket 452, 452-453f
 - field hockey 471-472f, 472t, 474
 - handball 505, 505-507t
 - ice hockey 490-491, 491-492t
 - middle-distance running 272-277, 273-281t
 - road cycling 307, 308f
 - road running 13, 14f, 291-292, 292-294f
 - rowing 319-320t, 322
 - Rugby Sevens 530-531t, 536-539t, 539, 542t
 - soccer 13, 14f, 560-563f, 561
 - tennis 358-360t, 359
 - triathlon 373, 374-375t
- saturated heart rate variability profile 190, 191f
- saturation phenomenon 190
- Schmidt, Paul 8
- Schoberer, Ulrich 165
- Schul, Bob 7
- scrum, in Rugby Union 513
- Selye, Hans 139
- sensor technology 164, 164f
- series duration 59-60, 60f, 88-89, 89f
- session rating of perceived exertion (sRPE)
 - in combat sports 239-240, 239f
 - in field hockey 469, 470f
 - for internal load quantification 176, 176f, 178
 - reliability of 172
- short-interval HIIT 84-95
 - for American football 384
 - anaerobic glycolytic response to 89-92, 90-91f
 - for Australian football 399
 - for baseball 419-420
 - cardiac function during 37-39
 - for combat sports 235, 235t
 - for cricket 448, 448f
 - for cross-country skiing 255
 - duration of exercise 86-87, 86f, 90-91f
 - glycogen use with 91, 91f
 - for handball 497-498, 498-499f
 - heart rate responses during 21, 21f
 - for ice hockey 482, 484
 - intensity of exercise during 84-86, 85-86f, 90-91, 90f
 - manipulation of variables in 69, 70f
 - modality of exercise in 92, 93f
 - neuromuscular response to 92-95, 93-95f
 - oxidative responses to 84-89, 85-89f
 - recovery period for 57, 69, 87-88, 87-88f, 91-92
 - for road cycling 303
 - for road running 287, 287f
 - for rowing 317-318, 318t
 - for Rugby Sevens 529-531, 532-533f
 - for Rugby Union 518-520, 520f
 - series duration for 88-89, 89f
 - for soccer 550-552, 550-552f
 - for tennis 351, 352f
 - time at $\dot{V}O_{2\max}$ and 89, 89f
 - for triathlon 368, 369t
- SIT. *See* sprint interval training (SIT)
- Sjöström, Sarah 329
- skeletal muscle, metabolic systems in 40-45, 41-45f
- skiing. *See* cross-country skiing
- skinfold thickness tests 159
- skipping complex 486, 487t
- sled push/pull 486, 487t
- sleep guidelines 148
- sleeping low 67
- slideboard intervals 486, 487t
- smallest worthwhile change (SWC) 185, 191, 193, 195-196
- small-sided games (SSGs)
 - advantages and disadvantages of 104, 105t
 - anaerobic glycolytic response to 108-109
 - in basketball 433-438, 433-438f
 - in field hockey 467, 468
 - in handball 499-502
 - heart rate response during 31, 31f
 - limitations of 30-31
 - neuromuscular response to 109
 - oxidative responses to 30, 31f, 106-108, 107f
 - playing surface and 108, 108f, 109, 110f
 - in Rugby Sevens 535, 541f
 - in Rugby Union 516, 517-519f
 - in soccer 552-555, 553-556f
 - Stratton model of 104-105, 105f
 - tactical and technical components of 104
- Snell, Peter 8
- soccer 547-564
 - case study 564
 - change of direction in 551
 - controllable and uncontrollable factors 557-558
 - countermovement jump in 553f, 554
 - description and factors of winning 547
 - game-based HIIT for 552-555, 553-556f
 - goalkeepers 548
 - incorporation of HIIT into 559-561
 - long-interval HIIT for 549-550
 - longitudinal effects of training 555-556
 - manipulation of interval training variables for 549-555
 - outfield players 548
 - percentage of HIIT weapons used in 549, 549f
 - performance demands 10, 11f, 547
 - relative contribution of physical performance 547, 548f
 - repeated-sprint training for 552
 - sample training programs 13, 14f, 560-563f, 561
 - short-interval HIIT for 550-552, 550-552f
 - small-sided games in 552-555, 553-556f

- soccer (*continued*)
 structure and progression of training program 558-559, 559f
 surveillance and monitoring tools 555-556, 557-558f
 targets of physical performance 548
- speed
 endurance training for 47, 102, 494
 GPS measurement of 24
 in Rugby Sevens 527-528
 in swimming 338-339
- Spott, Steve 482
- sprint distance triathlon 366, 366f
- sprinters, in road cycling 301
- sprint interval training (SIT)
 for American football 385
 anaerobic glycolytic response to 102-103
 for combat sports 236
 for cross-country skiing 255
 for handball 499
 for ice hockey 482
 manipulation of variables in 69, 71f
 neuromuscular response to 103
 oxidative responses to 102
 physiological responses to 26, 29, 29f, 40, 45
 for road cycling 303
 for rowing 318
 for Rugby Sevens 533-534, 536-539t
 for Rugby Union 521
 for tennis 353
 for triathlon 368, 369t
- sprint swimming 329-330, 330-331f
- sRPE. *See* session rating of perceived exertion (sRPE)
- SSGs. *See* small-sided games (SSGs)
- Stampfl, Franz 7
- Stanley, Jamie 295-296, 296f
- Stanley, John 295, 296f
- strength training
 adaptive responses to 120f, 122, 134
 bidirectional interaction with endurance training 129
 equipment used in 493
 integration into periodized regime 119
 interference effect in 119-121, 120f, 124, 124f
 neuromuscular demands influencing 123, 125-126
 recovery duration between HIIT and 128-129
 residual effects of 121
 strategies to minimize residual fatigue prior to 133-134
- stress. *See also* training stress
 defining 139
 fatigue related to 148
 forms of 138-139
 HPA axis in response to 139-141, 140f
 signs and symptoms 141, 141t
 survival response to 179
 synopsis and review 219-220
- stride characteristics 205, 207
- striking sports 229
- sudden death among athletes 142-143
- surveillance and monitoring tools. *See also* global position-
 ing system (GPS) technology
 American football 385-386, 386f
 Australian football 401-402, 402f
 baseball 421
 basketball 433-436
 combat sports 239-240, 239f
 cricket 450-451
 cross-country skiing 255-256
 handball 504, 504f
 ice hockey 486-487, 490
 LPT technology 168-169
 middle-distance running 271
 road cycling 304-306
 road running 287-288
 rowing 319-320
 Rugby Sevens 535
 Rugby Union 521-522
 sensor technology 164, 164f
 soccer 555-556, 557-558f
 swimming 339-341, 340f, 341f, 344, 345
 tennis 356
 triathlon 370-371
- SWC. *See* smallest worthwhile change (SWC)
- swimming 325-345
 anaerobic training 337-338, 338f
 case study 345
 description and factors of winning 325-326, 326f
 distance events 331, 333-334f, 334
 high-aerobic training 337
 low-aerobic training 336-337
 manipulation of interval training variables for 334-339
 middle-distance events 330-331, 332-333f
 open water 334, 335f
 race-specific training 338, 339t
 recovery period in 339
 relative contribution of physical performance 326-329, 327-328f
 speed work 338-339
 sprint events 329-330, 330-331f
 structure and progression of training program 342-343f, 344
 surveillance and monitoring tools 339-341, 340f, 341f, 344, 345
 targets of physical performance 329-334
- sympathetic overtraining 146
- T**
- Tabori, László 7
- tackling 381, 383, 461, 512
- Tahri, Bob 266
- tall forwards (Australian football) 397
- targeted interception markers 164-173
 blood lactate 170-172
 defined 162
 external training load variables 165-168, 166f, 169f
 five-zone training intensity model and 172-173, 173t
 heart rate 170, 171f
 internal training load variables 169-172, 171f
 locomotor-based rates of movement 166-168, 166f, 169f

- LPT technology 168-169
- neuromuscular function 172
- power output 165-166
- pros and cons of intensity markers 173, 173f
- sensor technology and 164, 164f
- session RPE 172
- targets of physical performance 300-302, 302f
 - American football 382-383
 - Australian football 396-397
 - baseball 415-417
 - basketball 426-427
 - combat sports 228-231, 229f
 - cricket 446-447
 - cross-country skiing 248-249
 - field hockey 459, 461-462, 462t
 - handball 495-496
 - ice hockey 479-481, 480f
 - middle-distance running 266-267, 267t, 268f
 - road cycling 300-302, 302f
 - road running 285-286
 - rowing 314-316, 315-316f, 315t
 - Rugby Sevens 527-528
 - Rugby Union 513-515
 - soccer 548
 - swimming 329-334
 - tennis 348-349
 - triathlon 366-367
- TE (typical error of measurement) 194-195
- tennis 347-361
 - case study 361
 - controllable and uncontrollable factors 356-358
 - countermovement jump in 353
 - description and factors of winning 347-348
 - game-based HIIT for 353, 355, 356f
 - incorporation of HIIT into 359
 - long-interval HIIT for 350-351, 351f
 - longitudinal effects of training 355, 357t
 - manipulation of interval training variables for 349-355
 - percentage of HIIT weapons used in 349, 350f
 - performance demands 347-348
 - relative contribution of physical performance 348, 348f
 - repeated-sprint training for 351, 353, 354f
 - sample training programs 358-360t, 359
 - short-interval HIIT for 351, 352f
 - sprint interval training for 353
 - structure and progression of training program 358
 - surveillance and monitoring tools 356
 - targets of physical performance 348-349
- thinking outside the box 222, 345
- 30-15 intermittent fitness test 22-26, 26-28f, 52
- 30-15 intermittent ice test 483, 483f
- 3 v 3 fast break (6 v 6) 434, 434f
- tight ends (American football) 382-383
- tight forwards (Rugby Union) 514
- track-and-field approach 29-30, 30f
- tracking drills 485-488, 485-488f
- training impulse (TRIMP) 175, 175f
- training load 161-178. *See also* external training load; internal training load
 - acute-chronic workload ratio as measure of 201-203, 202f
 - anaerobic glycolytic 175-176
 - assessment in practice 178
 - between-player comparisons 201t, 203
 - calculation of 504, 556
 - framework for optimization of response monitoring 203-204, 204f, 208f
 - GPS in tracking of 200-201, 469, 521
 - internal-to-external load ratios 204-205, 206f
 - neuromuscular 176
 - performance capacity determinants 180, 181f
 - quantification of 165, 173, 173f, 220
 - reduction in volume of 61
 - RPE 176, 176f, 178, 469, 470f
 - surveillance and monitoring of 162-164, 163f, 546
 - synopsis and review 220-221
 - targeted interception markers for 162, 164-173
 - within-player analysis of 201-203, 201t
- training low 47, 151, 322, 373
- training stress 141-157. *See also* overreaching; overtraining; training load
 - acute 145-146
 - advanced 146-147, 146f
 - assessment of 141, 143-145, 143t
 - chronic 147-148
 - fatigue resulting from 148
 - gait analysis for 145
 - nutrition and 148-157
 - recovery from 148
 - signs and symptoms 144, 144f
 - stages of 145-148
 - from submaximal exercise 144-145
 - synopsis and review 219-220
- training taper strategies 147
- triathlon 363-377
 - case study 376-377
 - controllable and uncontrollable factors 372
 - description and factors of winning 363-365, 363t
 - external and internal training load 370-371, 371f
 - half-Ironman event 366f, 367
 - Ironman event 366f, 367
 - long-interval HIIT for 367-368, 368t
 - manipulation of interval training variables for 367-370
 - Olympic distance triathlon 366, 366f
 - percentage of HIIT weapons used in 367, 368f
 - performance demands 10, 11f, 363-366
 - periodized nutrition and 373
 - relative contribution of physical performance 365-366, 365f
 - sample training programs 373, 374-375t
 - short-interval HIIT for 368, 369t
 - sprint distance triathlon 366, 366f
 - sprint interval training for 368, 369t
 - structure and progression of training program 373
 - surveillance and monitoring tools 370-371
 - targets of physical performance 366-367
 - work:rest ratio in 368
- TRIMP (training impulse) 175, 175f

2 v 2 fast break (6 v 6) 433, 433f
 two-a-day training 67
 typical error of measurement (TE) 194-195

U

uncontrollable factors. *See* controllable and uncontrollable factors
 University of Montreal track test (UM-TT) 18, 20, 25

V

Vam-Eval test 18, 20
 variable manipulation. *See* manipulation of interval training variables
 ventilatory threshold 43, 44f, 174
 vitamin D 156-157
 $\dot{V}O_2\text{max}$. *See* maximal oxygen uptake ($\dot{V}O_2\text{max}$)

W

waist-to-height ratio (WHtR) 158f, 159
 walking meditations 486, 490
 water, as macronutrient 154-156
 Weertman, Ferry 334
 weightlifting 485-486
 wellness measures 208-212, 210t, 212f, 469-470

WHtR (waist-to-height ratio) 158f, 159
 wicketkeepers 447
 wide receivers (American football) 382
 work:rest ratio

in Australian football 398-400
 in baseball 419-421
 in basketball 427, 431, 432
 in circuit-training programs 63
 in combat sports 236
 in cricket 448, 450
 in ice hockey 480, 482
 in repeated-sprint training 97-99, 98f
 in road cycling 303
 in road running 285-287
 in rowing 317-318
 in Rugby Union 514-515
 in triathlon 368
 wrestling techniques 229-230

Y

yoga 486, 490

Z

Zátopek, Emil 6-7, 7f

About the Editors

Paul Laursen



Paul Laursen, PhD, is an endurance coach, a sport scientist, and an adjunct professor for Auckland University of Technology in New Zealand. He earned his doctorate in exercise physiology from the University of Queensland, was formerly the physiology manager for High Performance Sport New Zealand, and now resides in British Columbia, Canada.

Laursen is well known throughout the international sport and strength and conditioning communities for his knowledge and research of high-intensity interval training. His other interests include heart rate variability, thermoregulation, health, and the application of artificial intelligence technologies to training. Laursen has published more than 125 peer-reviewed manuscripts in exercise and sport science journals; his publications with coauthor Martin Buchheit are among the most cited. Laursen is an active endurance athlete, having completed 18 Ironman triathlons.

Martin Buchheit



Martin Buchheit, PhD, is a sport scientist, a strength and conditioning coach, and the head of performance for the Paris Saint-Germain Football (Soccer) Club. He is also an adjunct associate professor of exercise science for Victoria University in Australia. He previously worked as an exercise physiologist for ASPIRE Academy in Qatar, and he has served as a lecturer, consultant, and strength and conditioning coach for various organizations.

Buchheit received his doctorate in physiology from the University of Strasbourg in France. His main research focuses on assessing, improving, and monitoring the physiological determinants of team sport performance, with a greater emphasis on soccer and handball. Based on his field and research experiences, Buchheit developed the 30-15 intermittent fitness test (used to program high-intensity training; go to <https://30-15ift.com> for details) to improve high-intensity training prescription, and the 4'+3' running test to track changes in training status using heart rate (variability) and GPS/accelerometer data. He has also performed some research on the acute and chronic responses to hypoxic and heat exposure, and their possible ergogenic effects on physical performance in team sports.



Buchheit has published more than 160 papers in peer-reviewed journals, with more than 100 as a first author. His overall scientific work has been cited more than 10,000 times, with the two-part review on high-intensity interval training coauthored with Paul Laursen being the most cited of all. Buchheit has been invited around the globe to share his experience in the fields of strength and conditioning and sport sciences, as well as to discuss his overall training approach in the elite setting. Further, he has been working on bridging the gap between science and practice and was involved in the launch of a new, open-access, reviewing-free web-platform aimed at improving research dissemination, *Sports Performance & Science Reports* (<https://sportperfsci.com>).

Buchheit is a former semi-pro handball player and is now an endurance athlete who has a personal best time of 2:54 in the marathon.



List of Contributors

Martyn Beaven

University of Waikato

Johann Bilsborough

*Director of Performance, New England Patriots;
High Performance Manager/Director of
Sports Science, Boston Celtics*

Robert Butler**Moses Cabrera**

*Head Strength and Conditioning Coach,
New England Patriots*

Carlos Alberto Cavalheiro**Aaron Coutts**

University of Technology, Sydney, Australia

Wim Derave

*Department of Movement and Sports
Sciences, Ghent University, Belgium*

Jaime Fernandez-Fernandez

*Faculty of Physical Activity and Sports
Sciences, University of León (Spain)*

Duncan French, PhD

UFC Performance Institute

Jackson Fyfe

*Centre for Sport Research (CSR), School
of Exercise and Nutrition Sciences, Deakin
University, Melbourne, Australia*

Nic Gill

University of Waikato

Hani Al Haddad

*Football Performance and Science
Department, Aspire Academy*

Dave Hamilton

*Formerly Head Strength and Conditioning
Coach for the GB Olympic Women's Field
Hockey Team 2012, Director of Performance
Science for the USA Olympic Field Hockey
Team 2016*

Philippe Hellard

French Swimming Federation

Joel Hocking**Aaron Kellett****Mathieu Lacombe**

*Performance Department, Paris Saint-Germain,
France*

Matt Leonard**Philip Maffetone**

<https://philmaffetone.com/>

Matt Nichol

www.MattNichol.com, www.biosteel.com

Carl Petersen

University of Canterbury, New Zealand

Daniel Plews

*www.plewsandprof.com; Sports Performance
Research Institute NZ, Auckland University of
Technology, Auckland, New Zealand*

Nick Poulos**Marc Quod****Øyvind Sandbakk, PhD**

*Professor and Managing Director, Centre
for Elite Sports Research, Department of
Neuromedicine and Movement Science,
Norwegian University of Science and
Technology*

Anna Saw**Xavi Schelling**

*Institute of Sport, Exercise and Active Living,
College of Sport and Exercise Science,
Victoria University, Melbourne, VIC, Australia*

Ben Simpson

*Performance Department, Paris Saint-Germain,
France*

Jamie Stanley

*South Australian Sports Institute, Australian
Cycling Team, University of South Australia*

Lorena Torres-Ronda

*Institute of Sport, Exercise and Active Living,
College of Sport and Exercise Science,
Victoria University, Melbourne, VIC, Australia*

Tom Vandenbogaerde

Swimming Australia

Jean Claude Vollmer

You read the book—now complete an exam to earn continuing education credit.



Congratulations on successfully preparing for this continuing education exam!

If you would like to earn CE credit, please visit
www.HumanKinetics.com/CE-Exam-Access

for complete instructions on how to access your exam.
Take advantage of a discounted rate by entering
promo code **SAHIIT2019** when prompted.



HUMAN KINETICS

This page intentionally left blank