

References

CHAPTER 1

1. Brukner PD, Crossley KM, Morris H et al. 5. Recent advances in sports medicine. *Med J Aust* 2006;184(4):188-93.
2. Blair SN. Physical inactivity: the biggest public health problem of the 21st century. *Br J Sports Med* 2009;43(1):1-2.
3. Batt ME, Maryon-Davis A. Sport and exercise medicine: a timely specialty development. *Clin J Sport Med* 2007;17(2):85-6.
4. Cullen M, Batt M. Sport and exercise medicine in the United Kingdom comes of age. *Br J Sports Med* 2005;39(5):250-1.
5. Harland RW. Essay: Sport and exercise medicine—a personal perspective. *Lancet* 2005;366 Suppl 1:S53-4.
6. Robison S. Sports and exercise medicine—a bright future? *Scott Med J* 2010;55(2):2.
7. Hahn A. Sports medicine, sports science: the multidisciplinary road to sports success. *J Sci Med Sport* 2004;7(3):275-7.
8. Matheson GO, Klugl M, Engebretsen L et al. Prevention and management of noncommunicable disease: the IOC Consensus Statement, Lausanne 2013. *Clin J Sport Med* 2013;23(6):419-29.
9. Dijkstra HP, Pollock N, Chakraverty R et al. Managing the health of the elite athlete: a new integrated performance health management and coaching model. *Br J Sports Med* 2014;48(7):523-31.
10. Kibler WB, Sciascia A. Current concepts: scapular dyskinesis. *Br J Sports Med* 2010;44(5):300-5.
11. Coris EE, Zwygart K, Fletcher M et al. Imaging in sports medicine: an overview. *Sports Med Arthrosc* 2009;17(1):2-12.

CHAPTER 2

1. Sackett DL, Straus SE, Richardson WS et al. *Evidence-based medicine: how to practice and teach EBM*. London: Churchill Livingstone, 2000.
2. Herbert R. *Practical evidence-based physiotherapy*. 2nd ed. Edinburgh: Elsevier/Churchill Livingstone, 2011.
3. Zwolsman S, te Pas E, Hooft L et al. Barriers to GPs' use of evidence-based medicine: a systematic review. *Br J Gen Pract* 2012;62(600):e511-21.
4. Davidson M, Keating J. Patient-reported outcome measures (PROMs): how should I interpret reports of measurement properties? A practical guide for clinicians and researchers who are not biostatisticians. *Br J Sports Med* 2014;48(9):792-6.
5. Arden CL. Systematic review hacks for the sports and exercise clinician: five essential methodological elements. *Br J Sports Med*. 2016;50(8):447-9.
6. Kamper SJ, Moseley AM, Herbert RD et al. 15 years of tracking physiotherapy evidence on PEDro, where are we now? *Br J Sports Med* 2015;49(14):907-9.

CHAPTER 3

1. Bleakley CM, Glasgow PD, Philips P et al. *Management of acute soft tissue injury using Protection Rest Ice Compression and Elevation*. London: ACPSM, 2011.
2. Bleakley CM, Glasgow P, MacAuley DC. PRICE needs updating, should we call the POLICE? *Br J Sports Med* 2012;46(4):220-1.
3. Mithoefer K, Hambly K, Della Villa S et al. Return to sports participation after articular cartilage repair in the knee: scientific evidence. *Am J Sports Med* 2009;37 Suppl 1:167S-76S.
4. Frank CB. Ligament healing: Current knowledge and clinical applications. *J Am Acad Orthop Surg* 1996;4(1):74-83.
5. Frank C, Shrive N, Hiraoka H et al. Optimisation of the biology of soft tissue repair. *J Sci Med Sport* 1999;2(3):190-210.
6. van Rijn RM, van Os AG, Bernsen RM et al. What is the clinical course of acute ankle sprains? A systematic literature review. *Am J Med* 2008;121(4):324-31 e6.
7. Hogan MV, Kawakami Y, Murawski CD et al. Tissue engineering of ligaments for reconstructive surgery. *Arthroscopy* 2015;31(5):971-9.
8. O'Donoghue DO. *Treatment of injuries to athletes*. Philadelphia: WB Saunders, 1962.
9. Wangenstein A, Almusa E, Boukarroum S et al. MRI does not add value over and above patient history and clinical examination in predicting time to return to sport after acute hamstring injuries: a prospective cohort of 180 male athletes. *Br J Sports Med* 2015;49(24):1579-87.
10. Chan O, Del Buono A, Best TM et al. Acute muscle strain injuries: a proposed new classification system. *Knee Surg Sports Traumatol Arthrosc* 2012;20(11):2356-62.
11. Mueller-Wohlfahrt HW, Haensel L, Mithoefer K et al. Terminology and classification of muscle injuries in sport: the Munich consensus statement. *Br J Sports Med* 2013;47(6):342-50.
12. Pollock N, James SL, Lee JC et al. British athletics muscle injury classification: a new grading system. *Br J Sports Med* 2014;48(18):1347-51.
13. Hamilton B, Valle X, Rodas G et al. Classification and grading of muscle injuries: a narrative review. *Br J Sports Med* 2015;49(5):306.
14. Comin J, Malliaras P, Baquie P et al. Return to competitive play after hamstring injuries involving disruption of the central tendon. *Am J Sports Med* 2013;41(1):111-5.
15. Orchard JW, Best TM, Mueller-Wohlfahrt HW et al. The early management of muscle strains in the elite athlete: best practice in a world with a limited evidence basis. *Br J Sports Med* 2008;42(3):158-9.
16. Sherry MA, Johnston TS, Heiderscheit BC. Rehabilitation of acute hamstring strain injuries. *Clin Sports Med* 2015;34(2):263-84.

17. Taylor RM, Sullivan MP, Mehta S. Acute compartment syndrome: obtaining diagnosis, providing treatment, and minimizing medicolegal risk. *Curr Rev Musculoskelet Med* 2012;5(3):206-13.
18. Schwellnus MP. Cause of exercise associated muscle cramps (EAMC)—altered neuromuscular control, dehydration or electrolyte depletion? *Br J Sports Med* 2009;43(6):401-8.
19. Schwellnus MP, Drew N, Collins M. Muscle cramping in athletes—risk factors, clinical assessment, and management. *Clin Sports Med* 2008;27(1):183-94, ix-x.
20. Dye SF, Vaupel GL, Dye CC. Conscious neurosensory mapping of the internal structures of the human knee without intraarticular anesthesia. *Am J Sports Med* 1998;26:773-7.
21. Levy AS, Berkowitz R, Franklin P, Corbett M, Whitelaw GP. Magnetic resonance imaging evaluation of calcaneal fat pads in patients with os calcis fractures. *Foot Ankle* 1992;13:57-62.
13. Finestone A, Shlamkovitch N, Eldad A et al. Risk factors for stress fractures among Israeli infantry recruits. *Mil Med* 1991;156(10):528-30.
14. Bennell KL, Malcolm SA, Thomas SA et al. Risk factors for stress fractures in track and field athletes. A twelve-month prospective study. *Am J Sports Med* 1996;24(6):810-8.
15. Sullivan D, Warren RF, Pavlov H et al. Stress fractures in 51 runners. *Clin Orthop Relat Res* 1984;187:188-92.
16. Simkin A, Leichter I, Giladi M et al. Combined effect of foot arch structure and an orthotic device on stress fractures. *Foot Ankle* 1989;10(1):25-9.
17. Dixon SJ, Creaby MW, Allsopp AJ. Comparison of static and dynamic biomechanical measures in military recruits with and without a history of third metatarsal stress fracture. *Clin Biomech (Bristol, Avon)* 2006;21(4):412-9.
18. Milner CE, Hamill J, Davis IS. Distinct hip and rearfoot kinematics in female runners with a history of tibial stress fracture. *J Orthop Sports Phys Ther* 2010;40(2):59-66.
19. Pohl MB, Mullineaux DR, Milner CE et al. Biomechanical predictors of retrospective tibial stress fractures in runners. *J Biomech* 2008;41(6):1160-5.
20. Milner CE, Ferber R, Pollard CD et al. Biomechanical factors associated with tibial stress fracture in female runners. *Med Sci Sports Exerc* 2006;38(2):323-8.
21. Hamill J, Bates BT, Knutzen KM et al. Variations in ground reaction force parameters at different running speeds. *Human Movement Science* 1983;2:47-66.
22. Lappe JM, Stegman MR, Recker RR. The impact of lifestyle factors on stress fractures in female Army recruits. *Osteoporos Int* 2001;12(1):35-42.
23. Cosman F, Ruffing J, Zion M et al. Determinants of stress fracture risk in United States Military Academy cadets. *Bone* 2013;55(2):359-66.
24. Milgrom C, Simkin A, Eldad A et al. Using bone's adaptation ability to lower the incidence of stress fractures. *Am J Sports Med* 2000;28(2):245-51.
25. Mercer JA, Bates BT, Dufek JS et al. Characteristics of shock attenuation during fatigued running. *J Sports Sci* 2003;21(11):911-9.
26. Mizrahi J, Verbitsky O, Isakov E. Fatigue-induced changes in decline running. *Clin Biomech (Bristol, Avon)* 2001;16(3):207-12.
27. Clansey AC, Hanlon M, Wallace ES et al. Effects of fatigue on running mechanics associated with tibial stress fracture risk. *Med Sci Sports Exerc* 2012;44(10):1917-23.
28. Mizrahi J, Verbitsky O, Isakov E. Fatigue-related loading imbalance on the shank in running: a possible factor in stress fractures. *Ann Biomed Eng* 2000;28(4):463-9.
29. Fyhrie DP, Milgrom C, Hoshaw SJ et al. Effect of fatiguing exercise on longitudinal bone strain as related to stress fracture in humans. *Ann Biomed Eng* 1998;26:660-5.
30. Milgrom C, Radeva-Petrova DR, Finestone A et al. The effect of muscle fatigue on in vivo tibial strains. *J Biomech* 2007;40(4):845-50.

CHAPTER 4

1. Burr DB, Forwood MR, Fyhrie DP et al. Bone microdamage and skeletal fragility in osteoporotic and stress fractures. *J Bone Miner Res* 1997;12(1):6-15.
2. Burr DB. Targeted and nontargeted remodeling. *Bone* 2002;30(1):2-4.
3. Warden SJ, Hurst JA, Sanders MS et al. Bone adaptation to a mechanical loading program significantly increases skeletal fatigue resistance. *J Bone Miner Res* 2005;20:809-16.
4. Warden SJ, Mantila Roosa SM, Kersh ME et al. Physical activity when young provides lifelong benefits to cortical bone size and strength in men. *Proc Natl Acad Sci USA* 2014;111:5337-42.
5. Bennell KL, Malcolm SA, Thomas SA et al. Risk factors for stress fractures in female track-and-field athletes: a retrospective analysis. *Clin J Sport Med* 1995;5(4):229-35.
6. Kelsey JL, Bachrach LK, Procter-Gray E et al. Risk factors for stress fracture among young female cross-country runners. *Med Sci Sports Exerc* 2007;39(9):1457-63.
7. Bennell KL, Malcolm SA, Thomas SA et al. The incidence and distribution of stress fractures in competitive track and field athletes. A twelve-month prospective study. *Am J Sports Med* 1996;24(2):211-7.
8. Tenforde AS, Sayres LC, McCurdy ML et al. Identifying sex-specific risk factors for stress fractures in adolescent runners. *Med Sci Sports Exerc* 2013;45(10):1843-51.
9. Brukner P. Stress fractures of the upper limb. *Sports Med* 1998;26(6):415-24.
10. Warden SJ, Gutschlag FR, Wajswelner H et al. Aetiology of rib stress fractures in rowers. *Sports Med* 2002;32(13):819-36.
11. Branch T, Partin C, Chamberland P et al. Spontaneous fractures of the humerus during pitching. A series of 12 cases. *Am J Sports Med* 1992;20(4):468-70.
12. Warden SJ, Davis IS, Fredericson M. Management and prevention of bone stress injuries in long-distance runners. *J Orthop Sports Phys Ther* 2014;44(10):749-65.

31. Yoshikawa T, Mori S, Santiesteban AJ et al. The effects of muscle fatigue on bone strain. *J Exp Biol* 1994;188:217-33.
32. Armstrong DW, 3rd, Rue JP, Wilckens JH et al. Stress fracture injury in young military men and women. *Bone* 2004;35(3):806-16.
33. Beck TJ, Ruff CB, Shaffer RA et al. Stress fracture in military recruits: gender differences in muscle and bone susceptibility factors. *Bone* 2000;27(3):437-44.
34. Hoffman JR, Chapnik L, Shamis A et al. The effect of leg strength on the incidence of lower extremity overuse injuries during military training. *Mil Med* 1999;164(2):153-6.
35. Ferris DP, Louie M, Farley CT. Running in the real world: adjusting leg stiffness for different surfaces. *Proc Biol Sci* 1998;265(1400):989-94.
36. Dixon SJ, Collop AC, Batt ME. Surface effects on ground reaction forces and lower extremity kinematics in running. *Med Sci Sports Exerc* 2000;32(11):1919-26.
37. Milgrom C, Finestone A, Segev S et al. Are overground or treadmill runners more likely to sustain tibial stress fracture? *Br J Sports Med* 2003;37(2):160-3.
38. Pinnington HC, Dawson B. The energy cost of running on grass compared to soft dry beach sand. *J Sci Med Sport* 2001;4(4):416-30.
39. Pinnington HC, Lloyd DG, Besier TF et al. Kinematic and electromyography analysis of submaximal differences running on a firm surface compared with soft, dry sand. *Eur J Appl Physiol* 2005;94(3):242-53.
40. Mizrahi J, Verbitsky O, Isakov E. Shock accelerations and attenuation in downhill and level running. *Clin Biomech (Bristol, Avon)* 2000;15(1):15-20.
41. Gottschall JS, Kram R. Ground reaction forces during downhill and uphill running. *J Biomech* 2005;38(3):445-52.
42. Zahger D, Abramovitz A, Zelikovsky L et al. Stress fractures in female soldiers: an epidemiological investigation of an outbreak. *Mil Med* 1988;153(9):448-50.
43. Beck TJ, Ruff CB, Mourtada FA et al. Dual-energy X-ray absorptiometry derived structural geometry for stress fracture prediction in male U.S. Marine Corps recruits. *J Bone Miner Res* 1996;11(5):645-53.
44. Giladi M, Milgrom C, Simkin A et al. Stress fractures and tibial bone width. A risk factor. *J Bone Joint Surg Br* 1987;69(2):326-9.
45. Gardner LI, Dziados JE, Jones BH et al. Prevention of lower extremity stress fractures: a controlled trial of a shock absorbing insole. *Am J Public Health* 1988;78:1563-67.
46. Shaffer RA, Brodine SK, Almeida SA et al. Use of simple measures of physical activity to predict stress fractures in young men undergoing a rigorous physical training program. *Am J Epidemiol* 1999;149(3):236-42.
47. Wentz L, Liu PY, Haymes E et al. Females have a greater incidence of stress fractures than males in both military and athletic populations: a systemic review. *Mil Med* 2011;176(4):420-30.
48. Nattiv A, Loucks AB, Manore MM et al. American College of Sports Medicine position stand. The female athlete triad. *Med Sci Sports Exerc* 2007;39(10):1867-82.
49. Nieves JW, Melsop K, Curtis M et al. Nutritional factors that influence change in bone density and stress fracture risk among young female cross-country runners. *PM R* 2010;2(8):740-50.
50. Ruohola JP, Laaksi I, Ylikomi T et al. Association between serum 25(OH)D concentrations and bone stress fractures in Finnish young men. *J Bone Miner Res* 2006;21(9):1483-8.
51. Lappe J, Cullen D, Haynatzki G et al. Calcium and vitamin D supplementation decreases incidence of stress fractures in female navy recruits. *J Bone Miner Res* 2008;23(5):741-9.
52. Institute of Medicine. *Dietary reference intakes for calcium and vitamin D*. Washington, DC: National Academies Press, 2011.
53. Matheson GO, Clement DB, McKenzie DC et al. Stress fractures in athletes. A study of 320 cases. *Am J Sports Med* 1987; 15(1):46-58.
54. Johnson AW, Weiss CB, Jr., Wheeler DL. Stress fractures of the femoral shaft in athletes—more common than expected. A new clinical test. *Am J Sports Med* 1994;22(2):248-56.
55. Jackson DW, Wiltse LL, Dingeman RD et al. Stress reactions involving the pars interarticularis in young athletes. *Am J Sports Med* 1981;9(5):304-12.
56. Masci L, Pike J, Malara F et al. Use of the one-legged hyperextension test and magnetic resonance imaging in the diagnosis of active spondylolysis. *Br J Sports Med* 2006;40(11):940-6.
57. Schneiders AG, Sullivan SJ, Hendrick PA et al. The ability of clinical tests to diagnose stress fractures: a systematic review and meta-analysis. *J Orthop Sports Phys Ther* 2012;42(9):760-71.
58. Datir AP. Stress-related bone injuries with emphasis on MRI. *Clin Radiol* 2007;62(9):828-36.
59. Moran DS, Evans RK, Hadad E. Imaging of lower extremity stress fracture injuries. *Sports Med* 2008;38(4):345-56.
60. Fredericson M, Jennings F, Beaulieu C et al. Stress fractures in athletes. *Top Magn Reson Imaging* 2006;17(5):309-25.
61. Miller T, Kaeding CC, Flanigan D. The classification systems of stress fractures: a systematic review. *Phys Sportsmed* 2011;39(1):93-100.
62. Fredericson M, Bergman G, Hoffman KL et al. Tibial stress reaction in runners. Correlation of clinical symptoms and scintigraphy with a new magnetic resonance imaging grading system. *Am J Sports Med* 1995;23(4):472-81.
63. Arendt EA, Griffiths HJ. The use of MR imaging in the assessment and clinical management of stress reactions of bone in high-performance athletes. *Clin Sports Med* 1997; 16(2):291-306.
64. Nattiv A, Kennedy G, Barrack MT et al. Correlation of MRI grading of bone stress injuries with clinical risk factors and return to play: a 5-year prospective study in collegiate track and field athletes. *Am J Sports Med* 2013;41(8):1930-41.
65. Changstrom BG, Brou L, Khodae M et al. Epidemiology of stress fracture injuries among US high school athletes, 2005-2006 through 2012-2013. *Am J Sports Med* 2015;43(1):26-33.
66. Dobrindt O, Hoffmeyer B, Ruf J et al. Estimation of return-to-sports-time for athletes with stress fracture—an approach

- combining risk level of fracture site with severity based on imaging. *BMC Musculoskelet Disord* 2012;13:139.
67. Beck BR, Bergman AG, Miner M et al. Tibial stress injury: relationship of radiographic, nuclear medicine bone scanning, MR imaging, and CT severity grades to clinical severity and time to healing. *Radiology* 2012;263(3):811-8.
 68. Brukner P, Bradshaw C, Bennell K. Managing common stress fractures: let risk level guide treatment. *Phys Sportsmed* 1998;26(8):39-47.
 69. Arndt A, Westblad P, Ekenman I et al. A comparison of external plantar loading and in vivo local metatarsal deformation wearing two different military boots. *Gait Posture* 2003;18(2):20-6.
 70. Swenson EJ, Jr., DeHaven KE, Sebastianelli WJ et al. The effect of a pneumatic leg brace on return to play in athletes with tibial stress fractures. *Am J Sports Med* 1997;25(3):322-8.
 71. Warden SJ. Prophylactic use of NSAIDs by athletes: a risk/benefit assessment. *Phys Sportsmed* 2010;38(1):132-8.
 72. Warden SJ. A new direction for ultrasound therapy in sports medicine. *Sports Med* 2003;33(2):95-107.
 73. Mayr E, Frankel V, Ruter A. Ultrasound—an alternative healing method for nonunions? *Arch Orthop Trauma Surg* 2000;120(1-2):1-8.
 74. Stewart GW, Brunet ME, Manning MR et al. Treatment of stress fractures in athletes with intravenous pamidronate. *Clin J Sport Med* 2005;15(2):92-4.
 75. Canalis E, Giustina A, Bilezikian JP. Mechanisms of anabolic therapies for osteoporosis. *N Engl J Med* 2007;357(9):905-16.
 76. Chen YT, Tenforde AS, Fredericson M. Update on stress fractures in female athletes: epidemiology, treatment, and prevention. *Curr Rev Musculoskelet Med* 2013;6(2):173-81.
 77. Crowell HP, Davis IS. Gait retraining to reduce lower extremity loading in runners. *Clin Biomech (Bristol, Avon)* 2011;26(1):78-83.
 78. Crowell HP, Milner CE, Hamill J et al. Reducing impact loading during running with the use of real-time visual feedback. *J Orthop Sports Phys Ther* 2010;40(4):206-13.
 79. Hamill J, Derrick T, Holt K. Shock attenuation and stride frequency during running. *Hum Mov Sci* 1995;14:45-60.
 80. Heiderscheit BC, Chumanov ES, Michalski MP et al. Effects of step rate manipulation on joint mechanics during running. *Med Sci Sports Exerc* 2011;43(2):296-302.
 81. Hobara H, Sato T, Sakaguchi M et al. Step frequency and lower extremity loading during running. *Int J Sports Med* 2012;33(4):310-3.
 82. Altman AR, Davis IS. Barefoot running: biomechanics and implications for running injuries. *Curr Sports Med Rep* 2012;11(5):244-50.
 83. Lieberman DE, Venkadesan M, Werbel WA et al. Foot strike patterns and collision forces in habitually barefoot versus shod runners. *Nature* 2010;463(7280):531-5.
 84. Buist I, Bredeweg SW, van Mechelen W et al. No effect of a graded training program on the number of running-related injuries in novice runners: a randomized controlled trial. *Am J Sports Med* 2008;36(1):33-9.
 85. Brukner PD, Bennell KL, Matheson GO. *Stress fractures*. Melbourne: Blackwells Scientific Asia, 1999.
 86. Khan KM, Fuller PJ, Brukner PD et al. Outcome of conservative and surgical management of navicular stress fracture in athletes. Eighty-six cases proven with computerized tomography. *Am J Sports Med* 1992;20(6):657-66.
 87. Safran M, Ahmad CS, Elattrache NS. Ulnar collateral ligament of the elbow. *Arthroscopy* 2005;21(11):1381-95.
 88. Travell J, Simons D. *Myofascial pain and dysfunction: The trigger point manual*. Baltimore: Williams & Wilkins, 1983.
 89. Gerwin RD, Dommerholt J, Shah JP. An expansion of Simons' integrated hypothesis of trigger point formation. *Curr Pain Headache Rep* 2004;8(6):468-75.
 90. Quintner JL, Bove GM, Cohen ML. A critical evaluation of the trigger point phenomenon. *Rheumatology (Oxford)* 2015;54(3):392-9.
 91. Latremoliere A, Woolf CJ. Central sensitization: a generator of pain hypersensitivity by central neural plasticity. *J Pain* 2009;10(9):895-926.
 92. Meakins A. Soft tissue sore spots of an unknown origin. *Br J Sports Med* 2015;49(6):348.
 93. Sprenger C, Bingel U, Buchel C. Treating pain with pain: supraspinal mechanisms of endogenous analgesia elicited by heterotopic noxious conditioning stimulation. *Pain* 2011;152(2):428-39.
 94. Dommerholt J, Gerwin RD. A critical evaluation of Quintner et al: missing the point. *J Bodyw Mov Ther* 2015;19(2):193-204.
 95. Tough EA, White AR, Richards S et al. Variability of criteria used to diagnose myofascial trigger point pain syndrome—evidence from a review of the literature. *Clin J Pain* 2007;23(3):278-86.
 96. Simons D, Travell J, Simons L. *Travell and Simons' myofascial pain and dysfunction: The trigger point manual. Vol 1: Upper half of body*. 2nd ed. Baltimore: Williams & Wilkins, 1999.
 97. Sikdar S, Shah JP, Gebreab T et al. Novel applications of ultrasound technology to visualize and characterize myofascial trigger points and surrounding soft tissue. *Arch Phys Med Rehabil* 2009;90(11):1829-38.
 98. Sikdar S, Shah JP, Gilliams E et al. Assessment of myofascial trigger points (MTrPs): a new application of ultrasound imaging and vibration sonoelastography. *Conf Proc IEEE Eng Med Biol Soc* 2008;2008:5585-8.
 99. Turo D, Otto P, Shah JP et al. Ultrasonic characterization of the upper trapezius muscle in patients with chronic neck pain. *Ultrason Imaging* 2013;35(2):173-87.
 100. Barbero M, Bertoli P, Cescon C et al. Intra-rater reliability of an experienced physiotherapist in locating myofascial trigger points in upper trapezius muscle. *J Man Manip Ther* 2012;20(4):171-7.
 101. Chen Q, Bensamoun S, Basford JR et al. Identification and quantification of myofascial taut bands with magnetic resonance elastography. *Arch Phys Med Rehabil* 2007;88(12):1658-61.

102. Chen Q, Wang HJ, Gay RE et al. Quantification of myofascial taut bands. *Arch Phys Med Rehabil*. 2016;97(1):67-73.
103. Wolfe F, Simons DG, Friction J et al. The fibromyalgia and myofascial pain syndromes: a preliminary study of tender points and trigger points in persons with fibromyalgia, myofascial pain syndrome and no disease. *J Rheumatol* 1992;19(6):944-51.
104. Hsieh CY, Hong CZ, Adams AH et al. Interexaminer reliability of the palpation of trigger points in the trunk and lower limb muscles. *Arch Phys Med Rehabil* 2000;81(3):258-64.
105. Myburgh C, Larsen AH, Hartvigsen J. A systematic, critical review of manual palpation for identifying myofascial trigger points: evidence and clinical significance. *Arch Phys Med Rehabil* 2008;89(6):1169-76.
106. Lucas N, Macaskill P, Irwig L et al. Reliability of physical examination for diagnosis of myofascial trigger points: a systematic review of the literature. *Clin J Pain* 2009;25(1):80-9.
107. Rickards LD. The effectiveness of non-invasive treatments for active myofascial trigger point pain: a systematic review of the literature. *Int J Osteo Med* 2006;9(4):120-36.
108. Tough EA, White AR, Cummings TM et al. Acupuncture and dry needling in the management of myofascial trigger point pain: a systematic review and meta-analysis of randomised controlled trials. *Eur J Pain* 2009;13(1):3-10.
109. Tough EA, White AR, Richards SH et al. Myofascial trigger point needling for whiplash associated pain—a feasibility study. *Man Ther* 2010;15(6):529-35.
110. Sterling M, Vicenzino B, Souvlis T et al. Dry-needling and exercise for chronic whiplash-associated disorders: a randomized single-blind placebo-controlled trial. *Pain* 2015;156(4):635-43.
111. van Zoest WJ, Hoogveen AR, Scheltinga MR et al. Chronic deep posterior compartment syndrome of the leg in athletes: postoperative results of fasciotomy. *Int J Sports Med* 2008;29(5):419-23.
112. Piasecki DP, Meyer D, Bach BR, Jr. Exertional compartment syndrome of the forearm in an elite flatwater sprint kayaker. *Am J Sports Med* 2008;36(11):2222-5.
113. McDonald S, Bearcroft P. Compartment syndromes. *Semin Musculoskelet Radiol* 2010;14(2):236-44.
114. Hutchinson M. Chronic exertional compartment syndrome. *Br J Sports Med* 2011;45(12):952-3.
115. Hislop M, Batt ME. Chronic exertional compartment syndrome testing: a minimalist approach. *Br J Sports Med* 2011;45(12):954-5.
116. Roberts A, Franklyn-Miller A. The validity of the diagnostic criteria used in chronic exertional compartment syndrome: a systematic review. *Scand J Med Sci Sports* 2012;22(5):585-95.
117. Winkes MB, Hoogveen AR, Scheltinga MR. Is surgery effective for deep posterior compartment syndrome of the leg? A systematic review. *Br J Sports Med* 2014;48(22):1592-8.
118. Franklyn-Miller A, Roberts A, Hulse D et al. Biomechanical overload syndrome: defining a new diagnosis. *Br J Sports Med* 2014;48(6):415-6.
119. Diebal AR, Gregory R, Alitz C et al. Forefoot running improves pain and disability associated with chronic exertional compartment syndrome. *Am J Sports Med* 2012;40(5):1060-7.
120. Nelson N. Delayed onset muscle soreness: is massage effective? *J Bodyw Mov Ther* 2013;17(4):475-82.
121. Lewis PB, Ruby D, Bush-Joseph CA. Muscle soreness and delayed-onset muscle soreness. *Clin Sports Med* 2012;31(2):255-62.
122. Torres R, Ribeiro F, Duarte JA et al. Evidence of the physiotherapeutic interventions used currently after exercise-induced muscle damage: systematic review and meta-analysis. *Phys Ther Sport* 2012;13(2):101-14.
123. Schoenfeld BJ. The use of nonsteroidal anti-inflammatory drugs for exercise-induced muscle damage. *Sports Med* 2012;42(12):1017-28.
124. Hill J, Howatson G, van Someren K et al. Compression garments and recovery from exercise-induced muscle damage: a meta-analysis. *Br J Sports Med* 2014;48(18):1340-6.
125. Baird MF, Graham SM, Baker JS et al. Creatine-kinase-and exercise-related muscle damage implications for muscle performance and recovery. *J Nutr Metab* 2012;2012:960363.
126. Howatson G, van Someren KA. The prevention and treatment of exercise-induced muscle damage. *Sports Med* 2008;38(6):483-503.
127. Cook JL, Purdam CR. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *Br J Sports Med* 2009;43(6):409-16.
128. Cook JL, Docking SI. "Rehabilitation will increase the 'capacity' of your . . . insert musculoskeletal tissue here. . . ." Defining 'tissue capacity': a core concept for clinicians. *Br J Sports Med* 2015;49(23):1484-5.
129. Rio E, Kidgell D, Moseley GL et al. Tendon neuroplastic training: changing the way we think about tendon rehabilitation: a narrative review. *Br J Sports Med*. 2016;50(4):209-15.
130. Benjamin M, Kaiser E, Milz S. Structure-function relationships in tendons: a review. *J Anat* 2008;212(3):211-28.
131. Hariri S, Savidge ET, Reinold MM et al. Treatment of recalcitrant iliotibial band friction syndrome with open iliotibial band bursectomy: indications, technique, and clinical outcomes. *Am J Sports Med* 2009;37(7):1417-24.
132. Seroyer ST, Nho SJ, Bach BR, Jr. et al. Shoulder pain in the overhead throwing athlete. *Sports Health* 2009;1(2):108-20.
133. Ellis R, Hing W, Reid D. Iliotibial band friction syndrome—a systematic review. *Man Ther* 2007;12(3):200-8.
134. Werd MB. Achilles tendon sports injuries: a review of classification and treatment. *J Am Podiatr Med Assoc* 2007;97(1):37-48.
135. Kong A, Van der Vliet A, Zadow S. MRI and US of gluteal tendinopathy in greater trochanteric pain syndrome. *Eur Radiol* 2007;17(7):1772-83.
136. Koh ES, Lee JC, Healy JC. MRI of overuse injury in elite athletes. *Clin Radiol* 2007;62(11):1036-43.

137. Yavuz M, Davis BL. Plantar shear stress distribution in athletic individuals with frictional foot blisters. *J Am Podiatr Med Assoc* 2010;100(2):116-20.
138. Van Tiggelen D, Wickes S, Coorevits P et al. Sock systems to prevent foot blisters and the impact on overuse injuries of the knee joint. *Mil Med* 2009;174(2):183-9.
139. Adams BB. Skin infections in athletes. *Dermatol Nurs* 2008;20(1):39-44.
140. Kockentiet B, Adams BB. Contact dermatitis in athletes. *J Am Acad Dermatol* 2007;56(6):1048-55.
141. Harrison SC, Bergfeld WF. Ultraviolet light and skin cancer in athletes. *Sports Health* 2009;1(4):335-40.
142. Kibler WB. Determining the extent of the functional deficit. In: Kibler WB, Herring SA, Press JM, eds. *Functional rehabilitation of sports and musculoskeletal injuries*. Gaithersburg, MD: Aspen Publishers, 1998:16-19.

CHAPTER 5

1. Jennings HS. Studies on reactions to stimuli in unicellular organisms: I. reactions to chemical, osmotic and mechanical stimuli in the ciliate infusoria. *J Physiol* 1897;21(4-5):258-322.
2. Moseley GL. Reconceptualising pain according to its underlying biology. *Phys Ther Rev* 2007;12:169-78.
3. Thacker MA, Moseley GL. First-person neuroscience and the understanding of pain. *Med J Aust* 2012;196(6):410-1.
4. Descartes R. *L'Homme*. 1644.
5. Meyer R, Ringkamp M, Campbell JN et al. Peripheral mechanisms of cutaneous nociception. In: McMahon SB, Koltzenburg M, eds. *Textbook of pain*. 5th ed. London: Elsevier, 2006:3-35.
6. Bevan S. Nociceptive peripheral neurons: cellular properties. In: Wall P, Melzack R, eds. *Textbook of pain*. 4th ed. Edinburgh: Churchill Livingstone, 1999:85-103.
7. Butler D, Moseley GL. *Explain pain*. 2nd ed. Adelaide: Noigroup Publications, 2003.
8. Moseley GL, Arntz A. The context of a noxious stimulus affects the pain it evokes. *Pain* 2007;133(1-3):64-71.
9. Melzack R, Wall PD. Pain mechanisms: a new theory. *Science* 1965;150(3699):971-9.
10. Woolf CJ, Salter M. Plasticity and pain: the role of the dorsal horn. In: McMahon SB, Koltzenburg M, eds. *Textbook of pain*. 5th ed. London: Elsevier, 2006:91-107.
11. Doubell TP, Mannion RJ, Woolf CJ. The dorsal horn: state-dependent sensory processing, plasticity and the generation of pain. In: Wall P, Melzack R, eds. *Textbook of pain*. 4th ed. Edinburgh: Churchill Livingstone, 1999:165-81.
12. Fields HL, Basbaum AI. Central nervous system mechanisms of pain modulation. In: Wall P, Melzack R, eds. *Textbook of pain*. 4th ed. Edinburgh: Churchill Livingstone, 1999:309-29.
13. Woolf CJ. What to call the amplification of nociceptive signals in the central nervous system that contribute to widespread pain? *Pain* 2014;155(10):1911-2.
14. Wallwork SB, Bellan V, Catley MJ et al. Neural representations and the cortical body matrix: implications for sports medicine and future directions. *Br J Sports Med* 2016;50(16):990-6.
15. Wallwork SB, Bellan V, Moseley GL. Pain, bodily protection and the relevance of neural rehabilitation after dance injury. *J Dance Med Sci* In Press.
16. Moseley GL, Butler DS. Fifteen years of explaining pain: the past, present, and future. *J Pain* 2015;16(9):807-13.
17. Darwin F. *The life and letters of Charles Darwin, including an autobiographical chapter*. London: John Murray, 1887.
18. Moseley G, Lotze M. Theoretical considerations for chronic pain rehabilitation. *Phys Ther* 2015;95:1316-20.
19. Giesler GJ, Jr., Liebeskind JC. Inhibition of visceral pain by electrical stimulation of the periaqueductal gray matter. *Pain* 1976;2(1):43-8.
20. Von Holst H. Relations between the central nervous system and the peripheral organs. *Br J Anim Behav* 1950;2:89-94.
21. Moseley G, Butler D. *The Explain Pain Handbook: Protectometer*. Adelaide, Australia: Noigroup Publications, 2015.
22. Apkarian AV, Bushnell MC, Treede RD et al. Human brain mechanisms of pain perception and regulation in health and disease. *Eur J Pain* 2005;9(4):463-84.
23. Apkarian AV, Grachev ID, Krauss BR et al. Imaging brain pathophysiology in chronic CRPS pain. In: Harden RN, Baron R, Janig W, eds. *Progress in pain research and management*. Seattle: IASP Press, 2001:209-26.
24. Baliki MN, Apkarian AV. Neurological effects of chronic pain. *Pain and Pall Care Pharmacothera* 21(1):59-61.
25. Baliki MN, Geha PY, Apkarian AV et al. Beyond feeling: chronic pain hurts the brain, disrupting the default-mode network dynamics. *J Neurosci* 2008;28(6):1398-403.
26. Wand BM, Parkitny L, O'Connell NE et al. Cortical changes in chronic low back pain: current state of the art and implications for clinical practice. *Man Ther* 2011;16(1):15-20.
27. Moseley GL, Vlaeyen JW. Beyond nociception: the imprecision hypothesis of chronic pain. *Pain* 2015;156(1):35-8.
28. Harvie DS, Broecker M, Smith RT et al. Bogus visual feedback alters onset of movement-evoked pain in people with neck pain. *Psychol Sci* 2015;26(4):385-92.
29. Meulders A, Harvie DS, Bowering JK et al. Contingency learning deficits and generalization in chronic unilateral hand pain patients. *J Pain* 2014;15(10):1046-56.

CHAPTER 6

1. Moseley GL, Butler DS. Fifteen years of explaining pain: the past, present, and future. *J Pain* 2015;16(9):807-13.
2. Smart KM, Blake C, Staines A et al. Clinical indicators of 'nociceptive', 'peripheral neuropathic' and 'central' mechanisms of musculoskeletal pain. A Delphi survey of expert clinicians. *Man Ther* 2010;15(1):80-7.

3. Quevedo AS, Coghill RC. Filling-in, spatial summation, and radiation of pain: evidence for a neural population code in the nociceptive system. *J Neurophysiol* 2009;102(6):3544-53.
4. Quevedo AS, Coghill RC. An illusion of proximal radiation of pain due to distally directed inhibition. *J Pain* 2007;8(3):280-6.
5. Butler DL, Moseley GL. *Explain Pain*. 2nd edition. Adelaide: NOI Publications, 2013.
6. Moseley GL, Gallace A, Iannetti GD. Spatially defined modulation of skin temperature and hand ownership of both hands in patients with unilateral complex regional pain syndrome. *Brain* 2012;135(Pt 12):3676-86.
7. Stanton TR, Lin CW, Smeets RJ et al. Spatially defined disruption of motor imagery performance in people with osteoarthritis. *Rheumatology (Oxford)* 2012;51(8):1455-64.
8. Moseley GL, Gallace A, Spence C. Space-based, but not arm-based, shift in tactile processing in complex regional pain syndrome and its relationship to cooling of the affected limb. *Brain* 2009;132(Pt 11):3142-51.
9. Moseley GL, Gallace A, Spence C. Bodily illusions in health and disease: physiological and clinical perspectives and the concept of a cortical 'body matrix'. *Neurosci Biobehav Rev* 2012;36(1):34-46.
10. Treede RD, Jensen TS, Campbell JN et al. Neuropathic pain: redefinition and a grading system for clinical and research purposes. *Neurology* 2008;70(18):1630-5.
11. Jensen TS, Gottrup H, Sindrup SH et al. The clinical picture of neuropathic pain. *Eur J Pharmacol* 2001;429(1-3):1-11.
12. Jensen TS, Baron R. Translation of symptoms and signs into mechanisms in neuropathic pain. *Pain* 2003;102(1-2):1-8.
13. Moreton BJ, Tew V, das Nair R et al. Pain phenotype in patients with knee osteoarthritis: classification and measurement properties of painDETECT and self-report Leeds assessment of neuropathic symptoms and signs scale in a cross-sectional study. *Arthritis Care Res (Hoboken)* 2015;67(4):519-28.
14. Moseley GL, Flor H. Targeting cortical representations in the treatment of chronic pain: a review. *Neurorehabil Neural Repair* 2012;26(6):646-52.
15. Melzack R. Pain and the neuromatrix in the brain. *J Dent Educ* 2001;65(12):1378-82.
16. Gifford LS, Butler DS. The integration of pain sciences into clinical practice. *J Hand Ther* 1997;10(2):86-95.
17. Catley MJ, Tabor A, Wand BM et al. Assessing tactile acuity in rheumatology and musculoskeletal medicine-how reliable are two-point discrimination tests at the neck, hand, back and foot? *Rheumatology (Oxford)* 2013;52(8):1454-61.
18. Adelmanesh F, Jalali A, Attarian H et al. Reliability, validity, and sensitivity measures of expanded and revised version of the short-form McGill Pain Questionnaire (SF-MPQ-2) in Iranian patients with neuropathic and non-neuropathic pain. *Pain Med* 2012;13(12):1631-6.
19. Visentini PJ, Khan KM, Cook JL et al. The VISA score: an index of severity of symptoms in patients with jumper's knee (patellar tendinosis). Victorian Institute of Sport Tendon Study Group. *J Sci Med Sport* 1998;1:22-8.
20. Moseley GL. Teaching people about pain: why do we keep beating around the bush? *Pain Manag* 2012;2(1):1-3.
21. Roland MO. A critical review of the evidence for a pain-spasm-pain cycle in spinal disorders. *Clin Biomech (Bristol, Avon)* 1986;1(2):102-9.
22. Lund JP, Donga R, Widmer CG et al. The pain-adaptation model: a discussion of the relationship between chronic musculoskeletal pain and motor activity. *Can J Physiol Pharmacol* 1991;69(5):683-94.
23. Glasgow P, Bleakley CM, Phillips N. Being able to adapt to variable stimuli: the key driver in injury and illness prevention? *Br J Sports Med* 2013;47(2):64-5.
24. Rio E, Kidgell D, Moseley GL et al. Tendon neuroplastic training: changing the way we think about tendon rehabilitation: a narrative review. *Br J Sports Med* 2016;50:209-15.
25. Nijs J, Lluch Girbes E, Lundberg M et al. Exercise therapy for chronic musculoskeletal pain: Innovation by altering pain memories. *Man Ther* 2015;20(1):216-20.
26. Aldrich RW. A new standard: a review of Handbook of Ion Channels. *J Gen Physiol* 2015;146(2):119-21.
27. Wittenberg GF. Experience, cortical remapping, and recovery in brain disease. *Neurobiol Dis* 2010;37(2):252-8.
28. Liepert J, Bauder H, Wolfgang HR et al. Treatment-induced cortical reorganization after stroke in humans. *Stroke* 2000;31(6):1210-6.
29. Fernandez-de-Las-Penas C, Courtney CA. Clinical reasoning for manual therapy management of tension type and cervicogenic headache. *J Man Manip Ther* 2014;22(1):44-50.
30. Bang MD, Deyle GD. Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome. *J Orthop Sports Phys Ther* 2000;30(3):126-37.
31. Boyles R, Toy P, Mellon J et al. Effectiveness of manual physical therapy in the treatment of cervical radiculopathy: a systematic review. *J Man Manip Ther* 2011;19(3):135-42.
32. Trinh K, Graham N, Irnich D et al. Acupuncture for neck disorders. *Cochrane Database Syst Rev* 2016(5):Cd004870.
33. Cook JL, Docking SI. "Rehabilitation will increase the 'capacity' of your . . . insert musculoskeletal tissue here. . . ." Defining 'tissue capacity': a core concept for clinicians. *Br J Sports Med* 2015;49(23):1484-5.
34. Benedetti F, Lanotte M, Lopiano L et al. When words are painful: unraveling the mechanisms of the nocebo effect. *Neuroscience* 2007;147(2):260-71.
35. Enck P, Klosterhalfen S. [Placebo effects in pain therapy]. *MMW Fortschr Med* 2008;150(36-37):46-7.
36. Matsumoto M, Okada E, Ichihara D et al. Age-related changes of thoracic and cervical intervertebral discs in asymptomatic subjects. *Spine (Phila Pa 1976)* 2010;35(14):1359-64.

37. Okada E, Matsumoto M, Ichihara D et al. Aging of the cervical spine in healthy volunteers: a 10-year longitudinal magnetic resonance imaging study. *Spine (Phila Pa 1976)* 2009;34(7): 706-12.
38. Burton AK, Waddell G, Tillotson KM et al. Information and advice to patients with back pain can have a positive effect. A randomized controlled trial of a novel educational booklet in primary care. *Spine (Phila Pa 1976)* 1999;24(23):2484-91.

CHAPTER 7

1. Sharma H, Rana B, Mahendra A et al. Outcome of 17 pigmented villonodular synovitis (PVNS) of the knee at 6 years mean follow-up. *Knee* 2007;14(5):390-4.
2. Steiner E, Steinbach LS, Schnarkowski P et al. Ganglia and cysts around joints. *Radiol Clin North Am* 1996;34(2):395-425, xi-xii.
3. Paul C, Ortonne JP. Psoriasis evaluation in clinical practice: systematic review and expert opinion. *J Eur Acad Dermatol Venereol* 2010;24 Suppl 2:1.
4. Jennings F, Lambert E, Fredericson M. Rheumatic diseases presenting as sports-related injuries. *Sports Med* 2008;38(11):917-30.
5. Varadhachary AS, Weihl CC, Pestronk A. Mitochondrial pathology in immune and inflammatory myopathies. *Curr Opin Rheumatol* 2010;22(6):651-7.
6. Testa M, Navazio FM, Neugebauer J. Recognition, diagnosis, and treatment of mitochondrial myopathies in endurance athletes. *Curr Sports Med Rep* 2005;4(5):282-7.
7. Sahin G, Korkmaz C, Isiksoy S et al. Autoimmune hypothyroidism and lupus-like syndrome. *Rheumatol Int* 2010;30(4):519-21.
8. Callewaert B, Malfait F, Loeys B et al. Ehlers-Danlos syndromes and Marfan syndrome. *Best Pract Res Clin Rheumatol* 2008;22(1):165-89.
9. Zotter H, Robinson N, Zorzoli M et al. Abnormally high serum ferritin levels among professional road cyclists. *Br J Sports Med* 2004;38(6):704-8.
10. Mathews CJ, Kingsley G, Field M et al. Management of septic arthritis: a systematic review. *Ann Rheum Dis* 2007;66(4):440-5.
11. Nardelli DT, Callister SM, Schell RF. Lyme arthritis: current concepts and a change in paradigm. *Clin Vaccine Immunol* 2008;15(1):21-34.
12. Daly AE, Bialocerkowski AE. Does evidence support physiotherapy management of adult Complex Regional Pain Syndrome Type One? A systematic review. *Eur J Pain* 2009;13(4):339-53.
13. Kelley GA, Kelley KS, Hootman JM et al. Exercise and global well-being in community-dwelling adults with fibromyalgia: a systematic review with meta-analysis. *BMC Public Health* 2010;10:198.

CHAPTER 8

1. Winter DA. *Biomechanics and Motor Control of Human Movement*. 4th ed. Hoboken, New Jersey: John Wiley & Sons, Inc., 2009.
2. Dugan SA, Bhat KP. Biomechanics and analysis of running gait. *Phys Med Rehabil Clin N Am* 2005;16(3):603-21.
3. Lieberman DE, Venkadesan M, Werbel WA et al. Foot strike patterns and collision forces in habitually barefoot versus shod runners. *Nature* 2010;463(7280):531-5.
4. Nilsson J, Thorstensson A. Ground reaction forces at different speeds of human walking and running. *Acta Physiol Scand* 1989;136(2):217-27.
5. Franz JR, Paylo KW, Dicharry J et al. Changes in the coordination of hip and pelvis kinematics with mode of locomotion. *Gait Posture* 2009;29(3):494-8.
6. Pohl MB, Buckley JG. Changes in foot and shank coupling due to alterations in foot strike pattern during running. *Clin Biomech (Bristol, Avon)* 2008;23(3):334-41.
7. Mann RA, Baxter DE, Lutter LD. Running symposium. *Foot Ankle* 1981;1(4):190-224.
8. Williams KR. Biomechanics of running. *Exerc Sport Sci Rev* 1985;13:389-441.
9. Ferber R, Davis IM, Williams DS, 3rd. Gender differences in lower extremity mechanics during running. *Clin Biomech (Bristol, Avon)* 2003;18(4):350-7.
10. Riley PO, DellaCroce U, Kerrigan DC. Effect of age on lower extremity joint moment contributions to gait speed. *Gait Posture* 2001;14(3):264-70.
11. Rodgers MM. Dynamic foot biomechanics. *J Orthop Sports Phys Ther* 1995;21(6):306-16.
12. Simkin A, Leichter I, Giladi M et al. Combined effect of foot arch structure and an orthotic device on stress fractures. *Foot Ankle* 1989;10(1):25-9.
13. Monaghan K, Delahunt E, Caulfield B. Ankle function during gait in patients with chronic ankle instability compared to controls. *Clin Biomech (Bristol, Avon)* 2006;21(2):168-74.
14. Drewes LK, McKeon PO, Paolini G et al. Altered ankle kinematics and shank-rear-foot coupling in those with chronic ankle instability. *J Sport Rehabil* 2009;18(3):375-88.
15. Winter DA. Moments of force and mechanical power in jogging. *J Biomech* 1983;16(1):91-7.
16. Stackhouse CL, Davis IM, Hamill J. Orthotic intervention in forefoot and rearfoot strike running patterns. *Clin Biomech (Bristol, Avon)* 2004;19(1):64-70.
17. Riley PO, Dicharry J, Franz J et al. A kinematics and kinetic comparison of overground and treadmill running. *Med Sci Sports Exerc* 2008;40(6):1093-100.
18. Adelaar RS. The practical biomechanics of running. *Am J Sports Med* 1986;14(6):497-500.
19. Ounpuu S. The biomechanics of walking and running. *Clin Sports Med* 1994;13(4):843-63.

20. Wille CM, Lenhart RL, Wang S et al. Ability of sagittal kinematic variables to estimate ground reaction forces and joint kinetics in running. *J Orthop Sports Phys Ther* 2014; 44(10):825-30.
21. Winter DA, Bishop PJ. Lower extremity injury. Biomechanical factors associated with chronic injury to the lower extremity. *Sports Med* 1992;14(3):149-56.
22. Nester CJ. Lessons from dynamic cadaver and invasive bone pin studies: do we know how the foot really moves during gait? *J Foot Ankle Res* 2009;2:18.
23. McDougall C. *Born to run: the hidden tribe, the ultra-runners, and the greatest race the world has never seen*. London: Profile, 2009.
24. Williams DS, 3rd, Green DH, Wurzinger B. Changes in lower extremity movement and power absorption during forefoot striking and barefoot running. *Int J Sports Phys Ther* 2012;7(5):525-32.
25. The Foot Posture Index (FPI-6). <https://www.leeds.ac.uk/medicine/FASTER/fpi.htm> Accessed 1 Mar, 2016.
26. Redmond AC, Crosbie J, Ouvrier RA. Development and validation of a novel rating system for scoring standing foot posture: the Foot Posture Index. *Clin Biomech (Bristol, Avon)* 2006;21(1):89-98.
27. Chuter VH. Relationships between foot type and dynamic rearfoot frontal plane motion. *J Foot Ankle Res* 2010;3:9.
28. Redmond AC, Crane YZ, Menz HB. Normative values for the Foot Posture Index. *J Foot Ankle Res* 2008;1(1):6.
29. Cornwall MW, McPoil TG, Lebec M et al. Reliability of the modified Foot Posture Index. *J Am Podiatr Med Assoc* 2008;98(1):7-13.
30. Barton CJ, Bonanno D, Levinger P et al. Foot and ankle characteristics in patellofemoral pain syndrome: a case control and reliability study. *J Orthop Sports Phys Ther* 2010;40(5):286-96.
31. Evans AM, Copper AW, Scharfbillig RW et al. Reliability of the foot posture index and traditional measures of foot position. *J Am Podiatr Med Assoc* 2003;93(3):203-13.
32. Jack EA. Naviculo-cuneiform fusion in the treatment of flat foot. *J Bone Joint Surg Br* 1953;35-B(1):75-82.
33. Glasoe WM, Allen MK, Ludewig PM. Comparison of first ray dorsal mobility among different forefoot alignments. *J Orthop Sports Phys Ther* 2000;30(10):612-20; discussion 621-3.
34. Hinman RS, May RL, Crossley KM. Is there an alternative to the full-leg radiograph for determining knee joint alignment in osteoarthritis? *Arthritis Rheum* 2006;55(2):306-13.
35. Gurney B. Leg length discrepancy. *Gait Posture* 2002;15(2):195-206.
36. McCaw ST, Bates BT. Biomechanical implications of mild leg length inequality. *Br J Sports Med* 1991;25(1):10-3.
37. White SC, Gilchrist LA, Wilk BE. Asymmetric limb loading with true or simulated leg-length differences. *Clin Orthop Relat Res* 2004(421):287-92.
38. Brady RJ, Dean JB, Skinner TM et al. Limb length inequality: clinical implications for assessment and intervention. *J Orthop Sports Phys Ther* 2003;33(5):221-34.
39. Sabharwal S, Kumar A. Methods for assessing leg length discrepancy. *Clin Orthop Relat Res* 2008;466(12):2910-22.
40. Crossley KM, Zhang WJ, Schache AG et al. Performance on the single-leg squat task indicates hip abductor muscle function. *Am J Sports Med* 2011;39(4):866-73.
41. Jacobs CA, Uhl TL, Mattacola CG et al. Hip abductor function and lower extremity landing kinematics: sex differences. *J Athl Train* 2007;42(1):76-83.
42. Chappell JD, Herman DC, Knight BS et al. Effect of fatigue on knee kinetics and kinematics in stop-jump tasks. *Am J Sports Med* 2005;33(7):1022-9.
43. Herrington L, Munro A. Drop jump landing knee valgus angle; normative data in a physically active population. *Phys Ther Sport* 2010;11(2):56-9.
44. Barton CJ, Bonanno D, Menz HB. Development and evaluation of a tool for the assessment of footwear characteristics. *J Foot Ankle Res* 2009;2:10.
45. van Gent RN, Siem D, van Middelkoop M et al. Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review. *Br J Sports Med* 2007;41(8):469-80; discussion 480.
46. Dennis KJ, McKinney S. Sesamoids and accessory bones of the foot. *Clin Podiatr Med Surg* 1990;7(4):717-23.
47. Dedmond BT, Cory JW, McBryde A, Jr. The hallual sesamoid complex. *J Am Acad Orthop Surg* 2006;14(13):745-53.
48. Pohl MB, Hamill J, Davis IS. Biomechanical and anatomic factors associated with a history of plantar fasciitis in female runners. *Clin J Sport Med* 2009;19(5):372-6.
49. Riddle DL, Pulisic M, Pidcoe P et al. Risk factors for plantar fasciitis: a matched case-control study. *J Bone Joint Surg Am* 2003;85-A(5):872-7.
50. Irving DB, Cook JL, Young MA et al. Obesity and pronated foot type may increase the risk of chronic plantar heel pain: a matched case-control study. *BMC Musculoskelet Disord* 2007;8:41.
51. Kibler WB, Goldberg C, Chandler TJ. Functional biomechanical deficits in running athletes with plantar fasciitis. *Am J Sports Med* 1991;19(1):66-71.
52. Messier SP, Pittala KA. Etiologic factors associated with selected running injuries. *Med Sci Sports Exerc* 1988;20(5):501-5.
53. Warren BL. Anatomical factors associated with predicting plantar fasciitis in long-distance runners. *Med Sci Sports Exerc* 1984;16(1):60-3.
54. Kaufman KR, Brodine SK, Shaffer RA et al. The effect of foot structure and range of motion on musculoskeletal overuse injuries. *Am J Sports Med* 1999;27(5):585-93.
55. Mahieu NN, Witvrouw E, Stevens V et al. Intrinsic risk factors for the development of Achilles tendon overuse injury: a prospective study. *Am J Sports Med* 2006;34(2):226-35.

56. McCrory JL, Martin DF, Lowery RB et al. Etiologic factors associated with Achilles tendinitis in runners. *Med Sci Sports Exerc* 1999;31(10):1374-81.
57. Ryan M, Grau S, Krauss I et al. Kinematic analysis of runners with Achilles mid-portion tendinopathy. *Foot Ankle Int* 2009;30(12):1190-5.
58. Willems T, Witvrouw E, Delbaere K et al. Relationship between gait biomechanics and inversion sprains: a prospective study of risk factors. *Gait Posture* 2005;21(4):379-87.
59. Willems TM, Witvrouw E, Delbaere K et al. Intrinsic risk factors for inversion ankle sprains in male subjects: a prospective study. *Am J Sports Med* 2005;33(3):415-23.
60. Willems TM, Witvrouw E, Delbaere K et al. Intrinsic risk factors for inversion ankle sprains in females—a prospective study. *Scand J Med Sci Sports* 2005;15(5):336-45.
61. Brandes CB, Smith RW. Characterization of patients with primary peroneus longus tendinopathy: a review of twenty-two cases. *Foot Ankle Int* 2000;21(6):462-8.
62. Willems TM, De Clercq D, Delbaere K et al. A prospective study of gait related risk factors for exercise-related lower leg pain. *Gait Posture* 2006;23(1):91-8.
63. Yates B, White S. The incidence and risk factors in the development of medial tibial stress syndrome among naval recruits. *Am J Sports Med* 2004;32(3):772-80.
64. Bennett JE, Reinking MF, Pluemer B et al. Factors contributing to the development of medial tibial stress syndrome in high school runners. *J Orthop Sports Phys Ther* 2001;31(9):504-10.
65. Hubbard TJ, Carpenter EM, Cordova ML. Contributing factors to medial tibial stress syndrome: a prospective investigation. *Med Sci Sports Exerc* 2009;41(3):490-6.
66. Wen DY, Puffer JC, Schmalzried TP. Lower extremity alignment and risk of overuse injuries in runners. *Med Sci Sports Exerc* 1997;29(10):1291-8.
67. Tweed JL, Campbell JA, Avil SJ. Biomechanical risk factors in the development of medial tibial stress syndrome in distance runners. *J Am Podiatr Med Assoc* 2008;98(6):436-44.
68. Moen MH, Bongers T, Bakker EW et al. Risk factors and prognostic indicators for medial tibial stress syndrome. *Scand J Med Sci Sports* 2012;22(1):34-9.
69. Witvrouw E, Bellemans J, Lysens R et al. Intrinsic risk factors for the development of patellar tendinitis in an athletic population. A two-year prospective study. *Am J Sports Med* 2001;29(2):190-5.
70. Tyler TF, Hershman EB, Nicholas SJ et al. Evidence of abnormal anteroposterior patellar tilt in patients with patellar tendinitis with use of a new radiographic measurement. *Am J Sports Med* 2002;30(3):396-401.
71. Boling MC, Padua DA, Marshall SW et al. A prospective investigation of biomechanical risk factors for patellofemoral pain syndrome: the Joint Undertaking to Monitor and Prevent ACL Injury (JUMP-ACL) cohort. *Am J Sports Med* 2009;37(11):2108-16.
72. Witvrouw E, Lysens R, Bellemans J et al. Intrinsic risk factors for the development of anterior knee pain in an athletic population. A two-year prospective study. *Am J Sports Med* 2000;28(4):480-9.
73. Myer GD, Ford KR, Barber Foss KD et al. The incidence and potential pathomechanics of patellofemoral pain in female athletes. *Clin Biomech (Bristol, Avon)* 2010;25(7):700-7.
74. Myer GD, Ford KR, Di Stasi SL et al. High knee abduction moments are common risk factors for patellofemoral pain (PFP) and anterior cruciate ligament (ACL) injury in girls: is PFP itself a predictor for subsequent ACL injury? *Br J Sports Med* 2015;49(2):118-22.
75. Messier SP, Davis SE, Curl WW et al. Etiologic factors associated with patellofemoral pain in runners. *Med Sci Sports Exerc* 1991;23(9):1008-15.
76. Barton CJ, Levinger P, Menz HB et al. Kinematic gait characteristics associated with patellofemoral pain syndrome: a systematic review. *Gait Posture* 2009;30(4):405-16.
77. Patil S, White L, Jones A et al. Idiopathic anterior knee pain in the young. A prospective controlled trial. *Acta Orthop Belg* 2010;76(3):356-9.
78. Noehren B, Davis I, Hamill J. ASB clinical biomechanics award winner 2006 prospective study of the biomechanical factors associated with iliotibial band syndrome. *Clin Biomech (Bristol, Avon)* 2007;22(9):951-6.
79. Miller RH, Lowry JL, Meardon SA et al. Lower extremity mechanics of iliotibial band syndrome during an exhaustive run. *Gait Posture* 2007;26(3):407-13.
80. Verrall GM, Slavotinek JP, Barnes PG et al. Hip joint range of motion restriction precedes athletic chronic groin injury. *J Sci Med Sport* 2007;10(6):463-6.
81. Giladi M, Milgrom C, Simkin A et al. Stress fractures. Identifiable risk factors. *Am J Sports Med* 1991;19(6):647-52.
82. Korpelainen R, Orava S, Karpakka J et al. Risk factors for recurrent stress fractures in athletes. *Am J Sports Med* 2001;29(3):304-10.
83. Barton CJ, Bonanno DR, Carr J et al. Running retraining to treat lower limb injuries: a mixed-methods study of current evidence synthesised with expert opinion. *Br J Sports Med* 2016 50(9):513-26.
84. Noehren B, Scholz J, Davis I. The effect of real-time gait retraining on hip kinematics, pain and function in subjects with patellofemoral pain syndrome. *Br J Sports Med* 2011;45(9):691-6.
85. Willy RW, Scholz JP, Davis IS. Mirror gait retraining for the treatment of patellofemoral pain in female runners. *Clin Biomech (Bristol, Avon)* 2012;27(10):1045-51.
86. Diebal AR, Gregory R, Alitz C et al. Forefoot running improves pain and disability associated with chronic exertional compartment syndrome. *Am J Sports Med* 2012;40(5):1060-7.
87. Breen DT, Foster J, Falvey E et al. Gait re-training to alleviate the symptoms of anterior exertional lower leg pain: a case series. *Int J Sports Phys Ther* 2015;10(1):85-94.

88. Willy RW, Davis IS. The effect of a hip-strengthening program on mechanics during running and during a single-leg squat. *J Orthop Sports Phys Ther* 2011;41(9):625-32.
89. Ferber R, Kendall KD, Farr L. Changes in knee biomechanics after a hip-abductor strengthening protocol for runners with patellofemoral pain syndrome. *J Athl Train* 2011;46(2):142-9.
90. Earl JE, Hoch AZ. A proximal strengthening program improves pain, function, and biomechanics in women with patellofemoral pain syndrome. *Am J Sports Med* 2011;39(1):154-63.
91. Noehren B, Hamill J, Davis I. Prospective evidence for a hip etiology in patellofemoral pain. *Med Sci Sports Exerc* 2013;45(6):1120-4.
92. Hamill J, Miller R, Noehren B et al. A prospective study of iliotibial band strain in runners. *Clin Biomech (Bristol, Avon)* 2008;23(8):1018-25.
93. Collins N, Bisset L, McPoil T et al. Foot orthoses in lower limb overuse conditions: a systematic review and meta-analysis. *Foot Ankle Int* 2007;28(3):396-412.
94. Eng JJ, Pierrynowski MR. The effect of soft foot orthotics on three-dimensional lower-limb kinematics during walking and running. *Phys Ther* 1994;74(9):836-44.
95. McCulloch MU, Brunt D, Vander Linden D. The effect of foot orthotics and gait velocity on lower limb kinematics and temporal events of stance. *J Orthop Sports Phys Ther* 1993;17(1):2-10.
96. Novick A, Kelley DL. Position and movement changes of the foot with orthotic intervention during the loading response of gait. *J Orthop Sports Phys Ther* 1990;11(7):301-12.
97. Brown GP, Donatelli R, Catlin PA et al. The effect of two types of foot orthoses on rearfoot mechanics. *J Orthop Sports Phys Ther* 1995;21(5):258-67.
98. Stacoff A, Reinschmidt C, Nigg BM et al. Effects of foot orthoses on skeletal motion during running. *Clin Biomech (Bristol, Avon)* 2000;15(1):54-64.
99. Mills K, Blanch P, Chapman AR et al. Foot orthoses and gait: a systematic review and meta-analysis of literature pertaining to potential mechanisms. *Br J Sports Med* 2010;44(14):1035-46.
100. Bobbert MF, Yeadon MR, Nigg BM. Mechanical analysis of the landing phase in heel-toe running. *J Biomech* 1992;25(3):223-34.
101. Hohmann E, Wortler K, Imhoff AB. MR imaging of the hip and knee before and after marathon running. *Am J Sports Med* 2004;32(1):55-9.
102. Nigg BM. Impact forces in running. *Curr Opinion Orth* 1997;8(6):43-47.
103. Nawoczenski DA, Janisse DJ. Foot orthoses in rehabilitation—what's new. *Clin Sports Med* 2004;23(1):157-67.
104. Nigg BM, Nurse MA, Stefanyshyn DJ. Shoe inserts and orthotics for sport and physical activities. *Med Sci Sports Exerc* 1999; 31(7 Suppl):S421-8.
105. Nigg BM. The role of impact forces and foot pronation: a new paradigm. *Clin J Sport Med* 2001;11(1):2-9.
106. Rome K, Handoll HH, Ashford R. Interventions for preventing and treating stress fractures and stress reactions of bone of the lower limbs in young adults. *Cochrane Database Syst Rev* 2005(2):CD000450.
107. Snyder RA, DeAngelis JP, Koester MC et al. Does shoe insole modification prevent stress fractures? A systematic review. *HSS J* 2009;5(2):92-8.
108. Barton CJ, Munteanu SE, Menz HB et al. The efficacy of foot orthoses in the treatment of individuals with patellofemoral pain syndrome: a systematic review. *Sports Med* 2010;40(5):377-95.
109. Burns J, Landorf KB, Ryan MM et al. Interventions for the prevention and treatment of pes cavus. *Cochrane Database Syst Rev* 2007(4):CD006154.
110. Munteanu SE, Scott LA, Bonanno DR et al. Effectiveness of customised foot orthoses for Achilles tendinopathy: a randomised controlled trial. *Br J Sports Med* 2015;49(15): 989-94.
111. Baldassin V, Gomes CR, Beraldo PS. Effectiveness of prefabricated and customized foot orthoses made from low-cost foam for noncomplicated plantar fasciitis: a randomized controlled trial. *Arch Phys Med Rehabil* 2009;90(4):701-6.
112. Landorf KB, Keenan AM, Herbert RD. Effectiveness of foot orthoses to treat plantar fasciitis: a randomized trial. *Arch Intern Med* 2006;166(12):1305-10.
113. Martin JE, Hosch JC, Goforth WP et al. Mechanical treatment of plantar fasciitis. A prospective study. *J Am Podiatr Med Assoc* 2001;91(2):55-62.
114. Lynch DM, Goforth WP, Martin JE et al. Conservative treatment of plantar fasciitis. A prospective study. *J Am Podiatr Med Assoc* 1998;88(8):375-80.
115. Rome K, Gray J, Stewart F et al. Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study. *J Am Podiatr Med Assoc* 2004;94(3):229-38.
116. Roos E, Engstrom M, Soderberg B. Foot orthoses for the treatment of plantar fasciitis. *Foot Ankle Int* 2006;27(8):606-11.
117. Kulig K, Reischl SF, Pomrantz AB et al. Nonsurgical management of posterior tibial tendon dysfunction with orthoses and resistive exercise: a randomized controlled trial. *Phys Ther* 2009;89(1):26-37.
118. Trotter LC, Pierrynowski MR. The short-term effectiveness of full-contact custom-made foot orthoses and prefabricated shoe inserts on lower-extremity musculoskeletal pain: a randomized clinical trial. *J Am Podiatr Med Assoc* 2008;98(5):357-63.
119. Guskiewicz KM, Perrin DH. Effect of orthotics on postural sway following inversion ankle sprain. *J Orthop Sports Phys Ther* 1996;23(5):326-31.
120. Orteza LC, Vogelbach WD, Denegar CR. The effect of molded and unmolded orthotics on balance and pain while jogging following inversion ankle sprain. *J Athl Train* 1992;27(1):80-4.
121. Loudon JK, Dolphino MR. Use of foot orthoses and calf stretching for individuals with medial tibial stress syndrome. *Foot Ankle Spec* 2010;3(1):15-20.

122. Sammarco VJ, Nichols R. Orthotic management for disorders of the hallux. *Foot Ankle Clin* 2005;10(1):191-209.
123. American College of Foot and Ankle Orthopedics and Medicine. Prescription custom foot orthoses practice guidelines, 2004.
124. Root ML. Development of the functional orthosis. *Clin Podiatr Med Surg* 1994;11(2):183-210.
125. McPoil TG, Hunt GC. Evaluation and management of foot and ankle disorders: present problems and future directions. *J Orthop Sports Phys Ther* 1995;21(6):381-8.
126. Landorf K, Keenan AM, Rushworth RL. Foot orthosis prescription habits of Australian and New Zealand podiatric physicians. *J Am Podiatr Med Assoc* 2001;91(4):174-83.
127. Vicenzino B. Foot orthotics in the treatment of lower limb conditions: a musculoskeletal physiotherapy perspective. *Man Ther* 2004;9(4):185-96.
128. Vicenzino B, Collins N, Crossley K et al. Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: a randomised clinical trial. *BMC Musculoskelet Disord* 2008;9(1):27.
129. Collins N, Crossley K, Beller E et al. Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. *BMJ* 2008;337:a1735.
130. Dye RW. A strapping. *J Natl Assoc Chiropractors* 1939;29:11-12.
131. Franettovich M, Chapman A, Blanch P et al. A physiological and psychological basis for anti-pronation taping from a critical review of the literature. *Sports Med* 2008;38(8):617-31.
132. Aminaka N, Gribble PA. A systematic review of the effects of therapeutic taping on patellofemoral pain syndrome. *J Athl Train* 2005;40(4):341-51.
133. Overington M, Goddard D, Hing W. A critical appraisal and literature critique on the effect of patellar taping: is patellar taping effective in the treatment of patellofemoral pain syndrome? *NZJ Physiother* 2006;34:66-80.
134. Mulligan BR. *Manual Therapy*—"NAGS", "SNAGS", "MWM'S" etc. 4th ed. Wellington: Plane View Services Ltd. 1999.
135. Arroyo J, Hershon S, Bigliani L. Special considerations in the athlete throwing shoulder. *Orthop Clin North Am* 1997;28:69-78.
136. Herrington L. Glenohumeral joint: internal and external rotation range of motion in javelin throwers. *Br J Sports Med* 1998;32(3):226-8.
137. Kvitne RS, Jobe FW, Jobe CM. Shoulder instability in the overhand or throwing athlete. *Clin Sports Med* 1995;14(4):917-35.
138. Cavallo RJ, Speer KP. Shoulder instability and impingement in throwing athletes. *Med Sci Sports Exerc* 1998;30(4 Suppl):S18-25.
139. Toyoshima S, Hoshikawa T, Miyashita M et al. Contribution of the body parts to throwing performance. *Biomechanics IV*. Baltimore: University Park Press, 1974:169-74.

140. Kibler WB. The role of the scapula in athletic shoulder function. *Am J Sports Med* 1998;26(2):325-37.

CHAPTER 9

1. Clarsen B, Krosshaug T, Bahr R. Overuse injuries in professional road cyclists. *Am J Sports Med* 2010;38(12):2494-501.
2. Dannenberg AL, Needle S, Mullady D et al. Predictors of injury among 1638 riders in a recreational long-distance bicycle tour: Cycle Across Maryland. *Am J Sports Med* 1996;24(6):747-53.
3. De Bernardo N, Barrios C, Vera P et al. Incidence and risk for traumatic and overuse injuries in top-level road cyclists. *J Sports Sci* 2012;30(10):1047-53.
4. Weiss BD. Nontraumatic injuries in amateur long distance bicyclists. *Am J Sports Med* 1985;13(3):187-92.
5. Wilber CA, Holland GJ, Madison RE et al. An epidemiological analysis of overuse injuries among recreational cyclists. *Int J Sports Med* 1995;16(3):201-6.
6. Holmes JC, Pruitt AL, Whalen NJ. Cycling knee injuries. Common mistakes that cause injuries and how to avoid them. *Cycling Science* 1991;3:11-14.
7. Holmes JC, Pruitt AL, Whalen NJ. Lower extremity overuse in bicycling. *Clin Sports Med* 1994;13(1):187-205.
8. Mellion MB. Common cycling injuries. Management and prevention. *Sports Med* 1991;11(1):52-70.
9. Ericson MO, Nisell R. Patellofemoral joint forces during ergometric cycling. *Phys Ther* 1987;67(9):1365-9.
10. Bailey MP, Maillardet FJ, Messenger N. Kinematics of cycling in relation to anterior knee pain and patellar tendinitis. *J Sports Sci* 2003;21(8):649-57.
11. Gregor RJ, Wheeler JB. Biomechanical factors associated with shoe/pedal interfaces. Implications for injury. *Sports Med* 1994;17(2):117-31.
12. Wheeler JB, Gregor RJ, Broker J. The effect of clipless float design on shoe/pedal interface kinetics and overuse knee injuries during cycling. *J App Biomech* 1995;11:119-41.
13. Bini R, Hume PA, Croft JL. Effects of bicycle saddle height on knee injury risk and cycling performance. *Sports Med* 2011;41(6):463-76.
14. Tamborindeguy AC, Rico Bini R. Does saddle height affect patellofemoral and tibiofemoral forces during bicycling for rehabilitation? *J Bodyw Mov Ther* 2011;15(2):186-91.
15. Hannaford DR, Moran GT, Hlavac HF. Video analysis and treatment of overuse knee injury in cycling: a limited clinical study. *Clin Podiatr Med Surg* 1986;3(4):671-8.
16. O'Neill BC, Graham K, Moresi M et al. Custom formed orthoses in cycling. *J Sci Med Sport* 2011;14(6):529-34.
17. Sanderson D, Black A, Montgomery J. The effects of varus and valgus wedges on coronal plane knee motion during steady state cycling. *Clin J Sport Med* 1994;4:120-24.

18. Holmes JC, Pruitt AL, Whalen NJ. Iliotibial band syndrome in cyclists. *Am J Sports Med* 1993;21(3):419-24.
19. Farrell KC, Reisinger KD, Tillman MD. Force and repetition in cycling: possible implications for iliotibial band friction syndrome. *Knee* 2003;10(1):103-9.
20. Dahlquist M, Leisz MC, Finkelstein M. The club-level road cyclist: injury, pain, and performance. *Clin J Sport Med* 2015;25(2):88-94.
21. Clarsen B, Bahr R, Heymans MW et al. The prevalence and impact of overuse injuries in five Norwegian sports: application of a new surveillance method. *Scand J Med Sci Sports* 2015;25(3):323-30.
22. Burnett AF, Cornelius MW, Dankaerts W et al. Spinal kinematics and trunk muscle activity in cyclists: a comparison between healthy controls and non-specific chronic low back pain subjects—a pilot investigation. *Man Ther* 2004;9(4):211-9.
23. Van Hoof W, Volckaerts K, O'Sullivan K et al. Comparing lower lumbar kinematics in cyclists with low back pain (flexion pattern) versus asymptomatic controls—field study using a wireless posture monitoring system. *Man Ther* 2012;17(4):312-7.
24. Marsden M, Schweltnus M. Lower back pain in cyclists: a review of epidemiology, pathomechanics and risk factors. *Int Sport Med J* 2010;11(1):216-25.
25. Salai M, Brosh T, Blankstein A et al. Effect of changing the saddle angle on the incidence of low back pain in recreational bicyclists. *Br J Sports Med* 1999;33(6):398-400.
26. Peveler WW, Bishop PP, Smith J et al. Comparing methods for setting saddle height in trained cyclists. *JEP online* 2005;8: 51-55.
27. Fonda B, Sarabon N, Li FX. Validity and reliability of different kinematics methods used for bike fitting. *J Sports Sci* 2014;32(10):940-6.
28. Elliott B, Hardcastle P, Burnett A et al. The influence of fast bowling and physical factors on radiological features in high performance young fast bowlers. *J Sci Med Sport* 1992;3(2): 113-30.
29. Foster D, John D, Elliott B et al. Back injuries to fast bowlers in cricket: a prospective study. *Br J Sports Med* 1989;23(3):150-4.
30. Glazier PS. Is the 'crunch factor' an important consideration in the aetiology of lumbar spine pathology in cricket fast bowlers? *Sports Med* 2010;40(10):809-15.
31. Orchard JW, Blanch P, Paoloni J et al. Cricket fast bowling workload patterns as risk factors for tendon, muscle, bone and joint injuries. *Br J Sports Med* 2015;49(16):1064-8.
32. Johnson M, Ferreira M, Hush J. Lumbar vertebral stress injuries in fast bowlers: A review of prevalence and risk factors. *Phys Ther Sport* 2012;13:45-52.
33. Morton S, Barton CJ, Rice S et al. Risk factors and successful interventions for cricket-related low back pain: a systematic review. *Br J Sports Med* 2014;48(8):685-91.
34. Crewe H, Elliot B, Couanis G et al. The lumbar spine of the young cricket fast bowler: An MRI study. *Med Sci Sports Exerc* 2012;15:190-4.
35. Elliott BC, Davis JW, Khangure MS et al. Disc degeneration and the young fast bowler in cricket. *Clin Biomech* 1993;8(5):227-34.
36. Dennis R, Farhart P, Goumas C et al. Cricket fast bowling workload and injury study 2000-2001. *J Sci Med Sport* 2002; 5(4 suppl 1):80.
37. Burnett AF, Elliott BC, Marshall RN. The effect of a 12-over spell on fast bowling technique in cricket. *J Sports Sci* 1995;13(4): 329-41.
38. Portus MR, Sinclair PJ, Burke ST et al. Cricket fast bowling performance and technique and the influence of selected physical factors during an 8-over spell. *J Sports Sci* 2000;18(12):999-1011.
39. Hulin B, Gabbett T, Blanch P et al. Spikes in acute workload are more predictive of injury than absolute workload in Australian cricket fast bowlers. *Br J Sports Med* 2013;doi:10.1136/bjsports-2013-092524.
40. Orchard JW, James T, Portus M et al. Fast bowlers in cricket demonstrate up to 3- to 4-week delay between high workloads and increased risk of injury. *Am J Sports Med* 2009;37(6):1186-92.
41. Walsh JS, Henry YM, Fatayerji D et al. Lumbar spine peak bone mass and bone turnover in men and women: a longitudinal study. *Osteoporos Int* 2009;20(3):355-62.
42. Ranson C, King M, Burnett A et al. The effect of coaching intervention on elite fast bowling technique over a two year period. *Sports Biomech* 2009;8(4):261-74.
43. Ranson C, Burnett A, King M et al. The relationship between bowling action classification and three-dimensional lower trunk motion in fast bowlers in cricket. *J Sports Sci* 2008;26(3):267-76.
44. Portus M, Mason BR, Elliott BC et al. Technique factors related to ball release speed and trunk injuries in high performance cricket fast bowlers. *Sports Biomech* 2004;3(2):263-84.
45. Elliott B, Foster D, Gray S. Biomechanical and physical factors influencing fast bowling. *J Sci Med Sport* 1986;18(1):16-21.
46. Burnett A, Khangure M, Elliott B et al. Thoracolumbar disc degeneration in young fast bowlers in cricket: a follow-up study. *Clin Biomech* 1996;11(6):305-10.
47. Burnett AF, Barrett CJ, Marshall RN et al. Three-dimensional measurement of lumbar spine kinematics for fast bowlers in cricket. *Clin Biomech* 1998;13(8):574-83.
48. Portus M. Relationship between cricket fast bowling technique, trunk injuries, and ball release speed. Biomechanics Symposia 2001; 2001; University of San Francisco.
49. Hardcastle P, Annear P, Foster D et al. Spinal abnormalities in young fast bowlers. *J Bone Joint Surg Br* 1992;74(3):421-5.
50. Ranson CA, Burnett AF, King M et al. The relationship between bowling action classification and three-dimensional lower trunk motion in fast bowlers in cricket. *J Sports Sci* 2008;26(3): 267-76.

51. Elliott B. Back injuries and the fast bowlers in cricket. *J Sports Sci* 2000;18:983-91.
52. Farahmand B, Broman G, de Faire U et al. Golf: a game of life and death—reduced mortality in Swedish golf players. *Scand J Med Sci Sports* 2009;19(3):419-24.
53. Hovis WD, Dean MT, Mallon WJ et al. Posterior instability of the shoulder with secondary impingement in elite golfers. *Am J Sports Med* 2002;30(6):886-90.
54. Dinnen KP, Butcher GM, Ludwig KM. Effects of Prolonged Effort on the kinematics of the golf swing in female collegiate golfers. ACSM Annual Meeting. St. Louis, Missouri, 2002.
55. Hawkes R, O'Connor P, Campbell D. The prevalence, variety and impact of wrist problems in elite professional golfers on the European Tour. *Br J Sports Med* 2013;47(17):1075-9.
56. Campbell D, Campbell R, O'Connor P et al. Sports-related extensor carpi ulnaris pathology: a review of functional anatomy, sports injury and management. *Br J Sports Med* 2013;47(17):1105-11.
57. O'Connor P, Campbell R, Kumar AB et al. A pictorial review of wrist injuries in the elite golfer. *Br J Sports Med* under review.
58. Devers BN, Douglas KC, Naik RD et al. Outcomes of hook of hamate fracture excision in high-level amateur athletes. *J Hand Surg Am* 2013;38(1):72-6.
59. Dickenson E, Ahmed I, Fernandez M et al. Professional golfers' hips: prevalence and predictors of hip pain with clinical and MR examinations. *Br J Sports Med*; 2016;50(17):1087-91.
60. Gulgin H, Armstrong C, Gribble P. Hip rotational velocities during the full golf swing. *J Sports Sci Med* 2009;8(2):296-9.
61. Gulgin H, Armstrong C, Gribble P. Weight-bearing hip rotation range of motion in female golfers. *N Am J Sports Phys Ther* 2010;5(2):55-62.
62. Evans K, Refshauge KM, Adams R et al. Predictors of low back pain in young elite golfers: A preliminary study. *Phys Ther Sport* 2005;6(3):122-30.
63. Kleshnev V. Power in rowing. XVIII Congress of ISBS; 2000; Hong Kong.
64. Smoljanovic T, Bojanic I, Hannafin JA et al. Traumatic and overuse injuries among international elite junior rowers. *Am J Sports Med* 2009;37(6):1193-9.
65. Wilson F, Gissane C, Gormley J et al. A 12-month prospective cohort study of injury in international rowers. *Br J Sports Med* 2010;44(3):207-14.
66. Marras WS, Lavender SA, Leurgans SE et al. The role of dynamic three-dimensional trunk motion in occupationally-related low back disorders. The effects of workplace factors, trunk position, and trunk motion characteristics on risk of injury. *Spine (Phila Pa 1976)* 1993;18(5):617-28.
67. Marras WS, Parakkat J, Chany AM et al. Spine loading as a function of lift frequency, exposure duration and work experience. *Clin Biomech* 2006;21:345-52.
68. Sorensen IG, Jacobsen P, Gyntelberg F et al. Occupational and other predictors of herniated lumbar disc disease—a 33-year follow-up in the Copenhagen male study. *Spine (Phila Pa 1976)* 2011;36(19):1541-6.
69. Mackenzie HA, Bull AM, McGregor AH. Changes in rowing technique over a routine one hour low intensity high volume training session. *J Sports Sci Med* 2008;7(4):486-91.
70. Holt PJ, Bull AM, Cashman PM et al. Kinematics of spinal motion during prolonged rowing. *Int J Sports Med* 2003;24(8):597-602.
71. McGregor AH, Patankar ZS, Bull AM. Longitudinal changes in the spinal kinematics of oarswomen during step testing. *J Sports Sci Med* 2007;6(1):29-35.
72. Wilson F, Gissane C, Gormley J et al. Sagittal plane motion of the lumbar spine during ergometer and single scull rowing. *Sports Biomech* 2013;12(2):132-42.
73. Wilson F, Gormley J, Gissane C et al. The effect of rowing to exhaustion on frontal plane angular changes in the lumbar spine of elite rowers. *J Sports Sci* 2012;30(14):1481-9.
74. McGregor AH, Bull AM, Byng-Maddick R. A comparison of rowing technique at different stroke rates: a description of sequencing, force production and kinematics. *Int J Sports Med* 2004;25(6):465-70.
75. McGregor AH, Patankar ZS, Bull AM. Spinal kinematics in elite oarswomen during a routine physiological 'step test'. *Med Sci Sports Exerc* 2005;37(6):1014-20.
76. O'Kane JW, Teitz CC, Lind BK. Effect of preexisting back pain on the incidence and severity of back pain in intercollegiate rowers. *Am J Sports Med* 2003;31(1):80-2.
77. Ng L, Perich D, Burnett A et al. Self-reported prevalence, pain intensity and risk factors of low back pain in adolescent rowers. *J Sci Med Sport* 2014;17(3):266-70.
78. Perich D, Burnett A, O'Sullivan P et al. Low back pain in adolescent female rowers: a multi-dimensional intervention study. *Knee Surg Sports Traumatol Arthrosc* 2011;19(1):20-9.
79. Ng L, Caneiro JP, Campbell A et al. Cognitive functional approach to manage low back pain in male adolescent rowers: a randomised controlled trial. *Br J Sports Med* 2015;49(17):1125-31.
80. McDonnell LK, Hume PA, Nolte V. Rib stress fractures among rowers: definition, epidemiology, mechanisms, risk factors and effectiveness of injury prevention strategies. *Sports Med* 2011;41(11):883-901.
81. Rumball JS, Lebrun CM, Di Ciaccia SR et al. Rowing injuries. *Sports Med* 2005;35(6):537-55.
82. Vinther A, Kanstrup IL, Christiansen E et al. Exercise-induced rib stress fractures: influence of reduced bone mineral density. *Scand J Med Sci Sports* 2005;15(2):95-9.
83. Smoljanovic T, Bojanic I, Pollock CL et al. Rib stress fracture in a male adaptive rower from the arms and shoulders sport class: case report. *Croat Med J* 2011;52(5):644-7.
84. Evans G, Redgrave A. Great Britain rowing team guideline for diagnosis and management of rib stress injury: part 1. *Br J Sports Med* 2016;50(5):266-9.
85. Evans G, Redgrave A. Great Britain rowing team guideline for diagnosis and management of rib stress injury: Part 2 - The guideline itself. *Br J Sports Med* 2016;50(5):270-2.

86. Sein ML, Walton J, Linklater J et al. Shoulder pain in elite swimmers: primarily due to swim-volume-induced supraspinatus tendinopathy. *Br J Sports Med* 2010;44(2): 105-13.
87. Chase KI, Caine DJ, Goodwin BJ et al. A prospective study of injury affecting competitive collegiate swimmers. *Res Sports Med* 2013;21(2):111-23.
88. Wolf BR, Ebinger AE, Lawler MP et al. Injury patterns in division I collegiate swimming. *Am J Sports Med* 2009;37(10):2037-42.
89. McMaster WC. Shoulder injuries in competitive swimmers. *Clin Sports Med* 1999;18(2):349-59, vii.
90. Walker H, Gabbe B, Wajswelner H et al. Shoulder pain in swimmers: a 12-month prospective cohort study of incidence and risk factors. *Phys Ther Sport* 2012;13(4):243-9.
91. Beach ML, Whitney SL, Dickoff-Hoffman S. Relationship of shoulder flexibility, strength, and endurance to shoulder pain in competitive swimmers. *J Orthop Sports Phys Ther* 1992;16(6):262-8.
92. Allegrucci M, Whitney SL, Irrgang JJ. Clinical implications of secondary impingement of the shoulder in freestyle swimmers. *J Orthop Sports Phys Ther* 1994;20(6):307-18.
93. Yanai T, Hay JG, Miller GF. Shoulder impingement in front-crawl swimming: I. a method to identify impingement. *Med Sci Sports Exerc* 2000;32(1):21-9.
94. Warner JJ, Micheli LJ, Arslanian LE et al. Patterns of flexibility, laxity, and strength in normal shoulders and shoulders with instability and impingement. *Am J Sports Med* 1990;18(4): 366-75.
95. Bak K. The practical management of swimmer's painful shoulder: etiology, diagnosis, and treatment. *Clin J Sport Med* 2010;20(5):386-90.
96. Kennedy J, Hawkins R. Swimmers shoulder. *Phys Sports med* 1974;2:34-38.
97. Blanch P. Conservative management of shoulder pain in swimming. *Phys Ther Sport* 2004;5(3):109-24.
98. Martins LCX, Paiva JR, Freitas AC et al. Prevalence of pain and associated factors in elite swimmers. *Science & Sports* 2014;29(3):e11-e14.
99. Knobloch K, Yoon U, Kraemer R et al. [200-400 m breaststroke event dominate among knee overuse injuries in elite swimming athletes]. *Sportverletz Sportschaden* 2008;22(4):213-9.
100. Rovere GD, Nichols AW. Frequency, associated factors, and treatment of breaststroke's knee in competitive swimmers. *Am J Sports Med* 1985;13(2):99-104.
101. Rodeo SA. Knee pain in competitive swimming. *Clin Sports Med* 1999;18(2):379-87, viii.
102. Jayanthi NA, O'Boyle J, Durazo-Arvizu RA. Risk factors for medical withdrawals in United States tennis association junior national tennis tournaments: a descriptive epidemiologic study. *Sports Health* 2009;1(3):231-5.
103. Pluim BM, Staal JB. Epidemiology of tennis injuries. In: Caine D, Harmer P, Schiff M, eds. *Epidemiology of Olympic Sports—Encyclopaedia of Sports Medicine*. Oxford: Wiley Blackwell, 2009:277-94.
104. Carroll R. Tennis elbow: incidence in local league players. *Br J Sports Med* 1981;15(4):250-6.
105. Gruchow HW, Pelletier D. An epidemiologic study of tennis elbow. Incidence, recurrence, and effectiveness of prevention strategies. *Am J Sports Med* 1979;7(4):234-8.
106. Shiri R, Viikari-Juntura E, Varonen H et al. Prevalence and determinants of lateral and medial epicondylitis: a population study. *Am J Epidemiol* 2006;164(11):1065-74.
107. Blackwell JR, Cole KJ. Wrist kinematics differ in expert and novice tennis players performing the backhand stroke: implications for tennis elbow. *J Biomech* 1994;27(5):509-16.
108. Riek S, Chapman AE, Milner T. A simulation of muscle force and internal kinematics of extensor carpi radialis brevis during backhand tennis stroke: implications for injury. *Clin Biomech (Bristol, Avon)* 1999;14(7):477-83.
109. Knudson D, Blackwell J. Upper extremity angular kinematics of the one-handed backhand drive in tennis players with and without tennis elbow. *Int J Sports Med* 1997;18(2): 79-82.
110. Wei SH, Chiang JY, Shiang TY et al. Comparison of shock transmission and forearm electromyography between experienced and recreational tennis players during backhand strokes. *Clin J Sport Med* 2006;16(2):129-35.
111. King MA, Glynn JA, Mitchell SR. Subject-specific computer simulation model for determining elbow loading in one-handed tennis backhand groundstrokes. *Sports Biomech* 2011;10(4):391-406.
112. Rossi J, Vigouroux L, Barla C et al. Potential effects of racket grip size on lateral epicondylalgia risks. *Scand J Med Sci Sports* 2014;24(6):e462-70.
113. Fleisig G, Nicholls R, Elliott B et al. Kinematics used by world class tennis players to produce high-velocity serves. *Sports Biomech* 2003;2(1):51-64.
114. Ellenbecker TS, Roetert EP, Kibler WB et al. Applied biomechanics of tennis. In: Magee DJ, Manske RC, Zachazewski JE et al., eds. *Athletic and sports issues in musculoskeletal rehabilitation*. St. Louis: Elsevier Science, 2011:265-86.
115. Cools AM, Declercq G, Cagnie B et al. Internal impingement in the tennis player: rehabilitation guidelines. *Br J Sports Med* 2008;42(3):165-71.
116. van der Hoeven H, Kibler WB. Shoulder injuries in tennis players. *Br J Sports Med* 2006;40(5):435-40; discussion 440.
117. Kibler WB. Biomechanical analysis of the shoulder during tennis activities. *Clin Sports Med* 1995;14(1):79-85.
118. Martin C, Bideau B, Bideau N et al. Energy flow analysis during the tennis serve: comparison between injured and noninjured tennis players. *Am J Sports Med* 2014;42(11): 2751-60.
119. Kovacs M, Ellenbecker T. An 8-stage model for evaluating the tennis serve: implications for performance enhancement and injury prevention. *Sports Health* 2011;3(6):504-13.

CHAPTER 10

1. Bosquet L, Montpetit J, Arvisais D et al. Effects of tapering on performance: a meta-analysis. *Med Sci Sports Exerc* 2007;39(8):1358-65.
2. Dellal A, Chamari K, Pintus A et al. Heart rate responses during small-sided games and short intermittent running training in elite soccer players: a comparative study. *J Strength Cond Res* 2008;22(5):1449-57.
3. Hill AV, Long CNH, Lupton H. (1924b). Muscular exercise, lactic acid and the supply and utilisation of oxygen. Parts VII-VII. *Proc R Soc Lond* 1924;97:155-176.
4. Lambert EV, St Clair Gibson A, Noakes TD. Complex systems model of fatigue: integrative homeostatic control of peripheral physiological systems during exercise in humans. *Br J Sports Med* 2005;39(1):52-62.
5. Noakes TD. Maximal oxygen uptake: 'classical' versus 'contemporary' viewpoints: a rebuttal. *Med Sci Sports Exerc* 1998;30(9):1381-98.
6. Noakes TD. Physiological factors limiting exercise performance in CFS. *Med Sci Sports Exerc* 2004;36(6):1087.
7. Noakes TD, Peltonen JE, Rusko HK. Evidence that a central governor regulates exercise performance during acute hypoxia and hyperoxia. *J Exp Biol* 2001;204(Pt 18):3225-34.
8. Noakes TD, St Clair Gibson A. Logical limitations to the 'catastrophe' models of fatigue during exercise in humans. *Br J Sports Med* 2004;38(5):648-9.
9. Noakes TD, St Clair Gibson A, Lambert EV. From catastrophe to complexity: a novel model of integrative central neural regulation of effort and fatigue during exercise in humans. *Br J Sports Med* 2004;38(4):511-4.
10. Noakes TD, St Clair Gibson A, Lambert EV. From catastrophe to complexity: a novel model of integrative central neural regulation of effort and fatigue during exercise in humans: summary and conclusions. *Br J Sports Med* 2005;39(2):120-4.
11. St Clair Gibson A, Noakes TD. Evidence for complex system integration and dynamic neural regulation of skeletal muscle recruitment during exercise in humans. *Br J Sports Med* 2004;38(6):797-806.
12. Liu-Ambrose T, Khan KM, Eng JJ et al. Resistance and agility training reduce fall risk in women aged 75 to 85 with low bone mass: a 6-month randomized, controlled trial. *J Am Geriatr Soc* 2004;52(5):657-65.
13. Noakes TD. Time to move beyond a brainless exercise physiology: the evidence for complex regulation of human exercise performance. *Appl Physiol Nutr Metab* 2011;36(1):23-35.
14. Noakes TD. Is it time to retire the AV Hill model? A rebuttal to the article by Professor Roy Shephard. *Sports Med* 2011;41(4):263-77.
15. Nummela A, Keranen T, Mikkelsen LO. Factors related to top running speed and economy. *Int J Sports Med* 2007;28(8):655-61.
16. Rae DE, Noakes TD, San Juan AF et al. Excessive skeletal muscle recruitment during strenuous exercise in McArdle patients. *Eur J Appl Physiol* 2010;110(5):1047-55.
17. Nader GA. Concurrent strength and endurance training: from molecules to man. *Med Sci Sports Exerc* 2006;38(11):1965-70.
18. Burgomaster KA, Howarth KR, Phillips SM et al. Similar metabolic adaptations during exercise after low volume sprint interval and traditional endurance training in humans. *J Physiol* 2008;586(1):151-60.
19. Sahlén A, Rubulis A, Winter R et al. Cardiac fatigue in long-distance runners is associated with ventricular repolarization abnormalities. *Heart Rhythm* 2009;6(4):512-9.
20. Whyte GP, George K, Sharma S et al. Cardiac fatigue following prolonged endurance exercise of differing distances. *Med Sci Sports Exerc* 2000;32(6):1067-72.
21. Pelliccia A, Kinoshita N, Pisicchio C et al. Long-term clinical consequences of intense, uninterrupted endurance training in olympic athletes. *J Am Coll Cardiol* 2010;55(15):1619-25.
22. Laursen PB, Jenkins DG. The scientific basis for high-intensity interval training: optimising training programmes and maximising performance in highly trained endurance athletes. *Sports Med* 2002;32(1):53-73.
23. Dupont G, Blondel N, Berthoin S. Performance for short intermittent runs: active recovery vs. passive recovery. *Eur J Appl Physiol* 2003;89(6):548-54.
24. Gabbett TJ, Whyte DG, Hartwig TB et al. The relationship between workloads, physical performance, injury and illness in adolescent male footballers. *Sports Med* 2014;44(7):989-1003.
25. Liu-Ambrose T, Khan KM, Eng JJ et al. Balance confidence improves with resistance or agility training. Increase is not correlated with objective changes in fall risk and physical abilities. *Gerontology* 2004;50(6):373-82.
26. Young WB, McDowell MH, Scarlett BJ. Specificity of sprint and agility training methods. *J Strength Cond Res* 2001;15(3):315-9.
27. Folland JP, Williams AG. The adaptations to strength training: morphological and neurological contributions to increased strength. *Sports Med* 2007;37(2):145-68.
28. Gabriel DA, Kamen G, Frost G. Neural adaptations to resistive exercise: mechanisms and recommendations for training practices. *Sports Med* 2006;36(2):133-49.
29. Rio E, Kidgell D, Purdam C et al. Isometric exercise induces analgesia and reduces inhibition in patellar tendinopathy. *Br J Sports Med* 2015;49(19):1277-83.
30. Cotterman ML, Darby LA, Skelly WA. Comparison of muscle force production using the Smith machine and free weights for bench press and squat exercises. *J Strength Cond Res* 2005;19(1):169-76.
31. Roig M, O'Brien K, Kirk G et al. The effects of eccentric versus concentric resistance training on muscle strength and mass

- in healthy adults: a systematic review with meta-analysis. *Br J Sports Med* 2009;43(8):556-68.
32. Rees JD, Wolman RL, Wilson A. Eccentric exercises; why do they work, what are the problems and how can we improve them? *Br J Sports Med* 2009;43(4):242-6.
 33. Visnes H, Bahr R. The evolution of eccentric training as treatment for patellar tendinopathy (jumper's knee): a critical review of exercise programmes. *Br J Sports Med* 2007;41(4):217-23.
 34. Woodley BL, Newsham-West RJ, Baxter GD. Chronic tendinopathy: effectiveness of eccentric exercise. *Br J Sports Med* 2007;41(4):188-98; discussion 199.
 35. Tyler TF, Thomas GC, Nicholas SJ et al. Addition of isolated wrist extensor eccentric exercise to standard treatment for chronic lateral epicondylitis: A prospective randomized trial. *J Shoulder Elbow Surg* 2010;19(6):917-22.
 36. Maenhout AG, Mahieu NN, De Muynck M et al. Does adding heavy load eccentric training to rehabilitation of patients with unilateral subacromial impingement result in better outcome? A randomized, clinical trial. *Knee Surg Sports Traumatol Arthrosc* 2013;21(5):1158-67.
 37. Cools AM, Declercq G, Cagnie B et al. Internal impingement in the tennis player: rehabilitation guidelines. *Br J Sports Med* 2008;42(3):165-71.
 38. Stensdotter AK, Hodges PW, Mellor R et al. Quadriceps activation in closed and in open kinetic chain exercise. *Med Sci Sports Exerc* 2003;35(12):2043-7.
 39. Bakhtiary AH, Fatemi E. Open versus closed kinetic chain exercises for patellar chondromalacia. *Br J Sports Med* 2008;42(2):99-102; discussion 102.
 40. Beynnon BD, Johnson RJ, Abate JA et al. Treatment of anterior cruciate ligament injuries, part 1. *Am J Sports Med* 2005;33(10):1579-602.
 41. Tagesson S, Oberg B, Good L et al. A comprehensive rehabilitation program with quadriceps strengthening in closed versus open kinetic chain exercise in patients with anterior cruciate ligament deficiency: a randomized clinical trial evaluating dynamic tibial translation and muscle function. *Am J Sports Med* 2008;36(2):298-307.
 42. Witvrouw E, Danneels L, Van Tiggelen D et al. Open versus closed kinetic chain exercises in patellofemoral pain: a 5-year prospective randomized study. *Am J Sports Med* 2004;32(5):1122-30.
 43. Reinold MM, Gill TJ, Wilk KE et al. Current concepts in the evaluation and treatment of the shoulder in overhead throwing athletes, part 2: injury prevention and treatment. *Sports Health* 2010;2(2):101-15.
 44. Jensen JL, Marstrand PC, Nielsen JB. Motor skill training and strength training are associated with different plastic changes in the central nervous system. *J Appl Physiol* 2005;99(4):1558-68.
 45. Kyrolainen H, Avela J, McBride JM et al. Effects of power training on muscle structure and neuromuscular performance. *Scand J Med Sci Sports* 2005;15(1):58-64.
 46. Guissard N, Duchateau J. Neural aspects of muscle stretching. *Exerc Sport Sci Rev* 2006;34(4):154-8.
 47. Weppeler CH, Magnusson SP. Increasing muscle extensibility: a matter of increasing length or modifying sensation? *Phys Ther* 2010;90(3):438-49.
 48. Small K, Mc Naughton L, Matthews M. A systematic review into the efficacy of static stretching as part of a warm-up for the prevention of exercise-related injury. *Res Sports Med* 2008;16(3):213-31.
 49. Shrier I. Stretching before exercise does not reduce the risk of local muscle injury: a critical review of the clinical and basic science literature. *Clin J Sport Med* 1999;9(4):221-7.
 50. Shrier I. Stretching perspectives. *Curr Sports Med Rep* 2005;4(5):237-8.
 51. Shrier I. Does stretching help prevent injuries? In: MacAuley D, Best T, eds. *Evidence-based sports medicine*. London: Blackwell Publishing, 2007.
 52. Herbert RD, de Noronha M. Stretching to prevent or reduce muscle soreness after exercise. *Cochrane Database Syst Rev* 2007(4):CD004577.
 53. Rubini EC, Costa AL, Gomes PS. The effects of stretching on strength performance. *Sports Med* 2007;37(3):213-24.
 54. Gleim GW, McHugh MP. Flexibility and its effects on sports injury and performance. *Sports Med* 1997;24(5):289-99.
 55. Woods K, Bishop P, Jones E. Warm-up and stretching in the prevention of muscular injury. *Sports Med* 2007;37(12):1089-99.
 56. Behm DG, Chaouachi A. A review of the acute effects of static and dynamic stretching on performance. *Eur J Appl Physiol* 2011;111(11):2633-51.
 57. Hulin BT, Gabbett TJ, Caputi P et al. Low chronic workload and the acute:chronic workload ratio are more predictive of injury than between-match recovery time: a two-season prospective cohort study in elite rugby league players. *Br J Sports Med* 2016;50(16):1008-12.
 58. Saw AE, Main LC, Gastin PB. Monitoring the athlete training response: subjective self-reported measures trump commonly used objective measures: a systematic review. *Br J Sports Med* 2016;50(5):281-91.
 59. Halson SL. Monitoring training load to understand fatigue in athletes. *Sports Med* 2014;44 Suppl 2:S139-47.
 60. Fanchini M, Ghielmetti R, Coutts AJ et al. Effect of training-session intensity distribution on session rating of perceived exertion in soccer players. *Int J Sports Physiol Perform* 2015;10(4):426-30.
 61. Casamichana D, Castellano J, Calleja-Gonzalez J et al. Relationship between indicators of training load in soccer players. *J Strength Cond Res* 2013;27(2):369-74.

CHAPTER 11

1. Reeves NP, Narendra KS, Cholewicki J. Spine stability: the six blind men and the elephant. *Clin Biomech* 2007;22:266-74.
2. Hodges P, Cholewicki J. Functional control of the spine. In: Vleeming A, Mooney V, Stoecart R, eds. *Movement, Stability and Lumbopelvic Pain*. Edinburgh: Elsevier, 2007.
3. Hodges PW, van Dillen L, McGill S et al. Integrated clinical approach to motor control interventions in low back and pelvic pain. In: Hodges PW, Cholewicki J, van Dieen J, eds. *Spinal Control: The Rehabilitation of Back Pain*. Edinburgh: Elsevier, 2013:243-310.
4. Woolf CJ. Central sensitization: implications for the diagnosis and treatment of pain. *Pain* 2011;152:S2-15.
5. Dankaerts W, O'Sullivan P, Burnett A et al. Differences in sitting postures are associated with nonspecific chronic low back pain disorders when patients are subclassified. *Spine* 2006;31:698-704.
6. Scholtes SA, Gombatto SP, Van Dillen LR. Differences in lumbopelvic motion between people with and people without low back pain during two lower limb movement tests. *Clin Biomech* 2009;24:7-12.
7. Ferguson SA, Marras WS, Burr DL et al. Difference in motor recruitment and resulting kinematics between low back pain patients and asymptomatic participants during lifting exertions. *Clin Biomech* 2004;19:992-9.
8. Unsgaard-Tondel M, Lund Nilsen TI, Magnussen J et al. Is activation of transversus abdominis and obliquus internus abdominis associated with long-term changes in chronic low back pain? A prospective study with 1-year follow-up. *Br J Sports Med* 2012;46:729-34.
9. Ferreira PH, Ferreira ML, Maher CG et al. Changes in recruitment of transversus abdominis correlate with disability in people with chronic low back pain. *Br J Sports Med* 2010;44:1166-72.
10. Van Dillen LR, Sahrman SA, Norton BJ et al. The effect of modifying patient-preferred spinal movement and alignment during symptom testing in patients with low back pain: a preliminary report. *Arch Phys Med Rehabil* 2003;84:313-22.
11. Hodges P, Gurfinkel VS, Brumagne S et al. Coexistence of stability and mobility in postural control: evidence from postural compensation for respiration. *Exp Brain Res* 2002;144:293-302.
12. Schneider G, Percy MJ, Bogduk N. Abnormal motion in spondylolytic spondylolisthesis. *Spine* 2005;30:1159-64.
13. Hodges P, van den Hoorn W, Dawson A et al. Changes in the mechanical properties of the trunk in low back pain may be associated with recurrence. *J Biomech* 2009;42:61-6.
14. Mok NW, Hodges PW. Movement of the lumbar spine is critical for maintenance of postural recovery following support surface perturbation. *Exp Brain Res* 2013;231:305-13.
15. Reeves NP, Cholewicki J, Narendra KS. Effects of reflex delays on postural control during unstable seated balance. *J Biomech* 2009;42:164-70.
16. Hodges PW, Richardson CA. Feedforward contraction of transversus abdominis is not influenced by the direction of arm movement. *Exp Brain Res* 1997;114:362-70.
17. Johansson H, Sjolander P, Sojka P. A sensory role for the cruciate ligaments. *Clin Orth Rel Res* 1991;268:161-78.
18. Kavcic N, Grenier S, McGill SM. Determining the stabilizing role of individual torso muscles during rehabilitation exercises. *Spine* 2004;29:1254-65.
19. Hodges P, Kaigle Holm A, Holm S et al. Intervertebral stiffness of the spine is increased by evoked contraction of transversus abdominis and the diaphragm: in vivo porcine studies. *Spine* 2003;28:2594-601.
20. Moseley GL, Hodges PW, Gandevia SC. Deep and superficial fibers of lumbar multifidus are differentially active during voluntary arm movements. *Spine* 2002;27:E29-36.
21. Hodges PW, Richardson CA. Inefficient muscular stabilization of the lumbar spine associated with low back pain: a motor control evaluation of transversus abdominis. *Spine* 1996;21:2640-50.
22. Hides JA, Stokes MJ, Saide M et al. Evidence of lumbar multifidus muscle wasting ipsilateral to symptoms in patients with acute/subacute low back pain. *Spine* 1994;19:165-77.
23. Kjaer P, Bendix T, Sorensen JS et al. Are MRI-defined fat infiltrations in the multifidus muscles associated with low back pain? *BMC Med* 2007;5:2.
24. Hodges PW, James G, Blomster L et al. Multifidus muscle changes after back injury are characterized by structural remodeling of muscle, adipose and connective tissue, but not muscle atrophy: molecular and morphological evidence. *Spine* 2015;40(14):1057-71.
25. Barker P, Guggenheimer K, Grkovic I et al. Effects of tensioning the lumbar fasciae on segmental stiffness during flexion and extension. *Spine* 2005;31:397-405.
26. Sahrman S, ed. *Diagnosis and Treatment of Movement Impairment Syndromes*. St Louis: Mosby, Inc, 2002.
27. Macedo LG, Maher CG, Latimer J et al. Motor control exercise for persistent, nonspecific low back pain: a systematic review. *Phys Ther* 2009;89:9-25.
28. Hodges PW, Coppieters MW, MacDonald D et al. New insight into motor adaptation to pain revealed by a combination of modelling and empirical approaches. *Eur J Pain* 2013;17:1138-46.
29. Fitts PM, Posner MI, eds. *Human Performance*. Belmont, CA: Brooks/Cole, 1967.
30. Smart KM, Blake C, Staines A et al. Mechanisms-based classifications of musculoskeletal pain: part 3 of 3: symptoms and signs of nociceptive pain in patients with low back (+/- leg) pain. *Man Ther* 2012;17:352-7.
31. Macedo LG, Maher CG, Hancock MJ et al. Predicting response to motor control exercises and graded activity for patients with low back pain: preplanned secondary analysis of a randomized controlled trial. *Phys Ther* 2014;94:1543-54.
32. Wang H, Schiltenswolf M, Buchner M. The role of TNF-alpha in patients with chronic low back pain: a prospective comparative longitudinal study. *Clin J Pain* 2008;24:273-8.

33. Vlaeyen JW, Crombez G, Linton SJ. The fear-avoidance model of pain. *Pain* 2016;157:1588-9.
34. Smith MD, Russell A, Hodges PW. Disorders of breathing and continence have a stronger association with back pain than obesity and physical activity. *Aust J Physiother* 2006;52:11-6.
35. Hodges PW, Richardson CA, Jull GA. Evaluation of the relationship between the findings of a laboratory and clinical test of transversus abdominis function. *Physio Res Internat* 1996;1:30-40.
36. Claus AP, Hides JA, Moseley GL et al. Different ways to balance the spine: subtle changes in sagittal spinal curves affect regional muscle activity. *Spine* 2009;34:E208-14.
37. O'Sullivan P. Diagnosis and classification of chronic low back pain disorders: maladaptive movement and motor control impairments as underlying mechanism. *Man Ther* 2005;10:242-55.
12. Bahr R. Why screening tests to predict injury do not work—and probably never will . . . : a critical review. *Br J Sports Med* 2016;50(13):776-80.
13. Bennell KL, Crossley K. Musculoskeletal injuries in track and field: incidence, distribution and risk factors. *Aust J Sci Med Sport* 1996;28(3):69-75.
14. Arnason A, Andersen TE, Holme I et al. Prevention of hamstring strains in elite soccer: an intervention study. *Scand J Med Sci Sports* 2008;18(1):40-8.
15. Walden M, Häggglund M, Ekstrand J. UEFA Champions League study: a prospective study of injuries in professional football during the 2001-2002 season. *Br J Sports Med* 2005;39(8):542-6.
16. Woods C, Hawkins R, Hulse M et al. The Football Association Medical Research Programme: an audit of injuries in professional football—analysis of preseason injuries. *Br J Sports Med* 2002;36(6):436-41; discussion 441.
17. Woods C, Hawkins RD, Maltby S et al. The Football Association Medical Research Programme: an audit of injuries in professional football—analysis of hamstring injuries. *Br J Sports Med* 2004;38(1):36-41.
18. Verrall GM, Slavotinek JP, Barnes PG et al. Assessment of physical examination and magnetic resonance imaging findings of hamstring injury as predictors for recurrent injury. *J Orthop Sports Phys Ther* 2006;36(4):215-24.
19. Gabbe BJ, Bennell KL, Finch CF et al. Predictors of hamstring injury at the elite level of Australian football. *Scand J Med Sci Sports* 2006;16(1):7-13.
20. Brooks JH, Fuller CW, Kemp SP et al. Incidence, risk, and prevention of hamstring muscle injuries in professional rugby union. *Am J Sports Med* 2006;34(8):1297-306.
21. Gabbett TJ. Incidence of injury in junior and senior rugby league players. *Sports Med* 2004;34(12):849-59.
22. Dick R, Ferrara MS, Agel J et al. Descriptive epidemiology of collegiate men's football injuries: National Collegiate Athletic Association Injury Surveillance System, 1988-1989 through 2003-2004. *J Athl Train* 2007;42(2):221-33.
23. Shankar PR, Fields SK, Collins CL et al. Epidemiology of high school and collegiate football injuries in the United States, 2005-2006. *Am J Sports Med* 2007;35(8):1295-303.
24. Häggglund M, Walden M, Ekstrand J. Exposure and injury risk in Swedish elite football: a comparison between seasons 1982 and 2001. *Scand J Med Sci Sports* 2003;13(6):364-70.
25. Ekstrand J, Häggglund M, Kristenson K et al. Fewer ligament injuries but no preventive effect on muscle injuries and severe injuries: an 11-year follow-up of the UEFA Champions League injury study. *Br J Sports Med* 2013;47(12):732-7.
26. Askling C, Saartok T, Thorstensson A. Type of acute hamstring strain affects flexibility, strength, and time to return to pre-injury level. *Br J Sports Med* 2006;40(1):40-4.
27. Heiderscheit BC, Hoerth DM, Chumanov ES et al. Identifying the time of occurrence of a hamstring strain injury during treadmill running: a case study. *Clin Biomech (Bristol, Avon)* 2005;20(10):1072-8.

CHAPTER 12

1. Vaz D, Santos L, Carneiro AV. Risk factors: definitions and practical implications. *Rev Port Cardiol* 2005;24(1):121-31.
2. McIntosh A, Bahr R. Developing and managing an injury prevention program within the team. In: Bahr R, Engebretsen L, eds. *IOC Handbook of Sports Medicine and Science—Sports Injury Prevention*. Oxford: Wiley-Blackwell, 2009:17-29.
3. van Mechelen W, Hlobil H, Kemper HC. Incidence, severity, aetiology and prevention of sports injuries. A review of concepts. *Sports Med* 1992;14(2):82-99.
4. Meeuwisse WH, Tyreman H, Hagel B et al. A dynamic model of etiology in sport injury: the recursive nature of risk and causation. *Clin J Sport Med* 2007;17(3):215-9.
5. Meeuwisse WH. Predictability of sports injuries. What is the epidemiological evidence? *Sports Med* 1991;12(1):8-15.
6. Bahr R, Holme I. Risk factors for sports injuries—a methodological approach. *Br J Sports Med* 2003;37(5):384-92.
7. Bahr R, Krosshaug T. Understanding injury mechanisms: a key component of preventing injuries in sport. *Br J Sports Med* 2005;39(6):324-9.
8. Hootman JM, Dick R, Agel J. Epidemiology of collegiate injuries for 15 sports: summary and recommendations for injury prevention initiatives. *J Athl Train* 2007;42(2):311-9.
9. Bahr R. No injuries, but plenty of pain? On the methodology for recording overuse symptoms in sports. *Br J Sports Med* 2009;43(13):966-72.
10. Clarsen B, Ronsen O, Myklebust G et al. The Oslo Sports Trauma Research Center questionnaire on health problems: a new approach to prospective monitoring of illness and injury in elite athletes. *Br J Sports Med* 2014;48(9):754-60.
11. Clarsen B, Myklebust G, Bahr R. Development and validation of a new method for the registration of overuse injuries in sports injury epidemiology: the Oslo Sports Trauma Research Centre (OSTRC) overuse injury questionnaire. *Br J Sports Med* 2013;47(8):495-502.

28. Thelen DG, Chumanov ES, Hoerth DM et al. Hamstring muscle kinematics during treadmill sprinting. *Med Sci Sports Exerc* 2005;37(1):108-14.
29. Jonhagen S, Ericson MO, Nemeth G et al. Amplitude and timing of electromyographic activity during sprinting. *Scand J Med Sci Sports* 1996;6(1):15-21.
30. Freckleton G, Pizzari T. Risk factors for hamstring muscle strain injury in sport: a systematic review and meta-analysis. *Br J Sports Med* 2013;47(6):351-8.
31. Orchard J, Marsden J, Lord S et al. Preseason hamstring muscle weakness associated with hamstring muscle injury in Australian footballers. *Am J Sports Med* 1997;25(1):81-5.
32. Arnason A, Sigurdsson SB, Gudmundsson A et al. Risk factors for injuries in football. *Am J Sports Med* 2004;32(1 Suppl): 5S-16S.
33. Häggglund M, Walden M, Ekstrand J. Previous injury as a risk factor for injury in elite football: a prospective study over two consecutive seasons. *Br J Sports Med* 2006;40(9):767-72.
34. Verrall GM, Slavotinek JP, Barnes PG et al. Clinical risk factors for hamstring muscle strain injury: a prospective study with correlation of injury by magnetic resonance imaging. *Br J Sports Med* 2001;35(6):435-9; discussion 440.
35. Timmins RG, Bourne MN, Shield AJ et al. Short biceps femoris fascicles and eccentric knee flexor weakness increase the risk of hamstring injury in elite football (soccer): a prospective cohort study. *Br J Sports Med* 2015 Dec 16. pii: bjsports-2015-095362. doi: 10.1136/bjsports-2015-095362.
36. Proske U, Morgan DL, Brockett CL et al. Identifying athletes at risk of hamstring strains and how to protect them. *Clin Exp Pharmacol Physiol* 2004;31(8):546-50.
37. Timmins RG, Shield AJ, Williams MD et al. Is there evidence to support the use of the angle of peak torque as a marker of hamstring injury and re-injury risk? *Sports Med* 2016;46(1): 7-13.
38. Hartig DE, Henderson JM. Increasing hamstring flexibility decreases lower extremity overuse injuries in military basic trainees. *Am J Sports Med* 1999;27(2):173-6.
39. Pope RP, Herbert RD, Kirwan JD et al. A randomized trial of preexercise stretching for prevention of lower-limb injury. *Med Sci Sports Exerc* 2000;32(2):271-7.
40. Dadebo B, White J, George KP. A survey of flexibility training protocols and hamstring strains in professional football clubs in England. *Br J Sports Med* 2004;38(4):388-94.
41. Verrall GM, Slavotinek JP, Barnes PG. The effect of sports specific training on reducing the incidence of hamstring injuries in professional Australian Rules football players. *Br J Sports Med* 2005;39(6):363-8.
42. Jonhagen S, Nemeth G, Eriksson E. Hamstring injuries in sprinters. The role of concentric and eccentric hamstring muscle strength and flexibility. *Am J Sports Med* 1994;22(2):262-6.
43. Yamamoto T. Relationship between hamstring strains and leg muscle strength. A follow-up study of collegiate track and field athletes. *J Sports Med Phys Fitness* 1993;33(2):194-9.
44. Opar DA, Williams MD, Timmins RG et al. Eccentric hamstring strength and hamstring injury risk in Australian footballers. *Med Sci Sports Exerc* 2015;47(4):857-65.
45. Bourne MN, Opar DA, Williams MD et al. Eccentric knee flexor strength and risk of hamstring injuries in rugby union: a prospective study. *Am J Sports Med* 2015;43(11):2663-70.
46. Mann RV. A kinetic analysis of sprinting. *Med Sci Sports Exerc* 1981;13(5):325-8.
47. Garrett WE, Jr. Muscle strain injuries. *Am J Sports Med* 1996;24(6 Suppl):S2-8.
48. Kaminski TW, Wabbersen CV, Murphy RM. Concentric versus enhanced eccentric hamstring strength training: clinical implications. *J Athl Train* 1998;33(3):216-21.
49. Petersen J, Thorborg K, Nielsen MB et al. Preventive effect of eccentric training on acute hamstring injuries in men's soccer: a cluster-randomized controlled trial. *Am J Sports Med* 2011;39(11):2296-303.
50. Mjolsnes R, Arnason A, Osthagen T et al. A 10-week randomized trial comparing eccentric vs. concentric hamstring strength training in well-trained soccer players. *Scand J Med Sci Sports* 2004;14(5):311-7.
51. Askling C, Karlsson J, Thorstensson A. Hamstring injury occurrence in elite soccer players after preseason strength training with eccentric overload. *Scand J Med Sci Sports* 2003;13(4):244-50.
52. van der Horst N, Smits DW, Petersen J et al. The preventive effect of the Nordic hamstring exercise on hamstring injuries in amateur soccer players: a randomized controlled trial. *Am J Sports Med* 2015;43(6):1316-23.
53. Maehlum S, Daljord OA. Acute sports injuries in Oslo: a one-year study. *Br J Sports Med* 1984;18(3):181-5.
54. Brooks SC, Potter BT, Rainey JB. Treatment for partial tears of the lateral ligament of the ankle: a prospective trial. *Br Med J (Clin Res Ed)* 1981;282(6264):606-7.
55. Andersen TE, Floerenes TW, Arnason A et al. Video analysis of the mechanisms for ankle injuries in football. *Am J Sports Med* 2004;32(1 Suppl):69S-79S.
56. Giza E, Fuller C, Junge A et al. Mechanisms of foot and ankle injuries in soccer. *Am J Sports Med* 2003;31(4):550-4.
57. Bahr R, Bahr IA. Incidence of acute volleyball injuries: a prospective cohort study of injury mechanisms and risk factors. *Scand J Med Sci Sports* 1997;7(3):166-71.
58. Bere T, Kruczynski J, Veintimilla N et al. Injury risk is low among world-class volleyball players: 4-year data from the FIVB Injury Surveillance System. *Br J Sports Med* 2015;49(17):1132-7.
59. Verhagen EA, Van der Beek AJ, Bouter LM et al. A one season prospective cohort study of volleyball injuries. *Br J Sports Med* 2004;38(4):477-81.
60. Bahr R. Can we prevent ankle sprains? In: MacAuley D, Best TM, eds. *Evidence-based Sports Medicine. 2nd ed.* Malden, Mass.: Blackwell Pub., 2007:519-37.
61. Ekstrand J, Tropp H. The incidence of ankle sprains in soccer. *Foot Ankle* 1990;11(1):41-4.

62. Fong DT, Hong Y, Chan LK et al. A systematic review on ankle injury and ankle sprain in sports. *Sports Med* 2007;37(1):73-94.
63. Konradsen L, Olesen S, Hansen HM. Ankle sensorimotor control and eversion strength after acute ankle inversion injuries. *Am J Sports Med* 1998;26(1):72-7.
64. Huurnink A, Fransz DP, Kingma I et al. Postural stability and ankle sprain history in athletes compared to uninjured controls. *Clin Biomech (Bristol, Avon)* 2014;29(2):183-8.
65. Karlsson J, Verhagen E, Beynon B et al. Preventing ankle injuries. In: Bahr R, Engebretsen L, eds. *IOC Handbook of Sports Medicine and Science—Sports Injury Prevention*. Oxford: Wiley-Blackwell, 2009:30-48.
66. Verhagen EA, Bay K. Optimising ankle sprain prevention: a critical review and practical appraisal of the literature. *Br J Sports Med* 2010;44(15):1082-8.
67. Surve I, Schwellnus MP, Noakes T et al. A fivefold reduction in the incidence of recurrent ankle sprains in soccer players using the Sport-Stirrup orthosis. *Am J Sports Med* 1994;22(5):601-6.
68. Tropp H, Askling C, Gillquist J. Prevention of ankle sprains. *Am J Sports Med* 1985;13(4):259-62.
69. Konradsen L, Ravn JB. Prolonged peroneal reaction time in ankle instability. *Int J Sports Med* 1991;12(3):290-2.
70. Karlsson J, Andreasson GO. The effect of external ankle support in chronic lateral ankle joint instability. An electromyographic study. *Am J Sports Med* 1992;20(3):257-61.
71. McGuine TA, Brooks A, Hetzel S. The effect of lace-up ankle braces on injury rates in high school basketball players. *Am J Sports Med* 2011;39(9):1840-8.
72. Bot S, Verhagen E, van Mechelen W. The effect of ankle bracing and taping on functional performance: a review of the literature. *Int Sportmed J* 2003;4(5):1-14.
73. Gauffin H, Tropp H, Odenrick P. Effect of ankle disk training on postural control in patients with functional instability of the ankle joint. *Int J Sports Med* 1988;9(2):141-4.
74. Holme E, Magnusson SP, Becher K et al. The effect of supervised rehabilitation on strength, postural sway, position sense and re-injury risk after acute ankle ligament sprain. *Scand J Med Sci Sports* 1999;9(2):104-9.
75. Wester JU, Jespersen SM, Nielsen KD et al. Wobble board training after partial sprains of the lateral ligaments of the ankle: a prospective randomized study. *J Orthop Sports Phys Ther* 1996;23(5):332-6.
76. Hubscher M, Zech A, Pfeifer K et al. Neuromuscular training for sports injury prevention: a systematic review. *Med Sci Sports Exerc* 2010;42(3):413-21.
77. Verhagen E, van der Beek A, Twisk J et al. The effect of a proprioceptive balance board training program for the prevention of ankle sprains: a prospective controlled trial. *Am J Sports Med* 2004;32(6):1385-93.
78. Engebretsen AH, Myklebust G, Holme I et al. Prevention of injuries among male soccer players: a prospective, randomized intervention study targeting players with previous injuries or reduced function. *Am J Sports Med* 2008;36(6):1052-60.
79. Petersen W, Braun C, Bock W et al. A controlled prospective case control study of a prevention training program in female team handball players: the German experience. *Arch Orthop Trauma Surg* 2005;125(9):614-21.
80. Emery CA, Rose MS, McAllister JR et al. A prevention strategy to reduce the incidence of injury in high school basketball: a cluster randomized controlled trial. *Clin J Sport Med* 2007;17(1):17-24.
81. McHugh MP, Tyler TF, Mirabella MR et al. The effectiveness of a balance training intervention in reducing the incidence of noncontact ankle sprains in high school football players. *Am J Sports Med* 2007;35(8):1289-94.
82. Hupperets MD, Verhagen EA, van Mechelen W. Effect of unsupervised home based proprioceptive training on recurrences of ankle sprain: randomised controlled trial. *BMJ* 2009;339:b2684.
83. Kerkhoffs GM, van den Bekerom M, Elders LA et al. Diagnosis, treatment and prevention of ankle sprains: an evidence-based clinical guideline. *Br J Sports Med* 2012;46(12):854-60.
84. Walden M, Hägglund M, Werner J et al. The epidemiology of anterior cruciate ligament injury in football (soccer): a review of the literature from a gender-related perspective. *Knee Surg Sports Traumatol Arthrosc* 2011;19(1):3-10.
85. Hewett TE, Myer GD, Ford KR. Anterior cruciate ligament injuries in female athletes: part 1, mechanisms and risk factors. *Am J Sports Med* 2006;34(2):299-311.
86. Myklebust G, Maehlum S, Engebretsen L et al. Registration of cruciate ligament injuries in Norwegian top level team handball. A prospective study covering two seasons. *Scand J Med Sci Sports* 1997;7(5):289-92.
87. Prodromos CC, Han Y, Rogowski J et al. A meta-analysis of the incidence of anterior cruciate ligament tears as a function of gender, sport, and a knee injury-reduction regimen. *Arthroscopy* 2007;23(12):1320-25 e6.
88. Renstrom P, Ljungqvist A, Arendt E et al. Non-contact ACL injuries in female athletes: an International Olympic Committee current concepts statement. *Br J Sports Med* 2008;42(6):394-412.
89. Steffen K, Myklebust G, Andersen TE et al. Self-reported injury history and lower limb function as risk factors for injuries in female youth soccer. *Am J Sports Med* 2008;36(4):700-8.
90. Olsen OE, Myklebust G, Engebretsen L et al. Relationship between floor type and risk of ACL injury in team handball. *Scand J Med Sci Sports* 2003;13(5):299-304.
91. Meyers MC, Barnhill BS. Incidence, causes, and severity of high school football injuries on FieldTurf versus natural grass: a 5-year prospective study. *Am J Sports Med* 2004;32(7):1626-38.
92. Myklebust G, Engebretsen L, Braekken IH et al. Prevention of anterior cruciate ligament injuries in female team handball players: a prospective intervention study over three seasons. *Clin J Sport Med* 2003;13(2):71-8.
93. Olsen OE, Myklebust G, Engebretsen L et al. Exercises to prevent lower limb injuries in youth sports: cluster randomised controlled trial. *BMJ* 2005;330(7489):449.

94. Gilchrist J, Mandelbaum BR, Melancon H et al. A randomized controlled trial to prevent noncontact anterior cruciate ligament injury in female collegiate soccer players. *Am J Sports Med* 2008;36(8):1476-83.
95. Soligard T, Myklebust G, Steffen K et al. Comprehensive warm-up programme to prevent injuries in young female footballers: cluster randomised controlled trial. *BMJ* 2008;337:a2469.
96. Walden M, Atroshi I, Magnusson H et al. Prevention of acute knee injuries in adolescent female football players: cluster randomised controlled trial. *BMJ* 2012;344:e3042.
97. Grimm NL, Jacobs JC, Jr., Kim J et al. Anterior cruciate ligament and knee injury prevention programs for soccer players: a systematic review and meta-analysis. *Am J Sports Med* 2015;43(8):2049-56.
98. Sugimoto D, Myer GD, Barber Foss KD et al. Critical components of neuromuscular training to reduce ACL injury risk in female athletes: meta-regression analysis. *Br J Sports Med* 2016;50(20):1259-66.
99. Silvers-Granelli H, Mandelbaum B, Adeniji O et al. Efficacy of the FIFA 11 + Injury prevention program in the collegiate male soccer player. *Am J Sports Med* 2015;43(11):2628-37.
100. Pasanen K, Parkkari J, Pasanen M et al. Effect of a neuromuscular warm-up programme on muscle power, balance, speed and agility: a randomised controlled study. *Br J Sports Med* 2009;43(13):1073-8.
101. Bahr R. Demise of the fittest: are we destroying our biggest talents? *Br J Sports Med* 2014;48(17):1265-7.
102. McBain K, Shrier I, Shultz R et al. Prevention of sports injury I: a systematic review of applied biomechanics and physiology outcomes research. *Br J Sports Med* 2012;46(3):169-73.
103. Lauenstein JB, Bertelsen DM, Andersen LB. The effectiveness of exercise interventions to prevent sports injuries: a systematic review and meta-analysis of randomised controlled trials. *Br J Sports Med* 2014;48(11):871-7.
104. Rome K, Handoll HH, Ashford R. Interventions for preventing and treating stress fractures and stress reactions of bone of the lower limbs in young adults. *Cochrane Database Syst Rev* 2005(2):CD000450.
105. Leppanen M, Aaltonen S, Parkkari J et al. Interventions to prevent sports related injuries: a systematic review and meta-analysis of randomised controlled trials. *Sports Med* 2014;44(4):473-86.
106. Andersson SH, Bahr R, Clarsen B et al. Preventing overuse shoulder injuries among throwing athletes: a cluster-randomised controlled trial in 660 elite handball players. *Br J Sports Med*. Published online: 6 June 2016. doi: 10.1136/bjsports-2016-096226.
107. LaBella CR, Huxford MR, Grissom J et al. Effect of neuromuscular warm-up on injuries in female soccer and basketball athletes in urban public high schools: cluster randomized controlled trial. *Arch Pediatr Adolesc Med* 2011;165(11):1033-40.
108. Brushosh C, Larsen K, Albrecht-Beste E et al. Prevention of overuse injuries by a concurrent exercise program in subjects exposed to an increase in training load: a randomized controlled trial of 1020 army recruits. *Am J Sports Med* 2008;36(4):663-70.
109. Longo UG, Loppini M, Berton A et al. The FIFA 11 + program is effective in preventing injuries in elite male basketball players: a cluster randomized controlled trial. *Am J Sports Med* 2012;40(5):996-1005.
110. van Beijsterveldt AM, van de Port IG, Krist MR et al. Effectiveness of an injury prevention programme for adult male amateur soccer players: a cluster-randomised controlled trial. *Br J Sports Med* 2012;46(16):1114-8.
111. Hölmich P, Larsen K, Krogsgaard K et al. Exercise program for prevention of groin pain in football players: a cluster-randomized trial. *Scand J Med Sci Sports* 2010;20(6):814-21.
112. Fredberg U, Bolvig L, Andersen NT. Prophylactic training in asymptomatic soccer players with ultrasonographic abnormalities in Achilles and patellar tendons: the Danish Super League Study. *Am J Sports Med* 2008;36(3):451-60.
113. Coppack RJ, Etherington J, Wills AK. The effects of exercise for the prevention of overuse anterior knee pain: a randomized controlled trial. *Am J Sports Med* 2011;39(5):940-8.
114. Warden SJ, Davis IS, Fredericson M. Management and prevention of bone stress injuries in long-distance runners. *J Orthop Sports Phys Ther* 2014;44(10):749-65.
115. McCabe MP, Smyth MP, Richardson DR. Current concept review: vitamin D and stress fractures. *Foot Ankle Int* 2012;33(6):526-33.
116. Lappe J, Cullen D, Haynatzki G et al. Calcium and vitamin D supplementation decreases incidence of stress fractures in female navy recruits. *J Bone Miner Res* 2008;23(5):741-9.
117. Nieves JW, Melsop K, Curtis M et al. Nutritional factors that influence change in bone density and stress fracture risk among young female cross-country runners. *PM&R* 2010;2(8):740-50; quiz 794.
118. Sonnevile KR, Gordon CM, Kocher MS et al. Vitamin D, calcium, and dairy intakes and stress fractures among female adolescents. *Arch Pediatr Adolesc Med* 2012;166(7):595-600.
119. Simon MJ, Barvencik F, Luttkie M et al. Intravenous bisphosphonates and vitamin D in the treatment of bone marrow oedema in professional athletes. *Injury* 2014;45(6):981-7.
120. Milgrom C, Finestone A, Novack V et al. The effect of prophylactic treatment with risedronate on stress fracture incidence among infantry recruits. *Bone* 2004;35(2):418-24.
121. Richards CE, Magin PJ, Callister R. Is your prescription of distance running shoes evidence-based? *Br J Sports Med* 2009;43(3):159-62.
122. Knapik JJ, Trone DW, Tchandja J et al. Injury-reduction effectiveness of prescribing running shoes on the basis of foot arch height: summary of military investigations. *J Orthop Sports Phys Ther* 2014;44(10):805-12.
123. Knapik JJ, Brosch LC, Venuto M et al. Effect on injuries of assigning shoes based on foot shape in air force basic training. *Am J Prev Med* 2010;38(1 Suppl):S197-211.

124. Knapik JJ, Swedler DI, Grier TL et al. Injury reduction effectiveness of selecting running shoes based on plantar shape. *J Strength Cond Res* 2009;23(3):685-97.
125. Knapik JJ, Trone DW, Swedler DI et al. Injury reduction effectiveness of assigning running shoes based on plantar shape in Marine Corps basic training. *Am J Sports Med* 2010;38(9):1759-67.
126. Lieberman DE, Venkadesan M, Werbel WA et al. Foot strike patterns and collision forces in habitually barefoot versus shod runners. *Nature* 2010;463(7280):531-5.
127. Robbins SE, Hanna AM. Running-related injury prevention through barefoot adaptations. *Med Sci Sports Exerc* 1987;19(2):148-56.
128. Hall JP, Barton C, Jones PR et al. The biomechanical differences between barefoot and shod distance running: a systematic review and preliminary meta-analysis. *Sports Med* 2013;43(12):1335-53.
129. Murphy K, Curry EJ, Matzkin EG. Barefoot running: does it prevent injuries? *Sports Med* 2013;43(11):1131-8.
130. Ryan M, Elashi M, Newsham-West R et al. Examining injury risk and pain perception in runners using minimalist footwear. *Br J Sports Med* 2014;48(16):1257-62.
131. Collins N, Bisset L, McPoil T et al. Foot orthoses in lower limb overuse conditions: a systematic review and meta-analysis. *Foot Ankle Int* 2007;28(3):396-412.
132. Drew MK, Finch CF. The relationship between training load and injury, illness and soreness: a systematic and literature review. *Sports Med* 2016 May 10. pii: bjsports-2015-095871. doi: 10.1136/bjsports-2015-095871.
133. Little League Online. Regular Season Pitching Rules—Baseball. <http://www.littleleague.org/assets/forms/pubs/media/pitchingregulationchangesbb11-13-09.pdf> Accessed 4th March 2016.
134. Gabbett TJ. The training-injury prevention paradox: should athletes be training smarter and harder? *Br J Sports Med* 2016;50(5):273-80.
135. Chambers R, Gabbett TJ, Cole MH et al. The use of wearable microensors to quantify sport-specific movements. *Sports Med* 2015;45(7):1065-81.
136. Saw AE, Main LC, Gastin PB. Monitoring the athlete training response: subjective self-reported measures trump commonly used objective measures: a systematic review. *Br J Sports Med* 2016;50(5):281-91.
137. Halson SL. Monitoring training load to understand fatigue in athletes. *Sports Med* 2014;44 Suppl 2:S139-47.
138. Piggott B, Newton MJ, McGuigan MR. The relationship between training load and incidence of injury and illness over a pre-season at an Australian Football League club. *J Aust Strength Cond* 2009;17:4-17.
139. Rogalski B, Dawson B, Heasman J et al. Training and game loads and injury risk in elite Australian footballers. *J Sci Med Sport* 2013;16(6):499-503.
140. Nielsen RO, Cederholm P, Buist I et al. Can GPS be used to detect deleterious progression in training volume among runners? *J Strength Cond Res* 2013;27(6):1471-8.
141. Hulin BT, Gabbett TJ, Caputi P et al. Low chronic workload and the acute:chronic workload ratio are more predictive of injury than between-match recovery time: a two-season prospective cohort study in elite rugby league players. *Br J Sports Med* 2016;50(16):1008-12.
142. Hulin BT, Gabbett TJ, Lawson DW et al. The acute:chronic workload ratio predicts injury: high chronic workload may decrease injury risk in elite rugby league players. *Br J Sports Med* 2016;50(4):231-6.
143. Hulin BT, Gabbett TJ, Blanch P et al. Spikes in acute workload are associated with increased injury risk in elite cricket fast bowlers. *Br J Sports Med* 2014;48(8):708-12.
144. Murray NB, Gabbett TJ, Townshend AD et al. Individual and combined effects of acute and chronic running loads on injury risk in elite Australian footballers. *Scand J Med Sci Sports* 2016 Jul 15. doi: 10.1111/sms.12719.
145. Malone S, Roe M, Doran DA et al. Aerobic fitness and playing experience protect against spikes in workload: the role of the acute:chronic workload ratio on injury risk in elite Gaelic football. *Int J Sports Physiol Perform* 2016 Jul 22. pii: bjsports-2015-095820. doi: 10.1136/bjsports-2015-095820.
146. Bowen L, Gross AS, Gimpel M et al. Accumulated workloads and the acute:chronic workload ratio relate to injury risk in elite youth football players. *Br J Sports Med* 2016 Jul 22. pii: bjsports-2015-095820. doi: 10.1136/bjsports-2015-095820. [Epub ahead of print].
147. Blanch P, Gabbett TJ. Has the athlete trained enough to return to play safely? The acute:chronic workload ratio permits clinicians to quantify a player's risk of subsequent injury. *Br J Sports Med* 2016;50(8):471-5.
148. Martin DT, Andersen MB. Heart rate-perceived exertion relationship during training and taper. *J Sports Med Phys Fitness* 2000;40(3):201-8.
149. Daanen HA, Lamberts RP, Kallen VL et al. A systematic review on heart-rate recovery to monitor changes in training status in athletes. *Int J Sports Physiol Perform* 2012;7(3):251-60.
150. Plews DJ, Laursen PB, Stanley J et al. Training adaptation and heart rate variability in elite endurance athletes: opening the door to effective monitoring. *Sports Medicine* 2013;43(9):773-81.
151. Meeusen R, Duclos M, Foster C et al. Prevention, diagnosis, and treatment of the overtraining syndrome: joint consensus statement of the European College of Sport Science and the American College of Sports Medicine. *Med Sci Sports Exerc* 2013;45(1):186-205.
152. Twist C, Highton J. Monitoring fatigue and recovery in rugby league players. *Int J Sports Physiol Perform* 2013;8(5):467-74.
153. Nederhof E, Lemmink KA, Visscher C et al. Psychomotor speed: possibly a new marker for overtraining syndrome. *Sports Med* 2006;36(10):817-28.
154. McNair P, Lorr M, Droppleman L. *POMS Manual*. 2nd ed. San Diego: Education and Industrial Testing Service, 1981.

155. Morgan WP, Brown DR, Raglin JS et al. Psychological monitoring of overtraining and staleness. *Br J Sports Med* 1987;21(3):107-14.
156. Kellmann M, Kallus K. *Recovery-stress Questionnaire for Athletes: User Manual*. Champaign: Human Kinetics, 2001.
157. Rushall BS. A tool for measuring stress tolerance in elite athletes. *J Appl Sport Psychol* 1990;2(1):51-66.
158. Taylor K, Chapman D, Cronin J et al. Fatigue monitoring in high performance sport: a survey of current trends. *J Aust Strength Cond* 2012;20(1):12-20.
159. Piacentini MF, Meeusen R. An online training-monitoring system to prevent nonfunctional overreaching. *Int J Sports Physiol Perform* 2015;10(4):524-7.
160. Strand T, Tvedte R, Engebretsen L et al. [Anterior cruciate ligament injuries in handball playing. Mechanisms and incidence of injuries]. *Tidsskr Nor Laegeforen* 1990;110(17):2222-5.
161. Olsen OE, Myklebust G, Bahr R. Effect of floor type on injury risk in team handball. *Scand J Med Sci Sports* 2003;13(5):299-304.
162. Orchard JW, Chivers I, Aldous D et al. Rye grass is associated with fewer non-contact anterior cruciate ligament injuries than bermuda grass. *Br J Sports Med* 2005;39(10):704-9.
163. Orchard J. Is there a relationship between ground and climatic conditions and injuries in football? *Sports Med* 2002;32(7):419-32.
164. McNitt A, Waddington D, Middour R. Traction measurement on natural turf. In: Hoerner E, editor. *Safety in American Football*. West Conshohocken (PA): American Society for Testing and Materials, 1996: 145-55.
165. Dragoo JL, Braun HJ. The effect of playing surface on injury rate: a review of the current literature. *Sports Med* 2010;40(11):981-90.
166. Stiles VH, James IT, Dixon SJ et al. Natural turf surfaces: the case for continued research. *Sports Med* 2009;39(1):65-84.
167. Williams S, Hume PA, Kara S. A review of football injuries on third and fourth generation artificial turfs compared with natural turf. *Sports Med* 2011;41(11):903-23.
6. Dupont G, Moalla W, Guinhouya C et al. Passive versus active recovery during high-intensity intermittent exercises. *Med Sci Sports Exerc* 2004;36(2):302-8.
7. Spencer M, Bishop D, Dawson B et al. Metabolism and performance in repeated cycle sprints: active versus passive recovery. *Med Sci Sports Exerc* 2006;38(8):1492-9.
8. Buchheit M, Ufland P. Effect of endurance training on performance and muscle reoxygenation rate during repeated-sprint running. *Eur J Appl Physiol* 2011;111(2):293-301.
9. McAinch AJ, Febbraio MA, Parkin JM et al. Effect of active versus passive recovery on metabolism and performance during subsequent exercise. *Int J Sport Nutr Exerc Metab* 2004;14(2):185-96.
10. Spencer M, Dawson B, Goodman C et al. Performance and metabolism in repeated sprint exercise: effect of recovery intensity. *Eur J Appl Physiol* 2008;103(5):545-52.
11. Miladi I, Temfemo A, Mandengue SH et al. Effect of recovery mode on exercise time to exhaustion, cardiorespiratory responses and blood lactate after prior, intermittent supramaximal exercise. *J Strength Cond Res* 2011;25(1):205-10.
12. Ce E, Limonta E, Maggioni MA et al. Stretching and deep and superficial massage do not influence blood lactate levels after heavy-intensity cycle exercise. *J Sports Sci* 2013;31(8):856-66.
13. Ahmaidi S, Granier P, Taoutaou Z et al. Effects of active recovery on plasma lactate and anaerobic power following repeated intensive exercise. *Med Sci Sports Exerc* 1996;28(4):450-6.
14. Choi D, Cole KJ, Goodpaster BH et al. Effect of passive and active recovery on the resynthesis of muscle glycogen. *Med Sci Sports Exerc* 1994;26(8):992-6.
15. Greenwood JD, Moses GE, Bernardino FM et al. Intensity of exercise recovery, blood lactate disappearance and subsequent swimming performance. *J Sports Sci* 2008;26(1):29-34.
16. Baldari C, Videira M, Madeira F et al. Lactate removal during active recovery related to the individual anaerobic and ventilatory thresholds in soccer players. *Eur J Appl Physiol* 2004;93(1-2):224-30.
17. Menzies P, Menzies C, McIntyre L et al. Blood lactate clearance during active recovery after an intense running bout depends on the intensity of the active recovery. *J Sports Sci* 2010;28(9):975-82.
18. Heyman E, DE Geus B, Mertens I et al. Effects of four recovery methods on repeated maximal rock climbing performance. *Med Sci Sports Exerc* 2009;41(6):1303-10.
19. Baldari C, Videira M, Madeira F et al. Blood lactate removal during recovery at various intensities below the individual anaerobic threshold in triathletes. *J Sports Med Phys Fitness* 2005;45(4):460-6.
20. Andersson H, Bohn SK, Raastad T et al. Differences in the inflammatory plasma cytokine response following two elite female soccer games separated by a 72-h recovery. *Scand J Med Sci Sports* 2010;20(5):740-7.
21. Andersson H, Raastad T, Nilsson J et al. Neuromuscular fatigue and recovery in elite female soccer: effects of active recovery. *Med Sci Sports Exerc* 2008;40(2):372-80.

CHAPTER 13

1. Westerblad H, Lee JA, Lannergren J et al. Cellular mechanisms of fatigue in skeletal muscle. *Am J Physiol* 1991;261(2 Pt 1):C195-209.
2. Gandevia SC. Spinal and supraspinal factors in human muscle fatigue. *Physiol Revs* 2001;81(4):1725-89.
3. Wittekind AL, Micklewright D, Beneke R. Teleoanticipation in all-out short-duration cycling. *Br J Sports Med* 2011;45(2):114-19.
4. Nedelec M, McCall A, Carling C et al. Recovery in soccer: part ii-recovery strategies. *Sports Med* 2013;43(1):9-22.
5. Dupont G, Berthoin S. Time spent at a high percentage of VO_2max for short intermittent runs: active versus passive recovery. *Can J Appl Physiol* 2004;29 Suppl:S3-16.

22. Bahnert A, Norton K, Lock P. Association between post-game recovery protocols, physical and perceived recovery and performance in elite Australian Football League players. *J Sci Med Sport* 2013;16(2):151-6.
23. LeMeur Y, Hausswirth C. Active recovery. In: Hausswirth C, Mujika I, eds. *Recovery for performance in sport*. Champaign, IL: Human Kinetics; 2013:29-42.
24. Suzuki M, Umeda T, Nakaji S et al. Effect of incorporating low intensity exercise into the recovery period after a rugby match. *Br J Sports Med* 2004;38(4):436-40.
25. Wiltshire EV, Poitras V, Pak M et al. Massage impairs postexercise muscle blood flow and 'lactic acid' removal. *Med Sci Sports Exerc* 2010;42(6):1062-71.
26. Hinds T, McEwan I, Perkes J et al. Effects of massage on limb and skin blood flow after quadriceps exercise. *Med Sci Sports Exerc* 2004;36(8):1308-13.
27. Shoemaker JK, Tiidus PM, Mader R. Failure of manual massage to alter limb blood flow: measures by Doppler ultrasound. *Med Sci Sports Exerc* 1997;29(5):610-4.
28. Tiidus PM, Shoemaker JK. Effleurage massage, muscle blood flow and long-term post-exercise strength recovery. *Int J Sports Med* 1995;16(7):478-83.
29. Weerapong P, Hume PA, Kolt GS. The mechanisms of massage and effects on performance, muscle recovery and injury prevention. *Sports Med* 2005;35(3):235-56.
30. Crawford SK, Haas C, Butterfield TA et al. Effects of immediate vs. delayed massage-like loading on skeletal muscle viscoelastic properties following eccentric exercise. *Clin Biomech (Bristol, Avon)* 2014;29(6):671-8.
31. Smith LL, Keating MN, Holbert D et al. The effects of athletic massage on delayed onset muscle soreness, creatine kinase and neutrophil count: a preliminary report. *J Orthop Sports Phys Ther* 1994;19(2):93-9.
32. Zainuddin Z, Newton M, Sacco P et al. Effects of massage on delayed-onset muscle soreness, swelling and recovery of muscle function. *J Athl Train* 2005;40(3):174-80.
33. Hilbert JE, Sforzo GA, Swensen T. The effects of massage on delayed onset muscle soreness. *Br J Sports Med* 2003;37(1):72-5.
34. Jakeman JR, Byrne C, Eston RG. Efficacy of lower limb compression and combined treatment of manual massage and lower limb compression on symptoms of exercise-induced muscle damage in women. *J Strength Cond Res* 2010;24(11):3157-65.
35. Delextrat A, Hippocrate A, Leddington-Wright S et al. Including stretches to a massage routine improves recovery from official matches in basketball players. *J Strength Cond Res* 2014;28(3):716-27.
36. Best TM, Hunter R, Wilcox A et al. Effectiveness of sports massage for recovery of skeletal muscle from strenuous exercise. *Clin J Sport Med* 2008;18(5):446-60.
37. Rapaport MH, Schettler P, Bresee C. A preliminary study of the effects of repeated massage on hypothalamic-pituitary-adrenal and immune function in healthy individuals: a study of mechanisms of action and dosage. *J Altern Complement Med* 2012;18(8):789-97.
38. Crane JD, Ogborn DI, Cupido C et al. Massage therapy attenuates inflammatory signaling after exercise-induced muscle damage. *Sci Transl Med* 2012;4(119):119ra13.
39. Butterfield TA, Zhao Y, Agarwal S et al. Cyclic compressive loading facilitates recovery after eccentric exercise. *Med Sci Sports Exerc* 2008;40(7):1289-96.
40. Haas C, Butterfield TA, Zhao Y et al. Dose-dependency of massage-like compressive loading on recovery of active muscle properties following eccentric exercise: rabbit study with clinical relevance. *Br J Sports Med* 2013;47(2):83-8.
41. Haas C, Butterfield TA, Abshire S et al. Massage timing affects postexercise muscle recovery and inflammation in a rabbit model. *Med Sci Sports Exerc* 2013;45(6):1105-12.
42. Moraska A. Sports massage. A comprehensive review. *J Sports Med Phys Fitness* 2005;45(3):370-80.
43. Arroyo-Morales M, Olea N, Martinez MM et al. Psychophysiological effects of massage-myofascial release after exercise: a randomized sham-control study. *J Altern Complement Med* 2008;14(10):1223-9.
44. Sharpe PA, Williams HG, Granner ML et al. A randomised study of the effects of massage therapy compared to guided relaxation on well-being and stress perception among older adults. *Complement Ther Med* 2007;15(3):157-63.
45. Diego MA, Field T, Sanders C et al. Massage therapy of moderate and light pressure and vibrator effects on EEG and heart rate. *Int J Neurosci* 2004;114(1):31-44.
46. Smith JM, Sullivan SJ, Baxter GD. The culture of massage therapy: valued elements and the role of comfort, contact, connection and caring. *Complement Ther Med* 2009;17(4):181-9.
47. Babault N, Cometti C, Maffiuletti NA et al. Does electrical stimulation enhance post-exercise performance recovery? *Eur J Appl Physiol* 2011;111(10):2501-7.
48. Broderick BJ, O'Brian DE, Breen PP et al. A pilot evaluation of a neuromuscular electrical stimulation (NMES) based methodology for the prevention of venous stasis during bed rest. *Med Eng Phys* 2010;32(4):349-55.
49. Araki CT, Back TL, Padberg FT et al. The significance of calf muscle pump function in venous ulceration. *J Vasc Surg* 1994;20(6):872-7; discussion 878-9.
50. Padberg FT, Jr., Johnston MV, Sisto SA. Structured exercise improves calf muscle pump function in chronic venous insufficiency: a randomised trial. *J Vasc Surg* 2004;39(1):79-87.
51. Ferguson RA, Dodd MJ, Paley VR. Neuromuscular electrical stimulation via the peroneal nerve is superior to graduated compression socks in reducing perceived muscle soreness following intense intermittent endurance exercise. *Eur J Appl Physiol* 2014;114(10):2223-32.
52. Bieuzen F, Borne R, Toussaint JF et al. Positive effect of specific low-frequency electrical stimulation during short-term recovery on subsequent high-intensity exercise. *Appl Physiol Nutr Metab* 2014;39(2):202-10.

53. Zarrouk N, Rebai H, Yahia A et al. Comparison of recovery strategies on maximal force-generating capacity and electromyographic activity level of the knee extensor muscles. *J Athl Train* 2011;46(4):386-94.
54. McLoughlin TJ, Snyder AR, Brolinson PG et al. Sensory level electrical muscle stimulation: effect on markers of muscle injury. *Br J Sports Med* 2004;38(6):725-9.
55. So RC, Ng JK, Ng GY. Effect of transcutaneous electrical acupoint stimulation on fatigue recovery of the quadriceps. *Eur J Appl Physiol* 2007;100(6):693-700.
56. Maffiuletti N, Dupont G. Electrostimulation recovery-related strategies. *Aspetar Sports Medicine Journal* 2015;4:64-70.
57. Lund H, Vestergaard-Poulsen P, Kanstrup IL et al. The effect of passive stretching on delayed onset muscle soreness and other detrimental effects following eccentric exercise. *Scand J Med Sci Sports* 1998;8(4):216-21.
58. Torres R, Pinho F, Duarte JA et al. Effect of single bout versus repeated bouts of stretching on muscle recovery following eccentric exercise. *J Sci Med Sport* 2013;16(6):583-8.
59. Dawson B, Cow S, Modra S et al. Effects of immediate post-game recovery procedures on muscle soreness, power and flexibility levels over the next 48 hours. *J Sci Med Sport* 2005;8(2):210-21.
60. Robey E, Dawson B, Goodman C et al. Effect of postexercise recovery procedures following strenuous stair-climb running. *Res Sports Med* 2009;17(4):245-59.
61. West AD, Cooke MB, LaBounty PM et al. Effects of G-trainer, cycle ergometry, and stretching on physiological and psychological recovery from endurance exercise. *J Strength Cond Res* 2014;28(12):3453-61.
62. Herbert RD, de Noronha M, Kamper SJ. Stretching to prevent or reduce muscle soreness after exercise. *Cochrane Database Syst Rev* 2011(7):Cd004577.
63. Reilly T, Edwards B. Altered sleep-wake cycles and physical performance in athletes. *Physiol Behav* 2007;90(2-3):274-84.
64. Halson SL. Sleep in elite athletes and nutritional interventions to enhance sleep. *Sports Med* 2014;44 Suppl 1:13-23.
65. Fallon KE. Blood tests in tired elite athletes: expectations of athletes, coaches and sport science/sports medicine staff. *Br J Sports Med* 2007;41(1):41-4.
66. Erlacher D, Ehrlenspiel F, Adegbesan OA et al. Sleep habits in German athletes before important competitions or games. *J Sports Sci* 2011;29(8):859-66.
67. Juliff LE, Halson SL, Peiffer JJ. Understanding sleep disturbance in athletes prior to important competitions. *J Sci Med Sport* 2014.
68. Leeder J, Glaister M, Pizzoferro K et al. Sleep duration and quality in elite athletes measured using wristwatch actigraphy. *J Sports Sci* 2012;30(6):541-5.
69. Lastella M, Roach GD, Halson SL et al. Sleep/wake behaviours of elite athletes from individual and team sports. *Eur J Sport Sci* 2014:1-7.
70. Poppendieck W, Faude O, Wegmann M et al. Cooling and performance recovery of trained athletes: a meta-analytical review. *Int J Sports Physiol Perform* 2013;8(3):227-42.
71. Bieuzen F, Bleakley CM, Costello JT. Contrast water therapy and exercise induced muscle damage: a systematic review and meta-analysis. *PLoS One* 2013;8(4):e62356.
72. Vaile J, Halson S, Gill N et al. Effect of hydrotherapy on recovery from fatigue. *Int J Sports Med* 2008;29(7):539-44.
73. Crampton D, Donne B, Warmington SA et al. Cycling time to failure is better maintained by cold than contrast or thermoneutral lower-body water immersion in normothermia. *Eur J Appl Physiol* 2013;113(12):3059-67.
74. Vaile J, Halson S, Gill N et al. Effect of hydrotherapy on signs and symptoms of delayed onset muscle soreness. *Eur J Appl Physiol* 2008;102(4):447-55.
75. Versey NG, Halson SL, Dawson BT. Water immersion recovery for athletes: effect on exercise performance and practical recommendations. *Sports Med* 2013;43(11):1101-30.
76. Mawhinney C, Jones H, Joo CH et al. Influence of cold-water immersion on limb and cutaneous blood flow after exercise. *Med Sci Sports Exerc* 2013;45(12):2277-85.
77. White GE, Wells GD. Cold-water immersion and other forms of cryotherapy: physiological changes potentially affecting recovery from high-intensity exercise. *Extrem Physiol Med* 2013;2(1):26.
78. De Pauw K, Roelands B, Marusic U et al. Brain mapping after prolonged cycling and during recovery in the heat. *J Appl Physiol* 2013;115(9):1324-31.
79. De Pauw K, Roelands B, Vanparijs J et al. Effect of recovery interventions on cycling performance and pacing strategy in the heat. *Int J Sports Physiol Perform* 2014;9(2):240-8.
80. Yamane M, Teruya H, Nakano M et al. Post-exercise leg and forearm flexor muscle cooling in humans attenuates endurance and resistance training effects on muscle performance and on circulatory adaptation. *Eur J Appl Physiol* 2006;96(5):572-80.
81. Higgins TR, Heazlewood IT, Climstein M. A random control trial of contrast baths and ice baths for recovery during competition in U/20 rugby union. *J Strength Cond Res* 2011;25(4):1046-51.
82. Frohlich M, Faude O, Klein M et al. Strength training adaptations after cold-water immersion. *J Strength Cond Res* 2014;28(9):2628-33.
83. Halson SL, Bartram J, West N et al. Does hydrotherapy help or hinder adaptation to training in competitive cyclists? *Med Sci Sports Exerc* 2014;46(8):1631-9.
84. Stanley J, Peake JM, Buchheit M. Consecutive days of cold water immersion: effects on cycling performance and heart rate variability. *Eur J Appl Physiol* 2013;113(2):371-84.
85. Vaile J, Halson S, Gill N et al. Effect of cold water immersion on repeat cycling performance and thermoregulation in the heat. *J Sports Sci* 2008;26(5):431-40.
86. Crampton D, Donne B, Warmington SA et al. Cycling time to failure is better maintained by cold than contrast or

- thermoneutral lower-body water immersion in normothermia. *Eur J Appl Physiol* 2013;113(12):3059-67.
87. Roberts LA, Nosaka K, Coombes JS et al. Cold water immersion enhances recovery of submaximal muscle function after resistance exercise. *Am J Physiol Regul Integr Comp Physiol* 2014;307(8):R998-1008.
 88. Born DP, Zinner C, Herlitz B et al. Muscle oxygenation asymmetry in ice speed skaters: not compensated by compression. *Int J Sports Physiol Perform* 2014;9(1):58-67.
 89. Brophy-Williams N, Driller MW, Shing CM et al. Confounding compression: the effects of posture, sizing and garment type on measured interface pressure in sports compression clothing. *J Sports Sci* 2015;33(13):1403-10.
 90. Born DP, Sperlich B, Holmberg HC. Bringing light into the dark: effects of compression clothing on performance and recovery. *Int J Sports Physiol Perform* 2013;8(1):4-18.
 91. de Glanville KM, Hamlin MJ. Positive effect of lower body compression garments on subsequent 40-kM cycling time trial performance. *J Strength Cond Res* 2012;26(2):480-6.
 92. Argus CK, Driller MW, Ebert TR et al. The effects of 4 different recovery strategies on repeat sprint-cycling performance. *Int J Sports Physiol Perform* 2013;8(5):542-8.
 93. Duffield R, Murphy A, Kellett A et al. Recovery from repeated on-court tennis sessions: combining cold-water immersion, compression and sleep recovery interventions. *Int J Sports Physiol Perform* 2014;9(2):273-82.
 94. Shirreffs SM, Sawka MN. Fluid and electrolyte needs for training, competition and recovery. *J Sports Sci* 2011;29 Suppl:S39-46.
 95. Medicine ACoS, Sawka MN, Burke LM et al. American College of Sports Medicine position stand. Exercise and fluid replacement. *Med Sci Sports Exerc* 2007;39(2):377-90.
 96. Shirreffs SM, Maughan RJ. Restoration of fluid balance after exercise-induced dehydration: effects of alcohol consumption. *J Appl Physiol* 1997;83:1152-8.
 97. Desbrow B, Jansen S, Barrett A et al. Comparing the rehydration potential of different milk-based drinks to a carbohydrate-electrolyte beverage. *Appl Physiol Nutr Metab* 2014;39(12):1366-72.
 98. Burke LM, Mujika I. Nutrition for recovery in aquatic sports. *Int J Sport Nutr Exerc Metab* 2014;24:425-36.
 99. Tarnopolsky MA, Zawada C, Richmond LB et al. Gender differences in carbohydrate loading are related to energy intake. *J Appl Physiol* 2001;91:225-30.
 100. Burke L, Kiens B, Ivy JL. Carbohydrates and fat for training and recovery. *J Sports Sci* 2004;22(1):15-30.
 101. Burke LM, Hawley JA, Wong SH et al. Carbohydrates for training and competition. *J Sports Sci* 2011;29(Suppl 1):S17-27.
 102. Ivy JL, Kuo CH. Regulation of GLUT4 protein and glycogen synthase during muscle glycogen synthesis after exercise. *Acta Physiol Scand* 1998;162:295-304.
 103. Ivy JL, Katz AL, Cutler CL et al. Muscle glycogen synthesis after exercise: effect of time of carbohydrate ingestion. *J Appl Physiol* 1988;64:1480-5.
 104. AIS Sports Nutrition. Recovery nutrition. Australian Sports Commission 2009. Available: http://www.ausport.gov.au/ais/nutrition/factsheets/competition_and_training/recovery_nutrition
 105. Moore DR, Robinson MJ, Fry JL et al. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *Am J Clin Nutr* 2009;89:161-8.
 106. Areta JL, Burke LM, Ross ML et al. Timing and distribution of protein ingestion during prolonged recovery from resistance exercise alters myofibrillar protein synthesis. *J Physiol* 2013;591(Pt 9):2319-31.
 107. Res PT, Groen B, Pennings B. Protein ingestion prior to sleep improves post-exercise overnight recovery. *Med Sci Sports Exerc* 2012;44:1560-9.
 108. Tang JE, Moore DR, Kujbida GW et al. Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol* 2009;107(3):987-92.
 109. West DW, Burd NA, Coffey VG et al. Rapid aminoacidemia enhances myofibrillar protein synthesis and anabolic intramuscular signaling responses after resistance exercise. *Am J Clin Nutr* 2011;94:795-803.
 110. Saunders MJ. Carbohydrate-protein intake and recovery from endurance exercise: is chocolate milk the answer? *Curr Sports Med Rep* 2011;10(4):203-10.
 111. Volek JS, Noakes T, Phinney SD. Rethinking fat as a fuel for endurance exercise. *Eur J Sport Sci* 2015;15(1):13-20.
 112. Burke LM. Fueling strategies to optimize performance: training high or training low? *Scand J Med Sci Sports* 2010;20(Suppl 2):48-58.
 113. Bartlett JD, Hawley JA, Morton JP. Carbohydrate availability and exercise training adaptation: too much of a good thing? *Eur J Sport Sci* 2015;15(1):3-12.
 114. Smith ME, Jackson CG. Delayed-onset muscle soreness (DOMS), serum creatine kinase (SCK) and creatine kinase (CK-MB) related to performance measurements in football. *Med Sci Sports Exerc* 1990;22(2):S34.

CHAPTER 14

1. Whiting P, Harbord R, de Salis I et al. Evidence-based diagnosis. *J Health Serv Res Policy* 2008;13(Suppl 3):57-63.
2. Trowbridge RL. Twelve tips for teaching avoidance of diagnostic errors. *Med Teach* 2008;30(5):496-500.
3. Dohrenwend A, Skillings JL. Diagnosis-specific management of somatoform disorders: moving beyond 'vague complaints of pain'. *J Pain* 2009;10(11):1128-37.
4. Kachalia A, Gandhi TK, Puopolo AL et al. Missed and delayed diagnoses in the ambulatory setting: a study of closed malpractice claims. *Ann Intern Med* 2006;145:488-96.

5. Newman-Toker DE, McDonald KM, Meltzer DO. How much diagnostic safety can we afford and how should we decide? A health economics perspective. *BMJ Qual Saf* 2013;22,Suppl 2:i11-20.
6. Schiff GD, Hasan O, Kim S et al. Diagnostic error in medicine: analysis of 583 physician-reported errors. *Arch Intern Med* 2009;169(20):1881-7.
7. Murphy D, Hurwitz E. A theoretical model for the development of a diagnosis-based clinical decision rule for the management of patients with spinal pain. *BMC Musculoskeletal Disord* 2007;8:75.
8. Fagan TJ. Letter: nomogram for Bayes theorem. *N Engl J Med* 1975;293:257.
9. Joseph AM, Collins CL, Henke NM et al. A multisport epidemiologic comparison of anterior cruciate ligament injuries in high school athletics. *J Athl Train* 2013;48(6):810-7.
10. van Eck CF, van den Bekerom MP, Fu FH et al. Methods to diagnose acute anterior cruciate ligament rupture: a meta-analysis of physical examinations with and without anaesthesia. *Knee Surg Sports Traumatol Arthrosc* 2013;21(8):1895-903.
11. Cook C, Hegedus E. *Orthopedic Physical Examination Tests: An Evidence-Based Approach*. 2nd ed. Upper Saddle River, New Jersey: Pearson Education Inc, 2013.
12. Reiman MP. *Orthopedic Clinical Examination*. Champaign, IL: Human Kinetics, 2016.
13. Khan K, Tress B, Hare W et al. "Treat the patient, not the X-ray": advances in diagnostic imaging do not replace the need for clinical interpretation. *Clin J Sport Med* 1998;8:1-4.
14. Whiting P, Rutjes AW, Reitsma JB et al. The development of QUADAS: a tool for the quality assessment of studies of diagnostic accuracy included in systematic reviews. *BMC Med Res Methodol* 2003;3:25.
15. de Groot JA, Bossuyt PM, Reitsma JB et al. Verification problems in diagnostic accuracy studies: consequences and solutions. *BMJ* 2011;343:d4770.
16. Cook C, Beaty S, Kissenberth MJ et al. Diagnostic accuracy of five orthopaedic clinical tests for diagnosis of superior labrum anterior posterior (SLAP) lesions. *J Shoulder Elbow Surg* 2012;21(1):13-22.
17. Matchar D. Introduction to the Methods Guide for Medical Test Reviews. In: Chang SM, Matchar DB, Smetana GW et al., eds. *Methods Guide for Medical Test Reviews* [internet]. Rockville, MD: Agency for Healthcare Research and Quality (US), 2012 Chapter 1.
- in osteoarthritis: an OMERACT Working Group on Shared Decision Making. *Br J Sports Med* 2015;42(12):2442-7.
3. Cook JL, Docking SI. "Rehabilitation will increase the 'capacity' of your . . . insert musculoskeletal tissue here . . ." Defining 'tissue capacity': a core concept for clinicians. *Br J Sports Med* 2015;49(23):1484-5.
4. Ansley L, Bonini M, Delgado L et al. Pathophysiological mechanisms of exercise-induced anaphylaxis: an EAACI position statement. *Allergy* 2015;70(10):1212-21.
5. Cook CE, Hegedus EJ. *Orthopaedic Physical Examination Tests*. 2nd ed. Upper Saddle River, New Jersey: Pearson Education Inc, 2013.
6. Forster BB. Sports imaging: radiologists as team leaders in care of the athlete. *Radiology* 2016;278(2):313-4.
7. Atanda A, Jr., Buckley PS, Hammoud S et al. Early anatomic changes of the ulnar collateral ligament identified by stress ultrasound of the elbow in young professional baseball pitchers. *Am J Sports Med* 2015;43(12):2943-9.
8. Hurd WJ, Eby S, Kaufman KR et al. Magnetic resonance imaging of the throwing elbow in the uninjured, high school-aged baseball pitcher. *Am J Sports Med* 2011;39(4):722-8.
9. Roy JS, Braen C, Leblond J et al. Diagnostic accuracy of ultrasonography, MRI and MR arthrography in the characterisation of rotator cuff disorders: a systematic review and meta-analysis. *Br J Sports Med* 2015;49(20):1316-28.
10. Guermazi A, Roemer F, Crema M, eds. *Imaging in Sports-specific Musculoskeletal Injuries*. Cham: Springer, 2015.
11. Zhang ZJ, Ng GY, Lee WC et al. Changes in morphological and elastic properties of patellar tendon in athletes with unilateral patellar tendinopathy and their relationships with pain and functional disability. *PLoS One* 2014;9(10):e108337.
12. Rudavsky A, Cook J. Physiotherapy management of patellar tendinopathy (jumper's knee). *J Physiother* 2014;60(3):122-9.
13. Englund M, Guermazi A, Gale D et al. Incidental meniscal findings on knee MRI in middle-aged and elderly persons. *N Engl J Med* 2008;359(11):1108-15.
14. Fritschy D, de Gautard R. Jumper's knee and ultrasonography. *Am J Sports Med* 1988;16(6):637-40.
15. Hall MM, Mautner K. Evolution of musculoskeletal and non-musculoskeletal sports ultrasound. *Br J Sports Med* 2015;49(3):139-40.
16. Finnoff JT, Berkoff D, Brennan F et al. American Medical Society for Sports Medicine recommended sports ultrasound curriculum for sports medicine fellowships. *Br J Sports Med* 2015;49(3):145-50.
17. Finnoff JT, Hall MM, Adams E et al. American Medical Society for Sports Medicine (AMSSM) position statement: interventional musculoskeletal ultrasound in sports medicine. *Br J Sports Med* 2015;49(3):145-50.
18. Monaco R. Sports ultrasound: a fundamental skill for sports medicine fellows moving forward. *Br J Sports Med* 2015;49(3):141-2.
19. Chang KV, Lew HL, Wang TG et al. Use of contrast-enhanced ultrasonography in musculoskeletal medicine. *Am J Phys Med Rehabil* 2012;91(5):449-57.

CHAPTER 15

1. Dijkstra HP, Pollock N, Chakraverty R et al. Return to play in elite sport: a shared decision-making process. Published online: 29 Jul 2016. doi: 10.1136/bjsports-2016-096209.
2. Toupin-April K, Barton J, Fraenkel L et al. Development of a draft core set of domains for measuring shared decision making

20. Rosengarten SD, Cook JL, Bryant AL et al. Australian football players' Achilles tendons respond to game loads within 2 days: an ultrasound tissue characterisation (UTC) study. *Br J Sports Med* 2015;49(3):183-7.
21. de Vos RJ, Weir A, Tol JL et al. No effects of PRP on ultrasonographic tendon structure and neovascularisation in chronic midportion Achilles tendinopathy. *Br J Sports Med* 2011;45:387-92.
22. Moon Y. Break free from the product life cycle. *Harv Bus Rev* 2005;83(5):86-94, 153.

CHAPTER 16

1. Davidson M, Keating J. Patient-reported outcome measures (PROMs): how should I interpret reports of measurement properties? A practical guide for clinicians and researchers who are not biostatisticians. *Br J Sports Med* 2014;48(9):792-6.
2. Collins NJ, Roos EM. Patient-reported outcomes for total hip and knee arthroplasty: commonly used instruments and attributes of a 'good' measure. *Clin Geriatr Med* 2012;28(3):367-94.
3. Davis JC, Bryan S. Patient reported outcome measures (PROMs) have arrived in sports and exercise medicine: Why do they matter? *Br J Sports Med* 2015;49(24):1545-6.
4. Gudbergensen H, Bartels EM, Krusager P et al. Test-retest of computerized health status questionnaires frequently used in the monitoring of knee osteoarthritis: a randomized crossover trial. *BMC Musculoskel Dis* 2011;12:190.
5. Mohtadi NG, Griffin DR, Pedersen ME et al. The development and validation of a self-administered quality-of-life outcome measure for young, active patients with symptomatic hip disease: the International Hip Outcome Tool (iHOT-33). *Arthroscopy* 2012;28(5):595-605; quiz 606-10 e1.
6. Roos EM, Roos HP, Lohmander LS et al. Knee Injury and Osteoarthritis Outcome Score (KOOS)—development of a self-administered outcome measure. *J Orthop Sports Phys Ther* 1998;28(2):88-96.
7. Mokkink LB, Terwee CB, Patrick DL et al. The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. *J Clin Epidemiol* 2010;63(7):737-45.
8. Terwee CB, Bot SD, de Boer MR et al. Quality criteria were proposed for measurement properties of health status questionnaires. *J Clin Epidemiol* 2007;60(1):34-42.
9. Kemp JL, Collins NJ, Roos EM et al. Psychometric properties of patient-reported outcome measures for hip arthroscopic surgery. *Am J Sports Med* 2013;41(9):2065-73.
10. Collins NJ, Misra D, Felson DT et al. Measures of knee function: International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome Score Physical Function Short Form (KOOS-PS), Knee Outcome Survey Activities of Daily Living Scale (KOS-ADL), Lysholm Knee Scoring Scale, Oxford Knee Score (OKS), Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Activity Rating Scale (ARS), and Tegner Activity Score (TAS). *Arthritis Care Res* 2011;63 Suppl 11:S208-28.
11. de Vet HC, Terwee CB, Mokkink LB et al. *Measurement in Medicine: A Practical Guide*. Cambridge: Cambridge University Press, 2011.
12. Nunnally JC, Bernstein IH. *Psychometric Theory*. 3rd ed. New York: McGraw-Hill, 1994.
13. Terwee CB, Dekker FW, Wiersinga WM et al. On assessing responsiveness of health-related quality of life instruments: guidelines for instrument evaluation. *Qual Life Res* 2003;12(4):349-62.
14. Guyatt GH, Norman GR, Juniper EF et al. A critical look at transition ratings. *J Clin Epidemiol* 2002;55(9):900-8.
15. Mokkink LB, Terwee CB, Knol DL et al. The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: a clarification of its content. *BMC Med Res Methodol* 2010;10:22.
16. van Meer BL, Meuffels DE, Vissers MM et al. Knee injury and Osteoarthritis Outcome Score or International Knee Documentation Committee Subjective Knee Form: which questionnaire is most useful to monitor patients with an anterior cruciate ligament rupture in the short term? *Arthroscopy* 2013;29(4):701-15.
17. Paradowski PT, Witonski D, Keska R et al. Cross-cultural translation and measurement properties of the Polish version of the Knee injury and Osteoarthritis Outcome Score (KOOS) following anterior cruciate ligament reconstruction. *Health Qual Life Outcomes* 2013;11:107.
18. Hawker GA, Mian S, Kendzerska T et al. Measures of adult pain: Visual Analog Scale for Pain (VAS Pain), Numeric Rating Scale for Pain (NRS Pain), McGill Pain Questionnaire (MPQ), Short-Form McGill Pain Questionnaire (SF-MPQ), Chronic Pain Grade Scale (CPGS), Short Form-36 Bodily Pain Scale (SF-36 BPS), and Measure of Intermittent and Constant Osteoarthritis Pain (ICOAP). *Arthritis Care Res* 2011;63 Suppl 11:S240-52.
19. Chatman AB, Hyams SP, Neel JM et al. The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. *Phys Ther* 1997;77(8):820-9.
20. Ware J, Jr., Kosinski M, Keller SD. A 12-Item Short-Form Health Survey: construction of scales and preliminary tests of reliability and validity. *Med Care* 1996;34(3):220-33.
21. Busija L, Pausenberger E, Haines TP et al. Adult measures of general health and health-related quality of life: Medical Outcomes Study Short Form 36-Item (SF-36) and Short Form 12-Item (SF-12) Health Surveys, Nottingham Health Profile (NHP), Sickness Impact Profile (SIP), Medical Outcomes Study Short Form 6D (SF-6D), Health Utilities Index Mark 3 (HUI3), Quality of Well-Being Scale (QWB), and Assessment of Quality of Life (AQoL). *Arthritis Care Res* 2011;63 Suppl 11:S383-412.
22. Hawthorne G, Richardson J, Osborne R. The Assessment of Quality of Life (AQoL) instrument: a psychometric measure of health-related quality of life. *Qual Life Res* 1999;8(3):209-24.

23. Sullivan MJL, Bishop SR, Pivik J. The Pain Catastrophizing Scale: development and validation. *Psychological Assessment* 1995;7(4):524-32.
24. Kori SH, Miller RP, Todd DD. Kinesiophobia: a new view of chronic pain behaviour. *Pain Man* 1990;3:35-43.
25. Vlaeyen JW, Kole-Snijders AM, Boeren RG et al. Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. *Pain* 1995;62(3):363-72.
26. Collins NJ, Prinsen CA, Christensen R et al. Knee Injury and Osteoarthritis Outcome Score (KOOS): systematic review and meta-analysis of measurement properties. *Osteoarthritis Cartilage* 2016;24(8):1317-29.
27. de Groot IB, Favejee MM, Reijman M et al. The Dutch version of the Knee Injury and Osteoarthritis Outcome Score: a validation study. *Health Qual Life Outcomes* 2008;6:16.
28. Paradowski PT, Bergman S, Sundén-Lundius A et al. Knee complaints vary with age and gender in the adult population. Population-based reference data for the Knee injury and Osteoarthritis Outcome Score (KOOS). *BMC Musculoskel Dis* 2006;7:38.
11. Steiger F, Wirth B, de Bruin ED et al. Is a positive clinical outcome after exercise therapy for chronic non-specific low back pain contingent upon a corresponding improvement in the targeted aspect(s) of performance? A systematic review. *Eur Spine J* 2012;21(4):575-98.
12. Wong AY, Parent EC, Funabashi M et al. Do changes in transversus abdominis and lumbar multifidus during conservative treatment explain changes in clinical outcomes related to nonspecific low back pain? A systematic review. *J Pain* 2014;15(4):377. e1-35.
13. Smeets RJ, Vlaeyen JW, Kester AD et al. Reduction of pain catastrophizing mediates the outcome of both physical and cognitive-behavioral treatment in chronic low back pain. *J Pain* 2006;7(4):261-71.
14. Flanigan DC, Everhart JS, Pedroza A et al. Fear of reinjury (kinesiophobia) and persistent knee symptoms are common factors for lack of return to sport after anterior cruciate ligament reconstruction. *Arthroscopy* 2013;29(8):1322-9.
15. Geisser ME, Haig AJ, Wallbom AS et al. Pain-related fear, lumbar flexion, and dynamic EMG among persons with chronic musculoskeletal low back pain. *Clin J Pain* 2004;20(2):61-9.
16. Kjaer M, Heinemeier KM. Eccentric exercise: acute and chronic effects on healthy and diseased tendons. *J Appl Physiol* (1985) 2014;116(11):1435-8.
17. Fransen M, McConnell S, Harmer AR et al. Exercise for osteoarthritis of the knee. *Cochrane Database Syst Rev* 2015;1:CD004376.
18. Fransen M, McConnell S, Hernandez-Molina G et al. Exercise for osteoarthritis of the hip. *Cochrane Database Syst Rev* 2014;4(4):CD007912.
19. Searle A, Spink M, Ho A et al. Exercise interventions for the treatment of chronic low back pain: a systematic review and meta-analysis of randomised controlled trials. *Clin Rehabil* 2015;29(12):1155-67.
20. Khan KM, Scott A. Mechanotherapy: how physical therapists' prescription of exercise promotes tissue repair. *Br J Sports Med* 2009;43(4):247-52.
21. Wall ME, Banes AJ. Early responses to mechanical load in tendon: role for calcium signaling, gap junctions and intercellular communication. *J Musculoskelet Neuronal Interact* 2005;5(1):70-84.
22. Kongsgaard M, Kovanen V, Aagaard P et al. Corticosteroid injections, eccentric decline squat training and heavy slow resistance training in patellar tendinopathy. *Scand J Med Sci Sports* 2009;19(6):790-802.
23. Goldspink G. Gene expression in muscle in response to exercise. *J Muscle Res Cell Motil* 2003;24(2-3):121-6.
24. Järvinen TA, Järvinen TL, Kääriäinen M et al. Muscle injuries: optimising recovery. *Best Pract Res Clin Rheumatol* 2007;21(2):317-31.
25. Banes AJ, Tsuzaki M, Hu P et al. PDGF-BB, IGF-I and mechanical load stimulate DNA synthesis in avian tendon fibroblasts in vitro. *J Biomech* 1995;28(12):1505-13.

CHAPTER 17

1. Smith GC, Pell JP. Parachute use to prevent death and major trauma related to gravitational challenge: systematic review of randomised controlled trials. *BMJ* 2003;327(7429):1459-61.
2. Vissers MM, Bussmann JB, Verhaar JA et al. Psychological factors affecting the outcome of total hip and knee arthroplasty: a systematic review. *Semin Arthritis Rheum* 2012;41(4):576-88.
3. Vlaeyen JW, Linton SJ. Fear-avoidance model of chronic musculoskeletal pain: 12 years on. *Pain* 2012;153(6):1144-7.
4. Chou R, Shekelle P. Will this patient develop persistent disabling low back pain? *JAMA* 2010;303(13):1295-302.
5. Cahalan R, O'Sullivan P, Purtill H et al. Inability to perform because of pain/injury in elite adult Irish dance: a prospective investigation of contributing factors. *Scand J Med Sci Sports* 2015;26(6):694-702.
6. Milewski MD, Skaggs DL, Bishop GA et al. Chronic lack of sleep is associated with increased sports injuries in adolescent athletes. *J Pediatr Orthop* 2014;34(2):129-33.
7. Forsdyke D, Smith A, Jones M et al. Psychosocial factors associated with outcomes of sports injury rehabilitation in competitive athletes: a mixed studies systematic review. *Br J Sports Med* 2016;50(9):537-44.
8. Chmielewski TL, Jones D, Day T et al. The association of pain and fear of movement/reinjury with function during anterior cruciate ligament reconstruction rehabilitation. *J Orthop Sports Phys Ther* 2008;38(12):746-53.
9. Ardern CL, Taylor NF, Feller JA et al. A systematic review of the psychological factors associated with returning to sport following injury. *Br J Sports Med* 2013;47(17):1120-6.
10. Johnson U. A three-year follow-up of long-term injured competitive athletes: influence of psychological risk factors on rehabilitation. *J Sport Rehabil* 1997;6:256-71.

26. Scott A, Cook JL, Hart DA et al. Tenocyte responses to mechanical loading in vivo: a role for local insulin-like growth factor 1 signaling in early tendinosis in rats. *Arthritis Rheum* 2007;56(3):871-81.
27. Olesen JL, Heinemeier KM, Haddad F et al. Expression of insulin-like growth factor I, insulin-like growth factor binding proteins, and collagen mRNA in mechanically loaded plantaris tendon. *J Appl Physiol* (1985) 2006;101(1):183-8.
28. Heinemeier KM, Olesen JL, Schjerling P et al. Short-term strength training and the expression of myostatin and IGF-I isoforms in rat muscle and tendon: differential effects of specific contraction types. *J Appl Physiol* (1985) 2007;102(2):573-81.
29. Olesen JL, Heinemeier KM, Gemmer C et al. Exercise-dependent IGF-I, IGF-BPs, and type I collagen changes in human peritendinous connective tissue determined by microdialysis. *J Appl Physiol* (1985) 2007;102(1):214-20.
30. Bohm S, Mersmann F, Arampatzis A. Human tendon adaptation in response to mechanical loading: a systematic review and meta-analysis of exercise intervention studies on healthy adults. *Sports Med Open* 2015;1(1).
31. Kongsgaard M, Reitelseder S, Pedersen TG et al. Region specific patellar tendon hypertrophy in humans following resistance training. *Acta Physiol (Oxf)* 2007;191(2):111-21.
32. Malliaras P, Kamal B, Nowell A et al. Patellar tendon adaptation in relation to load-intensity and contraction type. *J Biomech* 2013;46(11):1893-9.
33. Arampatzis A, Karamanidis K, Albracht K. Adaptational responses of the human Achilles tendon by modulation of the applied cyclic strain magnitude. *J Exp Biol* 2007;210(Pt 15): 2743-53.
34. Arampatzis A, Peper A, Bierbaum S et al. Plasticity of human Achilles tendon mechanical and morphological properties in response to cyclic strain. *J Biomech* 2010;43(16):3073-9.
35. Kubo K, Ikebukuro T, Yata H et al. Time course of changes in muscle and tendon properties during strength training and detraining. *J Strength Cond Res* 2010;24(2):322-31.
36. Kubo K, Ikebukuro T, Maki A et al. Time course of changes in the human Achilles tendon properties and metabolism during training and detraining in vivo. *Eur J Appl Physiol* 2012;112(7):2679-91.
37. Malliaras P, Barton CJ, Reeves ND et al. Achilles and patellar tendinopathy loading programmes: a systematic review comparing clinical outcomes and identifying potential mechanisms for effectiveness. *Sports Med* 2013;43(4):267-86.
38. Arokoski JP, Jurvelin JS, Väättäin U et al. Normal and pathological adaptations of articular cartilage to joint loading. *Scand J Med Sci Sports* 2000;10(4):186-98.
39. Gray ML. Toward imaging biomarkers for glycosaminoglycans. *J Bone Joint Surg Am* 2009;91 Suppl 1:44-9.
40. Roos EM, Dahlberg L. Positive effects of moderate exercise on glycosaminoglycan content in knee cartilage: a four-month, randomized, controlled trial in patients at risk of osteoarthritis. *Arthritis Rheum* 2005;52(11):3507-14.
41. Koli J, Multanen J, Kujala UM et al. Effects of exercise on patellar cartilage in women with mild knee osteoarthritis. *Med Sci Sports Exerc* 2015;47(9):1767-74.
42. Teichtahl AJ, Wluka AE, Forbes A et al. Longitudinal effect of vigorous physical activity on patella cartilage morphology in people without clinical knee disease. *Arthritis Rheum* 2009;61(8):1095-102.
43. Teichtahl AJ, Wluka AE, Wang Y et al. Effect of long-term vigorous physical activity on healthy adult knee cartilage. *Med Sci Sports Exerc* 2012;44(6):985-92.
44. Wondrasch B, Arøen A, Røtterud JH et al. The feasibility of a 3-month active rehabilitation program for patients with knee full-thickness articular cartilage lesions: the Oslo Cartilage Active Rehabilitation and Education Study. *J Orthop Sports Phys Ther* 2013;43(5):310-24.
45. Wilk KE, Briem K, Reinold MM et al. Rehabilitation of articular lesions in the athlete's knee. *J Orthop Sports Phys Ther* 2006;36(10):815-27.
46. Scott A, Khan KM, Duronio V et al. Mechanotransduction in human bone: in vitro cellular physiology that underpins bone changes with exercise. *Sports Med* 2008;38(2):139-60.
47. Mavčič B, Antolič V. Optimal mechanical environment of the healing bone fracture/osteotomy. *Int Orthop* 2012;36(4):689-95.
48. Hurd WJ, Chmielewski TL, Snyder-Mackler L. Perturbation-enhanced neuromuscular training alters muscle activity in female athletes. *Knee Surg Sports Traumatol Arthrosc* 2006;14(1):60-9.
49. Chmielewski TL, Hurd WJ, Rudolph KS et al. Perturbation training improves knee kinematics and reduces muscle co-contraction after complete unilateral anterior cruciate ligament rupture. *Phys Ther* 2005;85(8):740-9; discussion 50-4.
50. Fitzgerald GK, Axe MJ, Snyder-Mackler L. The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physical active individuals. *Phys Ther* 2000;80(2):128-40.
51. Myklebust G, Engebretsen L, Braekken IH et al. Prevention of anterior cruciate ligament injuries in female team handball players: a prospective intervention study over three seasons. *Clin J Sport Med* 2003;13(2):71-8.
52. Mandelbaum BR, Silvers HJ, Watanabe DS et al. Effectiveness of a neuromuscular and proprioceptive training program in preventing anterior cruciate ligament injuries in female athletes: 2-year follow-up. *Am J Sports Med* 2005;33(7):1003-10.
53. Falla D, Whiteley R, Cardinale M et al. Therapeutic exercise. In: Jull G, Moore A, Falla D et al. (eds). *Grieve's Modern Musculoskeletal Physiotherapy*, 4th 'edn'. Amsterdam: Elsevier, 2015:298-309.
54. Naugle KM, Fillingim RB, Riley JL 3rd. A meta-analytic review of the hypoalgesic effects of exercise. *J Pain* 2012;13(12):1139-50.
55. Koltyn KF. Analgesia following exercise: a review. *Sports Med* 2000;29(2):85-98.
56. Koltyn KF, Brellenthin AG, Cook DB et al. Mechanisms of exercise-induced hypoalgesia. *J Pain* 2014;15(12):1294-304.

57. Thorén P, Floras JS, Hoffmann P et al. Endorphins and exercise: physiological mechanisms and clinical implications. *Med Sci Sports Exerc* 1990;22(4):417-28.
58. Solomon S. A review of mechanisms of response to pain therapy: why voodoo works. *Headache* 2002;42(7):656-62.
59. Vaegter HB, Handberg G, Graven-Nielsen T. Isometric exercises reduce temporal summation of pressure pain in humans. *Eur J Pain* 2015;19(7):973-83.
60. Naugle KM, Naugle KE, Fillingim RB et al. Intensity thresholds for aerobic exercise-induced hypoalgesia. *Med Sci Sports Exerc* 2014;46(4):817-25.
61. Misra G, Paris TA, Archer DB et al. Dose-response effect of isometric force production on the perception of pain. *PLoS One* 2014;9(2):e88105.
62. Hoeger Bement MK, Dicapo J, Rasiarmos R et al. Dose response of isometric contractions on pain perception in healthy adults. *Med Sci Sports Exerc* 2008;40(11):1880-9.
63. Rio E, Kidgell D, Moseley GL et al. Tendon neuroplastic training: changing the way we think about tendon rehabilitation: a narrative review. *Br J Sports Med* 2016;50(4):209-15.
64. Merrick MA. Secondary injury after musculoskeletal trauma: a review and update. *J Athl Train* 2002;37(2):209-17.
65. Bleakley C, McDonough S, MacAuley D. The use of ice in the treatment of acute soft-tissue injury: a systematic review of randomized controlled trials. *Am J Sports Med* 2004;32(1):251-61.
66. van den Bekerom MP, Struijs PA, Blankevoort L et al. What is the evidence for rest, ice, compression, and elevation therapy in the treatment of ankle sprains in adults? *J Athl Train* 2012;47(4):435-43.
67. Bleakley CM, Glasgow P, MacAuley DC. PRICE needs updating, should we call the POLICE? *Br J Sports Med* 2012;46(4):220-1.
68. Järvinen TA, Järvinen TL, Kääriäinen M et al. Muscle injuries: biology and treatment. *Am J Sports Med* 2005;33(5):745-64.
69. Bring D, Reno C, Renstrom P et al. Prolonged immobilization compromises up-regulation of repair genes after tendon rupture in a rat model. *Scand J Med Sci Sports* 2010;20(3):411-17.
70. Bring DK, Reno C, Renstrom P et al. Joint immobilization reduces the expression of sensory neuropeptide receptors and impairs healing after tendon rupture in a rat model. *J Orthop Res* 2009;27(2):274-80.
71. Martinez DA, Vilas AC, Vanderby R Jr. et al. Temporal extracellular matrix adaptations in ligament during wound healing and hindlimb unloading. *Am J Physiol Regul Integr Comp Physiol* 2007;293(4):R1552-60.
72. Kerkhoffs GM, van den Bekerom M, Elders LA et al. Diagnosis, treatment and prevention of ankle sprains: an evidence-based clinical guideline. *Br J Sports Med* 2012;46(12):854-60.
73. Kaminski TW, Hertel J, Amendola N et al. National Athletic Trainers' Association position statement: conservative management and prevention of ankle sprains in athletes. *J Athl Train* 2013;48(4):528-45.
74. Glasgow P, Phillips N, Bleakley C. Optimal loading: key variables and mechanisms. *Br J Sports Med* 2015;49(5):278-9.
75. Bleakley CM. Acute soft tissue injury management: past, present and future. *Phys Ther Sport* 2013;14(2):73-4.
76. Kerkhoffs GM, Rowe BH, Assendelft WJ et al. Immobilisation and functional treatment for acute lateral ankle ligament injuries in adults. *Cochrane Database Syst Rev* 2002(3):CD003762.
77. Bleakley CM, O'Connor SR, Tully MA et al. Effect of accelerated rehabilitation on function after ankle sprain: randomised controlled trial. *BMJ* 2010;340:c1964.
78. Bleakley CM, McDonough SM, MacAuley DC et al. Cryotherapy for acute ankle sprains: a randomised controlled study of two different icing protocols. *Br J Sports Med* 2006;40(8):700-5; discussion 05.
79. Herrera E, Sandoval MC, Camargo DM et al. Motor and sensory nerve conduction are affected differently by ice pack, ice massage, and cold water immersion. *Phys Ther* 2010;90(4):581-91.
80. Bleakley CM, Glasgow P, Webb MJ. Cooling an acute muscle injury: can basic scientific theory translate into the clinical setting? *Br J Sports Med* 2012;46(4):296-8.
81. Bleakley CM, Glasgow PD, Phillips P et al. Guidelines on the management of acute soft tissue injury using protection rest ice compression and elevation. London: Association Of Chartered Physiotherapists in Sports and Exercise Medicine (ACPSM), 2011.
82. Dykstra JH, Hill HM, Miller MG et al. Comparisons of cubed ice, crushed ice, and wetted ice on intramuscular and surface temperature changes. *J Athl Train* 2009;44(2):136-41.
83. Tomchuk D, Rubley MD, Holcomb WR et al. The magnitude of tissue cooling during cryotherapy with varied types of compression. *J Athl Train* 2010;45(3):230-7.
84. Barnes MJ. Alcohol: impact on sports performance and recovery in male athletes. *Sports Med* 2014;44(7):909-19.
85. Suter PM, Schutz Y. The effect of exercise, alcohol or both combined on health and physical performance. *Int J Obes (Lond)* 2008;32 Suppl 6:S48-52.
86. Coronado RA, Gay CW, Bialosky JE et al. Changes in pain sensitivity following spinal manipulation: a systematic review and meta-analysis. *J Electromyogr Kinesiol* 2012;22(5):752-67.
87. Hidalgo B, Pitance L, Hall TM et al. Short-term effects of Mulligan mobilization with movement on pain, disability, and kinematic spinal movements in patients with nonspecific low back pain: a randomized placebo-controlled trial. *J Manipulative Physiol Ther* 2015;38(6):365-74.
88. Furlan AD, Imamura M, Dryden T et al. Massage for low back pain: an updated systematic review within the framework of the Cochrane Back Review Group. *Spine (Phila Pa 1976)* 2009;34(16):1669-84.
89. Kumar S, Beaton K, Hughes T. The effectiveness of massage therapy for the treatment of nonspecific low back pain: a systematic review of systematic reviews. *Int J Gen Med* 2013;6:733-41.
90. Huang SY, Di Santo M, Wadden KP et al. Short-duration massage at the hamstrings musculotendinous junction induces greater range of motion. *J Strength Cond Res* 2010;24(7):1917-24.

91. Hopper D, Deacon S, Das S et al. Dynamic soft tissue mobilisation increases hamstring flexibility in healthy male subjects. *Br J Sports Med* 2005;39(9):594-8; discussion 98.
92. Lee M, Latimer J, Maher C. Manipulation: investigation of a proposed mechanism. *Clin Biomech (Bristol, Avon)* 1993;8(6):302-6.
93. Tullberg T, Blomberg S, Branth B et al. Manipulation does not alter the position of the sacroiliac joint. A roentgen stereophotogrammetric analysis. *Spine (Phila Pa 1976)* 1998;23(10):1124-8; discussion 29.
94. Weerapong P, Hume PA, Kolt GS. The mechanisms of massage and effects on performance, muscle recovery and injury prevention. *Sports Med* 2005;35(3):235-56.
95. Bialosky JE, Bishop MD, Price DD et al. The mechanisms of manual therapy in the treatment of musculoskeletal pain: a comprehensive model. *Man Ther* 2009;14(5):531-8.
96. Lucas N, Macaskill P, Irwig L et al. Reliability of physical examination for diagnosis of myofascial trigger points: a systematic review of the literature. *Clin J Pain* 2009;25(1):80-9.
97. Seffinger MA, Najm WI, Mishra SI et al. Reliability of spinal palpation for diagnosis of back and neck pain: a systematic review of the literature. *Spine (Phila Pa 1976)* 2004;29(19):E413-25.
98. Wolfe F, Simons DG, Friction J et al. The fibromyalgia and myofascial pain syndromes: a preliminary study of tender points and trigger points in persons with fibromyalgia, myofascial pain syndrome and no disease. *J Rheumatol* 1992;19(6):944-51.
99. Vicenzino B, Collins D, Wright A. The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia. *Pain* 1996;68(1):69-74.
100. Suter E, McMorland G. Decrease in elbow flexor inhibition after cervical spine manipulation in patients with chronic neck pain. *Clin Biomech (Bristol, Avon)* 2002;17(7):541-4.
101. Vicenzino B, Paungmali A, Buratowski S et al. Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. *Man Ther* 2001;6(4):205-12.
102. Mohammadian P, Gonsalves A, Tsai C et al. Areas of capsaicin-induced secondary hyperalgesia and allodynia are reduced by a single chiropractic adjustment: a preliminary study. *J Manipulative Physiol Ther* 2004;27(6):381-7.
103. George SZ, Bishop MD, Bialosky JE et al. Immediate effects of spinal manipulation on thermal pain sensitivity: an experimental study. *BMC Musculoskelet Disord* 2006;7:68.
104. Suter E, McMorland G, Herzog W et al. Decrease in quadriceps inhibition after sacroiliac joint manipulation in patients with anterior knee pain. *J Manipulative Physiol Ther* 1999;22(3):149-53.
105. DeVocht JW, Pickar JG, Wilder DG. Spinal manipulation alters electromyographic activity of paraspinal muscles: a descriptive study. *J Manipulative Physiol Ther* 2005;28(7):465-71.
106. Herzog W, Scheele D, Conway PJ. Electromyographic responses of back and limb muscles associated with spinal manipulative therapy. *Spine (Phila Pa 1976)* 1999;24(2):146-52; discussion 53.
107. Vicenzino B, Collins D, Benson H et al. An investigation of the interrelationship between manipulative therapy-induced hypoalgesia and sympathoexcitation. *J Manipulative Physiol Ther* 1998;21(7):448-53.
108. Sterling M, Jull G, Wright A. Cervical mobilisation: concurrent effects on pain, sympathetic nervous system activity and motor activity. *Man Ther* 2001;6(2):72-81.
109. Delaney JP, Leong KS, Watkins A et al. The short-term effects of myofascial trigger point massage therapy on cardiac autonomic tone in healthy subjects. *J Adv Nurs* 2002;37(4):364-71.
110. Vernon HT, Dhimi MS, Howley TP et al. Spinal manipulation and beta-endorphin: a controlled study of the effect of a spinal manipulation on plasma beta-endorphin levels in normal males. *J Manipulative Physiol Ther* 1986;9(2):115-23.
111. Kaada B, Torsteinbø O. Increase of plasma beta-endorphins in connective tissue massage. *Gen Pharmacol* 1989;20(4):487-9.
112. Waters-Banker C, Dupont-Versteegden EE, Kitzman PH et al. Investigating the mechanisms of massage efficacy: the role of mechanical immunomodulation. *J Athl Train* 2014;49(2):266-73.
113. Williams NH, Hendry M, Lewis R et al. Psychological response in spinal manipulation (PRISM): a systematic review of psychological outcomes in randomised controlled trials. *Complement Ther Med* 2007;15(4):271-83.
114. Kaltenborn F. *Manual therapy of the extremity joints*. Oslo: Bokhandel, 1975.
115. Cyriax J. *Textbook of orthopaedic medicine*. 6th ed. London: Bailliere Tindall, 1975.
116. McKenzie R. *The lumbar spine—mechanical diagnosis and therapy*. Waikanae: Spinal Publications, 1981.
117. Maitland GD. *Vertebral manipulation*. 5th ed. London: Butterworths, 1986.
118. Cook C. *Orthopedic manual therapy: an evidence based approach*. 2nd ed. New Jersey: Pearson Education, 2012.
119. Evans DW. Mechanisms and effects of spinal high-velocity, low-amplitude thrust manipulation: previous theories. *J Manipulative Physiol Ther* 2002;25(4):251-62.
120. Cleland JA, Flynn TW, Childs JD et al. The audible pop from thoracic spine thrust manipulation and its relation to short-term outcomes in patients with neck pain. *J Man Manip Ther* 2007;15(3):143-54.
121. Flynn TW, Childs JD, Fritz JM. The audible pop from high-velocity thrust manipulation and outcome in individuals with low back pain. *J Manipulative Physiol Ther* 2006;29(1):40-5.
122. Flynn TW, Fritz JM, Wainner RS et al. The audible pop is not necessary for successful spinal high-velocity thrust manipulation in individuals with low back pain. *Arch Phys Med Rehabil* 2003;84(7):1057-60.
123. Bialosky JE, Bishop MD, Robinson ME et al. The relationship of the audible pop to hypoalgesia associated with high-velocity, low-amplitude thrust manipulation: a secondary analysis of

- an experimental study in pain-free participants. *J Manipulative Physiol Ther* 2010;33(2):117-24.
124. Cagnie B, Vinck E, Beernaert A et al. How common are side effects of spinal manipulation and can these side effects be predicted? *Man Ther* 2004;9(3):151-6.
 125. Haldeman S, Rubinstein SM. Compression fractures in patients undergoing spinal manipulative therapy. *J Manipulative Physiol Ther* 1992;15(7):450-4.
 126. Haldeman S, Rubinstein SM. Cauda equina syndrome in patients undergoing manipulation of the lumbar spine. *Spine (Phila Pa 1976)* 1992;17(12):1469-73.
 127. Powell FC, Hanigan WC, Olivero WC. A risk/benefit analysis of spinal manipulation therapy for relief of lumbar or cervical pain. *Neurosurgery* 1993;33(1):73-8; discussion 78-9.
 128. Di Fabio RP. Manipulation of the cervical spine: risks and benefits. *Phys Ther* 1999;79(1):50-65.
 129. Lucas K, Polus B, Rich P. Latent myofascial trigger points: their effects on muscle activation and movement efficiency. *J Bodyw Mov Ther* 2004;8:160-6.
 130. Bradbury-Squires DJ, Nofall JC, Sullivan KM et al. Roller-massager application to the quadriceps and knee-joint range of motion and neuromuscular efficiency during a lunge. *J Athl Train* 2015;50(2):133-40.
 131. Halperin I, Aboodarda SJ, Button DC et al. Roller massager improves range of motion of plantar flexor muscles without subsequent decreases in force parameters. *Int J Sports Phys Ther* 2014;9(1):92-102.
 132. MacDonald GZ, Penney MD, Mullaley ME et al. An acute bout of self-myofascial release increases range of motion without a subsequent decrease in muscle activation or force. *J Strength Cond Res* 2013;27(3):812-21.
 133. Sullivan KM, Silvey DB, Button DC et al. Roller-massager application to the hamstrings increases sit-and-reach range of motion within five to ten seconds without performance impairments. *Int J Sports Phys Ther* 2013;8(3):228-36.
 134. Dunning J, Butts R, Mourad F et al. Dry needling: a literature review with implications for clinical practice guidelines. *Phys Ther Rev* 2014;19(4):252-65.
 135. Zhang ZJ, Wang XM, McAlonan GM. Neural acupuncture unit: a new concept for interpreting effects and mechanisms of acupuncture. *Evid Based Complement Alternat Med* 2012;2012:429412.
 136. Holden JE, Jeong Y, Forrest JM. The endogenous opioid system and clinical pain management. *AACN Clin Issues* 2005;16(3):291-301.
 137. Audette JF, Wang F, Smith H. Bilateral activation of motor unit potentials with unilateral needle stimulation of active myofascial trigger points. *Am J Phys Med Rehabil* 2004;83(5):368-74, quiz 75-7, 89.
 138. Shah JP, Phillips TM, Danoff JV et al. An in vivo microanalytical technique for measuring the local biochemical milieu of human skeletal muscle. *J Appl Physiol (1985)* 2005;99(5):1977-84.
 139. Simons D, Travell J, Simons L. *Travell and Simons' myofascial pain and dysfunction: The trigger point manual. Vol 1: Upper half of body*. 2nd ed. Baltimore: Williams & Wilkins, 1999.
 140. Vickers AJ, Cronin AM, Maschino AC et al. Acupuncture for chronic pain: individual patient data meta-analysis. *Arch Intern Med* 2012;172(19):1444-53.
 141. Corbett MS, Rice SJ, Madurasinghe V et al. Acupuncture and other physical treatments for the relief of pain due to osteoarthritis of the knee: network meta-analysis. *Osteoarthritis Cartilage* 2013;21(9):1290-8.
 142. Tough EA, White AR, Cummings TM et al. Acupuncture and dry needling in the management of myofascial trigger point pain: a systematic review and meta-analysis of randomised controlled trials. *Eur J Pain* 2009;13(1):3-10.
 143. Deare JC, Zheng Z, Xue CC et al. Acupuncture for treating fibromyalgia. *Cochrane Database Syst Rev* 2013;5(5):CD007070.
 144. Manheimer E, Cheng K, Linde K et al. Acupuncture for peripheral joint osteoarthritis. *Cochrane Database Syst Rev* 2010(1):CD001977.
 145. Garvey TA, Marks MR, Wiesel SW. A prospective, randomized, double-blind evaluation of trigger-point injection therapy for low-back pain. *Spine (Phila Pa 1976)* 1989;14(9):962-4.
 146. Hong CZ. Lidocaine injection versus dry needling to myofascial trigger point. The importance of the local twitch response. *Am J Phys Med Rehabil* 1994;73(4):256-63.
 147. Huguenin L. Myofascial trigger points: the current evidence. *Phys Ther Sport* 2004;5:2-12.
 148. Ellis RF, Hing WA. Neural mobilization: a systematic review of randomized controlled trials with an analysis of therapeutic efficacy. *J Man Manip Ther* 2008;16(1):8-22.
 149. Grant M-E, Steffen K, Glasgow P et al. The role of sports physiotherapy at the London 2012 Olympic Games. *Br J Sports Med* 2014;48(1):63-70.
 150. Dizon JM, Reyes JJ. A systematic review on the effectiveness of external ankle supports in the prevention of inversion ankle sprains among elite and recreational players. *J Sci Med Sport* 2010;13(3):309-17.
 151. Raymond J, Nicholson LL, Hiller CE et al. The effect of ankle taping or bracing on proprioception in functional ankle instability: a systematic review and meta-analysis. *J Sci Med Sport* 2012;15(5):386-92.
 152. McConnell J. The management of chondromalacia patellae: a long term solution. *Aust J Physiother* 1986;32(4):215-23.
 153. Lim ECW, Tay MGX. Kinesio taping in musculoskeletal pain and disability that lasts for more than 4 weeks: is it time to peel off the tape and throw it out with the sweat? A systematic review with meta-analysis focused on pain and also methods of tape application. *Br J Sports Med* 2015;49(24):1558-66.
 154. Callaghan MJ, McKie S, Richardson P et al. Effects of patellar taping on brain activity during knee joint proprioception tests using functional magnetic resonance imaging. *Phys Ther* 2012;92(6):821-30.

155. Callaghan MJ, Selfe J, McHenry A et al. Effects of patellar taping on knee joint proprioception in patients with patellofemoral pain syndrome. *Man Ther* 2008;13(3):192-9.
156. Barton C, Balachandar V, Lack S et al. Patellar taping for patellofemoral pain: a systematic review and meta-analysis to evaluate clinical outcomes and biomechanical mechanisms. *Br J Sports Med* 2014;48(6):417-24.
157. Ozer D, Senbursa G, Baltaci G et al. The effect on neuromuscular stability, performance, multi-joint coordination and proprioception of barefoot, taping or preventative bracing. *Foot (Edinb)* 2009;19(4):205-10.
158. Alt W, Lohrer H, Gollhofer A. Functional properties of adhesive ankle taping: neuromuscular and mechanical effects before and after exercise. *Foot Ankle Int* 1999;20(4):238-45.
159. Ricard MD, Sherwood SM, Schulthies SS et al. Effects of tape and exercise on dynamic ankle inversion. *J Athl Train* 2000;35(1):31-7.
160. Thacker SB, Stroup DF, Branche CM et al. The prevention of ankle sprains in sports. A systematic review of the literature. *Am J Sports Med* 1999;27(6):753-60.
161. Harradine P, Herrington L, Wright R. The effect of low dye taping upon rearfoot motion and position before and after exercise. *The Foot* 2001;11(2):57-60.
162. Leibbrandt DC, Louw QA. The use of McConnell taping to correct abnormal biomechanics and muscle activation patterns in subjects with anterior knee pain: a systematic review. *J Phys Ther Sci* 2015;27(7):2395-404.
163. Mostafavifar M, Wertz J, Borchers J. A systematic review of the effectiveness of kinesio taping for musculoskeletal injury. *Phys Sportsmed* 2012;40(4):33-40.
164. Williams S, Whatman C, Hume PA et al. Kinesio taping in treatment and prevention of sports injuries: a meta-analysis of the evidence for its effectiveness. *Sports Med* 2012;42(2):153-64.
165. Vercelli S, Ferriero G, Bravini E et al. How much is Kinesio taping a psychological crutch? *Man Ther* 2013;18(3):e11.
166. Callaghan MJ, Selfe J. Patellar taping for patellofemoral pain syndrome in adults. *Cochrane Database Syst Rev* 2012(4):CD006717.
167. Warden SJ, Hinman RS, Watson MA Jr. et al. Patellar taping and bracing for the treatment of chronic knee pain: a systematic review and meta-analysis. *Arthritis Rheum* 2008;59(1):73-83.
168. Osorio JA, Vairo GL, Rozea GD et al. The effects of two therapeutic patellofemoral taping techniques on strength, endurance, and pain responses. *Phys Ther Sport* 2013;14(4):199-206.
169. Akbaş E, Atay AO, Yüksel I. The effects of additional kinesio taping over exercise in the treatment of patellofemoral pain syndrome. *Acta Orthop Traumatol Turc* 2011;45(5):335-41.
170. Aytar A, Ozunlu N, Surenkok O et al. Initial effects of Kinesio taping in patients with patellofemoral pain syndrome: a randomized, double-blind study. *Isokinetics and Exercise Science* 2011;19(2):135-42.
171. Rovere GD, Clarke TJ, Yates CS et al. Retrospective comparison of taping and ankle stabilizers in preventing ankle injuries. *Am J Sports Med* 1988;16(3):228-33.
172. Garrick JG, Requa RK. Role of external support in the prevention of ankle sprains. *Med Sci Sports* 1973;5(3):200-3.
173. Moiler K, Hall T, Robinson K. The role of fibular tape in the prevention of ankle injury in basketball: a pilot study. *J Orthop Sports Phys Ther* 2006;36(9):661-8.
174. Verhagen EA, Bay K. Optimising ankle sprain prevention: a critical review and practical appraisal of the literature. *Br J Sports Med* 2010;44(15):1082-8.
175. Vicenzino B, Brooksbank J, Minto J et al. Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. *J Orthop Sports Phys Ther* 2003;33(7):400-7.
176. Homayouni K, Zeynali L, Mianehsaz E. Comparison between Kinesio taping and physiotherapy in the treatment of de Quervain's disease. *J Musculoskelet Res* 2013;16(04):1350019.
177. Tsai C-T, Chang W-D, Lee J-P. Effects of short-term treatment with kinesiotaping for plantar fasciitis. *J Musculoskelet Pain* 2010;18(1):71-80.
178. Shahane S. The effect of myofascial release technique and stretching versus myofascial release and taping in patients with chronic plantar fasciitis—a comparative study. Rajivgandhi University of Health Sciences, 2013.
179. Şimşek HH, Balki S, Keklik SS et al. Does Kinesio taping in addition to exercise therapy improve the outcomes in subacromial impingement syndrome? A randomized, double-blind, controlled clinical trial. *Acta Orthop Traumatol Turc* 2012;47(2):104-10.
180. Vicenzino B. Foot orthotics in the treatment of lower limb conditions: a musculoskeletal physiotherapy perspective. *Man Ther* 2004;9(4):185-96.
181. Petersen W, Rembitzki IV, Koppenburg AG et al. Treatment of acute ankle ligament injuries: a systematic review. *Arch Orthop Trauma Surg* 2013;133(8):1129-41.
182. Robertson VJ, Baker KG. A review of therapeutic ultrasound: effectiveness studies. *Phys Ther* 2001;81(7):1339-50.
183. Watson T. Ultrasound in contemporary physiotherapy practice. *Ultrasonics* 2008;48(4):321-9.
184. Pope GD, Mockett SP, Wright JP. A survey of electrotherapeutic modalities: ownership and use in the NHS in England. *Physiotherapy* 1995;81(2):82-91.
185. Roebroek ME, Dekker J, Oostendorp RA. The use of therapeutic ultrasound by physical therapists in Dutch primary health care. *Phys Ther* 1998;78(5):470-8.
186. Warden SJ, McMeeken JM. Ultrasound usage and dosage in sports physiotherapy. *Ultrasound Med Biol* 2002;28(8):1075-80.
187. Robinson AJ, Snyder-Mackler L. Clinical application of electrotherapeutic modalities. *Phys Ther* 1988;68(8):1235-8.
188. Lindsay DM, Dearness J, McGinley CC. Electrotherapy usage trends in private physiotherapy practice in Alberta. *Physiother Can* 1995;47(1):30-4.

189. Wong RA, Schumann B, Townsend R et al. A survey of therapeutic ultrasound use by physical therapists who are orthopaedic certified specialists. *Phys Ther* 2007;87(8): 986-94.
190. Baker KG, Robertson VJ, Duck FA. A review of therapeutic ultrasound: biophysical effects. *Phys Ther* 2001;81(7):1351-8.
191. Shanks P, Curran M, Fletcher P et al. The effectiveness of therapeutic ultrasound for musculoskeletal conditions of the lower limb: a literature review. *Foot (Edinb)* 2010;20(4):133-9.
192. van der Windt DA, van der Heijden GJ, van den Berg SG et al. Ultrasound therapy for musculoskeletal disorders: a systematic review. *Pain* 1999;81(3):257-71.
193. Busse JW, Kaur J, Mollon B et al. Low intensity pulsed ultrasonography for fractures: systematic review of randomised controlled trials. *BMJ* 2009;338:b351.
194. Bashardoust Tajali S, Houghton P, MacDermid JC et al. Effects of low-intensity pulsed ultrasound therapy on fracture healing: a systematic review and meta-analysis. *Am J Phys Med Rehabil* 2012;91(4):349-67.
195. Hannemann PF, Mommers EH, Schots JP et al. The effects of low-intensity pulsed ultrasound and pulsed electromagnetic fields bone growth stimulation in acute fractures: a systematic review and meta-analysis of randomized controlled trials. *Arch Orthop Trauma Surg* 2014;134(8):1093-106.
196. Gan TY, Kuah DE, Graham KS et al. Low-intensity pulsed ultrasound in lower limb bone stress injuries: a randomized controlled trial. *Clin J Sport Med* 2014;24(6):457-60.
197. Rue JP, Armstrong DW 3rd, Frassica FJ et al. The effect of pulsed ultrasound in the treatment of tibial stress fractures. *Orthopedics* 2004;27(11):1192-5.
198. Zeng C, Li H, Yang T et al. Electrical stimulation for pain relief in knee osteoarthritis: systematic review and network meta-analysis. *Osteoarthritis Cartilage* 2015;23(2):189-202.
199. DeSantana JM, Walsh DM, Vance C et al. Effectiveness of transcutaneous electrical nerve stimulation for treatment of hyperalgesia and pain. *Curr Rheumatol Rep* 2008;10(6):492-9.
200. Escortell-Mayor E, Riesgo-Fuertes R, Garrido-Elustondo S et al. Primary care randomized clinical trial: manual therapy effectiveness in comparison with TENS in patients with neck pain. *Man Ther* 2011;16(1):66-73.
201. Celik EC, Erhan B, Gunduz B et al. The effect of low-frequency TENS in the treatment of neuropathic pain in patients with spinal cord injury. *Spinal Cord* 2013;51(4):334-7.
202. Li M, Zhang J, Zhang F. Acu-TENS might alleviate the dysfunction following spinal cord injury. *J Formos Med Assoc* 2015;114(10):899-900.
203. Ratajczak B, Hawrylak A, Demidaś A et al. Effectiveness of diadynamic currents and transcutaneous electrical nerve stimulation in disc disease lumbar part of spine. *J Back Musculoskelet Rehabil* 2011;24(3):155-9.
204. Chiu TT, Hui-Chan CW, Chein G. A randomized clinical trial of TENS and exercise for patients with chronic neck pain. *Clin Rehabil* 2005;19(8):850-60.
205. Rutjes AW, Nüesch E, Sterchi R et al. Transcutaneous electrostimulation for osteoarthritis of the knee. *Cochrane Database Syst Rev* 2009(4):CD002823.
206. Johnson MI, Paley CA, Howe TE et al. Transcutaneous electrical nerve stimulation for acute pain. *Cochrane Database Syst Rev* 2015;6(6):CD006142.
207. Maffiuletti NA, Minetto MA, Farina D et al. Electrical stimulation for neuromuscular testing and training: state-of-the art and unresolved issues. *Eur J Appl Physiol* 2011;111(10): 2391-7.
208. Kim KM, Croy T, Hertel J et al. Effects of neuromuscular electrical stimulation after anterior cruciate ligament reconstruction on quadriceps strength, function, and patient-oriented outcomes: a systematic review. *J Orthop Sports Phys Ther* 2010;40(7):383-91.
209. Delitto A, Snyder-Mackler L. Two theories of muscle strength augmentation using percutaneous electrical stimulation. *Phys Ther* 1990;70(3):158-64.
210. Bickel CS, Gregory CM, Dean JC. Motor unit recruitment during neuromuscular electrical stimulation: a critical appraisal. *Eur J Appl Physiol* 2011;111(10):2399-407.
211. Hart JM, Pietrosimone B, Hertel J et al. Quadriceps activation following knee injuries: a systematic review. *J Athl Train* 2010;45(1):87-97.
212. Lynch AD, Logerstedt DS, Axe MJ et al. Quadriceps activation failure after anterior cruciate ligament rupture is not mediated by knee joint effusion. *J Orthop Sports Phys Ther* 2012;42(6):502-10.
213. Filipovic A, Kleinöder H, Dörmann U et al. Electromyostimulation—a systematic review of the influence of training regimens and stimulation parameters on effectiveness in electromyostimulation training of selected strength parameters. *J Strength Cond Res* 2011;25(11):3218-38.
214. Paillard T. Combined application of neuromuscular electrical stimulation and voluntary muscular contractions. *Sports Med* 2008;38(2):161-77.
215. Shah S, Farrow A, Esnouf A. Availability and use of electrotherapy devices: a survey. *Int J Ther Rehabil* 2007;14:260-4.
216. Tabasam G, Johnson M. The use of interferential therapy for pain management by physiotherapists. *Int J Ther Rehabil* 2006;13(8):357-64.
217. Gundog M, Atamaz F, Kanyilmaz S et al. Interferential current therapy in patients with knee osteoarthritis: comparison of the effectiveness of different amplitude-modulated frequencies. *Am J Phys Med Rehabil* 2012;91(2):107-13.
218. Lara-Palomo IC, Aguilar-Ferrández ME, Matarán-Peñarocha GA et al. Short-term effects of interferential current electro-massage in adults with chronic non-specific low back pain: a randomized controlled trial. *Clin Rehabil* 2013;27(5):439-49.
219. Dounavi MD, Chesterton LS, Sim J. Effects of interferential therapy parameter combinations upon experimentally induced pain in pain-free participants: a randomized controlled trial. *Phys Ther* 2012;92(7):911-23.

220. Chow RT, Johnson MI, Lopes-Martins RA et al. Efficacy of low-level laser therapy in the management of neck pain: a systematic review and meta-analysis of randomised placebo or active-treatment controlled trials. *Lancet* 2009;374(9705):1897-908.
221. Fung DT, Ng GY, Leung MC et al. Therapeutic low energy laser improves the mechanical strength of repairing medial collateral ligament. *Lasers Surg Med* 2002;31(2):91-6.
222. Woodruff LD, Bounkeo JM, Brannon WM et al. The efficacy of laser therapy in wound repair: a meta-analysis of the literature. *Photomed Laser Surg* 2004;22(3):241-7.
223. Bjordal JM, Lopes-Martins RA, Iversen VV. A randomised, placebo controlled trial of low level laser therapy for activated Achilles tendinitis with microdialysis measurement of peritendinous prostaglandin E2 concentrations. *Br J Sports Med* 2006;40(1):76-80; discussion 76-80.
224. Hegedus B, Viharos L, Gervain M et al. The effect of low-level laser in knee osteoarthritis: a double-blind, randomized, placebo-controlled trial. *Photomed Laser Surg* 2009;27(4):577-84.
225. Bjordal JM, Lopes-Martins RA, Joensen J et al. A systematic review with procedural assessments and meta-analysis of low level laser therapy in lateral elbow tendinopathy (tennis elbow). *BMC Musculoskelet Disord* 2008;9:75.
226. Chang WD, Lee CL, Lin HY et al. A meta-analysis of clinical effects of low-level laser therapy on temporomandibular joint pain. *J Phys Ther Sci* 2014;26(8):1297-300.
227. Takenori A, Ikuhiro M, Shogo U et al. Immediate pain relief effect of low level laser therapy for sports injuries: randomized, double-blind placebo clinical trial. *J Sci Med Sport* 2016.
228. Haslerud S, Magnussen LH, Joensen J et al. The efficacy of low-level laser therapy for shoulder tendinopathy: a systematic review and meta-analysis of randomized controlled trials. *Physiother Res Int* 2015;20(2):108-25.
229. Stergioulas A, Stergioulas M, Aarskog R et al. Effects of low-level laser therapy and eccentric exercises in the treatment of recreational athletes with chronic Achilles tendinopathy. *Am J Sports Med* 2008;36(5):881-7.
230. Seeliger C, Falldorf K, Sachtleben J et al. Low-frequency pulsed electromagnetic fields significantly improve time of closure and proliferation of human tendon fibroblasts. *Eur J Med Res* 2014;19:37.
231. Zhao M, Bai H, Wang E et al. Electrical stimulation directly induces pre-angiogenic responses in vascular endothelial cells by signaling through VEGF receptors. *J Cell Sci* 2004;117 (Pt 3):397-405.
232. Fini M, Giavaresi G, Carpi A et al. Effects of pulsed electromagnetic fields on articular hyaline cartilage: review of experimental and clinical studies. *Biomed Pharmacother* 2005;59(7):388-94.
233. Chalidis B, Sachinis N, Assiotis A et al. Stimulation of bone formation and fracture healing with pulsed electromagnetic fields: biologic responses and clinical implications. *Int J Immunopathol Pharmacol* 2011;24(1 Suppl 2):17-20.
234. Rosso F, Bonasia DE, Marmotti A et al. Mechanical stimulation (pulsed electromagnetic fields 'PEMF' and extracorporeal shock wave therapy 'ESWT') and tendon regeneration: a possible alternative. *Front Aging Neurosci* 2015;7:211.
235. de Girolamo L, Viganò M, Galliera E et al. In vitro functional response of human tendon cells to different dosages of low-frequency pulsed electromagnetic field. *Knee Surg Sports Traumatol Arthrosc* 2015;23(11):3443-53.
236. Reilingh ML, van Bergen CJ, Gerards RM et al. Effects of pulsed electromagnetic fields on return to sports after arthroscopic debridement and microfracture of osteochondral talar defects: a randomized, double-blind, placebo-controlled, multicenter trial. *Am J Sports Med* 2016;44(5):1292-300.
237. Zorzi C, Dall'Oca C, Cadossi R et al. Effects of pulsed electromagnetic fields on patients' recovery after arthroscopic surgery: prospective, randomized and double-blind study. *Knee Surg Sports Traumatol Arthrosc* 2007;15(7):830-4.
238. Vincenzi F, Targa M, Corciulo C et al. Pulsed electromagnetic fields increased the anti-inflammatory effect of A_{2A} and A₃ adenosine receptors in human T/C-28a2 chondrocytes and hFOB 1.19 osteoblasts. *PLoS One* 2013;8(5):e65561.
239. Osti L, Buono AD, Maffulli N. Pulsed electromagnetic fields after rotator cuff repair: a randomized, controlled study. *Orthopedics* 2015;38(3):e223-8.
240. Dingemanse R, Randsdorp M, Koes BW et al. Evidence for the effectiveness of electrophysical modalities for treatment of medial and lateral epicondylitis: a systematic review. *Br J Sports Med* 2014;48(12):957-65.
241. Lohrer H, Nauck T, Korakakis V et al. Historical ESWT paradigms are overcome: a narrative review. *BioMed Research International* 2016;2016:1-7.
242. Chaussy C, Brendel W, Schmiedt E. Extracorporeally induced destruction of kidney stones by shock waves. *Lancet* 1980;2(8207):1265-8.
243. Delius M, Draenert K, Al Diek Y et al. Biological effects of shock waves: in vivo effect of high energy pulses on rabbit bone. *Ultrasound Med Biol* 1995;21(9):1219-25.
244. Rompe JD, Kirkpatrick CJ, Küllmer K et al. Dose-related effects of shock waves on rabbit tendo Achillis. A sonographic and histological study. *J Bone Joint Surg Br* 1998;80(3):546-52.
245. Speed C. A systematic review of shockwave therapies in soft tissue conditions: focusing on the evidence. *Br J Sports Med* 2014;48(21):1538-42.
246. Schmitz C, Császár NB, Milz S et al. Efficacy and safety of extracorporeal shock wave therapy for orthopedic conditions: a systematic review on studies listed in the PEDro database. *Br Med Bull* 2015;116:115-38.
247. Gerdesmeyer L, Frey C, Vester J et al. Radial extracorporeal shock wave therapy is safe and effective in the treatment of chronic recalcitrant plantar fasciitis: results of a confirmatory randomized placebo-controlled multicenter study. *Am J Sports Med* 2008;36(11):2100-9.

248. Ibrahim MI, Donatelli RA, Schmitz C et al. Chronic plantar fasciitis treated with two sessions of radial extracorporeal shock wave therapy. *Foot Ankle Int* 2010;31(5):391-7.
249. Furia JP. High-energy extracorporeal shock wave therapy as a treatment for chronic noninsertional Achilles tendinopathy. *Am J Sports Med* 2008;36(3):502-8.
250. Rompe JD, Furia J, Maffulli N. Eccentric loading versus eccentric loading plus shock-wave treatment for midportion Achilles tendinopathy: a randomized controlled trial. *Am J Sports Med* 2009;37(3):463-70.
251. Rompe JD, Nafe B, Furia JP et al. Eccentric loading, shock-wave treatment, or a wait-and-see policy for tendinopathy of the main body of tendo Achillis: a randomized controlled trial. *Am J Sports Med* 2007;35(3):374-83.
252. Rompe JD, Furia J, Maffulli N. Eccentric loading compared with shock wave treatment for chronic insertional achilles tendinopathy. A randomized, controlled trial. *J Bone Joint Surg Am* 2008;90(1):52-61.
253. Furia JP. High-energy extracorporeal shock wave therapy as a treatment for insertional achilles tendinopathy. *Am J Sports Med* 2006;34(5):733-40.
254. Moen MH, Rayer S, Schipper M et al. Shockwave treatment for medial tibial stress syndrome in athletes; a prospective controlled study. *Br J Sports Med* 2012;46(4):253-7.
255. Rompe JD, Cacchio A, Furia JP et al. Low-energy extracorporeal shock wave therapy as a treatment for medial tibial stress syndrome. *Am J Sports Med* 2010;38(1):125-32.
256. Wang CJ, Ko JY, Chan YS et al. Extracorporeal shockwave for chronic patellar tendinopathy. *Am J Sports Med* 2007;35(6):972-8.
257. Furia JP, Rompe JD, Cacchio A et al. A single application of low-energy radial extracorporeal shock wave therapy is effective for the management of chronic patellar tendinopathy. *Knee Surg Sports Traumatol Arthrosc* 2013;21(2):346-50.
258. Cacchio A, Rompe JD, Furia JP et al. Shockwave therapy for the treatment of chronic proximal hamstring tendinopathy in professional athletes. *Am J Sports Med* 2011;39(1):146-53.
259. Rompe JD, Segal NA, Cacchio A et al. Home training, local corticosteroid injection, or radial shock wave therapy for greater trochanter pain syndrome. *Am J Sports Med* 2009;37(10):1981-90.
260. Lee SS, Kang S, Park NK et al. Effectiveness of initial extracorporeal shock wave therapy on the newly diagnosed lateral or medial epicondylitis. *Ann Rehabil Med* 2012;36(5):681-7.
261. Gündüz R, Malas FÜ, Borman P et al. Physical therapy, corticosteroid injection, and extracorporeal shock wave treatment in lateral epicondylitis. Clinical and ultrasonographical comparison. *Clin Rheumatol* 2012;31(5):807-12.
262. Gerdesmeyer L, Wagenpfeil S, Haake M et al. Extracorporeal shock wave therapy for the treatment of chronic calcifying tendonitis of the rotator cuff: a randomized controlled trial. *JAMA* 2003;290(19):2573-80.
263. Albert JD, Meadeb J, Guggenbuhl P et al. High-energy extracorporeal shock-wave therapy for calcifying tendinitis of the rotator cuff: a randomised trial. *J Bone Joint Surg Br* 2007;89(3):335-41.
264. DiSilvestro KJ, Tjoumakaris FP, Maltenfort MG et al. Systematic reviews in sports medicine. *Am J Sports Med* 2016;44(2):533-8.
265. Korakakis V, Whiteley R. The effectiveness of ESWT in lower limb tendinopathy: letter to the editor. *Am J Sports Med* 2015;43(10):NP43-4.
266. Arden CL. Systematic review hacks for the sports and exercise clinician: five essential methodological elements. *Br J Sports Med* 2016;50(8):447-9.
267. Cook JL, Rio E, Purdam CR et al. Revisiting the continuum model of tendon pathology: what is its merit in clinical practice and research? *Br J Sports Med* 2016.
268. Cook JL, Purdam CR. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *Br J Sports Med* 2009;43(6):409-16.
269. Lee SJ, Kang JH, Kim JY et al. Dose-related effect of extracorporeal shock wave therapy for plantar fasciitis. *Ann Rehabil Med* 2013;37(3):379-88.
270. Malliaropoulos N, Crate G, Meke M et al. Success and recurrence rate after radial extracorporeal shock wave therapy for plantar fasciopathy: a retrospective study. *Biomed Res Int* 2016;2016:9415827.
271. Paoloni JA, Milne C, Orchard J et al. Non-steroidal anti-inflammatory drugs in sports medicine: guidelines for practical but sensible use. *Br J Sports Med* 2009;43(11):863-5.
272. Derry S, Wiffen P, Moore A. Topical nonsteroidal anti-inflammatory drugs for acute musculoskeletal pain. *JAMA* 2016;315(8):813-4.
273. Derry S, Moore RA, Gaskell H et al. Topical NSAIDs for acute musculoskeletal pain in adults. *Cochrane Database Syst Rev* 2015(6):CD007402.
274. Derry S, Conaghan P, Da Silva JA et al. Topical NSAIDs for chronic musculoskeletal pain in adults. *Cochrane Database Syst Rev* 2016;4:CD007400.
275. Corrigan B, Kazlauskas R. Medication use in athletes selected for doping control at the Sydney Olympics (2000). *Clin J Sport Med* 2003;13(1):33-40.
276. Tscholl P, Junge A, Dvorak J. The use of medication and nutritional supplements during FIFA World Cups 2002 and 2006. *Br J Sports Med* 2008;42(9):725-30.
277. Tscholl P, Alonso JM, Dollé G et al. The use of drugs and nutritional supplements in top-level track and field athletes. *Am J Sports Med* 2010;38(1):133-40.
278. Tricker R. Painkilling drugs in collegiate athletics: knowledge, attitudes, and use of student athletes. *J Drug Educ* 2000;30(3):313-24.
279. Warner DC, Schnepf G, Barrett MS et al. Prevalence, attitudes, and behaviors related to the use of nonsteroidal anti-inflammatory drugs (NSAIDs) in student athletes. *J Adolesc Health* 2002;30(3):150-3.

280. Ziltener JL, Leal S, Fournier PE. Non-steroidal anti-inflammatory drugs for athletes: an update. *Ann Phys Rehabil Med* 2010;53(4):278-82, 82-8.
281. Mackey AL. Does an NSAID a day keep satellite cells at bay? *J Appl Physiol* 2013;115(6):900-8.
282. Trappe TA, White F, Lambert CP et al. Effect of ibuprofen and acetaminophen on postexercise muscle protein synthesis. *Am J Physiol Endocrinol Metab* 2002;282(3):E551-6.
283. Lepper C, Partridge TA, Fan CM. An absolute requirement for Pax7-positive satellite cells in acute injury-induced skeletal muscle regeneration. *Development* 2011;138(17):3639-46.
284. Sambasivan R, Yao R, Kissenpfennig A et al. Pax7-expressing satellite cells are indispensable for adult skeletal muscle regeneration. *Development* 2011;138(17):3647-56.
285. Burd NA, Dickinson JM, Lemoine JK et al. Effect of a cyclooxygenase-2 inhibitor on postexercise muscle protein synthesis in humans. *Am J Physiol Endocrinol Metab* 2010;298(2):E354-61.
286. Mehallo CJ, Drezner JA, Bytowski JR. Practical management: nonsteroidal antiinflammatory drug (NSAID) use in athletic injuries. *Clin J Sport Med* 2006;16(2):170-4.
287. Baoge L, Van Den Steen E, Rimbaut S et al. Treatment of skeletal muscle injury: a review. *ISRN Orthop* 2012;2012:689012.
288. Dideriksen K. Muscle and tendon connective tissue adaptation to unloading, exercise and NSAID. *Connective Tissue Res* 2014;55(2):10.
289. Boudreault J, Desmeules F, Roy JS et al. The efficacy of oral non-steroidal anti-inflammatory drugs for rotator cuff tendinopathy: a systematic review and meta-analysis. *J Rehabil Med* 2014;46(4):294-306.
290. Maquirriain J, Kokalj A. Acute Achilles tendinopathy: effect of pain control on leg stiffness. *J Musculoskelet Neuronal Interact* 2014;14(1):131-6.
291. Christensen B, Dandanell S, Kjaer M et al. Effect of anti-inflammatory medication on the running-induced rise in patella tendon collagen synthesis in humans. *J Appl Physiol* (1985) 2011;110(1):137-41.
292. Bogatov VB, Weinhold P, Dahners LE. The influence of a cyclooxygenase-1 inhibitor on injured and uninjured ligaments in the rat. *Am J Sports Med* 2003;31(4):574-6.
293. Ekman EF. A cyclooxygenase-2 inhibitor impairs ligament healing in the rat [sic]. *Am J Sports Med* 2002;30(3):457; author reply 57.
294. Elder CL, Dahners LE, Weinhold PS. A cyclooxygenase-2 inhibitor impairs ligament healing in the rat. *Am J Sports Med* 2001;29(6):801-5.
295. Warden SJ, Avin KG, Beck EM et al. Low-intensity pulsed ultrasound accelerates and a nonsteroidal anti-inflammatory drug delays knee ligament healing. *Am J Sports Med* 2006;34(7):1094-102.
296. Mehta VM, Young EP, Paxton EW et al. The effect of ketorolac on anteroposterior knee laxity after anterior cruciate ligament reconstruction. *Orthopedics* 2008;31(6):538-40.
297. Lyrtzis C, Natsis K, Papadopoulos C et al. Efficacy of paracetamol versus diclofenac for grade II ankle sprains. *Foot Ankle Int* 2011;32(6):571-5.
298. Vuolteenaho K, Moilanen T, Moilanen E. Non-steroidal anti-inflammatory drugs, cyclooxygenase-2 and the bone healing process. *Basic Clin Pharmacol Toxicol* 2008;102(1):10-4.
299. Wheeler P, Batt ME. Do non-steroidal anti-inflammatory drugs adversely affect stress fracture healing? A short review. *Br J Sports Med* 2005;39(2):65-9.
300. Geusens P, Emans PJ, de Jong JJ et al. NSAIDs and fracture healing. *Curr Opin Rheumatol* 2013;25(4):524-31.
301. Simon AM, Manigrasso MB, O'Connor JP. Cyclo-oxygenase 2 function is essential for bone fracture healing. *J Bone Miner Res* 2002;17(6):963-76.
302. Su B, O'Connor JP. NSAID therapy effects on healing of bone, tendon, and the enthesis. *J Appl Physiol* (1985) 2013;115(6):892-9.
303. Burd TA, Hughes MS, Anglen JO. Heterotopic ossification prophylaxis with indomethacin increases the risk of long-bone nonunion. *J Bone Joint Surg Br* 2003;85(5):700-5.
304. Sandberg O, Aspenberg P. Different effects of indomethacin on healing of shaft and metaphyseal fractures. *Acta Orthop* 2015;86(2):243-7.
305. Warden SJ. Prophylactic misuse and recommended use of non-steroidal anti-inflammatory drugs by athletes. *Br J Sports Med* 2009;43(8):548-9.
306. Baron R, Binder A, Wasner G. Neuropathic pain: diagnosis, pathophysiological mechanisms, and treatment. *Lancet Neurol* 2010;9(8):807-19.
307. Jensen TS, Baron R, Haanpää M et al. A new definition of neuropathic pain. *Pain* 2011;152(10):2204-5.
308. Plinsinga ML, Brink MS, Vicenzino B et al. Evidence of nervous system sensitization in commonly presenting and persistent painful tendinopathies: a systematic review. *J Orthop Sports Phys Ther* 2015;45(11):864-75.
309. van Wilgen CP, Konopka KH, Keizer D et al. Do patients with chronic patellar tendinopathy have an altered somatosensory profile? A quantitative sensory testing (QST) study. *Scand J Med Sci Sports* 2013;23(2):149-55.
310. Woolf CJ. Central sensitization: implications for the diagnosis and treatment of pain. *Pain* 2011;152(3 Suppl):S2-15.
311. Derry S, Wiffen PJ, Aldington D et al. Nortriptyline for neuropathic pain in adults. *Cochrane Database Syst Rev* 2015;1:CD011209.
312. Finnerup NB, Attal N, Haroutounian S et al. Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. *Lancet Neurol* 2015;14(2):162-73.
313. Lunn MP, Hughes RA, Wiffen PJ. Duloxetine for treating painful neuropathy, chronic pain or fibromyalgia. *Cochrane Database Syst Rev* 2014(1):CD007115.
314. Mishriky BM, Waldron NH, Habib AS. Impact of pregabalin on acute and persistent postoperative pain: a systematic review and meta-analysis. *Br J Anaesth* 2015;114(1):10-31.

315. Finnoff JT, Hall MM, Adams E et al. American Medical Society for Sports Medicine (AMSSM) position statement: interventional musculoskeletal ultrasound in sports medicine. *PM R* 2015;7(2):151-68, e12.
316. Aly AR, Rajasekaran S, Ashworth N. Ultrasound-guided shoulder girdle injections are more accurate and more effective than landmark-guided injections: a systematic review and meta-analysis. *Br J Sports Med* 2015;49(16):1042-9.
317. Gutierrez M, Di Matteo A, Rosemffet M et al. Short-term efficacy to conventional blind injection versus ultrasound-guided injection of local corticosteroids in tenosynovitis in patients with inflammatory chronic arthritis: a randomized comparative study. *Joint Bone Spine* 2016;83(2):161-6.
318. Coombes BK, Bisset L, Vicenzino B. Efficacy and safety of corticosteroid injections and other injections for management of tendinopathy: a systematic review of randomised controlled trials. *Lancet* 2010;376(9754):1751-67.
319. Koester MC, Dunn WR, Kuhn JE et al. The efficacy of subacromial corticosteroid injection in the treatment of rotator cuff disease: a systematic review. *J Am Acad Orthop Surg* 2007;15(1):3-11.
320. Orchard JW, Steet E, Massey A et al. Long-term safety of using local anesthetic injections in professional rugby league. *Am J Sports Med* 2010;38(11):2259-66.
321. Reurink G, Goudswaard GJ, Moen MH et al. Myotoxicity of injections for acute muscle injuries: a systematic review. *Sports Med* 2014;44(7):943-56.
322. Breu A, Rosenmeier K, Kujat R et al. The cytotoxicity of bupivacaine, ropivacaine, and mepivacaine on human chondrocytes and cartilage. *Anesth Analg* 2013;117(2):514-22.
323. Haasters F, Polzer H, Prall WC et al. Bupivacaine, ropivacaine, and morphine: comparison of toxicity on human hamstring-derived stem/progenitor cells. *Knee Surg Sports Traumatol Arthrosc* 2011;19(12):2138-44.
324. Piper SL, Laron D, Manzano G et al. A comparison of lidocaine, ropivacaine and dexamethasone toxicity on bovine tenocytes in culture. *J Bone Joint Surg Br* 2012;94(6):856-62.
325. Orchard JW, Best TM, Mueller-Wohlfahrt HW et al. The early management of muscle strains in the elite athlete: best practice in a world with a limited evidence basis. *Br J Sports Med* 2008;42(3):158-9.
326. González de Vega C, Speed C, Wolfarth B et al. Traumeel vs. diclofenac for reducing pain and improving ankle mobility after acute ankle sprain: a multicentre, randomised, blinded, controlled and non-inferiority trial. *Int J Clin Pract* 2013;67(10):979-89.
327. Lee P, Kwan A, Nokes L. Actovegin—cutting-edge sports medicine or 'voodoo' remedy? *Curr Sports Med Rep* 2011;10(4):186-90.
328. Alfredson H, Ohberg L. Sclerosing injections to areas of neo-vascularisation reduce pain in chronic Achilles tendinopathy: a double-blind randomised controlled trial. *Knee Surg Sports Traumatol Arthrosc* 2005;13(4):338-44.
329. Lind B, Ohberg L, Alfredson H. Sclerosing polidocanol injections in mid-portion Achilles tendinosis: remaining good clinical results and decreased tendon thickness at 2-year follow-up. *Knee Surg Sports Traumatol Arthrosc* 2006;14(12):1327-32.
330. van Sterkenburg MN, de Jonge MC, Siersevelt IN et al. Less promising results with sclerosing ethoxysclerol injections for midportion achilles tendinopathy: a retrospective study. *Am J Sports Med* 2010;38(11):2226-32.
331. Distel LM, Best TM. Prolotherapy: a clinical review of its role in treating chronic musculoskeletal pain. *PM R* 2011;3(6 Suppl 1):S78-81.
332. Dagenais S, Yelland MJ, Del Mar C et al. Prolotherapy injections for chronic low-back pain. *Cochrane Database Syst Rev* 2007(2):CD004059.
333. Humphrey J, Chan O, Crisp T et al. The short-term effects of high volume image guided injections in resistant non-insertional Achilles tendinopathy. *J Sci Med Sport* 2010;13(3):295-8.
334. Maffulli N, Spiezia F, Longo UG et al. High volume image guided injections for the management of chronic tendinopathy of the main body of the Achilles tendon. *Phys Ther Sport* 2013;14(3):163-7.
335. Morton S, Chan O, King J et al. High volume image-guided injections for patellar tendinopathy: a combined retrospective and prospective case series. *Muscles Ligaments Tendons J* 2014;4(2):214-19.
336. Bellamy N, Campbell J, Robinson V et al. Viscosupplementation for the treatment of osteoarthritis of the knee. *Cochrane Database Syst Rev* 2006(2):CD005321.
337. Bannuru RR, Natov NS, Obadan IE et al. Therapeutic trajectory of hyaluronic acid versus corticosteroids in the treatment of knee osteoarthritis: a systematic review and meta-analysis. *Arthritis Rheum* 2009;61(12):1704-11.
338. Kaux JF, Samson A, Crielaard JM. Hyaluronic acid and tendon lesions. *Muscles Ligaments Tendons J* 2015;5(4):264-9.
339. Kumai T, Muneta T, Tsuchiya A et al. The short-term effect after a single injection of high-molecular-weight hyaluronic acid in patients with enthesopathies (lateral epicondylitis, patellar tendinopathy, insertional Achilles tendinopathy, and plantar fasciitis): a preliminary study. *J Orthop Sci* 2014;19(4):603-11.
340. Muneta T, Koga H, Ju YJ et al. Hyaluronan injection therapy for athletic patients with patellar tendinopathy. *J Orthop Sci* 2012;17(4):425-31.
341. Dean BJ, Franklin SL, Murphy RJ et al. Glucocorticoids induce specific ion-channel-mediated toxicity in human rotator cuff tendon: a mechanism underpinning the ultimately deleterious effect of steroid injection in tendinopathy? *Br J Sports Med* 2014;48(22):1620-6.
342. Farkas B, Kvell K, Czömpöly T et al. Increased chondrocyte death after steroid and local anesthetic combination. *Clin Orthop Relat Res* 2010;468(11):3112-20.
343. Braun HJ, Wilcox-Fogel N, Kim HJ et al. The effect of local anesthetic and corticosteroid combinations on chondrocyte

- viability. *Knee Surg Sports Traumatol Arthrosc* 2012;20(9):1689-95.
344. El-Yahouchi C, Geske JR, Carter RE et al. The noninferiority of the nonparticulate steroid dexamethasone vs the particulate steroids betamethasone and triamcinolone in lumbar transforaminal epidural steroid injections. *Pain Med* 2013;14(11):1650-7.
 345. Kennedy DJ, Plastaras C, Casey E et al. Comparative effectiveness of lumbar transforaminal epidural steroid injections with particulate versus nonparticulate corticosteroids for lumbar radicular pain due to intervertebral disc herniation: a prospective, randomized, double-blind trial. *Pain Med* 2014;15(4):548-55.
 346. Lewis T, Cook J. Fluoroquinolones and tendinopathy: a guide for athletes and sports clinicians and a systematic review of the literature. *J Athl Train* 2014;49(3):422-7.
 347. Stephenson AL, Wu W, Cortes D et al. Tendon injury and fluoroquinolone use: a systematic review. *Drug Saf* 2013;36(9):709-21.
 348. Paoloni JA, Appleyard RC, Nelson J et al. Topical nitric oxide application in the treatment of chronic extensor tendinosis at the elbow: a randomized, double-blinded, placebo-controlled clinical trial. *Am J Sports Med* 2003;31(6):915-20.
 349. Paoloni JA, Appleyard RC, Nelson J et al. Topical glyceryl trinitrate treatment of chronic noninsertional Achilles tendinopathy. A randomized, double-blind, placebo-controlled trial. *J Bone Joint Surg Am* 2004;86-A(5):916-22.
 350. Paoloni JA, Appleyard RC, Nelson J et al. Topical glyceryl trinitrate application in the treatment of chronic supraspinatus tendinopathy: a randomized, double-blinded, placebo-controlled clinical trial. *Am J Sports Med* 2005;33(6):806-13.
 351. Cumpston M, Johnston RV, Wengier L et al. Topical glyceryl trinitrate for rotator cuff disease. *Cochrane Database Syst Rev* 2009(3):CD006355.
 352. McCallum SD, Paoloni JA, Murrell GA. Five-year prospective comparison study of topical glyceryl trinitrate treatment of chronic lateral epicondylitis at the elbow. *Br J Sports Med* 2011;45(5):416-20.
 353. Paoloni JA, Murrell GA, Burch RM et al. Randomised, double-blind, placebo-controlled clinical trial of a new topical glyceryl trinitrate patch for chronic lateral epicondylitis. *Br J Sports Med* 2009;43(4):299-302.
 354. Steunebrink M, Zwerver J, Brandsema R et al. Topical glyceryl trinitrate treatment of chronic patellar tendinopathy: a randomised, double-blind, placebo-controlled clinical trial. *Br J Sports Med* 2013;47(1):34-9.
 355. Maksymowych WP, Aaron SL, Russell AS. Treatment of refractory symphysis pubis with intravenous pamidronate. *J Rheumatol* 2001;28(12):2754-7.
 356. Milgrom C, Finestone A, Novack V et al. The effect of prophylactic treatment with risedronate on stress fracture incidence among infantry recruits. *Bone* 2004;35(2):418-24.
 357. Stewart GW, Brunet ME, Manning MR et al. Treatment of stress fractures in athletes with intravenous pamidronate. *Clin J Sport Med* 2005;15(2):92-4.
 358. Einhorn TA, Bogdan Y, Tornetta P 3rd. Bisphosphonate-associated fractures of the femur: pathophysiology and treatment. *J Orthop Trauma* 2014;28(7):433-8.
 359. Rifai A, Pourtaheri S, Carbone A et al. Bilateral femur fractures associated with short-term bisphosphonate use. *Orthopedics* 2015;38(2):e139-42.
 360. Jerosch J. Effects of glucosamine and chondroitin sulfate on cartilage metabolism in OA: outlook on other nutrient partners especially omega-3 fatty acids. *Int J Rheumatol* 2011;2011:969012.
 361. McAlindon TE, LaValley MP, Gulin JP et al. Glucosamine and chondroitin for treatment of osteoarthritis: a systematic quality assessment and meta-analysis. *JAMA* 2000;283(11):1469-75.
 362. Lee YH, Woo JH, Choi SJ et al. Effect of glucosamine or chondroitin sulfate on the osteoarthritis progression: a meta-analysis. *Rheumatol Int* 2010;30(3):357-63.
 363. Bruyère O, Cooper C, Pelletier JP et al. An algorithm recommendation for the management of knee osteoarthritis in Europe and internationally: a report from a task force of the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). *Semin Arthritis Rheum* 2014;44(3):253-63.
 364. Uebelhart D. Clinical review of chondroitin sulfate in osteoarthritis. *Osteoarthritis Cartilage* 2008;16 Suppl 3: S19-21.
 365. Parkinson J, Samiric T, Ilic MZ et al. Change in proteoglycan metabolism is a characteristic of human patellar tendinopathy. *Arthritis Rheum* 2010;62(10):3028-35.
 366. Gruenewald J, Petzold E, Busch R et al. Effect of glucosamine sulfate with or without omega-3 fatty acids in patients with osteoarthritis. *Adv Ther* 2009;26(9):858-71.
 367. Beaudart C, Buckinx F, Rabenda V et al. The effects of vitamin D on skeletal muscle strength, muscle mass, and muscle power: a systematic review and meta-analysis of randomized controlled trials. *J Clin Endocrinol Metab* 2014;99(11):4336-45.
 368. Lappe J, Cullen D, Haynatzki G et al. Calcium and vitamin D supplementation decreases incidence of stress fractures in female navy recruits. *J Bone Miner Res* 2008;23(5):741-9.
 369. Pollock N, Dijkstra, P, Chakraverty, R et al. Low 25(OH) vitamin D concentrations in international UK track and field athletes. *S Afr J Physiother* 2012;24(2).
 370. Madhan B, Krishnamoorthy G, Rao JR et al. Role of green tea polyphenols in the inhibition of collagenolytic activity by collagenase. *Int J Biol Macromol* 2007;41(1):16-22.
 371. Vieira CP, Guerra Fda R, de Oliveira LP et al. Green tea and glycine aid in the recovery of tendinitis of the Achilles tendon of rats. *Connect Tissue Res* 2015;56(1):50-8.
 372. de Mos M, van der Windt AE, Jahr H et al. Can platelet-rich plasma enhance tendon repair? A cell culture study. *Am J Sports Med* 2008;36(6):1171-8.

373. Jo CH, Kim JE, Yoon KS et al. Platelet-rich plasma stimulates cell proliferation and enhances matrix gene expression and synthesis in tenocytes from human rotator cuff tendons with degenerative tears. *Am J Sports Med* 2012;40(5):1035-45.
374. Rui YF, Lui PP, Li G et al. Isolation and characterization of multipotent rat tendon-derived stem cells. *Tissue Eng Part A* 2010;16(5):1549-58.
375. de Vos RJ, van Veldhoven PL, Moen MH et al. Autologous growth factor injections in chronic tendinopathy: a systematic review. *Br Med Bull* 2010;95:63-77.
376. Arik HO, Kose O, Guler F et al. Injection of autologous blood versus corticosteroid for lateral epicondylitis: a randomised controlled study. *J Orthop Surg (Hong Kong)* 2014;22(3):333-7.
377. Jindal N, Gaury Y, Banshiwal RC et al. Comparison of short term results of single injection of autologous blood and steroid injection in tennis elbow: a prospective study. *J Orthop Surg Res* 2013;8:10.
378. Dojode CM. A randomised control trial to evaluate the efficacy of autologous blood injection versus local corticosteroid injection for treatment of lateral epicondylitis. *Bone Joint Res* 2012;1(8):192-7.
379. Wolf JM, Ozer K, Scott F et al. Comparison of autologous blood, corticosteroid, and saline injection in the treatment of lateral epicondylitis: a prospective, randomized, controlled multicenter study. *J Hand Surg Am* 2011;36(8):1269-72.
380. Pearson J, Rowlands D, Highet R. Autologous blood injection to treat achilles tendinopathy? A randomized controlled trial. *J Sport Rehabil* 2012;21(3):218-24.
381. Dohan Ehrenfest DM, Andia I, Zumstein MA et al. Classification of platelet concentrates (platelet-rich plasma-PRP, platelet-rich fibrin-PRF) for topical and infiltrative use in orthopedic and sports medicine: current consensus, clinical implications and perspectives. *Muscles Ligaments Tendons J* 2014;4(1):3-9.
382. Mishra A, Harmon K, Woodall J et al. Sports medicine applications of platelet rich plasma. *Curr Pharm Biotechnol* 2012;13(7):1185-95.
383. Peerbooms JC, Sluimer J, Bruijn DJ et al. Positive effect of an autologous platelet concentrate in lateral epicondylitis in a double-blind randomized controlled trial: platelet-rich plasma versus corticosteroid injection with a 1-year follow-up. *Am J Sports Med* 2010;38(2):255-62.
384. Schepull T, Kvist J, Norrman H et al. Autologous platelets have no effect on the healing of human achilles tendon ruptures: a randomized single-blind study. *Am J Sports Med* 2011;39(1):38-47.
385. Figueroa D, Figueroa F, Calvo R et al. Platelet-rich plasma use in anterior cruciate ligament surgery: systematic review of the literature. *Arthroscopy* 2015;31(5):981-8.
386. Zhao JG, Zhao L, Jiang YX et al. Platelet-rich plasma in arthroscopic rotator cuff repair: a meta-analysis of randomized controlled trials. *Arthroscopy* 2015;31(1):125-35.
387. de Vos RJ, Weir A, van Schie HT et al. Platelet-rich plasma injection for chronic Achilles tendinopathy: a randomized controlled trial. *JAMA* 2010;303(2):144-9.
388. de Vos RJ, Windt J, Weir A. Strong evidence against platelet-rich plasma injections for chronic lateral epicondylar tendinopathy: a systematic review. *Br J Sports Med* 2014;48(12):952-6.
389. Liddle AD, Rodriguez-Merchan EC. Platelet-rich plasma in the treatment of patellar tendinopathy: a systematic review. *Am J Sports Med* 2015;43(10):2583-90.
390. Franceschi F, Papalia R, Franceschetti E et al. Platelet-rich plasma injections for chronic plantar fasciopathy: a systematic review. *Br Med Bull* 2014;112(1):83-95.
391. Reurink G, Goudswaard GJ, Moen MH et al. Platelet-rich plasma injections in acute muscle injury. *N Engl J Med* 2014;370(26):2546-7.
392. Laudy AB, Bakker EW, Rekers M et al. Efficacy of platelet-rich plasma injections in osteoarthritis of the knee: a systematic review and meta-analysis. *Br J Sports Med* 2015;49(10):657-72.
393. Young M. Stem cell applications in tendon disorders: a clinical perspective. *Stem Cells Int* 2012;2012:637836.
394. Connell D, Datir A, Alyas F et al. Treatment of lateral epicondylitis using skin-derived tenocyte-like cells. *Br J Sports Med* 2009;43(4):293-8.
395. Ellera Gomes JL, da Silva RC, Silla LM et al. Conventional rotator cuff repair complemented by the aid of mononuclear autologous stem cells. *Knee Surg Sports Traumatol Arthrosc* 2012;20(2):373-7.
396. Wang A, Breidahl W, Mackie KE et al. Autologous tenocyte injection for the treatment of severe, chronic resistant lateral epicondylitis: a pilot study. *Am J Sports Med* 2013;41(12):2925-32.
397. Clarke AW, Alyas F, Morris T et al. Skin-derived tenocyte-like cells for the treatment of patellar tendinopathy. *Am J Sports Med* 2011;39(3):614-23.
398. Gopal K, Amirhamed HA, Kamarul T. Advances of human bone marrow-derived mesenchymal stem cells in the treatment of cartilage defects: a systematic review. *Exp Biol Med (Maywood)* 2014;239(6):663-9.
399. Vasiladis HS, Wasiak J. Autologous chondrocyte implantation for full thickness articular cartilage defects of the knee. *Cochrane Database Syst Rev* 2010(10):CD003323.

CHAPTER 18

1. Bahr R, Holme I. Risk factors for sports injuries—a methodological approach. *Br J Sports Med* 2003;37(5):384-92.
2. Kucera KL, Marshall SW, Kirkendall DT et al. Injury history as a risk factor for incident injury in youth soccer. *Br J Sports Med* 2005;39(7):462.
3. van Beijsterveldt AM, van de Port IG, Vereijken AJ et al. Risk factors for hamstring injuries in male soccer players: a systematic review of prospective studies. *Scand J Med Sci Sports* 2013;23(3):253-62.
4. Khan KM, Scott A. Mechanotherapy: how physical therapists' prescription of exercise promotes tissue repair. *Br J Sports Med* 2009;43(4):247-52.

5. Blanchard S, Glasgow P. A theoretical model to describe progressions and regressions for exercise rehabilitation. *Phys Ther Sport* 2014;15(3):131-5.
6. World Health Organization. International Classification of Functioning, Disability and Health (ICF). Geneva, 2001.
7. Baker SM, Marshak HH, Rice GT et al. Patient participation in physical therapy goal setting. *Phys Ther* 2001;81(5):1118-26.
8. McLean SG, Samorezov JE. Fatigue-induced ACL injury risk stems from a degradation in central control. *Med Sci Sports Exerc* 2009;41(8):1661-72.
9. Grindem H, Granan LP, Risberg MA et al. How does a combined preoperative and postoperative rehabilitation programme influence the outcome of ACL reconstruction 2 years after surgery? A comparison between patients in the Delaware-Oslo ACL Cohort and the Norwegian National Knee Ligament Registry. *Br J Sports Med* 2015;49(6):385-9.
10. Bleakley CM, Glasgow P, MacAuley DC. PRICE needs updating, should we call the POLICE? *Br J Sports Med* 2012;46(4):220-1.
11. Glasgow P, Phillips N, Bleakley C. Optimal loading: key variables and mechanisms. *Br J Sports Med* 2015;49(5):278-9.
12. Palmieri-Smith RM, Thomas AC, Wojtys EM. Maximizing quadriceps strength after ACL reconstruction. *Clin Sports Med* 2008;27(3):405-24, vii-ix.
13. Kim KM, Croy T, Hertel J et al. Effects of neuromuscular electrical stimulation after anterior cruciate ligament reconstruction on quadriceps strength, function, and patient-oriented outcomes: a systematic review. *J Orthop Sports Phys Ther* 2010;40(7):383-91.
14. Benjaminse A, Welling W, Otten B et al. Novel methods of instruction in ACL injury prevention programs, a systematic review. *Phys Ther Sport* 2015;16(2):176-86.
15. Gokeler A, Benjaminse A, Welling W et al. The effects of attentional focus on jump performance and knee joint kinematics in patients after ACL reconstruction. *Phys Ther Sport* 2015;16(2):114-20.
16. Thomee R, Kaplan Y, Kvist J et al. Muscle strength and hop performance criteria prior to return to sports after ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc* 2011;19(11):1798-805.
17. Barber-Westin SD, Noyes FR. Objective criteria for return to athletics after anterior cruciate ligament reconstruction and subsequent reinjury rates: a systematic review. *Phys Sportsmed* 2011;39(3):100-10.
18. Bagniella E. Clinical trials in rehabilitation: single or multiple outcomes? *Arch Phys Med Rehabil* 2009;90(11 Suppl):S17-21.
19. Dobson F, Hinman RS, Hall M et al. Measurement properties of performance-based measures to assess physical function in hip and knee osteoarthritis: a systematic review. *Osteoarthritis Cartilage* 2012;20(12):1548-62.
20. Hildebrandt C, Muller L, Zisch B et al. Functional assessments for decision-making regarding return to sports following ACL reconstruction. Part I: development of a new test battery. *Knee Surg Sports Traumatol Arthrosc* 2015;23(5):1273-81.
21. Silbernagel KG, Gustavsson A, Thomee R et al. Evaluation of lower leg function in patients with Achilles tendinopathy. *Knee Surg Sports Traumatol Arthrosc* 2006;14(11):1207-17.
22. Häggglund M, Walden M, Ekstrand J. Previous injury as a risk factor for injury in elite football: a prospective study over two consecutive seasons. *Br J Sports Med* 2006;40(9):767-72.
23. Mueller-Wohlfahrt HW, Haensel L, Mithoefer K et al. Terminology and classification of muscle injuries in sport: the Munich consensus statement. *Br J Sports Med* 2013;47(6):342-50.
24. Meeuwisse WH. Assessing causation in sport injury: A multifactorial model. *Clin J Sport Med* 1994;4:166-70.
25. Steffen K, Meeuwisse WH, Romiti M et al. Evaluation of how different implementation strategies of an injury prevention programme (FIFA 11+) impact team adherence and injury risk in Canadian female youth football players: a cluster-randomised trial. *Br J Sports Med* 2013;47(8):480-7.
26. Zebis MK, Bencke J, Andersen LL et al. Acute fatigue impairs neuromuscular activity of anterior cruciate ligament-agonist muscles in female team handball players. *Scand J Med Sci Sports* 2011;21(6):833-40.
27. Silbernagel KG, Steele R, Manal K. Deficits in heel-rise height and Achilles tendon elongation occur in patients recovering from an Achilles tendon rupture. *Am J Sports Med* 2012;40(7):1564-71.
28. Hewett TE, Ford KR, Myer GD. Anterior cruciate ligament injuries in female athletes: part 2, a meta-analysis of neuromuscular interventions aimed at injury prevention. *Am J Sports Med* 2006;34(3):490-8.

CHAPTER 19

1. Ardern CL, Glasgow P, Schneiders A et al. 2016 consensus statement on return to sport from the First World Congress in Sports Physical Therapy in Bern. *Br J Sports Med* 2016;50(14): 853-64.
2. Wiese-Bjornstal DM, Smith AM, Shaffer SM et al. An integrated model of response to sport injury: psychological and sociological dynamics. *J Appl Sport Psychol* 1998;10(1):46-69.
3. Roderick M. *The world of professional football*. London: Routledge, 2006.
4. Safai P. Negotiating with risk: exploring the role of the sports medicine clinician. In: Young K, ed. *Sporting bodies, damaged selves: sociological studies of sports-related injury*. Oxford: Elsevier, 2004:269-86.
5. Safai P. Sports medicine, health, and the politics of risk. In: Andrews DL, Carrington B, eds. *A companion to sport*. Malden, MA: Wiley-Blackwell, 2013:112-28.
6. Malcolm D. Medical uncertainty and clinician-athlete relations: the management of concussion injuries in rugby union. *Sociol Sport J* 2009;26(2):191-210.
7. Creighton DW, Shrier I, Shultz R et al. Return-to-play in sport: a decision-based model. *Clin J Sport Med* 2010;20(5):379-85.
8. Shultz R, Bido J, Shrier I et al. Team clinician variability in return-to-play decisions. *Clin J Sport Med* 2013;23(6):456-61.