

Index

Note: The italicized *f* and *t* following page numbers refer to figures and tables, respectively.

A

ABP (Athlete Biological Passport) 428

acclimation

altitude 341-344, 342*f*, 343*f*

cold 321

defined 302, 318

heat 318-320, 318*f*, 319*f*

metabolic 321

sex-specific differences in 320

acclimatization 302, 318

ACE (angiotensin-converting enzyme) 114-115, 114*f*

acetylcholine (ACh) 37, 38*f*, 82

acetyl coenzyme A (acetyl CoA) 63

ACh (acetylcholine) 37, 38*f*, 82

acid-base balance 221-223, 221*f*, 221*t*, 223*f*, 223*t*

ACSM. *See* American College of Sports Medicine (ACSM)

actin 33-35, 34*f*, 36*f*, 37-38, 38*f*, 39*f*

action potential 36-37, 78-80, 79*f*

activation energy 56, 56*f*

acute altitude exposure 334-339, 335*f*, 336*f*, 337*f*, 338*t*, 349-351, 349*f*

acute altitude (mountain) sickness (AMS) 349-351, 349*f*

acute exercise. *See also* cardiovascular responses to acute exercise; respiratory responses to acute exercise

aging and 464-475, 465*f*, 466*f*, 467*f*, 469*f*, 471*t*, 472*f*, 472*t*, 473*f*, 474*f*

by children and adolescents 445-451, 445*f*, 446*f*, 447*f*, 448*f*, 450*f*

defined 3

satiety hormones affected by 118

sex differences and 488-492, 489*f*, 490*f*, 491*f*

acute hypoxia 338, 338*t*

acute muscle soreness 143

acute overload 356, 357*f*, 361*f*, 363

addiction, exercise 366

adenosine diphosphate (ADP)

- in bioenergetics [57f](#), [58-59](#), [60f](#), [61](#), [62f](#), [63](#), [63f](#), [64f](#), [68f](#)
- defined [58](#)
- adenosine triphosphatase (ATPase) [40](#), [40f](#), [42](#), [56](#)
- adenosine triphosphate (ATP). *See also* [ATP-PCr energy system](#)
 - in bioenergetics [2](#), [27](#), [40](#), [40f](#), [54-72](#), [55f](#), [57f](#), [58f](#), [59f](#), [60f](#), [64f](#), [65f](#), [67t](#), [68f](#), [69f](#), [70t](#)
 - energy expenditure and [122](#), [125](#), [130-131](#), [136](#), [138-139](#), [142](#), [144](#), [148](#), [228](#)
- ADH. *See* [antidiuretic hormone \(ADH\)](#)
- adipokines [537](#)
- adipose tissue, as endocrine organ [117](#), [117f](#)
- adolescence [442](#), [455](#), [457](#). *See also* [children and adolescents](#)
- ADP. *See* [adenosine diphosphate \(ADP\)](#)
- adrenal glands [103t](#), [104t](#), [106-107](#), [113](#)
- adrenaline [107](#)
- adrenergic [82](#)
- aerobic capacity. *See* [aerobic power](#)
- aerobic deconditioning [291](#)
- aerobic metabolism [59](#), [61-67](#), [62f](#), [63f](#), [64f](#), [65f](#), [67t](#)
- aerobic power. *See also* [maximal oxygen uptake](#)
 - aging and [470-473](#), [471t](#), [472f](#), [472t](#), [473f](#), [477](#)
 - defined [230](#)
 - limitations to [285-286](#), [287t](#)
 - long-term improvement in [286](#), [288f](#)
- aerobic power training
 - continuous [240-241](#)
 - group [237-238](#)
 - HIIT [241-244](#)
 - interval [238-240](#), [239f](#)
 - interval-circuit [241](#)
 - overview of [237](#), [238t](#)
- aerobic training. *See also* [endurance training](#); [exercise prescription](#)
 - cardiovascular adaptations to [268-279](#), [273f](#), [273t](#), [275f](#), [276f](#), [277t](#), [278f](#), [298](#)
 - chronic, integrated adaptations to [285](#), [285f](#)
 - cognitive function improved by [514](#)
 - CVD and [547-548](#), [548t](#)
 - defined [268](#)
 - factors influencing response to [287-290](#), [288f](#), [289t](#), [290f](#), [291f](#)
 - high responders to [289-290](#), [290f](#), [291f](#)
 - long-term improvement from [286](#), [288f](#)
 - low-intensity [567](#), [567f](#), [567t](#)
 - low responders to [289-290](#), [290f](#), [291f](#)
 - maximal capacity for [128-130](#), [129f](#), [130f](#)
 - meal timing and [387](#)
 - metabolic adaptations to [283-286](#), [284f](#), [285f](#), [296t](#)
 - muscle adaptations to [231](#), [280-283](#), [281f](#), [282f](#), [283f](#)

- muscular vs. cardiorespiratory endurance and [268-269](#)
- nonendurance sports and [290-291](#)
- programming [524](#)
- resistance training and [249](#), [249f](#)
- respiratory adaptations to [268](#), [279-280](#), [298](#)
- respiratory disease reduced by [196](#)
- sex-specific differences in response to [289](#), [289f](#)
- successful athletes in [133](#)
- $\dot{V}O_{2\max}$ in [128-133](#), [129f](#), [130f](#), [132f](#), [184](#), [203-204](#), [203f](#), [204t](#), [285](#)
- afferent feedback, from exercising limbs [195-196](#), [196f](#)
- afferent (sensory) nerves [76](#), [76f](#), [87](#), [195-196](#), [196f](#)
- afterload [203](#), [205](#)
- agility, detraining [372](#)
- aging
 - aerobic function and [470-473](#), [471t](#), [472f](#), [472t](#), [473f](#), [477](#)
 - altitude and [482](#)
 - anaerobic function and [470](#), [473-474](#), [474f](#), [477](#)
 - body composition and [462-464](#), [463f](#), [464f](#), [465f](#)
 - bone mineral density and [463](#), [493](#), [502-503](#)
 - cardiovascular function and [468-469](#), [469f](#)
 - cognitive function and [476](#), [514](#)
 - environmental stress and [480-482](#), [481f](#)
 - heat and [323](#), [323t](#), [481](#), [481f](#)
 - height and [462-464](#), [463f](#)
 - HIIT and [297](#)
 - HR_{max} and [468](#), [472f](#)
 - longevity [482](#)
 - mobility and [477-478](#)
 - muscle and [463-468](#), [464f](#), [466f](#), [467f](#), [475-478](#)
 - neuromuscular function and [465-468](#), [466f](#), [467f](#), [475-477](#)
 - overview of [439](#), [462](#), [483](#)
 - physical activity patterns and [462](#), [462f](#)
 - physiological adaptations to exercise training and [475-478](#)
 - physiological responses to acute exercise and [464-475](#), [465f](#), [466f](#), [467f](#), [469f](#), [471t](#), [472f](#), [472t](#), [473f](#), [474f](#)
 - postmenopausal women and [170](#), [502](#), [505](#)
 - primary [462](#)
 - resistance training and [262-263](#), [480](#), [480f](#)
 - respiratory system and [184](#), [468-470](#)
 - special issues [480-482](#), [481f](#)
 - sport performance and [478-480](#), [479f](#), [480f](#)
 - strength and [84](#), [465-468](#), [466f](#), [467f](#), [475](#)
 - $\dot{V}O_{2\max}$ and [471-474](#), [472f](#), [472t](#), [473f](#), [474f](#), [477](#)
 - weight and [462-464](#), [463f](#), [464f](#), [465f](#)

- agonist muscles [251](#)
- air plethysmography [380-381](#), [381f](#)
- air pollution [178](#)
- aldosterone [103t](#), [104t](#), [113-115](#), [115f](#), [312](#)
- α -motor neuron [36](#), [92](#), [94](#)
- altitude
 - acclimation to [341-344](#), [342f](#), [343f](#)
 - acute exposure to [334-339](#), [335f](#), [336f](#), [337f](#), [338t](#), [349-351](#), [349f](#)
 - aging and [482](#)
 - AMS from [349-351](#), [349f](#)
 - atmospheric pressure at [333-334](#), [333f](#)
 - blood and [337](#), [341-343](#), [342f](#), [343f](#)
 - cardiovascular responses and adaptations to [337-338](#), [343](#)
 - chronic exposure to [341-344](#), [342f](#), [343f](#)
 - defined [333](#)
 - environmental conditions at [332-334](#), [333f](#)
 - exercise at [339-341](#), [340f](#), [344-348](#), [346f](#)
 - HACE and HAPE from [349f](#), [351](#)
 - health risks of [349-351](#), [349f](#)
 - humidity at [334](#)
 - metabolic responses to [338](#), [338t](#)
 - muscle adaptations to [343](#)
 - nutrition needs at [338-339](#)
 - optimization at [347](#)
 - overview of [332](#), [352](#)
 - performance at [339-341](#), [340f](#), [344-348](#), [346f](#)
 - PO₂ and [332-337](#), [333f](#), [334f](#), [335f](#), [336f](#), [339-340](#), [340f](#)
 - pulmonary adaptations [341](#)
 - respiratory responses to [334-337](#), [335f](#), [336f](#), [337f](#), [341](#), [349f](#), [351](#)
 - solar radiation at [334](#)
 - swimmers and [348](#)
 - temperature at [334](#)
 - Tibetan and Sherpa physiology at [344-345](#)
 - training [344-348](#), [346f](#), [350](#)
 - $\dot{V}O_{2\max}$ and [339-340](#), [340f](#)
- alveoli
 - defined [182](#)
 - gas exchange in [183-188](#), [184f](#), [185f](#), [186f](#), [187f](#), [187t](#)
- amenorrhea [498](#), [503](#)
- American College of Sports Medicine (ACSM)
 - on creatine [423-424](#)
 - on overtraining [365-366](#)
 - physical activity recommendations from [233](#), [233t](#), [510-512](#), [513t](#), [517-518](#), [520](#), [525](#), [544](#)

- on preparticipation screening 512, 513t
- on weight management 565
- amino acids
 - b-alanine 419-420
 - branched-chain 420
 - essential and nonessential 393, 393t
 - resistance training interacting with 259-260, 261f
- amphetamines 421, 428-429
- AMS (acute altitude (mountain) sickness) 349-351, 349f
- anabolic steroids 415, 415f, 427t, 429-432, 430f, 431f
- anaerobic metabolism 58-61, 59f, 60f
- anaerobic power
 - aging and 470, 473-474, 474f, 477
 - changes in 292
 - of children and adolescents 449-452, 450f
 - defined 230
- anaerobic power training
 - continuous 240-241
 - group 237-238
 - HIIT 241-244
 - interval 238-240, 239f
 - interval-circuit 241
 - overview of 237, 238t
- anaerobic threshold 219
- anaerobic training. *See also* anaerobic power training
 - adaptations to 268, 291-293, 293f, 296t
 - at altitude 340-341
 - defined 268
 - exercise capacity and 130-132, 131f, 132f, 292
 - jumping 340-341
 - lactate threshold and 131-132, 132f, 284, 284f, 473-474, 474f
 - muscle adaptations with 292
 - power influenced by 292
 - sprinting 340-341
 - throwing 340-341
- analgesics 417
- anatomy
 - beginnings of 4
 - defined 3
 - skeletal muscle 31-36, 31f, 32f, 33f, 36f
- android (upper body) obesity 560-561, 561f
- anemia
 - iron deficiency 498
 - pseudoanemia 278
 - sickle cell 316

angiotensin-converting enzyme (ACE) 114-115, 114f
 anorexia nervosa 503-504, 504t
 antagonist muscles 251
 anterior pituitary gland 102t, 104t, 105-106
 antidiuretic hormone (ADH) 102t, 104t, 112-113, 113f, 312
 anti-doping codes 417, 425-428, 427t
 appetite
 exercise and 566
 hormones 117-118
 arginine vasopressin 312
 arrhythmias 161
 arterial–mixed venous oxygen [(a- $\bar{v}$)O₂] difference
 adaptations to aerobic training 279-280
 aging and 470
 in children and adolescents 446, 447f
 overview of 188, 191-192, 191f
 arterial–venous oxygen [(a-v)O₂] difference 188, 192
 arteries 166
 arterioles 166-169, 167f, 169f, 307
 artificial altitude training 348
 Asmussen, Erling 8
 asthma 193, 217
 atherosclerosis 157, 532-537
 Athlete Biological Passport (ABP) 428
 athletes
 aerobic endurance, successful 133
 centenarian 474
 fiber type and 46
 HIIT for 242-243
 nutrition for 406-410, 408f, 409f
 older, aerobic function in 471-473, 472f, 472t, 473f
 pregnant 486, 500-501
 research on 6
 resistance training for 263-264
 athlete's heart 271-272, 273f
 atmospheric pressure 333-334, 333f
 ATP. See adenosine triphosphate (ATP)
 ATPase (adenosine triphosphatase) 40, 40f, 42, 56
 ATP-PCr energy system
 adaptations in 293, 293f, 296t
 fatigue and 136
 interaction of 69-70, 69f, 70t
 overview of 58-61, 59f, 69
 atrioventricular (AV) node 158-159, 159f
 atrophy 248, 256-258, 257f

Australian (Tennis) Open 302
autocrines 101
autogenic inhibition 251
autonomic nervous system
 in neural control 76, 76f, 87-88, 89t
 overtraining responses by 362
 parasympathetic nervous system in 76f, 88, 89t, 159
 sympathetic nervous system in 76f, 88, 89t, 159, 307-308
(a-v)O₂ (arterial–venous oxygen) difference 188, 192
(a- $\bar{v}$)O₂ (arterial–mixed venous) difference. See arterial–mixed venous oxygen [(a- $\bar{v}$)O₂] difference
AV (atrioventricular) node 158-159, 159f
axon hillock 77
axon terminals 77

B

Bainbridge, F.A. 5
Baldwin, Ken 11, 11f
barometric pressure 332, 333f
baroreceptors 171-172
basal ganglia 85
basal metabolic rate (BMR) 127-128, 557
BAT (brown adipose tissue) 66
Baumgartner, Felix 332
B-complex vitamins 396, 397t
Bergstrom, Jonas 8f, 9-11
 β -alanine 419-420
 β -blockers 427t, 434-435
 β -cells 568
 β -oxidation 66, 67t
bicarbonate, as ergogenic aid 418-419, 419f
bicarbonate ion 190-191
biochemical approaches 10-11
bioelectric impedance 381-382, 382f
bioenergetics. See also energy systems
 ADP in 57f, 58-59, 60f, 61, 62f, 63, 63f, 64f, 68f
 ATP in 2, 27, 40, 40f, 54-72, 55f, 57f, 58f, 59f, 60f, 64f, 65f, 67t, 68f, 69f, 70t
 crossover concept in 70, 70f
 defined 54
 energy storage 57f, 58
 enzymes in 56, 56f, 57f, 71, 71f
 glucose in 54, 55f, 55t, 60-61, 60f
 overview of 54, 73
 rate of energy production 56-58, 56f, 57f
bioinformatics 16

- biopsy, muscle [41-42](#), [41f](#)
- block periodization [360](#)
- blood
 - altitude influencing [337](#), [341-343](#), [342f](#), [343f](#)
 - carbon dioxide transport in [190-191](#)
 - cardiovascular system and [173-174](#), [211-212](#), [211f](#)
 - clot [537](#), [537f](#)
 - composition [173-174](#), [173f](#)
 - distribution [167-173](#), [167f](#), [168f](#), [169f](#), [171f](#), [172f](#)
 - doping [435-437](#), [436f](#), [437f](#)
 - functions [173](#)
 - general hemodynamics [166-167](#), [167f](#)
 - hemoconcentration [112](#), [212](#), [341](#), [342f](#)
 - lipids [540-541](#), [544](#)
 - oxygen content [211](#), [211f](#)
 - oxygen transport in [188-190](#), [189f](#)
 - plasma volume [211-212](#), [211f](#), [278](#), [278f](#)
 - red blood cells [116](#), [174](#), [212](#), [278](#), [278f](#), [341](#)
 - responses to acute exercise [211-212](#), [211f](#)
 - supply, competition for [210-211](#)
 - viscosity [174](#)
 - volume [173-174](#), [173f](#), [278](#), [278f](#), [337](#)
- blood flow
 - adaptations to aerobic exercise [277-278](#), [277t](#)
 - cardiovascular drift [210](#), [210f](#)
 - extrinsic neural control of [168-169](#)
 - through heart [154-157](#), [158f](#)
 - intrinsic control of [167-168](#), [169f](#)
 - to lungs [182](#)
 - muscle, local control of [169-171](#), [171f](#)
 - oxygen delivery and uptake influenced by [192](#)
 - peripheral [468-469](#), [469f](#)
 - redistribution of [209-210](#), [209f](#)
 - responses to acute exercise [208-211](#), [209f](#), [210f](#)
 - skin [307](#)
- blood pressure
 - diastolic [166](#), [533-534](#), [533t](#)
 - integrative control of [171-172](#)
 - responses to acute exercise [207-208](#)
 - systolic [166](#), [533](#), [533t](#)
 - in vascular system [166](#)
- BMD. See [bone mineral density \(BMD\)](#)
- BMI. See [body mass index \(BMI\)](#)
- BMR (basal metabolic rate) [127-128](#), [557](#)
- body composition

- aging and [462-464](#), [463f](#), [464f](#), [465f](#)
- air plethysmography measuring [380-381](#), [381f](#)
- assessment of [378-382](#), [379f](#), [380f](#), [381f](#), [382f](#), [515](#)
- bioelectric impedance measuring [381-382](#), [382f](#)
- of children and adolescents [444](#), [444f](#), [451](#)
- defined [378](#), [379f](#)
- densitometry measuring [379-380](#), [379f](#)
- DEXA measuring [380](#), [380f](#)
- exercise changing [383](#), [565](#)
- fat-free mass [378](#), [382-383](#), [386](#), [444](#), [444f](#), [451](#), [464](#), [465f](#), [487](#), [487f](#), [493](#)
- fat mass [378](#), [383-386](#), [384f](#), [385t](#), [444](#), [444f](#), [451](#), [464](#), [465f](#)
- heat loss affected by [323](#), [323t](#)
- mechanisms for change in [565-567](#)
- overview of [378](#), [411](#)
- performance and [382-386](#)
- sex differences in [444](#), [444f](#), [487-488](#), [487f](#), [493](#)
- skinfold fat thickness measuring [381](#), [381f](#)
- weight and [382-386](#), [565-567](#)
- body density [379-380](#), [379f](#)
- body fat. *See also* [obesity](#); [overweight](#)
 - aging and [463](#)
 - BAT [66](#)
 - in children and adolescents [444](#), [444f](#), [451](#)
 - fat-but-fit paradox [562](#)
 - fat mass [378](#), [383-386](#), [384f](#), [385t](#), [444](#), [444f](#), [451](#), [464](#), [465f](#)
 - relative [378](#), [382-383](#)
 - spot reduction [567](#)
 - storage patterns [560-561](#), [561f](#)
- body fluid
 - balance [311-312](#), [311f](#), [312t](#)
 - hormonal regulation of [111-116](#), [113f](#), [114f](#), [115f](#)
 - replacement [404-406](#), [405f](#)
- body mass index (BMI)
 - defined [552](#)
 - exercise type and [383](#)
 - mortality and [559](#), [560f](#)
 - obesity and [552-554](#), [553t](#)
 - resistance training and [264](#)
- body temperature regulation
 - in cold [302-308](#), [303f](#), [304f](#), [305f](#), [306f](#)
 - in heat [302-308](#), [303f](#), [304f](#), [305f](#), [306f](#), [313](#)
 - heat transfer to and from environment [302-305](#), [303f](#), [304f](#), [305f](#), [321-324](#), [323t](#), [324f](#)
 - muscle [138](#), [139f](#)
 - thermoregulatory control [302-308](#), [303f](#), [304f](#), [305f](#), [306f](#)

Bogalusa Heart Study [539-540](#)
Bolt, Usain [442](#)
bone
 development [443](#), [443f](#), [487-488](#)
 sex differences in [493](#), [502-503](#), [502f](#), [503f](#)
bone mineral density (BMD) [443](#), [443f](#), [463](#), [493](#), [502-503](#), [502f](#), [503f](#)
Booth, Frank [11](#), [11f](#), [545](#)
Borg RPE scale [523](#)
Boyle's gas law [179](#)
Bradford, Jim [248](#)
bradycardia [161](#)
brain
 in CNS [76](#), [84-86](#), [85f](#)
 exercise and [450](#), [476](#), [514](#)
 stem [85f](#), [86](#)
branched-chain amino acids [420](#)
breathing irregularities [217-218](#)
brown adipose tissue (BAT) [66](#)
bulimia nervosa [503-504](#), [504t](#)
Buskirk, Elsworth R. "Buz" [9-10](#), [9f](#)

C

CAD. See [coronary artery disease \(CAD\)](#)
caffeine [421-422](#)
calcium
 in muscle fiber contraction [37-38](#), [38f](#), [40](#)
 nutrition [397t](#), [398](#)
caloric intake, hormonal regulation of [116-118](#), [117f](#)
calorie (cal) [122](#)
calorimeter [122](#), [123f](#)
cAMP (cyclic adenosine monophosphate) [101](#)
capillaries [166](#), [277](#), [277t](#), [280-281](#)
capillary-to-fiber ratio [277](#), [277t](#)
carbaminohemoglobin [190-191](#)
carbohydrate (CHO)
 energy substrate [54-55](#), [55f](#), [55t](#)
 GI and [389-390](#)
 glycogen storage and [388-389](#), [388f](#), [389f](#)
 loading [390](#), [407-409](#), [408f](#)
 in low-carb diets [392](#)
 metabolism [54](#), [108-110](#), [109f](#)
 nutrition [386-391](#), [388f](#), [389f](#), [390f](#), [391f](#)
 oxidation [62-65](#), [62f](#), [63f](#), [64f](#), [65f](#)
 performance and [390-391](#), [390f](#), [391f](#)
 in sport drinks [409-410](#)

- carbon dioxide
 - dissolved [191](#)
 - exchange [186](#)
 - production [124](#), [124f](#)
 - removal [192](#)
 - transport [190-191](#)
 - ventilatory equivalent for [219](#), [219f](#)
- cardiac conduction system [157-161](#), [159f](#), [160f](#)
- cardiac cycle [161-163](#), [163f](#)
- cardiac hypertrophy [271-272](#), [273f](#)
- cardiac muscle [30](#), [30f](#), [156](#), [156f](#), [157f](#), [158](#), [165](#)
- cardiac output ($\dot{Q}$)
 - adaptations to aerobic training [276](#), [276f](#)
 - altitude influencing [337-338](#)
 - determinants [163-166](#), [164f](#)
 - distribution [167](#), [168f](#)
 - responses to acute exercise [206-207](#), [206f](#), [207f](#), [446](#), [447f](#)
 - sex differences in [490](#), [490f](#), [493-494](#)
- CARDIA (Coronary Artery Risk Development in Young Adults) study [540](#)
- cardiopulmonary rehabilitation programs [526](#), [547-548](#), [548t](#)
- cardiorespiratory endurance
 - cold and [327-328](#), [328f](#)
 - defined [269](#)
 - detraining [372-373](#), [373f](#)
 - energy expenditure [128-130](#), [129f](#), [130f](#)
 - evaluation of [269-270](#), [269f](#)
 - limitations to [285-286](#), [287t](#)
 - long-term improvement in [286](#), [288f](#)
 - muscular endurance vs. [268-269](#)
 - in nonendurance sports [290-291](#)
 - programming [524](#)
 - recovery and [214](#), [216-217](#), [222-223](#), [223f](#), [223t](#)
 - submaximal [269-270](#)
 - testing [515](#)
- cardiovascular deconditioning [469](#)
- cardiovascular disease (CVD). See *also* [coronary artery disease](#); [hypertension](#)
 - congenital heart disease [535](#)
 - death during [546-547](#), [547f](#)
 - exercise training and [543-548](#), [544f](#), [547f](#), [548t](#)
 - heart attack [532](#), [546-547](#), [547f](#)
 - heart failure [534](#)
 - lipids and lipoproteins in [540-541](#), [544](#)
 - overview of [530](#), [549](#)
 - peripheral vascular disease [535](#)
 - physical activity for [541-546](#), [544f](#)

- prevalence of 530-531, 530f
- rehabilitation programs for 526, 547-548, 548t
- rheumatic heart disease 535
- risk factors 538-547, 539t, 544f
- sex-specific differences in 531t, 532
- stroke 534
- valvular heart diseases 535
- cardiovascular drift 210, 210f
- cardiovascular responses to acute exercise
 - blood 211-212, 211f
 - blood flow 208-211, 209f, 210f
 - blood pressure 207-208
 - cardiac output 206-207, 206f, 207f, 446, 447f
 - in children and adolescents 446-447, 447f
 - exercise recovery 214, 275-276, 275f
 - HR 200-202, 201f, 206-207, 207f, 213f, 446, 447f
 - HR_{max} 200-202, 200f, 201f, 275, 446
 - integrated 212-215, 213f, 215f
 - overview of 200, 224
 - SV 202-207, 203f, 204f, 204t, 205f, 207f, 210, 210f, 446, 447f
- cardiovascular system
 - adaptations to aerobic training 268-279, 273f, 273t, 275f, 276f, 277t, 278f, 298
 - aging and 468-469, 469f
 - altitude influencing 337-338, 343
 - blood and 173-174, 211-212, 211f
 - exercise in cold and 327-328
 - exercise in heat and 308-309
 - heart in 154-166, 155f, 156f, 157f, 158f, 159f, 160f, 163f, 164f
 - overview of 151, 154, 175
 - sex differences in 490-494, 490f, 491f, 531t, 532
 - vascular system in 166-173, 167f, 168f, 169f, 171f, 172f
- catabolism 56
- catecholamines 107, 160
- CCK (cholecystokinin) 116
- centenarian athletes 474
- central command 215
- central governor theory 140
- central nervous system (CNS)
 - brain in 76, 84-86, 85f
 - caffeine stimulating 421-422
 - endocrine system interaction with 109-110, 159
 - neuromuscular fatigue and 140-142
 - overview of 76, 76f
 - sensory-motor integration 88-94, 89f, 90f, 92f
 - spinal cord 76, 86

cerebellum 85f, 86
cerebrum 84-85, 85f
chemoreceptors 172
cherry juice polyphenols 422-423
Cheyne-Stokes breathing 350
CHF (congestive heart failure) 534
childhood 442
children and adolescents
 anabolic steroids and 432
 anaerobic capacity of 449-452, 450f
 body composition of 444, 444f, 451
 cardiovascular and respiratory function in 446-447, 447f
 development of 442-444, 443f, 444f, 458, 487-488
 diabetes in 570
 endocrine system in 451
 growth and maturation of 442-444, 443f, 444f, 458
 height and weight of 443, 443f
 maximal oxygen consumption in 447-449, 448f, 452, 455
 menarche in 458
 metabolism 447-451, 448f, 450f
 nervous system in 445
 obesity in 452-453
 overview of 439, 442, 459
 overweight 554, 556f
 physical activity patterns among 453-455, 453f, 457
 physiological adaptations to exercise training by 451-452, 458
 physiological responses to acute exercise by 445-451, 445f, 446f, 447f, 448f, 450f
 resistance training for 263-264, 263f
 rest in 446, 447f
 running economy in 448-449
 special issues for 457-458
 sport performance and specialization by 455-457, 456f
 strength in 445, 445f, 446f, 451-452
 thermal stress in 323, 323t, 457-458
 $\dot{V}O_{2\max}$ and 447-449, 448f, 452, 455
chloride 397t, 398-399
congestive heart failure (congestive heart failure) 534
CHO. See carbohydrate (CHO)
cholecystokinin (CCK) 116
cholesterol 540-541, 543-544
cholinergic 82
chronic adaptation 3
chronic altitude exposure 341-344, 342f, 343f
chronic endurance training 285, 285f

chronic exercise [118](#)
chronic hypertrophy [252](#)
cigarette smoking [542](#), [544](#)
CNS. See [central nervous system \(CNS\)](#)
cognitive function [450](#), [476](#), [514](#)
cold habituation [321](#). See *also* [exercise in cold](#)
concentric contractions [43](#), [47](#)
conduction [302-304](#), [303f](#), [321](#)
confounding factors [22](#), [22t](#)
congenital heart disease [535](#)
congestive heart failure (CHF) [534](#)
continuous training [240-241](#)
control group [20-22](#)
convection [302-304](#), [303f](#), [321](#)
cool-down [524](#)
core training [236-237](#)
coronary artery disease (CAD)
 overview of [510](#), [516](#), [530-533](#), [531t](#), [532f](#)
 pathophysiology [535-538](#), [536f](#), [537f](#)
 physical activity and [541-545](#), [544f](#)
 risk [538-545](#), [539t](#), [544f](#)
Coronary Artery Risk Development in Young Adults (CARDIA) study [540](#)
cortisol
 in hormone responses to exercise [103t](#), [104t](#), [107](#), [109f](#)
 overtraining and [362-363](#), [363f](#)
cramps [148-149](#), [314-315](#), [315f](#)
crash dieting [385-386](#)
creatine, as ergogenic aid [423-424](#)
creatine kinase [59](#)
critical power [143](#), [143f](#)
critical temperature theory [310](#)
crossover concept [70](#), [70f](#)
crossover design [21](#)
cross-sectional research design [19-20](#), [20f](#)
cross-training [296-297](#)
Cureton, Thomas K. [9](#), [9f](#)
CVD. See [cardiovascular disease \(CVD\)](#)
cycle ergometers [18-19](#), [18f](#)
cyclic adenosine monophosphate (cAMP) [101](#)
cycling
 aging and [480](#)
 caffeine use in [421](#)
cytochromes [63](#)

D

Dalton's law [183](#)
DBP (diastolic blood pressure) [166](#), [533-534](#), [533t](#)
dead space [178](#)
death, during exercise [546-547](#), [547f](#)
decathlon [228](#)
dehydration
 from exercise in heat [309](#)
 fluid replacement and [404-406](#), [405f](#)
 injury risk and [94](#)
 performance and [401-402](#), [401f](#), [403t](#)
 from severe weight loss [384](#)
delayed-onset muscle soreness (DOMS) [143-148](#), [145f](#), [146f](#), [147f](#)
densitometry [379-380](#), [379f](#)
deoxyribonucleic acid (DNA) [11](#), [15](#), [15f](#)
dependent variable [23](#)
depolarization [78](#)
designer steroids [427-428](#)
detraining
 cardiorespiratory endurance [372-373](#), [373f](#)
 defined [370](#)
 muscular endurance [371-372](#), [371f](#), [372f](#), [372t](#)
 muscular strength and power [370-371](#)
 resistance training [256-258](#), [257f](#)
 during spaceflight [373-374](#)
 speed, agility, and flexibility [372](#)
 swimming and [370-372](#), [371f](#), [372f](#), [372t](#)
 training for sport and [370-374](#), [371f](#), [372t](#), [373f](#)
 $\dot{V}O_{2\max}$ and [373-374](#), [373f](#)
development, of children and adolescents [442-444](#), [443f](#), [444f](#), [458](#), [487-488](#)
DEXA (dual-energy X-ray absorptiometry) [380](#), [380f](#)
diabetes mellitus
 defined [568](#)
 etiology [570](#)
 health problems linked to [570](#)
 obesity and [568](#), [570-571](#)
 overview of [552](#), [574](#)
 physical activity and [571-572](#), [573t](#)
 prediabetes and [568](#)
 prevalence [570](#)
 treatment [569](#)
 type 1 [552](#), [568-572](#), [573t](#)
 type 2 [552](#), [568-572](#), [573t](#)
diastolic blood pressure (DBP) [166](#), [533-534](#), [533t](#)
diencephalon [85-86](#), [85f](#)
diet

- crash [385-386](#)
- for CVD risk reduction [542-543](#)
- high-protein [394](#)
- low-carb and low-fat [392](#)
- meals [387](#), [407](#), [556-557](#), [557f](#)
- resistance training interacting with [258-261](#), [261f](#), [395](#)
- very low calorie [562](#)
- for weight loss [384-386](#), [561-563](#)
- Dietary Reference Intakes (DRIs) [399](#)
- dietary supplements, contamination of [426-427](#)
- Dill, David Bruce (D.B.) [2](#), [5-6](#), [8](#), [471](#)
- direct calorimetry [122](#), [123f](#)
- direct gene activation [100](#)
- disordered eating [503](#)
- displacement hypothesis [511](#)
- distance, interval [239](#)
- diuretics [427t](#), [434](#)
- diurnal variation [22](#)
- DNA (deoxyribonucleic acid) [11](#), [15](#), [15f](#)
- DOMS. See [delayed-onset muscle soreness \(DOMS\)](#)
- Donlevie, Dan [552](#)
- dose–response relation [20](#)
- downregulation [99](#)
- Drinkwater, Barbara [13](#), [13f](#)
- DRIs (Dietary Reference Intakes) [399](#)
- drug testing [423-433](#), [425-428](#), [430](#)
- dry heat exchange [304](#)
- dual-energy X-ray absorptiometry (DEXA) [380](#), [380f](#)
- duration [518](#)
- dynamic contractions [47](#)
- dynamic exercise, pulmonary ventilation during [216-217](#), [216f](#)
- dyslipidemia [540](#)
- dyspnea [217](#)

E

- EAMCs (exercise-associated muscle cramps) [148-149](#)
- eating disorders [503-504](#), [504t](#)
- Eaton, Ashton [228](#)
- eccentric contractions [43](#), [47](#)
- eccentric training [235](#)
- eccrine sweat glands [308](#), [311-312](#), [311f](#), [312t](#)
- ECG. See [electrocardiogram \(ECG\)](#); [exercise electrocardiogram \(ECG\)](#)
- economy of effort [132-133](#), [132f](#)
- EDV. See [end-diastolic volume \(EDV\)](#)
- EF (ejection fraction) [163](#), [164f](#)

effector (efferent) nerves 76, 76f
effort, economy of 132-133, 132f
EIA (exercise-induced asthma) 217, 328
EIAH (exercise-induced arterial hypoxemia) 220
EIB (exercise-induced bronchospasm) 217-218
ejection fraction (EF) 163, 164f
electrical stimulation 236
electrocardiogram (ECG) 160-161, 160f, 515-516, 516f
electrocardiograph 160
electrolytes
 balance 400, 402-404, 403t
 body fluid balance and 311-312, 312t
 defined 398
 hormonal regulation of 111-116, 113f, 114f, 115f
 muscle cramps and 149
electron transport chain 62-67, 62f, 64f
end branches 77
end-diastolic volume (EDV) 163, 203-205, 205f, 210, 273
endocrine system. *See also* hormones
 adipose tissue in 117, 117f
 in children and adolescents 451
 CNS interaction with 109-110, 159
 glands 102-108, 102t-103t, 104t, 112-113, 113f, 308
 kidneys in 103t, 104t, 114-115, 114f, 115f
 overview of 98-101, 99f, 119
endomysium 31
endothelial dysfunction 469, 537, 545
endothelium 535-537, 536f, 544-545
end-systolic volume (ESV) 163, 205, 205f, 210, 273
endurance. *See* cardiorespiratory endurance; muscular endurance
endurance training
 at altitude 339-340, 340f
 chronic 285, 285f
 fiber type composition and 71
 high-intensity 165, 360, 567f, 567t
 for more red blood cells 116
 by postmenopausal women 170
 RMET 182
energy balance
 defined 556
 hormones and 117-118
 obesity and 556-559, 565
 study 383
energy expenditure
 ATP and 122, 125, 130-131, 136, 138-139, 142, 144, 148, 228

- cardiorespiratory endurance and 128-130, 129f, 130f
- during exercise 127-135, 129f, 131f, 132f, 134t
- fatigue and 143, 143f
- measurement of 122-127, 123f, 124f, 126t
- overview of 122, 150
- at rest 127-128
- of various activities 133-135, 134t
- energy production, rate of 56-58, 56f, 57f
- energy storage 57f, 58
- energy systems. *See also* ATP-PCr energy system; glycolytic system; oxidative energy system
 - anaerobic training adaptations in 292-293, 293f
 - fatigue and 136-138, 136f, 137f
 - interaction of 69-70, 69f, 70t
 - overview of 58-59
 - substrates 54-56, 55f, 55t, 67-69, 68f, 451
- environment. *See also* exercise in cold; exercise in heat
 - aging and 480-482, 481f
 - at altitude 332-334, 333f
 - appetite hormones influenced by 118
 - body heat transfer to and from 302-305, 303f, 304f, 305f, 321-324, 323t, 324f
 - exercise physiology and 16-17
 - oxygen delivery and uptake influenced by 192
 - performance influenced by 299
 - in space 16-17
- environmental physiology 3
- enzymes
 - in bioenergetics 56, 56f, 57f, 71, 71f
 - mitochondrial oxidative 282-283, 282f, 283f
 - training and 296, 296t
- ephedrine 428
- epigenetics 15-16
- epimysium 31, 31f
- epinephrine 103t, 104t, 107, 109f
- epitestosterone 427-428
- EPO. *See* erythropoietin (EPO)
- EPOC (excess postexercise oxygen consumption) 131, 131f, 565
- EPSP (excitatory postsynaptic potential) 83-84
- ergogenic aids
 - anabolic steroids 415, 415f, 427t, 429-432, 430f, 431f
 - analgesics 417
 - anti-doping codes and 417, 425-428, 427t
 - alanine 419-420
 - blockers 427t, 434-435
 - bicarbonate 418-419, 419f

- blood doping [435-437](#), [436f](#), [437f](#)
- caffeine [421-422](#)
- cherry juice polyphenols [422-423](#)
- creatine [423-424](#)
- defined [414](#)
- designer steroids [427-428](#)
- dietary supplements, contamination of [426-427](#)
- diuretics [427t](#), [434](#)
- drug testing and [423-433](#), [425-428](#), [430](#)
- hGH [432-434](#)
- leucine [420](#)
- masking agents [427t](#), [434-437](#), [436f](#), [437f](#)
- nitrate [424-425](#)
- nutrition [418-425](#), [419f](#)
- overview of [414](#), [438](#)
- placebo effect of [415-416](#), [415f](#)
- prohibited substances and techniques [425-426](#), [427t](#), [428-437](#), [430f](#), [431f](#), [431t](#), [436f](#)
- researching [414-418](#), [415f](#)
- risks of [419-420](#), [422](#), [424-425](#), [429](#), [432-437](#)
- stimulants [427t](#), [428-429](#)
- ergolytic [414](#)
- ergometers [18-19](#), [18f](#)
- erythropoietin (EPO) [103t](#), [104t](#), [115](#), [341](#), [435](#), [437](#)
- Essen, Birgitta [13](#), [13f](#)
- essential amino acids [393](#), [393t](#)
- estrogen
 - functions [103t](#), [104t](#)
 - in menstruation [496](#), [497f](#)
 - in puberty [487-488](#), [487f](#)
 - as steroid [427](#)
- ESV. See [end-systolic volume \(ESV\)](#)
- eumenorrhea [498](#)
- evaporation [302](#), [303f](#), [305-306](#), [305f](#), [321](#)
- excessive training [357-358](#), [358f](#)
- excess postexercise oxygen consumption (EPOC) [131](#), [131f](#), [565](#)
- excess visceral adipose tissue (VAT) [564](#)
- excitation–contraction coupling [36-37](#), [38f](#)
- excitatory postsynaptic potential (EPSP) [83-84](#)
- exercise addiction [366](#)
- exercise-associated muscle cramps (EAMCs) [148-149](#)
- exercise electrocardiogram (ECG) [515-516](#), [516f](#)
- exercise in cold
 - aging and [481-482](#)
 - body temperature regulation and [302-308](#), [303f](#), [304f](#), [305f](#), [306f](#)

- cardiorespiratory effects of [327-328](#), [328f](#)
- by children and adolescents [457-458](#)
- exercise-induced asthma from [217](#), [328](#)
- factors affecting heat loss in [321-323](#), [323t](#)
- frostbite from [328](#)
- habituation and acclimation to cold [321](#)
- health risks [326-328](#), [328f](#)
- hypothermia from [322-324](#), [326-328](#)
- metabolic responses to [325](#)
- overview of [302](#), [320-321](#), [321f](#)
- physiological responses to [324-325](#)
- shivering and [321-322](#)
- in water [323-324](#)
- windchill and [323](#), [324f](#)
- exercise-induced arterial hypoxemia (EIAH) [220](#)
- exercise-induced asthma (EIA) [217](#), [328](#)
- exercise-induced bronchospasm (EIB) [217-218](#)
- exercise inefficiency [144](#)
- exercise in heat
 - acclimation to [318-320](#), [318f](#), [319f](#)
 - age and [323](#), [323t](#), [481](#), [481f](#)
 - body temperature regulation and [302-308](#), [303f](#), [304f](#), [305f](#), [306f](#), [313](#)
 - cardiovascular function in [308-309](#)
 - by children and adolescents [323](#), [323t](#), [457-458](#)
 - dehydration from [309](#)
 - health risks during [313-318](#), [314f](#), [315f](#), [317f](#)
 - heat-related disorders from [314-317](#), [315f](#), [317f](#)
 - hyperthermia from [309](#), [316-317](#), [317f](#)
 - limitations on [309-311](#), [310f](#)
 - measurement of heat stress and [314](#), [314f](#)
 - overview of [302](#)
 - physiological responses to [308-313](#), [310f](#), [311f](#), [312t](#)
 - precooling for [310-311](#)
 - sickle cell anemia and [316](#)
 - tattoos and [313](#)
- exercise intensity
 - brain influenced by [514](#)
 - CAD risk reduction and [543-544](#)
 - high-intensity endurance exercise [165](#), [360](#), [567f](#), [567t](#)
 - hypertrophy and [252](#)
 - interval [238-239](#), [239f](#)
 - low-intensity aerobic exercise [567](#), [567f](#), [567t](#)
 - monitoring [519-524](#), [520f](#), [521t-522t](#), [523t](#)
 - periodization and [360](#)
 - prescription [518](#)

exercise physiology

- acute and chronic responses to exercise [3](#)

- aging and [464-475](#), [465f](#), [466f](#), [467f](#), [469f](#), [471t](#), [472f](#), [472t](#), [473f](#), [474f](#)

- in children and adolescents [445-452](#), [445f](#), [446f](#), [447f](#), [448f](#), [450f](#), [458](#)

- in cold [324-325](#)

- contemporary approaches [10-11](#), [10f](#), [11f](#)

- defined [3](#)

- environment and [16-17](#)

- evolution of [2-14](#)

- in heat [308-313](#), [310f](#), [311f](#), [312t](#)

- overview of [2-3](#), [25](#)

- research [17-24](#), [17f](#), [18f](#), [20f](#), [22t](#), [24f](#)

- Scandinavian influence on [8-9](#), [8f](#)

- scientific exchange and interaction era of [6-10](#), [7f](#), [8f](#), [9f](#)

- sex differences in [13-14](#), [13f](#), [488-494](#), [489f](#), [490f](#), [491f](#)

- skeletal muscle and [45-50](#), [47t](#), [48f](#), [49f](#), [50f](#)

- in 21st century [14-17](#), [15f](#)

- women in [13-14](#), [13f](#)

exercise prescription

- duration [518](#)

- frequency [518](#)

- intensity [518](#)

- mode [517](#)

- progression [519](#)

- sitting breaks [519](#)

- volume [518-519](#)

exercise training. See *also* [acute exercise](#); [aerobic power training](#); [aerobic training](#); [anaerobic power training](#); [resistance training](#)

- aging and [475-478](#)

- at altitude [339-341](#), [340f](#), [344-348](#), [346f](#)

- appetite and [566](#)

- benefits of [510](#)

- body composition and [383](#), [565](#)

- brain influenced by [450](#), [476](#), [514](#)

- by children and adolescents, physiological adaptations to [451-452](#), [458](#)

- CVD and [543-548](#), [544f](#), [547f](#), [548t](#)

- death during [546-547](#), [547f](#)

- effects [3](#)

- energy expenditure during [127-135](#), [129f](#), [131f](#), [132f](#), [134t](#)

- enzymes and [296](#), [296t](#)

- fiber types and [44](#), [48](#), [71](#)

- flexibility [524-525](#)

- fluids during [404-406](#), [405f](#)

- heart attack risk in [546-547](#), [547f](#)

- land vs. water [501](#)

- menopause and 505
- overview of 225, 228, 245
- in pregnancy 499-502, 499*t*
- principles 230-232
- programming 524-526
- risk reduction with 543-546, 544*f*
- RMR and 566-567
- sex differences and 493-494
- specificity of 231, 295-297, 296*f*, 296*t*
- status, $\dot{V}O_{2\max}$ and 288
- terminology 228-230, 228*f*, 229*t*
- water balance during 400-401, 400*f*, 401*t*
- expiration 179-180, 180*f*
- external respiration 178
- extracellular fluid 400
- extrinsic neural control 168-169

F

- Fabricius, Hieronymus 4
- Fartlek training 241
- fascicle 31, 37
- fasting 385-386
- fasting glucose, impaired 568
- fast-twitch fibers. See *type II fibers*
- fat. See *also* *body fat*
 - consumption 392-393
 - energy substrate 54-56, 55*f*, 55*t*
 - in low-fat diets 392
 - metabolism 54, 110-111, 111*f*
 - nutrition 386-387, 391-393
 - oxidation 65-67, 67*t*
 - performance and 393
- fat-but-fit paradox 562
- fat-free mass (FFM)
 - aging and 464, 465*f*
 - in body composition 378, 382-383, 386, 444, 444*f*, 451, 464, 465*f*, 487, 487*f*, 493
 - sex differences in 487, 487*f*, 493
- fatigue
 - defined 134-135
 - energy expenditure and 143, 143*f*
 - energy systems and 136-138, 136*f*, 137*f*
 - exercise inefficiency and 144
 - metabolic by-products and 138-140, 139*f*, 140*f*
 - muscle cramps and 148-149

- neuromuscular 140-142
- overview of 122, 134-136, 150
- reduction 141, 146
- from severe weight loss 384
- fat mass
 - aging and 464, 465*f*
 - in body composition 378, 383-386, 384*f*, 385*t*, 444, 444*f*, 451, 464, 465*f*
- fatty streaks 533
- female athlete triad 384, 503-504
- FEV_{1.0}. See forced expiratory volume in 1 s
- FFAs. See free fatty acids (FFAs)
- FFM. See fat-free mass (FFM)
- FHS (Framingham Heart Study) 539
- fiber hyperplasia 252, 254-255, 254*f*, 255*f*
- fiber hypertrophy 252-253, 253*f*, 256-258, 257*f*
- Fick equation 206, 270
- Fick's law 185
- fitness. See health and fitness
- fitness testing 515
- Fitz, George Wells 6
- flexibility
 - detraining 372
 - testing 515
 - training 524-525
- fluids. See also body fluid; water
 - hyperthermia and 317, 317*f*
 - replacement of 404-406, 405*f*, 410
 - sport drinks 409-410
- follicle-stimulating hormone (FSH) 487, 497*f*
- force, generation of 47-50, 48*f*, 49*f*, 50*f*
- forced expiratory volume in 1 s (FEV_{1.0}) 469
- force-velocity relation 49, 49*f*
- Framingham Heart Study (FHS) 539
- Frank-Starling mechanism 203-205
- Fraser-Pryce, Shelly-Ann 442
- free fatty acids (FFAs) 55, 110-111, 325
- free radicals 397
- free weights 234-235, 234*f*
- frequency
 - in interval training 240
 - prescription 518
- Frodeno, Jan 268
- frostbite 328
- FSH (follicle-stimulating hormone) 487, 497*f*
- fuel

efficient utilization of 68, 68*f*
for shivering 321-322
functional sympatholysis 169, 171*f*

G

Galen, Claudius 4
γ-motor neuron 92-93
gas exchange
 altitude influencing 335*f*, 336-337, 336*f*
 in alveoli 183-188, 184*f*, 185*f*, 186*f*, 187*f*, 187*t*
 at muscles 191-193, 191*f*, 335*f*, 336-337, 336*f*
gastric emptying 409-410
gastrointestinal tract hormones 116-117
gender, sex vs. 486-487
genomics 14-15, 15*f*
genotype 16
GH. See growth hormone (GH)
ghrelin 117-118, 117*f*
GI (glycemic index) 389-390
GIH (Gymnastik-och Idrottshögskolan) 8-9
glands
 eccrine sweat 308, 311-312, 311*f*, 312*t*
 endocrine 102-108, 102*t*-103*t*, 104*t*, 112-113, 113*f*, 308
glucagon 103*t*, 104*t*, 107-108, 109*f*
glucocorticoids 107
gluconeogenesis 56
glucose
 bioenergetics 54, 55*f*, 55*t*, 60-61, 60*f*
 glycogen depletion and 138
 impaired fasting 568
 impaired tolerance 568-569
 IVGTT and 569
 plasma glucose concentration 108-109, 109*f*
 regulation 108-110, 109*f*
 uptake 109, 109*f*, 544
glycemic index (GI) 389-390
glycogen 54, 55*f*, 55*t*
 depletion 136-138, 136*f*, 137*f*, 407-409, 408*f*, 409*f*
 loading 390, 407-409, 408*f*
 replacement 407-409, 408*f*, 409*f*
 sparing 283
 storage, carbohydrate and 388-389, 388*f*, 389*f*
glycogenolysis 61
glycolysis 58-61, 60*f*
glycolytic system

- adaptations in [293](#), [293f](#)
- interaction of [69-70](#), [69f](#), [70t](#)
- overview of [58-61](#), [58-63](#), [60f](#), [62f](#), [64f](#)
- golf [518](#)
- Golgi tendon organ [92f](#), [93-94](#), [251](#)
- Gollnick, Phil [10-11](#), [10f](#)
- graded exercise test (GXT) [515-516](#), [516f](#)
- graded potentials [78](#)
- graphs, reading and interpreting [23-24](#), [24f](#)
- group exercise training [237-238](#)
- growth, of children and adolescents [442-444](#), [443f](#), [444f](#), [458](#)
- growth hormone (GH) [102t](#), [104t](#), [106](#), [108](#), [253-254](#), [451](#)
- GXT (graded exercise test) [515-516](#), [516f](#)
- Gymnastik-och Idrottshögskolan (GIH) [8-9](#)
- gynoid (lower body) obesity [560-561](#), [561f](#)

H

- HACE (high-altitude cerebral edema) [349f](#), [351](#)
- Haldane, John S. [5-6](#)
- Haldane transformation [124-125](#)
- Hansen, Ole [8](#)
- HAPE (high-altitude pulmonary edema) [349f](#), [351](#)
- Harding, Josh [76](#)
- Harvard Fatigue Laboratory (HFL) [2](#), [6-8](#), [7f](#), [471](#)
- HDL-C. See [high-density lipoprotein cholesterol \(HDL-C\)](#)
- health and fitness. See *also* [exercise prescription](#)
 - CVD risk reduced by [540](#)
 - health screening [512-516](#), [513t](#), [516f](#)
 - intensity monitoring for [519-524](#), [520f](#), [521t-522t](#), [523t](#)
 - level, $\dot{V}O_{2max}$ and [72](#)
 - overview of [507](#), [510](#), [527](#)
 - physical activity recommendations for [510-512](#), [517](#)
 - programming [524-526](#)
 - rehabilitation programs [526](#), [547-548](#), [548t](#)
 - testing [515](#)
- health risks
 - of altitude exposure [349-351](#), [349f](#)
 - during exercise in cold [326-328](#), [328f](#)
 - during exercise in heat [313-318](#), [314f](#), [315f](#), [317f](#)
- health span [482](#)
- heart
 - arrhythmias [161](#)
 - attack [532](#), [537](#), [546-547](#), [547f](#)
 - blood flow through [154-157](#), [158f](#)
 - cardiac cycle [161-163](#), [163f](#)

- cardiac muscle 30, 30*f*, 156, 156*f*, 157*f*, 158, 165
- in cardiovascular system 154-166, 155*f*, 156*f*, 157*f*, 158*f*, 159*f*, 160*f*, 163*f*, 164*f*
- conduction system 157-161, 159*f*, 160*f*
- failure 534
- hypertrophy 271-272, 273*f*
- murmur 155
- myocardium 155-157, 156*f*, 157*f*, 158*f*
- output determinants 163-166, 164*f*
- pumping action 164-166
- response to acute exercise 206-207, 207*f*
- size 271-272, 273*f*
- heart disease. See cardiovascular disease
- heart rate (HR)
 - adaptations to aerobic training 274-276, 275*f*
 - exercise training-induced reductions in 162
 - extrinsic control of 159-160, 160*f*
 - HR_{max} 200-202, 200*f*, 201*f*, 275, 446, 468, 472*f*, 490
 - recovery 275-276, 275*f*
 - responses to acute exercise 200-202, 201*f*, 206-207, 207*f*, 213*f*, 446, 447*f*
 - RHR 200
 - sex differences in 490
 - steady-state 201
 - submaximal 274-275, 275*f*
 - SV interactions with 275
 - THR 519-520, 520*f*
 - variability 201-202
 - $\dot{V}O_{2\max}$ related to 520, 520*f*
- heart rate reserve (HRR) 520, 523
- heat. See also exercise in heat
 - acclimation 318-320, 318*f*, 319*f*
 - cramps 149, 314-315, 315*f*
 - exhaustion 315, 315*f*
 - loss 305, 321-324, 323*t*
 - production 138, 139*f*, 302, 303*f*
- heat-related disorders 314-317, 315*f*, 317*f*
- heatstroke 315-316, 315*f*
- height
 - aging and 462-464, 463*f*
 - of children and adolescents 443, 443*f*
- hematocrit 173, 278, 278*f*
- hematopoiesis 174
- hemoconcentration 112, 212, 341, 342*f*
- hemodilution 115
- hemodynamics 166-167, 167*f*

hemoglobin
altitude and [341](#), [342f](#), [343f](#)
defined [174](#)
myoglobin and [192](#), [192f](#)
in oxygen–hemoglobin dissociation curve [188-189](#), [189f](#)
pseud anemia and [278](#)
respiratory system and [188-192](#), [189f](#), [192f](#)
hemorrhagic stroke [534](#)
Henry's law [183](#)
heredity, aerobic training response influenced by [288-289](#), [288f](#)
Hering-Breuer reflex [194](#)
HFL (Harvard Fatigue Laboratory) [2](#), [6-8](#), [7f](#), [471](#)
hGH (human growth hormone) [432-434](#)
high-altitude cerebral edema (HACE) [349f](#), [351](#)
high-altitude pulmonary edema (HAPE) [349f](#), [351](#)
high-density lipoprotein cholesterol (HDL-C) [540-541](#), [543-544](#)
high-energy phosphates [57f](#), [58](#)
high-intensity endurance exercise [165](#), [360](#), [567f](#), [567t](#)
high-intensity interval training (HIIT)
adaptations to [82](#), [243](#), [293-294](#), [297](#)
age and [297](#)
Tabata [241](#)
training programs [241-244](#)
high-protein diets [394](#)
high responders, to aerobic training [289-290](#), [290f](#), [291f](#)
HIIT. See [high-intensity interval training \(HIIT\)](#)
Hill, Archibald V. (A.V.) [5-6](#), [5f](#), [140](#)
hitting the wall [54](#)
Hohwü-Christensen, Erik [8-9](#), [8f](#)
Hollozy, John [10-11](#), [10f](#)
homeostasis [3](#)
hormones
actions of [100-101](#), [100f](#), [101f](#)
appetite [117-118](#)
caloric intake regulated by [116-118](#), [117f](#)
chemical classification of [98-99](#)
defined [98](#)
of endocrine glands [102-105](#), [102t-103t](#), [104t](#)
energy balance and [117-118](#)
fluids and electrolytes regulated by [111-116](#), [113f](#), [114f](#), [115f](#)
hypertrophy and [253-254](#)
metabolism regulated by [105-111](#), [109f](#), [111f](#)
nonsteroid [99-101](#), [101f](#)
overtraining and [362-364](#), [363f](#), [364f](#)
overview of [98](#), [119](#)

- satiety [117-118](#)
- secretion and plasma concentration [99](#)
- steroid [98-100](#), [100f](#)
- temperature altering [118](#)
- HPA (hypothalamic-pituitary-adrenocortical axis) [363](#), [364f](#)
- HR. See [heart rate \(HR\)](#)
- HR_{max}. See [maximum heart rate](#)
- HRR (heart rate reserve) [520](#), [523](#)
- HTN. See [hypertension \(HTN\)](#)
- human growth hormone (hGH) [432-434](#)
- humidity [305](#), [334](#)
- HUNT Fitness Study [202](#)
- hydrogen ions [139-140](#), [140f](#)
- hydrostatic pressure [211](#)
- hydrostatic weighing [379-380](#), [379f](#)
- hyperglycemia [107](#)
- hyperinsulinemia [570](#)
- hyperpolarization [78](#)
- hypertension (HTN)
 - overview of [530](#), [533-534](#), [533t](#)
 - pathophysiology [538](#)
 - physical activity and [544-546](#)
 - risk factors [541](#), [544-547](#)
- hyperthermia [309](#), [316-317](#), [317f](#)
- hypertrophy. See [muscle hypertrophy](#)
- hyperventilation [218](#)
- hypobaric [332](#)
- hypoglycemia [107](#)
- hyponatremia [405](#), [410](#)
- hypothalamic-pituitary-adrenocortical axis (HPA) [363](#), [364f](#)
- hypothalamus [306-309](#), [306f](#), [311](#), [321](#)
- hypothermia [322-324](#), [326-328](#)
- hypoxemia [332](#), [335](#)
- hypoxia [143](#), [337-338](#), [338t](#), [344-351](#)

I

- ice baths [295](#)
- IDDM (insulin-dependent (type 1) diabetes mellitus) [552](#), [568-572](#), [573t](#)
- IGF-1 (insulin-like growth factor 1) [253-254](#), [451](#)
- illness, sleep and [374](#)
- IMAT (intermuscular adipose tissue) [564](#)
- immobilization, atrophy from [256](#)
- immune function [364-365](#), [365f](#)
- impaired fasting glucose [568](#)
- impaired glucose tolerance [568-569](#)

- independent variable [23](#)
- indirect calorimetry [122-126](#), [124f](#), [126t](#)
- individuality, principle of [230-231](#)
- infancy [442](#)
- inflammation [145](#), [545](#)
- inhibiting factors [105](#)
- inhibitory postsynaptic potential (IPSP) [83-84](#)
- injuries
 - physical inactivity in children and [455](#)
 - risk factors [94](#)
 - satellite cell response to [255](#), [255f](#)
- inorganic phosphate [138](#)
- insensible water loss [304](#)
- inspiration [178-179](#), [180f](#)
- insulation [304](#)
- insulative acclimation [321](#)
- insulin
 - in hormonal control during exercise [107-110](#), [109f](#)
 - resistance [99](#)
 - resistance training interacting with [258-260](#), [261f](#)
 - sensitivity [99](#), [544](#)
- insulin-dependent (type 1) diabetes mellitus (IDDM) [552](#), [568-572](#), [573t](#)
- insulin-like growth factor 1 (IGF-1) [253-254](#), [451](#)
- integrative physiology [11-12](#)
- intensity. See [exercise intensity](#)
- intercalated disks [156](#)
- intermuscular adipose tissue (IMAT) [564](#)
- internal respiration [178](#)
- interval-circuit training [241](#)
- interval intensity [238-239](#), [239f](#)
- interval training [238-240](#), [239f](#)
- intracellular fluid [400](#)
- intravenous glucose tolerance test (IVGTT) [569](#)
- IPSP (inhibitory postsynaptic potential) [83-84](#)
- irisin [327](#)
- iron [397t](#), [398](#), [498](#)
- iron deficiency [498](#)
- ischemia [532](#)
- ischemic stroke [534](#)
- isokinetic training [228f](#), [235-236](#)
- isometric (static) contraction [43](#), [47](#)
- isometric training [234](#)
- isotopic measurements, of metabolism [126-127](#)
- IVGTT (intravenous glucose tolerance test) [569](#)

J

JNC8 guidelines [533](#), [533t](#)
Joyner, Michael J. [11-12](#)
jumping, at altitude [340-341](#)

K

Karolinska Institute [9](#)
Karpovich, Peter [9](#), [9f](#)
kidneys, as endocrine organs [103t](#), [104t](#), [114-115](#), [114f](#), [115f](#)
kilocalories (kcal) [54](#)
Krebs cycle [61-67](#), [62f](#), [63f](#), [64f](#), [67t](#), [69](#), [71-72](#)
Krogh, August 5, [7f](#), [8](#)

L

lactate threshold
 aging and [473-474](#), [474f](#)
 anaerobic function and [131-132](#), [132f](#), [284](#), [284f](#), [473-474](#), [474f](#)
lactic acid [67](#), [135](#), [138-139](#)
LaGrange, Fernand [4-5](#)
land exercise, water vs. [501](#)
LDL-C (low-density lipoprotein cholesterol) [540-541](#), [543-544](#)
length–tension relation [48-49](#), [48f](#)
leptin [110](#), [117-118](#), [117f](#)
leucine [420](#)
LH (luteinizing hormone) [487](#)
lifestyle management, for CVD risk reduction [542-543](#)
lipid. *See* [fat](#)
lipids, blood [540-541](#), [544](#)
lipogenesis [56](#)
lipolysis [65](#)
lipoprotein lipase [488](#)
lipoproteins [488](#), [540-541](#)
liver fat [564](#)
long, slow distance (LSD) training [240-241](#)
longevity [482](#)
longitudinal research design [19-20](#), [20f](#)
low-carb and low-fat diets [392](#)
low-density lipoprotein cholesterol (LDL-C) [540-541](#), [543-544](#)
lower body (gynoid) obesity [560-561](#), [561f](#)
low-intensity aerobic exercise [567](#), [567f](#), [567t](#)
low responders, to aerobic training [289-290](#), [290f](#), [291f](#)
LSD (long, slow distance) training [240-241](#)
lungs
 aging and [184](#)
 alveoli [183-188](#), [184f](#), [185f](#), [186f](#), [187f](#), [187t](#)
 blood flow to [182](#)

TLC [180](#), [181f](#), [469](#)
luteinizing hormone (LH) [487](#)

M

machines, resistance training [234-235](#)
macrominerals [398](#)
MAP (mean arterial pressure) [166](#)
marathons [496](#), [532](#)
Marcora, Samuele [122](#)
masking agents [427t](#), [434-437](#), [436f](#), [437f](#)
masters world records [479](#), [479t](#)
maturation, of children and adolescents [442-444](#), [443f](#), [444f](#), [458](#)
maximal exercise, by children and adolescents [446](#)
maximal expiratory ventilation ($\dot{V}_{E\max}$) [469](#)
maximal oxygen uptake ($\dot{V}O_{2\max}$)
 adaptations [285-286](#), [287t](#), [288-292](#), [288f](#), [289t](#), [290f](#), [291f](#), [295](#), [296f](#), [297-298](#)
 in aerobic exercise [128-133](#), [129f](#), [130f](#), [132f](#), [184](#), [203-204](#), [203f](#), [204t](#), [285](#)
 aging and [471-474](#), [472f](#), [472t](#), [473f](#), [474f](#), [477](#)
 at altitude [339-340](#), [340f](#)
 blood doping influencing [435-436](#), [436f](#)
 in children and adolescents [447-449](#), [448f](#), [452](#), [455](#)
 detraining and [373-374](#), [373f](#)
 evaluation of [269-270](#), [269f](#)
 fitness level and [72](#)
 HIIT and [241-244](#)
 HR related to [520](#), [520f](#)
 improvement of [270-271](#)
 lactate threshold and [132](#)
 in low-intensity aerobic exercise [567](#), [567f](#), [567t](#)
 in normally active people [471](#)
 sex differences in [490-492](#), [490f](#), [491f](#), [494](#)
 SV and [203-204](#), [203f](#), [204t](#)
 training status and [288](#)
 $\dot{V}O_{2R}$ and [520-521](#)
maximal voluntary ventilation [220](#)
maximum heart rate ($HR_{\max}$)
 aging and [468](#), [472f](#)
 responses to acute exercise [200-202](#), [200f](#), [201f](#), [275](#), [446](#)
 sex differences in [490](#)
meals
 precompetition [407](#)
 thermic effect of [556-557](#), [557f](#)
 timing of [387](#)
mean arterial pressure (MAP) [166](#)

mechanistic target of rapamycin (mTOR) 259-261, 261f
mechanoreceptors 172
men. See [sex-specific differences](#)
menarche 458, 497-498
menopause 505
menses 496, 497f, 505
menstrual cycle 496, 497f
menstrual dysfunction 498-499
menstruation 458, 496-499, 497f, 503
MET (metabolic equivalent) 518, 521-523, 521t-522t
metabolic acclimation 321
metabolic equivalent (MET) 518, 521-523, 521t-522t
metabolic heat production 302, 303f
metabolic syndrome 559
metabolism. See *also* [bioenergetics](#)
 aerobic 59, 61-67, 62f, 63f, 64f, 65f, 67t
 altitude influencing 338, 338t
 anaerobic 58-61, 59f, 60f
 BMR 127-128, 557
 by-products 138-140, 139f, 140f
 carbohydrate 54, 108-110, 109f
 in children and adolescents 447-451, 448f, 450f
 defined 54, 122
 during exercise in cold 325
 fat 54, 110-111, 111f
 hormonal regulation of 105-111, 109f, 111f
 isotopic measurements of 126-127
 obesity and 558-559
 overview of 54
 pulmonary ventilation and 218-219, 219f
 RMR 128, 556-557, 557f, 566-567
 in submaximal exercise 128
 training adaptations in 283-286, 284f, 285f, 296t
metformin 569
microminerals 398
Miller, Amber 486
mineralocorticoids 103t, 107, 113
minerals 397t, 398-399
mitochondria 62, 64f, 281-282, 281f, 478
mitochondrial oxidative enzymes 282-283, 282f, 283f
mobility, aging and 477-478
mode 517, 543-544
mortality
 BMI and 559, 560f
 sitting and 511

- motor neurons (motor nerves) [36](#), [76](#), [82](#), [92-94](#)
- motor reflex [91](#)
- motor response [94](#)
- motor unit [36](#), [37f](#), [43](#)
 - age-related changes in [477](#)
 - HIIT adaptations of [82](#)
 - rate coding of [48](#), [251](#)
 - synchronization and recruitment [250-251](#)
- mountain sickness [349-351](#), [349f](#)
- mTOR (mechanistic target of rapamycin) [259-261](#), [261f](#)
- muscle. See *also* [skeletal muscle](#)
 - aerobic training adaptations in [231](#), [280-283](#), [281f](#), [282f](#), [283f](#)
 - aging and [463-468](#), [464f](#), [466f](#), [467f](#), [475-478](#)
 - agonist and antagonist [251](#)
 - altitude adaptations in [343](#)
 - anaerobic training adaptations in [292](#)
 - biopsy [41-42](#), [41f](#)
 - blood flow, local control of [169-171](#), [171f](#)
 - cardiac [30](#), [30f](#), [156](#), [156f](#), [157f](#), [158](#), [165](#)
 - cramps [148-149](#)
 - development [444](#)
 - function, in cold [324-325](#)
 - gas exchange at [191-193](#), [191f](#), [335f](#), [336-337](#), [336f](#)
 - glucose uptake by [109](#), [109f](#), [544](#)
 - glycogen depletion in [136-138](#), [136f](#), [137f](#), [407-409](#), [408f](#), [409f](#)
 - memory [49-50](#), [50f](#)
 - overview of [27](#), [30-31](#), [30f](#), [51](#)
 - oxidative capacity of [70-72](#), [70f](#)
 - oxygen transport in [192](#), [192f](#)
 - protein synthesis and breakdown [420](#)
 - pump [172](#), [172f](#)
 - resistance training adaptations by [32](#), [248-265](#)
 - size [48](#)
 - spindle [92-93](#), [92f](#)
 - structural damage to [145](#), [145f](#)
 - temperature [138](#), [139f](#)
- muscle fibers. See *also* [type I fibers](#); [type II fibers](#)
 - anatomy [31-33](#), [32f](#)
 - capillary-to-fiber ratio [277](#), [277t](#)
 - contraction of [36-40](#), [37f](#), [38f](#), [39f](#), [40f](#), [43-44](#), [45f](#)
 - glycogen depletion and [137](#), [137f](#)
 - hyperplasia [252](#), [254-255](#), [254f](#), [255f](#)
 - hypertrophy [252-253](#), [253f](#), [256-258](#), [257f](#)
 - recruitment of [45-46](#)
 - relaxation of [40](#)

- sex differences in [91](#), [489](#)
- muscle hypertrophy
 - aerobic exercise increasing [231](#)
 - chronic [252](#)
 - fiber hypertrophy [252-253](#), [253f](#), [256-258](#), [257f](#)
 - heart [271-272](#), [273f](#)
 - hormones and [253-254](#)
 - mechanisms [252-255](#), [253f](#), [254f](#), [255f](#)
 - recommendations for [233-234](#), [233t](#)
 - transient [252](#)
- muscle soreness
 - acute [143](#)
 - DOMS [143-148](#), [145f](#), [146f](#), [147f](#)
 - overview of [122](#), [150](#)
 - statins and [146-147](#)
- muscular endurance
 - assessment of [515](#)
 - cardiorespiratory endurance vs. [268-269](#)
 - defined [229-230](#), [229t](#)
 - detraining [371-372](#), [371f](#), [372f](#), [372t](#)
 - recommendations [233t](#)
- muscular power [229](#), [229t](#), [233t](#), [234](#), [370-371](#)
- muscular strength. See [strength, muscular](#)
- musculoskeletal system [30](#)
- myelination [79](#), [445](#)
- myelin sheath [77f](#), [79](#)
- myocardial infarction [532](#), [546-547](#), [547f](#)
- myocardium [155-157](#), [156f](#), [157f](#), [158f](#)
- myofibrils [33-36](#), [33f](#), [34f](#), [36f](#)
- myoglobin [192](#), [192f](#), [281](#)
- myosin [33-35](#), [34f](#), [36f](#), [37-38](#), [38f](#), [39f](#), [40f](#), [43](#)
- myosin cross-bridges [38](#), [40f](#), [43](#)

N

- nebulin [34-35](#), [34f](#)
- negative feedback [56](#), [57f](#), [99](#)
- nerve impulse [77-80](#), [79f](#)
- nervous system. See *also* [central nervous system \(CNS\)](#); [peripheral nervous system \(PNS\)](#)
 - aging and [465-468](#), [466f](#), [467f](#), [475-477](#)
 - in children and adolescents [445](#)
 - extrinsic neural control of blood flow and [168-169](#)
 - nerve impulse [77-80](#), [79f](#)
 - neurons [36](#), [76-82](#), [77f](#), [80f](#), [92-94](#)
 - neurotransmitters [77](#), [82-83](#)

- nontraditional factors impairing [94](#)
- overview of [76](#), [76f](#), [95](#)
- postsynaptic response [83-84](#)
- sensory-motor integration [88-94](#), [89f](#), [90f](#), [92f](#)
- strength gains and [250-251](#)
- structure and function [76-84](#), [77f](#), [79f](#), [80f](#), [81f](#)
- synapse [80-81](#)
- neural activation, fiber hypertrophy and [256-258](#), [257f](#)
- neural drive [251](#)
- neural transmission [140](#)
- neuromotor exercise programming [525](#)
- neuromuscular fatigue [140-142](#)
- neuromuscular junction (NMJ) [81-82](#), [81f](#), [251](#), [475](#), [477](#)
- neurons [36](#), [76-82](#), [77f](#), [80f](#), [92-94](#)
- neurotransmitters [77](#), [82-83](#)
- NFOR (nonfunctional overreaching) [365](#)
- Nielsen, Bodil [13](#)
- Nielsen, Marius [8](#), [13](#)
- nitrate [424-425](#)
- nitric oxide (NO) [424](#), [536-537](#), [545](#)
- NMJ. See [neuromuscular junction \(NMJ\)](#)
- nocebo effect [416](#)
- nonendurance sports, cardiorespiratory endurance in [290-291](#)
- nonessential amino acids [393](#), [393t](#)
- nonfunctional overreaching (NFOR) [365](#)
- nonshivering thermogenesis [321](#)
- nonsteroid hormones [99-101](#), [101f](#)
- norepinephrine [82](#), [103t](#), [104t](#), [107](#), [109f](#)
- nutrition. See *also* [diet](#)
 - altitude and [338-339](#)
 - athletic performance and [406-410](#), [408f](#), [409f](#)
 - carbohydrate [386-391](#), [388f](#), [389f](#), [390f](#), [391f](#)
 - ergogenic aids [418-425](#), [419f](#)
 - evidence-based guidelines [406-407](#)
 - fat [386-387](#), [391-393](#)
 - meal timing [387](#)
 - minerals [397t](#), [398-399](#)
 - nutrient classification [386-387](#)
 - overview of [378](#), [411](#)
 - protein [386-387](#), [393-395](#), [393t](#)
 - sport drinks [409-410](#)
 - vitamins [396-397](#), [397t](#)
 - water [399-406](#), [400f](#), [401f](#), [401t](#), [403t](#), [405f](#)

O

obesity

BMI and [552-554](#), [553t](#)

in children and adolescents [452-453](#)

diabetes and [568](#), [570-571](#)

energy balance and [556-559](#), [565](#)

established diseases affected by [561](#)

etiology [558](#)

health problems associated with [559-561](#), [560f](#), [561f](#)

lower body [560-561](#), [561f](#)

management guidelines [563-564](#)

metabolism and [558-559](#)

overview of [552](#), [574](#)

prevalence [554-556](#), [554t](#), [555f](#)

resistance training and [264](#)

sedentary behavior in [552](#), [564](#)

sex-specific differences in [560](#), [561f](#)

terminology and classification [552-554](#), [553t](#)

upper body [560-561](#), [561f](#)

weight control and [556-557](#), [557f](#)

weight loss and [561-563](#)

older adults. *See also* [aging](#)

athletes, aerobic function in [471-473](#), [472f](#), [472t](#), [473f](#)

centenarians [474](#)

cognitive function in [476](#), [514](#)

resistance training for [262-263](#)

oligomenorrhea [498](#)

“-omics” revolution [14-15](#), [15f](#)

oncotic pressure [211](#)

1-repetition maximum (1RM) [228](#), [515](#)

optimal weight, achieving [385-386](#)

Ornish, Dean [394](#)

osmolality [112](#)

osmolarity [402](#), [403t](#)

ossification [443](#)

osteopenia [463](#), [502-503](#), [502f](#)

osteoporosis [463](#), [502-503](#), [502f](#)

Osterman, Greg [200](#)

OTS. *See* [overtraining syndrome \(OTS\)](#)

ovaries [103t](#), [104t](#)

overreaching [356-357](#), [357f](#), [361f](#), [363](#), [365](#), [366t](#), [374](#)

overtraining

autonomic nervous system responses to [362](#)

exercise addiction and [366](#)

hormonal responses to [362-364](#), [363f](#), [364f](#)

immune function and [364-365](#), [365f](#)

- joint consensus statement on 365-366
- swimming 357-358, 358f, 362-363, 363f
- in training for sport 356-357, 357f, 361-368, 361f, 363f, 364f, 366t, 367f
- overtraining syndrome (OTS)
 - defined 357, 361-362
 - diagnosis 365-366
 - prediction 366-367, 366t, 367f
 - prevention and recovery 367
- overweight
 - children and adolescents 554, 556f
 - health problems associated with 559-561, 560f, 561f
 - management guidelines 563-564
 - prevalence 554-555, 556f
 - sedentary behavior in 552, 564
 - terminology and classification 552-555, 553t
 - weight control and 556-557, 557f
 - weight loss and 561-563
- oxidative energy system
 - enzyme activities 296, 296t
 - interaction of 69-70, 69f, 70t
 - Krebs cycle in 61-67, 62f, 63f, 64f, 67t, 69, 71-72
 - overview of 59, 61-72, 62f, 63f, 64f, 65f, 67t
 - oxidative capacity of muscle and 70-72, 70f
- oxidative phosphorylation 58, 65
- oxygen
 - cascade 187, 187f
 - content, in blood 211, 211f
 - deficit 130, 131f
 - diffusion capacity 184-186
 - EPOC and 131, 131f, 565
 - exchange 183-188, 185f, 186f, 187f, 187t
 - needs 72
 - partial pressure of 332-337, 333f, 334f, 335f, 336f, 339-340, 340f
 - postexercise consumption 130-131, 131f
 - transport, in muscle 192, 192f
 - ventilatory equivalent for 218-219, 219f
 - volume consumed 124-125
- oxygen consumption ($\dot{V}O_2$) 124, 284. See also maximal oxygen uptake
- oxygen–hemoglobin dissociation curve 188-189, 189f
- oxygen transport
 - altitude influencing 335f, 336, 336f, 337f
 - in blood 188-190, 189f
 - in muscle 192, 192f
 - system, adaptations of 270-271

P

- PAD (peripheral artery disease) 535
- palmitic acid 67, 67*t*
- pancreas 103*t*, 104*t*, 107-108
- parasympathetic nervous system 76*f*, 88, 89*t*, 159
- parathyroid gland 103*t*, 104*t*
- partial pressure 183-187, 185*f*, 186*f*, 187*t*
- partial pressure of oxygen (PO₂) 332-337, 333*f*, 334*f*, 335*f*, 336*f*, 339-340, 340*f*
- pathophysiology
 - CAD 535-538, 536*f*, 537*f*
 - defined 535
 - hypertension 538
- PCr. See phosphocreatine (PCr)
- PDGF (platelet-derived growth factor) 536*f*, 537
- peak oxygen uptake ($\dot{V}O_{2\text{peak}}$) 129
- PEDs (performance-enhancing drugs) 425-427, 427*t*
- PEH (postexercise hypotension) 546
- performance
 - aging and 478-480, 479*f*, 480*f*
 - at altitude 339-341, 340*f*, 344-348, 346*f*
 - body composition, weight and 382-386
 - carbohydrate and 390-391, 390*f*, 391*f*
 - by children and adolescents 455-457, 456*f*
 - dehydration and 401-402, 401*f*, 403*t*
 - DOMS and 146, 147*f*
 - environment influencing 299
 - fat and 393
 - ice baths and 295
 - limitations to 219-221, 285-286, 287*t*
 - menstruation and 497
 - nocebo effect on 416
 - nutrition and 406-410, 408*f*, 409*f*
 - optimized 353
 - placebo effect and 415-416, 415*f*
 - precooling for 310-311
 - protein and 394-395
 - sex differences in 494-496, 495*f*
 - tapering for 368-370
- performance-enhancing drugs (PEDs) 425-427, 427*t*
- pericardium 154
- perimysium 31
- periodization
 - block 360
 - principle of 232, 358-359

- traditional 359-360, 359f
- training for sport 358-361, 359f
- peripheral artery disease (PAD) 535
- peripheral blood flow 468-469, 469f
- peripheral nervous system (PNS)
 - autonomic nervous system 76, 76f, 87-88, 89t, 362
 - effector (efferent) nerves 76, 76f, 87
 - overview of 76, 76f
 - parasympathetic nervous system 76f, 88, 89t, 159
 - sensory-motor integration 88-94, 89f, 90f, 92f
 - sensory (afferent) nerves 76, 76f, 87, 195-196, 196f
 - somatic nervous system 76, 76f
 - sympathetic nervous system 76f, 88, 89t, 159, 307-308
- peripheral vascular disease 535
- peripheral vasoconstriction 321
- personalized medicine 14
- PFK (phosphofructokinase) 61
- phenotype 16
- phosphocreatine (PCr) 2, 59, 59f, 136, 423. See also ATP-PCr energy system
- phosphofructokinase (PFK) 61
- phosphorus 397t, 398
- phosphorylation 58, 65
- physical activity
 - aging and 462, 462f
 - benefits of 510
 - among children and adolescents 453-455, 453f, 457
 - cigarette cravings reduced by 542
 - CVD and 541-546, 544f
 - diabetes and 571-572, 573t
 - guidelines 512
 - health screening for 512-516, 513t, 516f
 - hypertension and 544-546
 - MET values of 518, 521-523, 521t-522t
 - recommendations 233, 233t, 510-512, 513t, 517-518, 520, 525, 544
 - for risk reduction 541-546, 544f, 564-568, 567f, 567t
 - thermic effect of 556-557, 557f, 565-566
 - for weight control 564-568, 567f, 567t
- physical maturity 444
- physiology. See also exercise physiology
 - acute altitude exposure and 334-339, 335f, 336f, 337f, 338t
 - beginnings of 4
 - defined 3
 - sport 3
 - Tibetan and Sherpa 344-345
 - translational 12-13, 12f

Physiology of Bodily Exercise (LaGrange) 4-5
Physiology of Muscular Exercise, The (Bainbridge) 5
 Piehl, Karen 13, 13f
 placebo
 effect 415-416, 415f
 group 21, 416
 plaque 531-533, 532f, 536f, 537-538, 537f
 plasma glucose concentration 108-109, 109f
 plasmalemma 31, 32f
 plasma volume 211-212, 211f, 278, 278f
 platelet-derived growth factor (PDGF) 536f, 537
 plyometrics 236, 236f
 PNS. See [peripheral nervous system \(PNS\)](#)
 PO₂. See [partial pressure of oxygen](#)
 POAH. See [preoptic-anterior hypothalamus \(POAH\)](#)
 Poe, Dontari 378
 polycythemia 341
 posterior pituitary gland 102t, 104t, 112-113, 113f
 postexercise hypotension (PEH) 546
 postexercise oxygen consumption 130-131, 131f
 postmenopausal women 170, 502, 505
 postsynaptic response 83-84
 posture, pulmonary ventilation affected by 216
 potassium 397t, 398-399
 power. See *also* [aerobic power](#); [anaerobic power](#)
 critical 143, 143f
 detraining and 370-371
 muscular 229, 229t, 233t, 234, 370-371
 power stroke 38, 40f
 precompetition meal 407
 precooling 310-311
 prediabetes 568
 predictive value of an abnormal exercise test 516
 pregnancy 486, 499-502, 499t
 preload 203-205
 premature ventricular contractions (PVCs) 161
 preoptic-anterior hypothalamus (POAH) 306-309, 306f, 311, 321
 preparticipation health screening 512-516, 513t, 516f
 prescription. See [exercise prescription](#)
 primary aging 462
 primary amenorrhea 498
 primary motor cortex 85
 principle of individuality 230-231
 principle of orderly recruitment 46
 principle of periodization 232, 358-359

principle of progressive overload 232, 356
principle of reversibility 231
principle of specificity 231
principle of variation 232
progesterone 103*t*, 104*t*
progression, prescription for 519
progressive overload, principle of 232, 356
Prohibited Substances List 425-426, 427*t*, 428
prostaglandins 101
protein. *See also* amino acids
 breakdown 420
 consumption 394-395
 energy substrate 54, 55*f*, 56
 in high-protein diets 394
 nutrition 386-387, 393-395, 393*t*
 oxidation 67
 performance and 394-395
 recommendations 259
 resistance training and 258-261, 261*f*, 395
 synthesis 259-261, 261*f*, 420
proteomics 14-15, 15*f*
pseudoanemia 278
pseudoephedrine 428
psychobiological model of endurance performance 141
puberty 442, 487-488, 487*f*
pulmonary diffusion
 adaptations to aerobic training 279
 altitude influencing 335-336, 335*f*, 336*f*
 in respiratory system 181-188, 183*f*, 184*f*, 185*f*, 186*f*, 187*f*, 187*t*, 279, 335-336, 335*f*, 336*f*
pulmonary ventilation
 adaptations to aerobic training 279
 altitude influencing 335, 341
 asthma and 193
 description of 178-180, 179*f*, 180*f*
 during dynamic exercise 216-217, 216*f*
 energy metabolism and 218-219, 219*f*
 posture affecting 216
 regulation of 193-194, 195*f*
pulmonary volumes 180-181, 181*f*
Purkinje fibers 161
PVCs (premature ventricular contractions) 161

Q

$\dot{Q}$. *See* cardiac output ($\dot{Q}$)

R

- radiation
 - solar [334](#)
 - temperature and [302](#), [303f](#), [304f](#), [305](#), [321](#)
- rapid strength [84](#)
- rate coding [48](#), [251](#)
- rate-limiting enzyme [56](#), [57f](#)
- rate of torque development (RTD) [84](#)
- rate–pressure product (RPP) [208](#)
- rating of perceived exertion (RPE) [523](#), [523t](#)
- RDA (Recommended Daily Allowance) [397t](#), [399](#)
- reactive oxygen species (ROS) [142](#)
- REasons for Geographic and Racial Differences in Stroke (REGARDS) study [476](#)
- Recommended Daily Allowance (RDA) [397t](#), [399](#)
- recovery
 - cardiorespiratory response and [214](#), [216-217](#), [222-223](#), [223f](#), [223t](#)
 - ice baths for [295](#)
 - in interval training [240](#)
 - from overtraining syndrome [367](#)
- recreational activities [525-526](#)
- red blood cells [116](#), [174](#), [212](#), [278](#), [278f](#), [341](#)
- reflex activity [91](#)
- REGARDS (REasons for Geographic and Racial Differences in Stroke) study [476](#)
- rehabilitation programs [526](#), [547-548](#), [548t](#)
- relative body fat [378](#), [382-383](#)
- releasing factors [105](#)
- renin [103t](#), [104t](#), [114-115](#), [114f](#)
- renin-angiotensin-aldosterone mechanism [115](#)
- repetitions, in interval training [239-240](#)
- RER (respiratory exchange ratio) [125-126](#), [126t](#), [284](#)
- research
 - on athletes [6](#)
 - confounding factors in [22](#), [22t](#)
 - controls [20-22](#)
 - designs [19-20](#), [20f](#)
 - on ergogenic aids [414-418](#), [415f](#)
 - exercise physiology [17-24](#), [17f](#), [18f](#), [20f](#), [22t](#), [24f](#)
 - process [17](#), [17f](#)
 - tables and graphs [23-24](#), [24f](#)
 - tools [18-19](#), [18f](#)
- residual volume (RV) [180](#), [181f](#), [469](#)
- resistance training
 - adaptations to [32](#), [248-265](#)
 - aerobic benefits from [249](#), [249f](#)
 - aging and [262-263](#), [480](#), [480f](#)

- for athletes [263-264](#)
- before bedtime [260](#)
- cessation of [256-257](#), [257f](#)
- for children [263-264](#), [263t](#)
- cognitive function improved by [514](#)
- core [236-237](#)
- CVD and [547-548](#), [548t](#)
- defined [248](#)
- detraining [256-258](#), [257f](#)
- diet interacting with [258-261](#), [261f](#), [395](#)
- eccentric [235](#)
- electrical stimulation [236](#)
- free weights [234-235](#), [234f](#)
- isokinetic [228f](#), [235-236](#)
- machines [234-235](#)
- muscular strength gains [248-258](#), [250f](#), [253f](#), [254f](#), [255f](#), [257f](#)
- obesity and [264](#)
- for older adults [262-263](#)
- overview of [248](#), [265](#)
- plyometrics [236](#), [236f](#)
- programming [525](#)
- protein and [258-261](#), [261f](#), [395](#)
- recommendations [232-234](#), [233t](#)
- for special populations [261-264](#)
- static-contraction [234](#)
- variable-resistance [235](#), [235f](#)
- respiratory alkalosis [335](#)
- respiratory centers [193-194](#)
- respiratory exchange ratio (RER) [125-126](#), [126t](#), [284](#)
- respiratory membrane [182-183](#), [183f](#)
- respiratory muscle endurance training (RMET) [182](#)
- respiratory pump [180](#)
- respiratory responses to acute exercise
 - breathing irregularities [217-218](#)
 - in children and adolescents [446-447](#)
 - exercise recovery [216-217](#), [222-223](#), [223f](#), [223t](#)
 - limitations to performance [219-221](#)
 - overview of [200](#), [216](#), [224](#)
 - pulmonary ventilation during dynamic exercise [216-217](#), [216f](#)
 - regulation of acid–base balance [221-223](#), [221f](#), [221t](#), [223f](#), [223t](#)
 - ventilation and energy metabolism [218-219](#), [219f](#)
- respiratory system. *See also* [pulmonary ventilation](#)
 - adaptations to aerobic training [268](#), [279-280](#), [298](#)
 - afferent feedback from exercising limbs and [195-196](#), [196f](#)
 - aging and [184](#), [468-470](#)

- altitude influencing 334-337, 335f, 336f, 337f, 341, 349f, 351
- disease, reduced 196
- exercise in cold and 327-328, 328f
- overview of 151, 178, 197
- pulmonary diffusion in 181-188, 183f, 184f, 185f, 186f, 187f, 187t, 279, 335-336, 335f, 336f
- pulmonary volumes in 180-181, 181f
- sex differences in 490-494, 491f
- rest
 - in children and adolescents 446, 447f
 - energy expenditure at 127-128
 - in interval training 240
 - water balance at 400-401, 400f
- resting heart rate (RHR) 200, 274
- resting membrane potential (RMP) 78
- resting metabolic rate (RMR) 128, 556-557, 557f, 566-567
- reversibility, principle of 231
- rheumatic heart disease 535
- RHR (resting heart rate) 200, 274
- risk factors. *See also* health risks
 - CVD 538-547, 539t, 544f
 - hypertension 541, 544-547
 - for injuries 94
 - obesity and 560-561
 - physical activity reducing 541-546, 544f, 564-568, 567f, 567t
- RMET (respiratory muscle endurance training) 182
- RMP (resting membrane potential) 78
- RMR. *See* resting metabolic rate (RMR)
- Robinson, Sid 6-8, 7f
- ROS (reactive oxygen species) 142
- RPE (rating of perceived exertion) 523, 523t
- RPP (rate–pressure product) 208
- RTD (rate of torque development) 84
- running
 - aging and 479-480, 479f
 - economy 448-449
 - sex differences in 494-496, 495f
- RV (residual volume) 180, 181f, 469
- S**
 - saltatory conduction 79
 - Saltin, Bengt 8f, 9-11, 13
 - SAM (sympathetic–adrenal medullary axis) 363, 364f
 - SA (sinoatrial) node 158, 159f, 162
 - sarcolemma 31

sarcomeres [33-36](#), [33f](#), [34f](#), [36f](#), [38](#), [39f](#), [40f](#)
 sarcopenia [262](#), [423](#), [478](#)
 sarcoplasm [32](#), [32f](#)
 sarcoplasmic reticulum (SR) [32f](#), [33](#), [42](#)
 SAT (subcutaneous adipose tissue) [564](#)
 satellite cells [32](#), [49-50](#), [50f](#), [255](#), [255f](#)
 satiety hormones [117-118](#)
 SBP (systolic blood pressure) [166](#), [533](#), [533t](#)
 Scandinavian influence, on exercise physiology [8-9](#), [8f](#)
 scientific notation [23](#)
 secondary amenorrhea [498](#)
 second messenger [100-101](#)
 sedentary behavior [510-511](#), [519](#), [543](#), [545](#)
 in overweight and obesity [552](#), [564](#)
 reduced, recommendations for [573t](#)
 self-talk [141](#)
 Semenya, Caster [487](#)
 sensory input [90-91](#), [90f](#)
 sensory-motor integration [88-94](#), [89f](#), [90f](#), [92f](#)
 sensory (afferent) nerves [76](#), [76f](#), [87](#), [195-196](#), [196f](#)
 sets, in interval training [239-240](#)
 sex-specific differences
 in acclimation [320](#)
 in adaptations to exercise training [493-494](#)
 in aerobic training response [289](#), [289f](#)
 body size and composition [444](#), [444f](#), [487-488](#), [487f](#), [493](#)
 in bone health [493](#), [502-503](#), [502f](#), [503f](#)
 in cardiovascular function [490-494](#), [490f](#), [491f](#), [531t](#), [532](#)
 in CVD [531t](#), [532](#)
 defined [490](#)
 DOMS [148](#)
 in eating disorders [503-504](#), [504t](#)
 in exercise physiology [13-14](#), [13f](#), [488-494](#), [489f](#), [490f](#), [491f](#)
 female athlete triad and [384](#), [503-504](#)
 in heat loss [323](#), [323t](#)
 in iron deficiency [498](#)
 marathons and [496](#), [532](#)
 menopause [505](#)
 menstruation [458](#), [496-499](#), [497f](#), [503](#)
 in muscle fiber type [91](#), [489](#)
 in obesity [560](#), [561f](#)
 overview of [439](#), [486](#), [506](#)
 in performance [494-496](#), [495f](#)
 in physiological responses to acute exercise [488-492](#), [489f](#), [490f](#), [491f](#)
 pregnancy [486](#), [499-502](#), [499t](#)

- in respiratory function [490-494](#), [491f](#)
- sex vs. gender [486-487](#)
- special issues [496-501](#), [497f](#), [499t](#)
- in strength [489](#), [489f](#)
- in $\dot{V}O_{2\max}$ [490-492](#), [490f](#), [491f](#), [494](#)
- in weight loss [492](#)
- in world records [486](#), [486t](#), [494](#), [494f](#)
- Sherpa physiology [344-345](#)
- shivering [321-322](#)
- sickle cell trait [316](#)
- single-fiber contractile velocity (V_o) [44](#), [45f](#)
- sinoatrial (SA) node [158](#), [159f](#), [162](#)
- sitting [511](#), [519](#)
- size principle [46](#)
- skeletal muscle
 - age-related changes in [478](#)
 - anatomy [31-36](#), [31f](#), [32f](#), [33f](#), [36f](#)
 - contraction [36-40](#), [37f](#), [38f](#), [39f](#), [40f](#), [43-44](#), [45f](#), [46-50](#), [48f](#), [49f](#), [50f](#)
 - exercise and [45-50](#), [47t](#), [48f](#), [49f](#), [50f](#)
 - functional and structural characteristics [157f](#)
 - statins and [146-147](#)
 - as thermoregulatory effector [308](#)
- skin arterioles [307](#)
- skinfold fat thickness [381](#), [381f](#)
- sleep, overreaching and [374](#)
- sliding filament theory [38](#), [39f](#), [40f](#), [43](#)
- slow-twitch fibers. See [type I fibers](#)
- smoking [542](#), [544](#)
- smooth muscle [30](#), [30f](#)
- SNS. See [sympathetic nervous system \(SNS\)](#)
- sodium [397t](#), [398-399](#), [410](#)
- sodium bicarbonate [418-419](#)
- sodium–potassium pump [78](#)
- solar radiation [334](#)
- somatic nervous system [76](#), [76f](#)
- soreness. See [muscle soreness](#)
- space
 - detraining in [373-374](#)
 - environment of [16-17](#)
- specialization, by children and adolescents [455-457](#), [456f](#)
- specificity
 - principle of [231](#)
 - of tests [516](#)
 - of training [295-297](#), [296f](#), [296t](#)

- spectral analysis [202](#)
- speed, detraining [372](#)
- spinal cord [76](#), [86](#)
- spirometry [180](#), [181f](#)
- sport drinks [409-410](#)
- sport performance. See [performance](#)
- sport physiology [3](#)
- sport specialization, by children and adolescents [455-457](#), [456f](#)
- sport training. See [training for sport](#)
- spot reduction [567](#)
- sprinting, at altitude [340-341](#)
- SR (sarcoplasmic reticulum) [32f](#), [33](#), [42](#)
- stair climbing [294](#)
- static (isometric) contraction [43](#), [47](#)
- static-contraction resistance training [234](#)
- statins [146-147](#)
- steady-state heart rate [201](#)
- steroid hormones [98-100](#), [100f](#)
- steroids
 - anabolic [415](#), [415f](#), [427t](#), [429-432](#), [430f](#), [431f](#)
 - designer [427-428](#)
 - estrogen as [427](#)
 - testosterone as [427-429](#), [431t](#), [433](#)
- stimulants [427t](#), [428-429](#)
- strength, muscular
 - aging and [84](#), [465-468](#), [466f](#), [467f](#), [475](#)
 - assessment of [515](#)
 - atrophy and [248](#), [256-258](#), [257f](#)
 - in children and adolescents [445](#), [445f](#), [446f](#), [451-452](#)
 - defined [228](#), [228f](#), [229t](#)
 - detraining and [370-371](#)
 - from fiber type alterations [258](#)
 - gains [248-258](#), [250f](#), [253f](#), [254f](#), [255f](#), [257f](#)
 - from integration of neural activation and fiber hypertrophy [256-258](#), [257f](#)
 - from muscle hypertrophy [252-255](#), [253f](#), [254f](#), [255f](#)
 - neural control of [250-251](#)
 - rapid [84](#)
 - recommendations for [233t](#), [234](#)
 - sex differences in [489](#), [489f](#)
- stretching activities [524](#)
- stroke [534](#)
- stroke volume (SV)
 - adaptations to aerobic training [273-274](#), [273f](#), [273t](#)
 - defined [163](#), [164f](#)
 - HR interactions with [275](#)

- responses to acute exercise 202-207, 203*f*, 204*f*, 204*t*, 205*f*, 207*f*, 210, 210*f*, 446, 447*f*
- sex differences in 490, 490*f*
- $\dot{V}O_{2\max}$ and 203-204, 203*f*, 204*t*
- subcutaneous adipose tissue (SAT) 564
- submaximal endurance 269-270
- submaximal exercise
 - by children and adolescents 446, 447*f*
 - metabolic rate during 128
- submaximal heart rate 274-275, 275*f*
- substrates
 - carbohydrate 54-55, 55*f*, 55*t*
 - fat 54-56, 55*f*, 55*t*
 - protein 54, 55*f*, 56
 - summary of 67-69, 68*f*
 - utilization of 451
- summation 48, 48*f*
- supplements, contamination of 426-427
- SV. See stroke volume (SV)
- sweat
 - body fluid balance and 311-312, 311*f*, 312*t*
 - electrolyte loss in 402-404, 403*t*
 - evaporation 302, 303*f*, 305-306, 305*f*
 - glands 308, 311-312, 311*f*, 312*t*
 - tattoos and 313
- swimming
 - aging and 480
 - altitude training for 348
 - detraining and 370-372, 371*f*, 372*f*, 372*t*
 - overtraining 357-358, 358*f*, 362-363, 363*f*
- sympathetic-adrenal medullary axis (SAM) 363, 364*f*
- sympathetic nervous system (SNS) 76*f*, 88, 89*t*, 159, 307-308
- synapse 80-81, 80*f*
- systolic blood pressure (SBP) 166, 533, 533*t*

T

- Tabata training 241
- tables, reading and interpreting 23-24
- tachycardia 161
- tapering 368-370
- target cells 98
- tattoos, sweating and 313
- TEA (thermic effect of activity) 556-557, 557*f*, 565-566
- team sports, HIIT in 244
- TEM (thermic effect of a meal) 556-557, 557*f*

temperature. See *also* [body temperature regulation](#); [exercise in cold](#); [exercise in heat](#)

- at altitude [334](#)
- appetite hormones influenced by [118](#)
- conversion [302](#)
- critical [310](#)
- radiation and [302](#), [303f](#), [304f](#), [305](#), [321](#)
- WBGT [314](#), [314f](#)

10-20-30 concept [243](#)

tennis [302](#)

T/E ratio [428](#)

testosterone

- competition and [106](#)
- functions [103t](#), [104t](#)
- hypertrophy and [253-254](#)
- overtraining and [362-363](#), [363f](#)
- in puberty [487-488](#), [487f](#)
- as steroid [427-429](#), [431t](#), [433](#)

tetanus [48](#), [48f](#)

therapeutic use exemption [426](#)

thermal stress

- in children and adolescents [323](#), [323t](#), [457-458](#)
- measurement of [314](#), [314f](#)

thermic effect of activity (TEA) [556-557](#), [557f](#), [565-566](#)

thermic effect of a meal (TEM) [556-557](#), [557f](#)

thermoreceptors [307](#)

thermoregulation [302-308](#), [303f](#), [304f](#), [305f](#), [306f](#)

thermoregulatory effectors [307-308](#)

thick filaments [33-35](#), [34f](#)

thin filaments [33-35](#), [34f](#)

thirst mechanism [404](#)

THR (training heart rate) [519-520](#), [520f](#)

threshold [78-79](#)

thrombus [537](#), [537f](#)

throwing, at altitude [340-341](#)

thyroid gland [102t](#), [104t](#), [106](#)

thyrotropin (TSH) [102t](#), [104t](#), [106](#)

thyroxine (T₄) [102t](#), [104t](#), [106](#), [362-363](#), [363f](#)

TIA (transient ischemic attack) [535](#)

Tibetan physiology [344-345](#)

tidal volume [180](#), [181f](#)

Tipton, Charles "Tip" [9-11](#), [10f](#)

titin [34f](#), [35-36](#), [36f](#), [43](#)

TLC (total lung capacity) [180](#), [181f](#), [469](#)

Torres, Dara [462](#)

total lung capacity (TLC) [180](#), [181f](#), [469](#)
 total peripheral resistance (TPR) [205-206](#)
 trace elements [398](#)
 traditional periodization [359-360](#), [359f](#)
 training effects [3](#)
 training for sport. *See also* [exercise training](#)
 detraining [370-374](#), [371f](#), [372f](#), [372t](#), [373f](#)
 excessive [357-358](#), [358f](#)
 optimized [353](#), [356-358](#), [357f](#), [358f](#)
 overtraining [356-357](#), [357f](#), [361-368](#), [361f](#), [363f](#), [364f](#), [366t](#), [367f](#)
 overview of [353](#), [356](#), [375](#)
 periodization [358-361](#), [359f](#)
 sleep and [374](#)
 stages [356-357](#), [357f](#)
 tapering [368-370](#)
 training heart rate (THR) [519-520](#), [520f](#)
 transcriptomics [14-15](#), [15f](#)
 transient hypertrophy [252](#)
 transient ischemic attack (TIA) [535](#)
 translational physiology [12-13](#), [12f](#)
 transverse tubules (T-tubules) [32-33](#)
 treadmills [18](#), [18f](#)
 triglycerides [55](#), [540](#), [543-544](#)
 triiodothyronine (T₃) [102t](#), [104t](#), [106](#)
 tropomyosin [35](#), [37-38](#)
 troponin [35](#), [37-38](#)
 TSH (thyrotropin) [102t](#), [104t](#), [106](#)
 T-tubules (transverse tubules) [32-33](#)
 twitch [48](#), [48f](#)
 type 1 diabetes [552](#), [568-572](#), [573t](#)
 type 2 diabetes [552](#), [568-572](#), [573t](#)
 type I fibers
 adaptations in [280](#)
 aging and [467](#), [467f](#), [475](#)
 alteration of [258](#)
 athletic success and [46](#), [47t](#)
 atrophy [256](#)
 characteristics [41-43](#), [41f](#), [42t](#), [44t](#)
 determination [44-45](#), [94](#)
 distribution [43-44](#)
 exercise and [44](#), [48](#), [71](#)
 glycogen depletion and [137](#), [137f](#)
 recruitment of [45-46](#)
 sex differences in [91](#), [489](#)
 type II fibers

- adaptations in 280
- aging and 467, 475
- alteration of 258
- athletic success and 46, 47*t*
- atrophy 256, 257*f*
- characteristics 41-43, 41*f*, 42*t*, 44*t*
- determination 44-45, 94
- distribution 43-44
- exercise and 44, 48, 71
- glycogen depletion and 137, 137*f*
- metabolism and 59*f*
- recruitment of 45-46
- sex differences in 91, 489

U

- undertraining 356, 357*f*
- underwater weighing 379-380, 379*f*
- units of measurement 23
- upper body (android) obesity 560-561, 561*f*
- upregulation 99
- urine, electrolyte loss in 404

V

- Valsalva maneuver 208, 218
- valvular heart diseases 535
- van Leeuwenhoek, Antonie 4
- variable-resistance training 235, 235*f*
- variation, principle of 232
- vascular system
 - blood distribution in 167-173, 167*f*, 168*f*, 169*f*, 171*f*, 172*f*
 - blood pressure in 166
 - in cardiovascular system 166-173, 167*f*, 168*f*, 169*f*, 171*f*, 172*f*
 - hemodynamics 166-167, 167*f*
- vasoconstriction 167-169, 307, 321
- vasodilation 167-171, 169*f*, 171*f*, 307
- vasopressin 312
- VAT. *See* excess visceral adipose tissue
- VC (vital capacity) 180, 181*f*
- veins 166
- $\dot{V}_{E\max}$. *See* maximal expiratory ventilation
- venous blood, distribution of 171, 171*f*
- ventilation. *See* pulmonary ventilation
- ventilatory equivalent for carbon dioxide ($\dot{V}_E/\dot{V}_{CO_2}$) 219, 219*f*
- ventilatory equivalent for oxygen ($\dot{V}_E/\dot{V}_{O_2}$) 218-219, 219*f*
- ventilatory threshold 218-219, 219*f*

- ventricular fibrillation [161](#)
- ventricular tachycardia [161](#)
- venules [166](#)
- very low calorie diets [562](#)
- Vesalius, Andreas [4](#)
- $\dot{V}_E/\dot{V}_{CO_2}$ (ventilatory equivalent for carbon dioxide) [219](#), [219f](#)
- $\dot{V}_E/\dot{V}_{O_2}$ (ventilatory equivalent for oxygen) [218-219](#), [219f](#)
- vital capacity (VC) [180](#), [181f](#)
- vitamins
 - B-complex [396](#), [397t](#)
 - C [396](#), [397t](#)
 - E [396-397](#), [397t](#)
 - nutrition [396-397](#), [397t](#)
- V_o . See [single-fiber contractile velocity](#)
- $\dot{V}_{O_2}$ reserve method ($\dot{V}_{O_2R}$) [520-521](#)
- $\dot{V}_{O_2}$. See [oxygen consumption](#)
- $\dot{V}_{O_2}$ drift [128](#), [144](#)
- $\dot{V}_{O_{2max}}$. See [maximal oxygen uptake](#)
- $\dot{V}_{O_{2peak}}$. See [peak oxygen uptake](#)
- volume, exercise prescription for [518-519](#)

W

- WADA. See [World Anti-Doping Agency \(WADA\)](#)
- waist circumference [553](#), [553t](#)
- walking, energy expenditure of [134t](#), [135](#)
- warm-up [524](#)
- water
 - balance [400-402](#), [400f](#), [401t](#), [403t](#)
 - exercise in, vs. on land [501](#)
 - heat loss in [323-324](#)
 - nutrition [399-406](#), [400f](#), [401f](#), [401t](#), [403t](#), [405f](#)
 - replacement [404-406](#), [405f](#)
 - sport drinks and [409-410](#)
- WBGT (wet-bulb globe temperature) [314](#), [314f](#)
- weight. See [also obesity](#); [overweight](#)
 - aging and [462-464](#), [463f](#), [464f](#), [465f](#)
 - body composition and [382-386](#), [565-567](#)
 - of children and adolescents [443](#)
 - mechanisms for change in [565-567](#)
 - optimal, achieving [385-386](#)
 - standards [383-385](#), [384f](#), [385t](#)
- weight control

- ACSM on [565](#)
- obesity and [556-557](#), [557f](#)
- physical activity for [564-568](#), [567f](#), [567t](#)
- weightlifting. See [resistance training](#)
- weight loss
 - diet for [384-386](#), [561-563](#)
 - for obesity and overweight [561-563](#)
 - for optimal weight [385-386](#)
 - severe, dehydration from [384](#)
 - sex differences in [492](#)
 - spot reduction [567](#)
- wet-bulb globe temperature (WBGT) [314](#), [314f](#)
- Wiggers diagram [162-163](#), [163f](#)
- Williams, Rod [154](#)
- windchill [323](#), [324f](#)
- Wingate test [230](#)
- women. See [sex-specific differences](#)
- World Anti-Doping Agency (WADA) [414](#), [417](#), [422](#), [425-428](#), [427t](#), [434-435](#)
- world records
 - masters [479](#), [479t](#)
 - sex differences in [486](#), [486t](#), [494](#), [494f](#)

Y

- young adulthood [455](#)
- Yukon Arctic Ultramarathon [327](#)

About the Authors




W. Larry Kenney, PhD, is the Marie Underhill Noll Chair in Human Performance and a professor of physiology and kinesiology at Pennsylvania State University at University Park. He received his PhD in physiology from Penn State in 1983. Working at Noll Laboratory, Kenney is researching the effects of aging and disease states such as hypertension on the control of blood flow to human skin and has been continuously funded by NIH since 1983. He also studies the effects of heat, cold, and dehydration on various aspects of health, exercise, and athletic performance as well as the biophysics of heat exchange between humans and the environment. He is the author of more than 200 papers, books, book chapters, and other publications.

Kenney was president of the American College of Sports Medicine from 2003 to 2004. He is a fellow of the American College of Sports Medicine and is active in the American Physiological Society.

For his service to the university and his field, Kenney was awarded Penn State University's Faculty Scholar Medal, the Evan G. and Helen G. Pattishall Distinguished Research Achievement Award,

and the Pauline Schmitt Russell Distinguished Research Career Award. He was awarded the American College of Sports Medicine's New Investigator Award in 1987 and the Citation Award in 2008.

Kenney has been a member of the editorial and advisory boards for several journals, including *Medicine and Science in Sports and Exercise*, *Current Sports Medicine Reports* (inaugural board member), *Exercise and Sport Sciences Reviews*, *Journal of Applied Physiology*, *Human Performance*, *Fitness Management*, and *ACSM's Health & Fitness Journal* (inaugural board member). He is also an active grant reviewer for the National Institutes of Health and many other organizations. He and his wife, Patti, have three children, all of whom were Division 1 college athletes.



David L. Costill, PhD, is the Emeritus John and Janice Fisher Chair in Exercise Science at Ball State University in Muncie, Indiana. He established the Ball State University Human Performance Laboratory in 1966 and served as its director for more than 32 years.

Costill has written and coauthored more than 430 publications over the course of his career, including six books and articles in both peer-reviewed and lay publications. He was the original editor in chief of the *International Journal of Sports Medicine* for 12 years. Between 1971 and 1998, he averaged 25 U.S. and international lecture trips each year. He was president of the ACSM from 1976 to 1977, a member of its board of trustees for 12 years, and a recipient

of ACSM Citation and Honor Awards. He has received numerous other honors, including an honorary doctoral degree from the Stockholm School of Physical Education, the Professional Achievement Award from Ohio State University, the President's Award at Ball State University, and the Distinguished Alumni Award from Cuyahoga Falls Public Schools. Many of his former students are now leaders in the fields of exercise physiology, medicine, and science.

Costill received his PhD in physical education and physiology from Ohio State University in 1965. He and his wife of 58 years, Judy, have two daughters. Now retired, Dr. Costill is a private pilot, auto and experimental airplane builder, competitive masters swimmer, and former marathon runner.



Jack H. Wilmore, PhD, retired in 2003 from Texas A&M University as a distinguished professor in the department of health and kinesiology. From 1985 to 1997, Wilmore was chair of the department of kinesiology and health education and the Margie Gurley Seay endowed centennial professor at the University of Texas at Austin. Before that, he served on the faculties at the University of Arizona, the University of California, and Ithaca College. Wilmore earned his PhD in physical education from the University of Oregon in 1966.

Wilmore published 53 chapters, more than 320 peer-reviewed research papers, and 15 books on exercise physiology. He was one of five principal investigators for the HERITAGE Family Study, a

large multicenter clinical trial investigating the possible genetic basis for the variability in the responses of physiological measures and risk factors for cardiovascular disease and type 2 diabetes to endurance exercise training. Wilmore's research interests included determining the role of exercise in the prevention and control of both obesity and coronary heart disease, determining the mechanisms accounting for alterations in physiological function with training and detraining, and factors limiting the performance of elite athletes.

A former president of the American College of Sports Medicine, Wilmore received the American College of Sports Medicine's Honor Award in 2006. In addition to serving as chair for many ACSM organizational committees, Wilmore was on the United States Olympic Committee's Sports Medicine Council and chaired their Research Committee. He was a member of the American Physiological Society and a fellow and former president of the American Academy of Kinesiology and Physical Education. Wilmore consulted for several professional sport teams, the California Highway Patrol, the President's Council on Physical Fitness and Sports, NASA, and the U.S. Air Force. He also served on editorial boards of several journals.

Wilmore passed away during the preparation of the sixth edition of this text.



Books



Ebooks



**Continuing
Education**



**Journals
...and more!**

www.HumanKinetics.com