

Credit without moving collateral

Lock mock USDC on Sepolia.
Prove the receipt. Borrow on Creditcoin.

NO VALID PROOF

0

credit lines

Attestcoin is the gate,
not a decorative oracle.

Cross-chain credit has a reporting problem

RISK

Operator-reported collateral introduces a reporting dependency.

The reporting layer becomes part of the solvency boundary.


ATTESTLOCK

Creditcoin verifies the exact successful escrow receipt.

The asset stays on Sepolia. The line opens only after BlockProver succeeds.



One proof opens one bounded line



The worker relays proof. It cannot manufacture credit.

The safest line is the one that never opens

0

invalid proofs
become credit

Receipt

status = 1

Event

exact vault + token

Replay

query ID + lock ID

Origin

chainKey = 1

Economics

≥ 100 mUSDC · 8d cover

Funds

borrower signature

Junk refused. Native tamper + replay reverted.

Native proof. Bounded credit. Public receipts.

PUBLIC EVIDENCE	RESULT	CHAIN BLOCK
Browser escrow	100 mUSDC locked	11,668,922
Native 0x0FD2 proof	50 mUSD line · 9 Sep	5,458,589
Borrower draw	50 mUSD · 5 Sep	5,434,865
Tamper / replay	Reverted · 5 Sep	5,434,321 / 507

9 Sep: 289,980 gas · 548.5s queue → executed (includes wait)
Browser lock + signed queue; page refresh restored the job.

BORROWER PROFILE

100 mUSD credit opened

2 lines · 1 demo borrower
50 borrowed – 0 repaid = 50 debt

STILL PENDING

Maturity repayment · final media
Operational drills · submission

Risk teams first. Proof-gated credit for Creditcoin.

TARGET

Lenders + risk teams

Escrow facts
without bridging

DISTRIBUTE

5-minute setup

API + event schema
Attestation time varies

EXPAND

Reusable profile

Proof-opened accounting
No liquidation or release

Solo builder · contracts, worker, web

Public proof + code →

