

Credit without moving collateral

Lock mock USDC on Sepolia.
Prove the receipt. Borrow on Creditcoin.

NO VALID PROOF

0
credit lines

Attestcoin is the gate,
not a decorative oracle.

Cross-chain credit has a reporting problem

TODAY

A bridge, oracle signer, or operator says collateral exists.

The reporting layer becomes part of the solvency boundary.


ATTESTLOCK

Creditcoin verifies the exact successful escrow receipt.

The asset stays on Sepolia. The line opens only after BlockProver succeeds.



One proof opens one bounded line



The worker relays proof. It cannot manufacture credit.

The safest line is the one that never opens

0

invalid proofs
become credit

Receipt

status = 1

Event

exact vault + token

Replay

query ID + lock ID

Origin

chainKey = 1

Economics


≥ 100 mUSDC · 8d cover

Funds

borrower signature

A junk transaction is a product demo, not just a unit test.

Evidence is separated from what still needs gas



VERIFIED NOW

49 passing automated tests

Hosted web + private Postgres
PostgreSQL tests run in CI

LIVE GATE

Funded Sepolia + Creditcoin wallets
Proof tx + borrower tx + replay evidence

Risk teams first. Proof-gated credit for Creditcoin.

TARGET

Testnet lenders

Collateral facts
without bridging

DISTRIBUTE

Open-source pilots

Partner docs
Risk integrations

EXPAND

Creditcoin volume

Proof-gated lines
Release + defaults next