

Your Daily Sleep at a Glance

Make your daily sleep painting with Generative AI

Byeong Heon Kang

*dept. Information System
Hanyang Univ.*

Seoul, Republic of Korea

Kangbh98@hanyang.ac.kr

Yun Seo Jeong

*dept. Information System
Hanyang Univ.*

Seoul, Republic of Korea

kathy531@hanyang.ac.kr

Woo Seong Jung

*dept. Information System
Hanyang Univ.*

Seoul, Republic of Korea

junusong12@hanyang.ac.kr

Won Jun Choi

*dept. Information System
Hanyang Univ.*

Seoul, Republic of Korea

dnjswns0920@hanyang.ac.kr

Abstract—The background of developing applications on the theme of the relationship between sleep quality and brain waves contains important and meaningful elements in many ways. I will explain the background of developing an application that measures sleep quality by measuring brain waves and corrects sleep patterns based on this. Increased health problems and stress: In modern society, stress and various health problems are occurring on a daily basis. These problems are associated with poor sleep quality. Lack of sleep negatively affects physical and mental health, and it is important to recover your body and mind and relax through sleep. Advances in scientific research: In recent decades, sleep analysis through brain waves has developed significantly in the field of sleep research. Brain-wave measurements can accurately determine sleep stages and quality, and this information plays an important role in understanding and improving individual sleep patterns. The importance of personalized healthcare: Personalized health care is being emphasized. Each individual has its own sleep patterns and requirements, and general rules are not enough. Therefore, you need an application that measures brain waves to tell you which type of sleep pattern is most ideal for an individual and provides advice accordingly. Technology Innovation and Utilization: Modern technology makes it relatively easy to measure and analyze brain waves, and this data can be collected through smartphones and wearable devices. These innovations require applications that enable users to easily collect sleep data and receive personalized health information. Promote a healthy lifestyle: Sleep care applications help promote healthy lifestyles for users. Improved sleep patterns can provide several benefits, including improved productivity, reduced stress, and improved immunity, which can lead to better quality of life. Considering this background, developing an application that utilizes the relationship between sleep quality and brain waves is expected to play an important role in improving personal health and well-being. Users will have the tools to better understand and improve their sleeping habits so they can enjoy healthier and more prosperous lives.

Role Assignments

Roles	Name	Task description & etc.
Customer	YunSeo Jeong	She likes to enjoy SNS and communicate with people like any other person in their 20s. She suffers from insomnia these days. She's trying to relieve her insomnia herself. For that reason, she is writing a sleep diary to relieve insomnia. However, the existing sleep diary application was too restrict to record continuously. For keeping sleep diary steadily, she is looking for a sleep diary platform that is more fun and can communicate with people.
		He is a user of LG brid.zzz product and is a student about to take midterm exams. During the exam period, fatigue accumulated in his body due to intermittent tension and insomnia. Accordingly, he started using an application linked to brid.zzz. Through the application, he was able to record his sleep status and manage images and diaries. Through images created through his own brain waves during sleep, he was able to check his sleep state more intuitively, and was sometimes able to share his dreams with other friends which intrigued his friend.
User	WonJun Choi	

Software developer	ByeongHeon Kang	First, a software developer accurately comprehends the project requirements, identifies user needs, and provides a sense of direction for the software. This leads to the development of technical specifications and system architecture. This design phase determines the fundamental structure of the software, serving as a blueprint for its implementation. Next, the developer embarks on the actual coding and development work. In this phase, they adhere to technical specifications, writing source code and implementing various features and functionalities. Ensuring code quality and performance is crucial, and the developer performs testing and debugging to resolve errors and bugs. Effective communication about project progress and challenges is necessary. This facilitates alignment among all team members and is pivotal for the successful development of the software.
User	WooSung Jung	He is a Development Manager. He's in charge of this project. Due to the nature of the project, identifying the needs of customers and users and the ability to identify the needs of engineers is critical. Instead of just identifying each need, he needs to compromise each need and oversee the project's direction in a way that will satisfy everyone. This role also requires the ability to understand the conditions required as the project progresses.

I. INTRODUCTION

1 Motivation

Sleep is an important physiological process that greatly affects our health and quality of life. Bad sleep quality can be associated with stress, depression, anxiety, excessive fatigue, poor concentration, and physical health problems. So it is very important to

measure and improve sleep quality. Under this background, it is important to understand the relationship between sleep quality and brain waves and to create an application that helps correct sleep patterns.

In LG electronic brid.zzz has launched home appliances for mind care and slip care. Brid.zzz manages the 'bloom' that everyone has. Whether you are a student or an office worker, there are moments when you feel stress and tension in your daily life. Just as it's hard to get sunny every day, you can't avoid cloudy days. That's why brid.zzz takes care of "blurring". The brid.zzz will be a very useful appliance for modern people. Sleep care is good to use when you can't sleep well. When you enter the sleep care screen, it consists of an intuitive layout such as an OTT home screen, and you can choose the sound you're attracted to. I usually turn on the sound of bonfires or rain when I can't sleep well, and when I write, I turn on the sound of nature to make my mind comfortable. You lose your thoughts, your concentration increases, and your mind becomes calm. Brid.zzz not only plays sound, but also detects the user's sleep stage in real time and induces brainwave control to create a suitable sleep cycle. For example, if the user is determined to be asleep through brain waves, the sound is turned off, or if it is found to be in REM sleep state (light sleep), the sound is reproduced again to induce deep sleep. If I turn on ASMR on YouTube, I can sleep well, but I woke up again because of the sound, brid.zzz recognized through brain waves, so there was no such discomfort. We are decided to develop an application for people suffering from sleep disorders using this brid.zzz. [1]

a Excessive coffee dependence, caffeine addiction leads to insomnia.

There are a lot of people who love coffee. Enjoy coffee during work, after meals, when taking a break, and when taking a walk. The coffee shops lined up on the side of the road are an element that proves the public's love for coffee. In addition, various

variation coffee products such as americano, latte, macchiato, and mixed coffee appear to satisfy the public's taste. The caffeine content in coffee affects the brain and contributes to the production of neurotransmitters such as serotonin and dopamine, which improves fatigue recovery and stress. It acts on the central nervous system and exhibits a human arousal effect. This is effective in driving away drowsiness, which is a positive factor in increasing work concentration. The problem is excessive intake. It is known that 150ml of coffee contains an average of 40 to 180mg of caffeine. According to a study by the Ministry of Food and Drug Safety, the recommended daily intake of caffeine for Koreans is about 400 milligrams for adult men. It varies from person to person but drinking only 3 to 5 cups of coffee a day exceeds the daily intake of caffeine. Too much caffeine can cause side effects such as headaches, heart palpitations, nervousness, dizziness, and cold sweat. Among them, insomnia is considered a representative side effect of caffeine. This is because caffeine increases the heart rate, causing excitement in the body and further disrupting the activity of adenosine receptors that induce sleep. Insomnia is a symptom of poor sleep despite being given the right time and opportunity. It is characterized by various adverse conditions, such as feeling tired or unable to concentrate during the day due to lack of sleep at night. The causes of insomnia vary. Mental illness such as mental and physical constitution, way of life, sleeping habits, sleep diseases, and depression are cited as causes. Among them, excessive caffeine intake can cause chronic insomnia, so care should be taken. If you are suffering from insomnia, it is advisable to properly control your coffee intake. It is also a good idea to enjoy other drinks instead of coffee. It is a good drink to drink instead of coffee, including chamomile tea that helps calm and comfortably sleep well, and lavender tea that is good for nerve stability and stress relief.

In addition, it is a good way to activate the rhythm of the body through regular aerobic exercise. If insomnia persists for more than a month despite reduced coffee intake, if it is difficult to maintain work during the day or if daytime sleepiness or narcolepsy occurs, it is recommended to visit the sleep clinic for a thorough examination. The exact cause of insomnia can be determined by physical examination, medical history, and blood tests. Insomnia can be caused not only by sleeping habits but also by depression, which can be confirmed through specialized examination processes such as physical examination, psychoanalysis, writing a sleep diary, and multiple sleep tests. The multi-way sleep test has the advantage that even office workers who are busy with their busy schedules can easily receive it because it is possible to proceed with a simple process in which patients achieve normal sleep at night by attaching a sensor. [2]

b Exercise and Sleep

It's better to exercise together with treatment according to the cause. Also, you can expect some effects just by exercising. This is because exercise promotes blood circulation and lowers stress. It's not a fundamental remedy, but it helps you sleep. People sleep more than 30 percent of their lives. The brain's biological clock keeps you active during the day and sleeping at night. Body rhythm and mental vitality are restored during sleep. Biological rhythms increase sleep time in winter when the night is long, and sleep in summer when the night is short. This is why naps are more common in summer than in winter. In addition, obese people tend to sleep long, and skinny people tend to sleep short. The quality of sleep is determined by exercise time. Morning or daytime exercise is recommended. Exercise at night slows sleep time due to increased body temperature and excitement of sympathetic nerves. The sleep cycle time is pushed back by the vitality

of the body. Exercise consumes energy and increases body temperature. Blood pressure and pulse increase and cortisol increase. A good night's sleep works well when the wakefulness hormone cortisol is reduced, and melatonin is released. Exercise in the morning or during the day also has the effect of enjoying the sunlight for a long time, which promotes sleep. Running vigorously releases serotonin. Serotonin, a neurotransmitter, blocks the sunlight's optic nerve stimulation. At the Fred Hutchinson Cancer Research Center, Group A had morning walking exercises five times a week in 45 minutes and Group B had morning stretching three times a week in 20 minutes a day for a year. As a result, 70% of the walking group A slept better than before exercise, and 30% of the stretching group B slept better. This means that light exercise such as walking in the morning helps improve sleep quality. [3] If you exercise at night, you should avoid sweating. It is recommended to lighten the stretching for about 30 minutes. Indoor exercise helps you sleep by lying down and pushing your back high into the sky, and yoga's cat posture, which circles your back and waist. It relaxes the rigid body due to tension and relieves excessive brain energy through excessive thinking to stabilize brain waves. Along with exercise, the fundamental treatment is to comprehensively approach psychological factors and physical problems, which are dysfunction of the ledger, identify the cause, and take individual treatment. Brainwave measurement records, additional information (exercise records, food records, dreams) It was planned to create a function to create a picture that summarizes the sleep information of the day in one sheet and stores the information. It implements a function to share a picture summarizing sleep in one sheet on SNS such as Instagram. Based on the stored information, we're going to do a correlation analysis of each indicator It implements functions such as "drinking

caffeine drinks lowers your sleep score by 20 percent" and "increases your sleep score by 30 percent due to regular exercise." It implements a generative AI function that generates customized music based on brainwave information.

2 Problem Statement

Sleep plays a key role in our health and daily lives. Then how long should we sleep? For adults, 7-8 hours of sleep per day is generally recommended. However, this may vary depending on each individual's constitution. What is more important than sleep time is to get regular and adequate sleep. With proper sleep, our bodies can reduce stress, strengthen our immune system, and regain mental and physical vitality.

There are various cases of sleep deprivation in modern society, which can be affected by an individual's lifestyle, occupation, habits, and health conditions. Below are some common examples of sleep deprivation in modern society.

- a Daily Stress: Daily stress such as work, study, family, and financial pressures can lead to sleep deprivation. Stress can increase your sleep tension and lead to poor sleep
- b Digital devices: Late use of digital devices such as smartphones, tablets, and computers can cause blue light and stress, negatively affecting sleep.
- c Working Hours and Traffic Problems: Many people have short sleep hours due to irregular working hours or long traffic jams. Sleep deprivation is especially likely if the work is done at night. Experts say long-distance commuters have significantly less sleep time than short-distance commuters, and persistent sleep disorders pose a high risk of exposure to diseases such as depression and memory loss. [4]

- d Social pressure: Social pressure and competition are intensifying in modern society, which can lead to increased anxiety and stress. This can lead to sleep deprivation.
- e Use of chemicals and medicines: Foods or drinks contain caffeine or alcohol, and some medicines can negatively affect sleep. In fact, according to the Agricultural and Fishery Products Distribution Center, caffeine intake in Korea is lower than in OECD countries, but caffeine intake tends to increase as coffee shops spread and coffee drinking culture after meals spreads. These statistics show that people in our country are more likely to suffer from sleep disorders caused by excessive caffeine intake. [5]
- f Irregular Lifestyle: Irregular eating habits, lack of exercise, and habits that do not consistently maintain sleep time can lead to sleep deprivation.
- g Older Population: More problems with sleep quality and sleep deprivation may occur in older populations, which may be related to health conditions.
- h Sleep Disorders: People with sleep disorders such as sleep apnea syndrome and restless leg syndrome can find it difficult to get normal sleep.
- i Holiday Night Irregular Activities: You often stay active late without maintaining your sleep pattern on weekends or during vacations. When you return to your daily life after changing day and night during the holiday period, your biorhythms do not recover and you cannot sleep at night, causing sleep disorders.

3 Related Software

a Sleep Cycle

It is an application service that provides an alarm function according to the sleep cycle by utilizing the principle that it is fresher

when waking up during shallow sleep rather than deep sleep. When the normal wake-up time is input, the most effective wake-up time is calculated to configure a smart alarm. The main screen consists of menus such as a) sleep b) profile c) statistics d) profile, etc.

- i) Sleep: Enter the target wake-up time before going to sleep and calculate the shallow sleep cycle to set off the alarm. You can enter variables such as coffee and late-night snacks before sleep, so you can diagnose yourself on what items your quality of sleep is affected by.
- ii) Diary: calculates and shows the time spent in bed, sleep time, by date and day of the week. In addition, the sound index of the back of the snoring is used to determine the user's deep sleep/sharp surface condition. In addition, the user's total snoring time and surrounding noise are numerically displayed.
- iii) Statistics: calculates sleep quality, regularity of sleep, bedtime, wake-up time, efficiency, sleep time, time taken to fall asleep, snoring, etc. and displays them in the form of bar graphs.
- iv) Profile: Briefly shows the average value of the data, and there is a settings menu. In addition, you can set interworking functions and sleep goals with Apple Watch.

b Sleep Tracker

An application of sleep recorder and sleep sound provision. When executing the application, the user's wake-up time / bed time / purpose of using the application is input. The purpose of using the app includes tracking sleep/getting asleep faster/improving sleep quality/making a more comfortable breakfast/living regularly/resting. The application can be used after customization according to the survey. The main screen consists of

a) Tracker b) Exploration c) Statistics d) Settings within.

i) Tracker: If you enter the bedtime and alarm light and press the 'sleep now' button, the sleep tracker function is activated. When the sleep tracker function is operated, the sound around the device is recorded, and the recording ends when the "woke" button is pressed and pressed long.

ii) Exploration: Exploration provides sound for sleep. Sleep sound is divided into items such as rain/nature/life/ASMR/meditation, and is a format in which data of each item is downloaded and reproduced.

iii) Statistics: The statistics menu is also divided into diary/statistics menus.

A) Diary: The diary menu shows the ratio of sleep scores and deep sleep, and a function to add notes to each sleep is implemented. It can also play recorded audio data when sleeping.

B) Statistic: The statistics menu calculates weekly/monthly sleep scores, changes in bed/wake time, and averages. It also represents the amount of recorded noise and insufficient sleep time by period.

iv) Settings: The 'My Settings' menu provides synchronization through data backup. In addition, it provides my profile information, general settings/language settings, and data management functions.

c Better Sleep

It is an application that provides sound for sleep. The menu screen consists of

a) a home b) a sound c) a sleep d) a sleep e) a profile.

i) Home: Shows menus such as favorites, my playlist, story, meditation, music,

breath, and more, and you can click on each menu to listen to the services you want.

ii) Sound: More services are available than those presented on the home screen. White noise, water, nature, asmr, brainwave customized frequencies, etc. are provided, and multiple items selected by the user can be heard at the same time rather than a single sound function. It presents specific sound items such as "wind between palm trees", "dawn", and "beach".

iii) Sleep: Start tracking sleep. You can select and listen to the desired sound while in use, and the sound around the device is also recorded.

iv) Diary: Shows data on sleep quality. Through breathing in sleep, snoring, and heart rate (interworking with the watch), it indicates the amount of time spent in sleep, shallow sleep, deep sleep, and quality of sleep.

d Calm

It is a meditation/sleeping application that inputs mood states in real time. The calm application consists of a) a home b) a sleep c) a search d) a profile menu.

i) Home: A list of recommended meditation content is listed below, with the user's status questioned at the top. The user's condition can be selected from six emojis, and it is divided into six categories: calmness, sadness, tiredness, anxiety, panic, and uncertainty. It is a screen in which customized meditation contents are presented accordingly when the user's status is input.

ii) Sleep: Provides audio to help you fall into a deep sleep. It consists of items such as story, meditation, music, and

soundscape, and is provided with a like/share function and a timer function when playing.

- iii) Explore: Provides the ability to search for audio by title, narrator, artist, or topic.
- iv) Profile: Record how many meditation sessions you've gone through in total, and how many days are the longest continuous performance. It also provides a function that shows the calendar and shows whether meditation is carried out at a glance.

e Dream Kit

It's an application that records your dream. Images through generative AI can be recorded together. It is largely composed of three menus.

- i) Modify your dream diary into a sleep diary so that you can check your daily sleep. If you press the content of the dream, you will go to the details of the dream content.
Items in the insomnia diary can be viewed by the user in the past. Images can also be viewed together.
- ii) The calendar comes out and the date of recording the dream diary comes out. Click on that date to get a dream diary for the detailed individual dates described above.
The date the sleep data is entered is checked. In addition, since the brainwave data set is divided into 16 categories (undetermined), colors are recorded in the calendar according to the classification. Through this, you can see your sleep patterns at a glance for a month or a year.
- iii) You can see other users' dream diaries. You can see the most popular dream diary first. I think it's good to refer to the pattern of sleep diaries being recorded.

f Insomniac Diary

In fact, patients suffering from insomnia are receiving help by checking their sleeping habits through insomnia diaries. If you look at the information collected in your insomnia diary, you can largely distinguish between the information collected by Breeze and the information you need to enter directly. Since there are quite a few items that need to be entered directly, it would be good to optimize them as the most important content.

- i) Direct input: Caffeine intake, hours of exercise per day, medication taken today, how many naps you took, mood during the day, current concerns, food you ate 2 hours before bed, why you woke up.
- ii) Breeze data: the amount of time you tried to give to them, the amount of time you slept, the amount of brain waves you woke up, the amount of RAM sleep you slept.

Key information can be extracted based on Breeze data.

II. REQUIREMENT ANALYSIS

1 Main

This is the first page that opens when a user downloads and runs an application. The first impression is very important because the main page of the application is the first page you encounter the application. If the first impression is not good, no matter how good the function and performance of the application is, users may be less interested in using the application, so a lot of effort should be put into the design aspect.

i) Introduction Application

- A) The application introduction screen is located at the top of the main page.
- B) The application introduction screen is composed of the logo of the

application and the application name.

ii) Sign-In and Sign-Up Buttons

A) Sign-In and Sign-Up buttons are located at the bottom of the main page.

B) The two buttons are moved to the Sign-Up page and Sing-In page, respectively.

2 Sign-In

It is a login page that can be used if you are a member of the application.

i) ID, password input box

ii) Login button: When you click the login button, the first time you access it, you go to the information page, otherwise the Home screen.

3 Sign-Up

It is a page which leads people to sign-up this application.

i) ID field

A) ID input box

B) Double check button

ii) Password input box

iii) Password verification input box

iv) Name, phone number, email, date of birth input box

4 Home

It is a screen that appears after the login screen. It is also a page for writing a sleep journal, which is the main purpose of the application. In the case of writing a sleep journal, it will be placed in the center of the screen in the shape of a calendar to give a visual emphasis effect. Dream images created based on abstract data recorded on a

daily basis, quantitative data input by users, and data measured in Breeze are stored in the calendar.

i) Write Sleep Diary

If you click the Sleep Diary creation window, it will be linked to the Sleep Diary creation window for that date. The sleep diary writing window can be changed to the desired date. First, in the window, pre-sleep information is input. Enter caffeine intake, exercise, sleeping pill dosage, and concerns on the day.

i) (Recommended) If the input time is before going to sleep, temporary storage is possible. Subsequent progress can be written through a notification sent after sleep or through writing a sleep diary.

ii) If the input time point is after the sleep of the input date, it can proceed immediately to the next.

I get sleep data for that date from Brid.zzz via API. Thereafter, the reason for the number of breaks based on the Brid.zzz data is inputted through a pop-up window. Then, with the pop-up window, whether you had a dream, what kind of dream you had, and how you feel after waking up. Once you've entered all, click Save. When stored, it is stored together with the generated image. The sleep diary is shown to the user after being saved.

5 Monthly Calendar Screen

When you click the calendar in the navigation bar at the bottom, you will be directed to the Monthly Calendar screen. At the top, the logo of the application and text indicating that it is a calendar screen are disposed, and the calendar is disposed at the center of the screen. A calendar is in the form of a monthly calendar.

i) A monthly calendar

Users can show the record status of their

sleep diaries at a glance through the monthly calendar. The monthly calendar can check the sleep image recording status of the year and month when selecting the desired year and month. Color display according to sleep scores is provided differently to increase the visibility of sleep conditions displayed on the calendar.

When you click on the space with sleep diary records on your monthly calendar, you will be taken to the Daily Diary screen.

If you click on the space where no sleep diary image has been created on the monthly calendar, you will be taken to the screen for creating a sleep diary for that date.

ii) Daily Diary Screen

It is a screen provided when you click on a specific date on the monthly calendar screen. The Daily Diary screen provides objective indicators of sleep on that date, as well as a record of sleep diaries, images showing sleep conditions, and factors affecting sleep on that have been received through LG Brid.zzz. The screen consists of dates, pictures, Brid.zzz data, factors affecting sleep, and sleep diaries from the top.

A) Date

The clicked screen provides the date information to which the record is applied.

B) Sleep Summary Images

Images provided through generative AI are provided.

C) Briz.zzz data

Objective data indicating sleep scores and quality of sleep are presented.

D) Factors Affecting Sleep

Displays records of caffeine, exercise and intensity, and drug use that affect

sleep.

E) A diary

Displays the created diary in text format. In the sleep diary, qualitative data such as the contents of the dream, the author's emotional state, and the feeling of the day are entered.

6 Create Images with Generative AI

When you press Save, the data moves to the server, moving the sleep score among dreams, worries, moods after waking up, and Breeze data to the items in the prompt of the image creation AI. If all three items are not entered, an image is generated based on the Breeze data sleep score. The image is stored by setting a date as a key in the database.

i) Prompt Setting

- A) Image Description is a combination of Adjectives/Adverbs, Subjects, Background Description and Details, mainly using adjectives and nouns.
- B) The description must match the selected category and style.
- C) Too complicated and lengthy descriptions can produce false images and bad quality. [6]

7 Sleep Solution

Users wear Breeze and sleep every day. Breeze can provide sleep scores, sleep time, and RAM sleep count. The user directly inputs data such as caffeine intake, drug use, exercise, and meal intake. Depending on the data input by the user, it is possible to measure the change in the Breeze sleep score, sleep time, and number of RAM sleep. This application can learn long-term data and give customized daily life pattern advice to users. Various variables such as changes in sleep according to caffeine intake time, changes in sleep according to caffeine intake, changes in sleep according to exercise time and exercise intensity, drug

type doses and changes over time can be advised to improve users' sleep quality. Providing sleep solutions allows users to be more active in data input.

- i) Data Analysis Long-term user data is required to provide a customized sleep solution. The items of data required are as follows. 1) Quality of sleep, 2) exercise, 3) Sleep time, 4) Stress level, 5) Blood pressure.

Among the above items, nominal variables go through a one-hot encoder process and perform a data EDA process, such as processing for null.

After that, linear regression is used to determine the correlation between each variable and the quality of sleep. However, in addition to the linear regression model, other models will be applied, and models with higher reliability will be finally adopted.

8 Settings

- i) Change Personal Information

With the My Page function, you can change the information entered at the time of membership registration, such as your name, birthday, gender, email, and body information.

- ii) Guarantee Security

In addition, users' security can be improved by displaying messages that induce password changes every three months.

- iii) Provide Release Information

By providing release information, it provides users with application version information to induce the use of the latest version of the application at all times to help them take advantage of various functions to be added in the future.

- iv) Alarm Receiving Function

The alarm receiving function helps users

use the application more actively by sending alarms when sleep data is not entered or Breeze is not used.

In addition, the alarm reception rejection setting allows the user to avoid fatigue in the application with unwanted alarm reception.

III. DEVELOPMENT ENVIRONMENT

1 Choice of software development platform

a Development Platform

- i) Windows 11 : Windows OS provided by Microsoft is the most widely used operating system in Korea. There are various versions of Windows, but Windows 11 was adopted and used to carry out projects. The reasons for adopting Windows 11 as a platform in our project are as follows. First, the web development environment has improved. The second UI has become convenient to use. This may vary from person to person, but our team felt that the UI had improved.

- ii) Mac OS sonoma : It is a Mac OS version released by Apple in 2023. Apple has the advantage of being convenient to develop because it provides developer beta OS.

b Language/Framework

- i) Javascript / CSS /HTML

"Your Daily Sleep at a Glance" was implemented through a web app. An app that looks like a native app but uses web technology is called a "web app". The reasons why we adopted the web app are as follows.

First, web apps are widely used in various device environments such as PCs and smartphones without installing separate apps.

Second, maintenance is easier than native apps. Since the update is performed through the web, the user may not be burdened by the corresponding

application modification work.

Since the characteristics of these web apps conform to the development of the application, which is in the early stages, they were implemented as web apps. When creating a web application, the application screen was constructed using HTML CSS and JavaScript, which are web languages. [7]



ii) JAVA:

Java is a programming language that is mainly used to develop the web and mobile. The advantages of Java are as follows.

First, it can run independently of the operating system.

Second, it supports automatic memory management, etc., so it has high stability.

Third, there are many references because it is an old language.

In our team project, JAVA was used to develop the backend, and the backend development was completed by using Spring with JAVA. [8]



iii) JPA(Java Persistence API):

JPA is a collection of interfaces that use object-relational mapping (ORM) technology standards in the Java field. Hyberate is a representative open source that implements JPA.

When implementing the backend of our project, we adopted it to use relational databases in Java applications. The reasons for choosing JPA over SQL are as follows.

First, developers don't have to care about queries because DB can be manipulated through methods other than SQL.

Second, object-oriented code writing becomes possible. This increases productivity. Because of these advantages, we used JPA in our project.

iv) Spring Boot:

Spring is an open-source framework that facilitates the development of Java applications for the enterprise. Through this, we developed the Back-End of our project. The reason why we chose the spring is as follows.

First, because it is an open source. Spring is free for all users, so you can develop it at no cost. Also, because it is open source, you can use good code that many people have already created.

Second, it is a lightweight framework. Compared to existing technologies, the code that developers need to write is simple, making it a little easier when developing Back-End. [9]



v) Python:

Python is a programming language used for web applications, software development, data science, and machine learning.

Python can increase productivity because it is easy to use among programming languages. The python community is on the big side worldwide, so it's easy to get help when problems arise. It is also compatible with various operating systems such as Windows and Mac OS. Since python has a variety of libraries, it is easy to adopt and use libraries suitable for the developer's purpose.

Because of the advantages of Python as described above, Python was used in our project to analyze data (Data EDA) and conduct machine learning. In particular, data analysis was conducted using libraries such as numpy and pandas. [10]



c Software

i) VScode :

VScode is one of the lightest editors available to developers. The software is a free open source code editor released by Microsoft in 2015. It supports multiple programming languages and provides a number of capabilities to improve developer productivity.

VScode is easy for developers to use and is a universal editor used when they first enter development, but it has the following disadvantages. First, restrictions can arise when working on large-scale projects. Memory usage can increase when using a second large file. Finally, debugging is not as good as other editors. It supports basic debugging, but lacks advanced debugging capabilities. Nevertheless, there are the following reasons why our team used the VScode to proceed with the project. First, compatibility between platforms is good. Team members who use Windows OS and MAC OS coexist in our team. Therefore, it was important to use a compatible platform when working, and we were able to solve this problem because vs was compatible.

Second, the capacity is not heavy. Because the VScode runs on low-spec hardware, it was easy to work with computers their own computers.

For the above two reasons, our team used the VScode as a code editor.



ii) Jupyter Notebook :

Jupyter Notebook is an open source web application that provides an interactive environment for code generation, visualization, and documentation.

It provides exploratory data analysis (EDA), data organization and transformation, data visualization, statistical modeling, machine learning, deep learning, and many other languages. It consists of code cells and markdown cells, which allow you to write and execute Python codes, and markdown cells allow you to write documents, express formulas, or insert images.

Running Python code one line at a time makes it easier to debug and test. When the code is executed, results are displayed directly below, and visualized graphs or tables can be viewed immediately.

The combination of code, markdown, links, and images makes it easier for data teams to use, and can run on a cell-by-cell basis to take advantage of the code's capabilities. You can convert from the web interface to HTML, PowerPoint, LaTeX, PDF, ReStructuredText, Markdown, and Python. This flexibility makes it easier for data scientists to share their work with others.



iii) Git & Github :

A version management software called git was used to manage the progress of the project's work. The project progress was recorded by recording changes in the work file with git and sending them to github. Using github made it easier to manage and roll back code changes, and using features such as code review and branching, team projects could be carried out without difficulty. [11]



iv) Slack :

Slack is an app that connects people and information. Slack can improve how organizations communicate by bringing people together and running a unified team.

Slack helps employees work in a more connected, flexible, and inclusive way. Slack makes it easy for you to message and collaborate with your colleagues inside and outside your organization as if you were in personal contact with others. People work in a dedicated space called a channel that combines information with people who need it.

Slack supports asynchronous operations. By channeling a task, you can access

the information you want at any time, regardless of location, time zone, or functionality. Ask questions, get answers, and update without scheduling. Slack provides access to the same shared, searchable information for all of your organization. When teams collaborate on a channel, everyone can share information at the same time, allowing all teams to share progress and make decisions faster. [11]



v) AWS:

It is a cloud computing platform provided by AWS Amazon. It currently offers more than 200 services. Among them, the functions used in our project are AWS EC2 and AWS S3 storage.



A) AWS EC2

ASW EC2 provides computing capacity that can be scaled on-demand from the cloud. It can build any number of virtual servers, configure security and networking, and manage storage. Among many clouds, we used this cloud because our project uses machine learning. According to AWS official documents, EC2 offers services to optimize price-to-performance for machine learning projects. Because of this, we used AWS EC2.

B) AWS S3 storage

AWS S3 is a repository built to store and retrieve the desired amount of data. This has the advantage of being scalable and paying only for the amount of use, so you only have to pay for the size of our project. The main reason we chose AWS S3 is that it can store almost any kind of data. Our project receives the user's sleep state, inputs it into the image-generating AI, and obtains the image output. In this case, since the data type of the output stored in the storage is an image, it should be a storage capable of storing an image. [12]

vi) DALL-E2:

It is an image-generating artificial intelligence developed by Open AI. Our project needs an image-generating AI to represent the user's sleep state as an image, and we decided to use DALL-E as the generating AI used at this time. The reason is that DALL-E's API is provided as an open source. [13]

vii) Overleaf:

Overleaf is an online co - thesis writing tool. Everything from selecting the topic of the thesis to posting is possible. It is a paper writing tool based on LaTeX and Rich Text. We wrote a paper using LaTeX during the project. Overleaf is very easy to share and save PDFs when working on team projects. In addition, when creating a shared link, it provides security functions, so there is no need to go through a separate encryption process. In addition, Overleaf is convenient to understand the progress of the project in real time when conducting a joint project. Big errors can be prevented in advance because the contents of the co-researcher's writing can be checked from time to time. [14]



2 Cost Estimation

Almost all platforms are not charged in the course of the project, but the following three are charged according to their usage. The details are as follows.

i) AWS EC2

Using an on-demand instance, you will pay per hour or per second without a long-term commitment. The fee is subject to many conditions. Assuming that you use Seoul, Windows OS, 0.5GiB memory, and EBS-only storage, the on-demand hourly rate is charged USD 0.0111. [15]

ii) AWS S3 storage

AWS S3 will only pay for what it uses. Costs are subject to the following conditions. Storage charges, request and data retrieval charges, data transfer and transfer acceleration charges, data management and insights function charges, replication charges, conversion and query function charges. Based on S3 Standard, a general-purpose storage suitable for all data types, assuming the area of use is Seoul, 0.025USD per GB is charged. [16]

iii) DALL-E2

DALL-E2 has received 0.020USD per image based on 1024x1024 images and 0.018USD per image based on 512x512 images. [17]

3 Task distribution

Jeong Woo Sung	Front-End and Design
Choi Won Joon	Front-End and Design
Kang Byeng Heon	Back-End and Search
Jeong Yun Seo	AI and Documentation

a) Front-End:

Front-end developers are developers who create areas that users see with their eyes and implement functions. For example, it is in charge of UI such as buttons, input windows, and application icons in the page. Since users are in charge of seeing and experiencing themselves, there are frequent collaborations with marketers and designers, and there are cases where they concurrently work in design. As such, it is important to pay attention to visual details, and the ability to fully implement the user experience experienced by users in the service is also important. Front-end developers mainly use HTML, CSS, and JavaScript.

In our project, Front-End developers focused on creating a UI for "web apps," especially in implementing them easily for users. The languages used at this time used HTML, CSS, and JavaScript, which are common languages of front-end developers.

b) Back-End:

A Back-End developer is a developer in charge of storing, managing, and delivering information needed by users among the web development areas. In other words, developing and managing servers is the main task of Back-End developers. Back-End developers need to understand the overall structure of web services, and logical thinking is required. Back-End developers use languages such as Java, Python, and JavaScript.

In our team project, Back-End developers were primarily responsible for the development and management of data servers, such as member information management, sleep data organization and sleep-state images conservation. The language used at this time was Java and additionally, Spring and JPA were used to develop the Back-End.

c) Design:

Web designers design and create the entire

site, including the first screen or detailed screen of the website, and the color and icon of the menu.

It reprocesses text, images, videos, and voices on web pages to make them easier for users to understand and use.

The main screen of the website is updated as needed and animation or specific effects are implemented on the web using HTML5, CSS, Javascript, JSP, ASP, XML, and the technologies needed to produce the website. In our project, the role of a designer was defined as the role of prototype design. Previously, it was said to use HTML5 and CSS, but in our project, we used Figma to design it.

d) AI:

In our project, the AI person was responsible for analyzing the user's sleep data and finding the right analysis algorithm for that data. During this project, a linear regression algorithm was mainly used to analyze sleep conditions.

IV. SPECIFICATIONS

“Your daily sleep at a glance” is an application linked to LG. LG Brid.zzz interworks the user's sleep data with our application using API and uses the data entered into LG Brid.zzz. The main purpose of our application is to induce users suffering from sleep disorders to continue to write sleep diaries by adding elements that are more visually interesting when writing sleep diaries. For this purpose, we used image-generating AI. Create a picture of the sleep of the day by putting the data taken from the LG Brid.zzz and the qualitative data entered by the user into the prompt. Add this image to your diary, which you create, to encourage you to increase your visual interest. In addition, it provides sleep solutions, which can contribute to improving your sleep quality.


a *Entry*

This window appears the first time you run the “Your Daily Sleep at a Glance” application. In

this screen, the logo of our application appears in the center, and two buttons are arranged vertically and side by side around this logo.




The button located at the top of the two buttons is a login button, and the button located at the bottom is a membership registration button.



b *Sign-In*

The login screen consists of two input cells and one button. The two input compartments are spaces that allow you to enter your ID and password, respectively. And one button is a button that allows users to press when they forget their ID or password. If the user enters the ID and password correctly, the login is completed with a pop-up window of “Login Success”.

However, when login is not successful, it goes through the following process.



- a) Invalid ID/password entry
 - i) Simple typo occurs
 - Prompts to enter the correct inputs
 - pop-up message.
 - Return to the login screen to continue the login operation.
 - ii) Users forget their ID or password
 - Press the Forgot password button.
- b) Press the Forgot Password button

When you press the Forgot Password button, a window for finding the password appears. Go to the window where you can authenticate yourself. The means of self-authentication are as follows.

 - i) Email authentication:

A series of codes are sent to the personal email entered at the time of membership registration and entered into the application to complete identity authentication.
 - ii) Phone number authentication:

An SMS containing the authentication code is sent to the personal number entered at the time of membership registration, and if you enter it in the input box, your identity authentication is completed.

If the identity authentication is successful, the password can be modified. When resetting a password, ensure that the

following conditions are met for enhanced security reasons.

- i) 8 characters or more
- ii) Include capital letters
- iii) Include special characters

When a user enters a new password, press the "Confirm duplicate" button to avoid duplication.

If it is confirmed that there is no overlap, a pop-up window will appear as "password modification complete".

When the password is modified, return to the login screen and proceed with login.

c Sign-Up

If a user wants to join our application, when the membership window is first opened, five input windows and one button are visible. Each input window item consists of name, ID, password, age, gender, phone number, and e-mail. Phone numbers and e-mails are items for self-authentication when an account is lost, so users are required to enter them.

One button is the "next" button. The reason for the "next" button is that there are additional items to be entered. Since our application provides a sleep analysis solution, we need to know additional items such as height, weight, and occupation.

회원가입

키

나이

몸무게

성별

취소 완료

Privacy policy

When the user presses the "Next" button, a new window consisting of three input windows, one check box, and one button appears. The items of the three input windows consist of height, weight, and occupation. Since such items are very private personal information, check the check box with the message allowing personal information registration. Finally, if you press the "Completed" button located at the bottom center, your membership will be completed.

회원가입

Email address

유효한 이메일입니다.

중복검사

비밀번호

비밀번호 확인

확인되었습니다.

취소 다음

Privacy policy

회원가입

이름

생년월일: YY/MM/DD

전화번호: 010-1234-5678

인증번호: 000000

확인되었습니다.

중복검사

이전 다음

Privacy policy

회원가입

Email address

중복된 이메일입니다.

중복검사

비밀번호

비밀번호 확인

비밀번호가 일치하지 않습니다

취소 다음

Privacy policy

회원가입

이름

생년월일: YY/MM/DD

전화번호: 010-1234-5678

인증번호: 000000

인증번호가 일치하지 않습니다

중복검사

이전 다음

Privacy policy

d Main Screen

a) The top

The top bar is located.

There is a bell-shaped button at the top left, and pressing it will pop up a list of announcements and notifications sent by the application. Here, users can check important announcements.

Notifications

브리즈 데이터를 동기화 하였습니다.

10분 전

생성형 AI 생성이 완료되었습니다.

24시간 전

11.04 작성중인 수면일기가 임시 저장 되었습니다.

18분 전


b) Suspension

It is a screen that appears after the login screen and is a page for writing a sleep journal, which is the main purpose of the application. In the case of writing a sleep journal, it will be placed in the center of the screen to give a visual emphasis effect. In the center of the screen, the date is shown in the form of [November 16, 2023] in the upper left of the box, and the date cannot be modified separately. If you press the Suyeon diary button inside the date, the link is hung on the page for writing the sleep diary, and the page is moved.

The box below the Sleep Diary Writing box shows a summary of the solution from the sleep-related data analysis. Specifically, the phrase [Caffeine has the worst effect on Kang Byung-hun's sleep! If you click the box, you will be directed to the main page of the solution page, which is the third item in the navigation bar.

c) The bottom

The navigation bar is located.



e Writing a Sleep Diary Page 1

a) The top

The top bar is located.

b) Suspension

The date is written on the first box. The box is a static image, not a reactive image.

The second box contains a survey box in which the user receives input of various factors that affect sleep. The input factor is 1) caffeine

Check the check box based on how many cups of coffee. Also, Check the check box based on how many hours did you take caffeine before going to bed.

(None, 1cup, 2cups, 3cups, more than 4)

2) How many hours did you exercise before going to bed? [Constant data type]

3)How many hours did you exercise [Constant data type]

4) Dose of sleeping pills (choose the type of sleeping pills, and choose the number of pills you took).

In the server, the number of sleeping pills x the number of medicines is entered in a water-repellent type.

Below the box are the following buttons: Press the next button to move to the next input page. Clicking the next page does not save that information in the database.

c) The bottom

The navigation bar is located.

9:41 2023.11.07

Caffeine

Caffeine Dosage (Cup)
☐ None ☐ 1 ☐ 2 ☐ 3 ☐ more than 4

Last Dosage time (H before sleep) h

Workout

Workout total time h

Last Workout time (H before sleep) h

Pills

Pills before your sleep
 type: dosage: ☐ 1 ☐ 2 ☐ 3

Next

9:41 2023.11.07

Fill in the data

Total Sleep time h

Number of times you wake up t

Next

f Writing a Sleep Diary Page 2


Entry Conditions:

When you click Next on the Sleep Diary Writing page, if you have Breeze data for that date, the page does not enter, but enters page 3. When you press Next, you enter the page if there is no Breeze data for that date.

- a) The top
The top bar is located.
- b) Suspension
The date is written on the first box. The box is a static image, not a reactive image.
In the second box, enter the sleep time and the number of times you wake up. The next button is located at the bottom.
- c) The bottom
The navigation bar is located.

g Writing a Sleep Diary Page 3

- a) The top
The top bar is located.
- b) Suspension
You can write a sleep diary as a txt file. The topic of the sleep diary is:
 - 1) Worries you had before going to sleep.
 - 2) Whether you had a dream (check box format)
 - 3) A text box appears when you check that you have had a dream and you can receive text.
 When the Done button is pressed, all data stored in the sleep diary is stored in the database. Also, an image is generated with the sleep diary3 data.
- c) The bottom
The navigation bar is located.





and less than 85, a black mark if the sleep score is 65 points or less. When you click on the screen of the corresponding date, it moves to the Daily Diary screen.

- b) If it is not written, the sleep diary is not completed, so a pop-up window is displayed and the user is asked about the intention to write a sleep diary for image generation on that date.

The pop-up window consists of a yes/no button at the bottom, along with the phrase 'Would you like to keep a sleep diary?'

1) If you click 'Yes', you will be taken to the page for creating a sleep diary for that date.

2) If you click 'No', stay on the current monthly calendar screen.



h Monthly Calendar Screen

When moving to the monthly calendar screen, users can check their weekly and monthly writing trends by indicating whether or not to write a sleep diary on the calendar.

- a) In the case of the completed space, a circle mark is provided on that date. Circle marks appear in different colors depending on your sleep score. A green mark remains if the sleep score is 85 points or higher, a yellow mark if the sleep score is 75 points or more

i Daily Diary Screen


- a) Sleep Summary Images

An image generated through the generative AI is posted by summing the sleep data of the corresponding date. In the upper right corner of this image are the share and save buttons.

b) Breeze data


If Breeze data exists:

If data from the use of Breeze products exists, objective data on sleep is presented in a simplified form. A circular graph of sleep scores and quality of sleep is presented in the corresponding item to intuitively present information to the user.



If Breeze data does not exist:

If data from the use of Breeze products does not exist, the item will display the phrase 'data does not exist'.



c) Factors Affecting Sleep

i) Caffeine

A) About taking caffeine:

The dosage of caffeine is expressed in units of 'remains', which is the set standard.

When taking caffeine, information such as '1 to 2 cups' and '3 to 4' cups is displayed on the screen.

If you have not taken caffeine, it is displayed as 'none' on the screen.

B) Caffeine Time:

Displays information about how many hours before sleep you took caffeine.

If you take caffeine, the phrase 'taking caffeine N hours before sleep' is displayed on the screen.

If caffeine is not taken, it is displayed as 'none' by integrating it with the screen and the degree of administration.

ii) Exercise status

A) A workout session:

Indicate information about how many hours before sleep you exercised.

When exercising, the phrase "exercise before N hours of sleep" is displayed on the screen.

B) Intensity of exercise:

Since the exercise intensity felt by each person is different, the intensity is input according to the user's subjective criteria.

When the user enters the exercise time on the screen, it is displayed on the 'work out' screen.

In the absence of data records for exercise, the phrase 'none' is displayed integrally.

C) Medication status:

Give a list of medications taken before sleep on that date.

If no medication is taken before sleep on that date, the phrase "None" is displayed.

d) Sleep Diary

The sleep diary is provided on the screen in text format. If the length of the sleep diary is long, a scroll bar is created on the right side of the text box, and the scroll bar provides the user with the ability to read all the contents of the diary.

j) *Sleep Solution*

Users wear Breeze and sleep every day. Breeze provides sleep scores, sleep time, and RAM sleep count. Breeze's data is stored in the database through API. The user directly enters data such as caffeine intake, drug use, exercise, and meal intake.

On the "Write a Sleep Diary" screen, users can enter data such as caffeine, taking drugs, exercising, and eating meals.

a) Interworking with Home Screen

i) Caffeine

It measures the data input by the user and changes in Breeze sleep score, sleep time, and RAM sleep count. If you consume more caffeine than usual, you will output a sentence on the HOME screen saying, "Your caffeine intake has increased more than usual." If the user clicks the sentence output on the HOME screen, it moves to the sleep solution screen.

ii) Exercise

It measures the data input by the user and changes in Breeze sleep score, sleep time, and RAM sleep count. If there is a significant change in the usual amount of exercise, there is a change in the usual amount of exercise on the HOME screen.' print out the sentence. If the user clicks the sentence output on the HOME

screen, it moves to the sleep solution screen.

iii) Medication

It measures the data input by the user and changes in Breeze sleep score, sleep time, and RAM sleep count. If there is a significant change in the usual amount of exercise, the sentence 'There is a change in the usual drug dose trend' is printed on the HOME screen. If the user clicks the sentence output on the HOME screen, it moves to the sleep solution screen.

b) Sleep Data Analysis Screen

This feature can learn long-term data to provide customized daily life pattern advice to users. Various variables such as sleep changes according to caffeine intake time, exercise time, sleep changes according to exercise intensity changes, and sleep changes according to drug dose changes can be analyzed to generate advice to help users sleep.

To improve the quality of your sleep, you can advise changes in exercise intensity, duration, dosage and time of medication types, and sleep solutions allow you to enter data more aggressively. The more actively a user enters data, the more high-quality data can be received, and the more high-quality data can be received. Providing high-quality results to users will make users interested in functions, allowing them to write more active data and use applications frequently.

c) Data Analysis Method


Data Analysis Long-term user data is required to provide a customized sleep solution. The items of data required are as follows.

Quality of sleep, Exercise, Sleep time, Stress level, Blood pressure.

Among the above items, nominal variables go through a one-hot encoder process

and perform a data EDA process, such as processing for null.

After that, linear regression is used to determine the correlation between each variable and the quality of sleep. For this project, we use some sleep-state based on many factors in Kaggle.



k Settings

The setup window is a window that contains various information about the user's personal information management and applications, and the detailed functions of the setup window are as follows.

a) My Page

When you press the "My Page" button, a new window appears. This window allows you to modify a user's account.

The ability to modify is all the information received from membership registration, such as ID change, height and weight change.

However, when changing your ID or password, you must go through self-authentication through phone number or e-mail. The process for self-authentication is as follows.

1) Press the Modify ID/password button.

2) A new window for self-authentication appears.

3) Choose whether to authenticate by contact or email.

4) After authentication, you will return to the My Page window when it is completed.

5) If not complete, a pop-up will appear saying "Error occurred" and will return to the self-authentication window.

b) Marketing Setting

The marketing setting is a toggle button, allowing you to choose whether to receive new events or promotional advertising texts on the application.

c) Alarm Setting

The alarm setting is a toggle button, allowing you to choose whether to receive new announcements on the application or not.

d) Help

Help is a button, and when pressed, it will be moved to a new window.

It provides features such as a brochure for first-time users of the application.

e) Updates and Version


The update check and version information is buttoned, and when pressed, it will be moved to a new window.

The new window consists of text and a button. The text shows the version information of my application and the updated date.

If there is no update, the "Do update" button is provided so that the user can update the application.

V. ARCHITECTURE DESIGN & IMPLEMENTATION

1 Overall Architecture



Our service consists of four modules.

The first module is the front-end. We conducted front-end development based on a web app, using JavaScript, CSS, and HTML. Additionally, we utilized React to componentize complex and repetitive code, enabling simple and intuitive development. The reason for developing a web app is the advantage of being able to run it anytime, anywhere with internet access without the need for a separate app installation. Thanks to this, users can easily record actions affecting sleep when connected to the internet, even without installing the application separately. Moreover, we developed a user-friendly UI, providing a comfortable interface reminiscent of accessing an app, even when connected through the web. The second module is the back-end. We used the open-source framework Spring Boot, based on the Java language, for the web application server. Overcoming the drawbacks of Spring, such as configuration complexity, initial setup difficulty, dependency management issues, and the complexity of WAR server configuration, led us to choose Spring Boot. Apache Tomcat serves as the web application server. In the back-end, we handle communication with Brid.zzz. When the server receives a signal for data synchronization to load Brid.zzz's data, it stores it in the database and responds to application requests.

Detailed information includes Java JDK version 17, packaging: war, and Spring Boot

version 3.1.5.

The third module is the database, where we used MySQL, an open-source relational database widely used worldwide. It stores various data generated through user-application interactions, including Brid.zzz data, user information, and sleep solution details.

Lastly, we have machine learning. Our application analyzes the correlation between user sleep data collected through Brid.zzz and various factors that users input regarding their sleep. We organize these correlations to inform users about how changes in specific factors affect sleep quality. In implementing this, our focus was on determining the most reliable algorithm. We experimented with multiple models to choose the most suitable one. Additionally, we provide a feature using image-generating AI, prompting users to provide data, based on which it generates sleep images for the day. By offering these images along with machine learning-generated sleep solutions, we provided users with visual stimulation.

2 Directory Organization

a Front-end

Directory	File name
/frontend /my-insomnia-diary	.eslintrc.cjs
	.gitignore
	README.md
	index.html
	package-lock.json
	package.json
	postcss.config.js
	tailwind.config.js
	vite.config.js

Directory	File name
/frontend /my-insomnia-diary/public	vite.svg
/frontend /my-insomnia-diary /public/images	main.jpg sub.jpg sub2.jpg
/frontend /my-insomnia-diary /src	App.css App.jsx globew.png index.css main.jsx
/frontend /my-insomnia-diary /src/assets	react.svg
/frontend /my-insomnia-diary /src/pages	Calendar.jsx Diary.jsx Home.jsx Login.jsx Signup.jsx SignupDetail.jsx SignupUserInfo.jsx Write.jsx
/frontend /my-insomnia-diary /src/router	index.jsx

b back end

Directory	File name
/backend	.gitignore build.gradle gradlew gradlew.bat settings.gradle
/backend/gradle /wrapper	gradle- wrapper.jar gradle- wrapper.properties

Directory	File name
/backend/src /main/java /com/example /insomniadiary	Backend- Application.java
/backend/src /main/java /com/example /insomniadiary /controller	Image- Controller.java
/backend/src /main/java /com/example /insomniadiary /domain/image	Image.java Image- Repository.java MemoryImage- Repository.java
/backend/src /main/java /com/example /insomniadiary /domain/sleepdiary	MemorySleep- Diary- Repository.java Sleep- Diary.java SleepDiary- Repository.java
/backend/src /main/java /com/example /insomniadiary /domain/user	User.java User- Repository.java
/idea	.gitignore InsomniaDiary -LG-bridzz.iml compiler.xml gradle.xml jarRepositories.xml misc.xml modules.xml uiDesigner.xml vcs.xml

Directory	File name
/.idea/inspection- Profiles	Project- Default.xml

3 Module 1 : front end

a Purpose

This module is primarily used to show users generated sleep images through sleep solutions and lunar phases. Additionally, it handles all the visual aspects of using this application. Also, this application provides only mobile UI.

b Functionality

This module provides two main functions. The first is sleep diary writing. It allows users to check whether they have written a sleep diary in calendar format. It also enables users to directly input factors that may affect sleep using input boxes. Lastly, it provides a text box for users to write their sleep diary for the day.

The second is providing sleep solutions. We analyze the correlation between Brid.zzz data and the factors users have input to offer sleep solutions. For user readability, we use graphs and tables to enhance visibility. Additionally, along with the sleep solution, it inputs sleep data into the DALL · E prompt to represent the sleep state with unique images. This allows users to easily grasp their sleep state through visuals.

c Location of Source Code

/frontend/my-insomnia-diary

d Class Component

i) Entry

It shows the first screen of the app. This screen was implemented as a functional component and used react. It consists of a logo image, login button, and sign-up button. An logo is included using the img tag with a source (src) pointing to '/images/main.jpg'. The image is styled with Tailwind CSS classes. Two Link components are used for navigation. One links to '/Login' with the label "LOGIN," and the other links to '/Signup' with the label "SIGN UP." In summary, this code

defines a React component for an Entry page. It includes text, an image, and navigation links styled using Tailwind CSS. The component is intended to be used in a React application and serves as a simple entry point with links to login and sign-up pages.

ii) Sign In Page

This page defines a functional component named Login. Functional components are a way to define React components using a function. The JSX includes a form element with email and password input fields. The form has a placeholder action, indicating that form submission is not yet handled. The email and password input fields have labels and are styled using Tailwind CSS classes. There are two Link components from 'react-router-dom' used for navigation. One links to the root ('/') with a "Cancel" label, and the other links to '/home' with a "Login" label. It also defines a React component for a login page with form inputs for email and password, styling using Tailwind CSS, navigation links, and an image.

iii) Sign Up Page1

This is a page for sign-up. This page starts with defining a functional component named 'Sign-up' for the sign-up page. The component returns JSX markup representing the structure and layout of the sign-up page. The JSX includes a form element with email and password input fields for user registration. Also, email input includes a button for duplicate checking. Two password input fields are provided to enter and confirm the password. "Cancel" and "Next" buttons are implemented using 'Link' components for navigation. The "Next" button links to '/signup/userinfo'.

iv) Sign Up Page2

This page is a React component written in JSX, representing a user information page for the signup process. It defines a functional component named Signu-

pUserInfo for the user information page in the signup process. The JSX includes a form element with input fields for name, birthdate, phone number, and phone number verification. Each input field is styled with Tailwind CSS classes, and placeholder text is provided for user guidance. Phone number input includes a button for sending an authentication message. Phone number verification input includes a button for confirming the authentication code. "Cancel" and "Next" buttons are implemented using Link components for navigation. The "Next" button links to '/signup/detail'.

v) Sign Up Page3

This is React component written in JSX, representing a user information page for the sign-up process. Let's break down the key components and functionalities of the code. It defines a functional component named 'SignupUserInfo' for the user information page in the sign-up process. The JSX includes a form element with input fields for height, age, weight, and gender. Each input field is styled with Tailwind CSS classes, and placeholder text is provided for user guidance. Gender options are presented as radio buttons with labels. The default gender is set to 'male'. "Cancel" and "Complete" buttons are implemented using 'Link' components for navigation. The "Complete" button links to '/Login'.

vi) Monthly Calendar

This page is a React component written in JSX, representing a calendar page. This page imports the necessary dependencies, including "useState" for managing state, "Link" and "useNavigate" from 'react-router-dom' for navigation, "Datepicker" from 'flowbite-react' for the date picker component, and a custom "BottomBar" component. It uses the "useState" hook to manage the state of the selected date, initialized with the current date. It defines a function to handle changes in the se-

lected date. It updates the state with the new date, logs the date to the console, and navigates to the '/Diary' route. The component returns JSX markup representing the structure and layout of the calendar page. and it includes a title, a date picker, and a link to write a sleep diary. It includes a custom "BottomBar" component, presumably providing additional navigation options. Finally, it provides a link to navigate to the '/Write' route with styling for a button-like appearance.

vii) Writing a sleep diary-Text input

This page represents a React component for a diary entry page. It defines a variable DiaryText that holds the content of the diary entry as a multiline string. It defines a functional component named Write representing the diary entry page. It includes a date, an image, sleep quality information, user data, and a text area for the diary entry. This page provides a link to navigate to the '/Calendar' route with styling for a button-like appearance.

viii) Writing a sleep diary-Factors input

This page is a React component that displays a form for writing factors that affect sleep conditions. It defines arrays containing options for caffeine dosage, pill dosage, and pill type. It defines a functional component named "Write" representing the sleep diary form. The component returns JSX markup representing the structure and layout of the sleep diary form. Sections include Caffeine, Workout, Pills, Fill in the data, and Diary. The form includes various input elements such as radio buttons, select drop downs, and text inputs. Users can input data related to caffeine dosage, workout details, pill information, sleep time, wake-up frequency, and diary entry. It provides navigation links to cancel or complete the sleep diary form.

e Where it's taken from

First, users give their own data directly.

Second, previous data is get from database.

Third, Brid.zzz gives sleep-state data.

f How/Why we used the module

Since we implemented it as a web app, we used CSS/JS/HTML, and of course, we also used React Native. This is because React enhances code reusability and readability by modularizing the code into components, contributing to efficient development. Additionally, by passing HTML and React.js components to the browser's tree structure, we can build clean code that is easy to maintain. Thanks to JSX and Virtual DOM, React.js apps are faster and more efficient, so we incorporated React for these benefits.

4 Module 2 : back end

a Purpose

We provide a sleep solution based on users' sleep diaries and sleep data. In addition, we utilize image-generating AI to create and provide a image of the user's sleep for each day. A server was necessary to efficiently manage these diverse pieces of information.

b Functionality

Our service comprehensively manages various user information. On the back-end, it handles user membership details, Brid.zzz data, sleep state images, and other diverse data. When a user requests data, the server accesses the database and delivers the requested information back to the user.

c Location of Source Code

/backend

d Class Component

i) /controller/ImageController.java

This file represents the controller part of a web application related to image generation implemented using Spring Boot. An image is represented by the Image class, which includes user-provided data and the URL generated through the OpenAI service. The generated image is presented after receiving the form through the "/generate" endpoint and displaying the result through the "/result" endpoint. The OpenAI Image service is used for image generation, and the token for calling this service is configured through the

OpenAiService.

ii) /domain/image/

The files related to image processing are stored in this path.

A) /image/Image.java

This file defines the Image class, which is used to store information related to images. The Image class is used for the purpose of storing data related to images. The class includes fields such as Id to represent the identifier of the image, concern to represent the user's concerns, Dream to represent information about the dream, and url to store the URL of the generated image.

B) /image/ImageRepository.java

This file defines the "ImageRepository" interface for manipulating data related to images in the database. The save method is used to save an image, and the "findById" method finds an image based on its identifier. The return type uses Optional to handle situations where the value may not exist.

C) /image/MemoryImageRepository.java

This file defines the "MemoryImageRepository" class for storing and retrieving image data in memory. It creates an in-memory repository for storing and retrieving images, using "ConcurrentHashMap" to support concurrency. It uses "AtomicLong" to generate identifiers for images, incrementing it with each image stored to provide unique values.

It is a file responsible for automatically connecting data from objects and databases. This makes it easier to access values in the database from Django. In this file, all tables in the database appear as objects.

iii) /domain/sleepdiary/

The files related to sleepdiary are stored in this path.

A) /MemorySleepDiaryRepository.java

This file defines the "MemorySleepDiaryRepository" class for storing and retrieving sleep diary data in memory. It creates an in-memory repository for storing and retrieving sleep diaries, using "ConcurrentHashMap" to support concurrency. It uses "AtomicLong" to generate identifiers for sleep diaries, incrementing it with each diary stored to provide unique values.

B) /SleepDiary.java

This file defines the "SleepDiary" class, representing a sleep diary. The "SleepDiary" class is used to store data related to sleep diaries. The class includes fields such as "Id" to represent the identifier of the sleep diary, and various fields to store information such as caffeine intake, exercise, medication, sleep time, and wake-up time.

C) /SleepDiaryRepository.java

The "SleepDiaryRepository" interface defines methods related to saving and retrieving sleep diaries. The "save" method is used to save a sleep diary, and the "findById" method finds a sleep diary based on its identifier. The return type uses "Optional" to handle situations where the value may not exist.

iv) /domain/user

The files related to users are stored in this path.

A) /User.java

This code defines the "User" class, representing a user. The "User" class is used to store data related to users. The class includes fields such as "id" to represent the identifier of the user, and various fields to store information such as email, password, username, age, and weight. The constructor allows for the initialization of each field of the user.

B) /UserRepository.java

This code defines the "UserRepository" interface for manipulating data

related to users in the database. The "UserRepository" interface defines methods related to saving and retrieving users. The save method is used to save a user, and the "findById" method finds a user based on its identifier. The "findByName" method finds a user based on the username, and the "findAll" method retrieves all users. The return type uses "Optional" to handle situations where the value may not exist.

e Where it's taken from

The data primarily used on the backend consists of user-entered personal information, data obtained from Brid.zzz, and data acquired through DALL·E.

f How/Why we used the module

Spring is a framework that assists in the development of Java applications. However, Spring involves a complex configuration process, and to simplify this, Spring Boot was adopted. For this reason, we chose Spring Boot. Additionally, for the web application server (WAS), Tomcat was used because it is currently one of the most widely used servers.

REFERENCES

- [1] SeokJun Kim. To Be a Relaxing Day, LG brid.zzz. 2023.08.27.
- [2] JongWoo Lee. Excessive coffee dependence, caffeine addiction leads to insomnia. 2019.12.13.
- [3] JongWoon Park. Insomnia Healing Sports, Sleep Disorder Exercise Time. 2016.10.17.
- [4] Ju Eun Yeon. Long-distance commuters need at least 7 hours of regular sleep. 2021.06.03.
- [5] aT center. What is the level of caffeine consumption in Korea? 2013.08.06.
- [6] JaeWoon Kyeong. Examples of AI tools and prompt input statements for creating images of different styles. 2023.08.19.
- [7] hectodata. Types of apps: Native apps vs Web apps vs Hybrid apps. 2022.07.07.
- [8] Sejong University. History of JAVA. 2023.05.10.
- [9] Codestates. Definition of Spring and SpringBoot. 2022.11.23.
- [10] AWS. What is Python?
- [11] 대두코기. What is GitHub? The pros and cons of GitHub. 2023.01.02.
- [12] Official AWS Homepage. About AWS.
- [13] Porcatal. Midgeny and DALL-E2 Comparison. 2023.04.28.
- [14] enago Academy. Online co-paper writing tool, Overleaf. 2019.10.28.
- [15] AWS. EC2 On Demand cost.
- [16] AWS. Amazon S3 Simple Storage Cost.
- [17] Open AI. Pricing.