



COLLEGE OF DENTISTRY

Pines City Colleges

(Owned and operated by THORNTONS INTERNATIONAL STUDIES, INC.)
Magsaysay Avenue, Baguio City 2600 Philippines

COMPLETE DENTURE

CLINICIAN'S NAME: _____ CONTROL NO.: CDL _____
PATIENT'S CARD/CONTROL NUMBER: _____ DATE: _____

PROCEDURE	C.I. Signature, Remarks & date																								
1. Diagnosis <table><tr><td>Patient history</td><td></td></tr><tr><td>Bone height mand</td><td></td></tr><tr><td>Max mand rel.</td><td></td></tr><tr><td>Residual ridge morphology</td><td></td></tr><tr><td>Muscle attachment</td><td></td></tr><tr><td>Class 1</td><td>Ideal</td></tr><tr><td>Class2</td><td>Moderate</td></tr><tr><td>Class3</td><td>Substantial</td></tr><tr><td>Class4</td><td>Severely compromised</td></tr></table> <table><tr><td>Soft tissue examination</td><td></td></tr><tr><td>Intraoral</td><td></td></tr><tr><td>Extra oral</td><td></td></tr></table>	Patient history		Bone height mand		Max mand rel.		Residual ridge morphology		Muscle attachment		Class 1	Ideal	Class2	Moderate	Class3	Substantial	Class4	Severely compromised	Soft tissue examination		Intraoral		Extra oral		
Patient history																									
Bone height mand																									
Max mand rel.																									
Residual ridge morphology																									
Muscle attachment																									
Class 1	Ideal																								
Class2	Moderate																								
Class3	Substantial																								
Class4	Severely compromised																								
Soft tissue examination																									
Intraoral																									
Extra oral																									
2. Preliminary impression: (modeling compound, alginate, rubber based impression as indicated) <table><tr><td>Adequate extension</td><td></td></tr><tr><td>No tray show</td><td></td></tr><tr><td>No large folds</td><td></td></tr><tr><td>No voids</td><td></td></tr><tr><td>Beaded</td><td></td></tr><tr><td>Boxed</td><td></td></tr></table>	Adequate extension		No tray show		No large folds		No voids		Beaded		Boxed														
Adequate extension																									
No tray show																									
No large folds																									
No voids																									
Beaded																									
Boxed																									
3. Diagnostic casts <table><tr><td>Adequate extension</td><td></td></tr><tr><td>Denture base outline</td><td></td></tr><tr><td>Tray outline</td><td></td></tr><tr><td>neatness</td><td></td></tr><tr><td>symmetry</td><td></td></tr></table>	Adequate extension		Denture base outline		Tray outline		neatness		symmetry																
Adequate extension																									
Denture base outline																									
Tray outline																									
neatness																									
symmetry																									
4. Individual trays: (VLC, self-cure, shellac) • Adequate freni relief • Dimensions - Extent - thickness Neatness and cleanliness																									

5. Border Molding <table><tr><td>Adequate material applied</td><td></td></tr><tr><td>Accurate reproduction of borders</td><td></td></tr><tr><td>Distinct Frenii</td><td></td></tr></table>	Adequate material applied		Accurate reproduction of borders		Distinct Frenii												
Adequate material applied																	
Accurate reproduction of borders																	
Distinct Frenii																	
6. Final impression (ZOE, Alginate RBIM) <table><tr><td>No Voids</td><td></td></tr><tr><td>No large folds</td><td></td></tr><tr><td>Frenii Distinct</td><td></td></tr></table> 6.1 Master Cast Symmetry Distinct anatomical details Adequate bulk Cleanliness	No Voids		No large folds		Frenii Distinct												
No Voids																	
No large folds																	
Frenii Distinct																	
7. Trial denture base and occlusion rims - Self-cured acrylic TDB<table><tr><td>• Dimensions</td><td></td></tr><tr><td>• Stability</td><td></td></tr><tr><td>• Relief</td><td></td></tr></table> - Occlusion rims<table><tr><td>dimensions</td><td></td></tr><tr><td>lower</td><td>Parallelism to commissures of mouth</td></tr><tr><td>Upper anterior</td><td>2-3 mm show</td></tr><tr><td>Max/mand overlap</td><td>1-2 mm</td></tr><tr><td>w/n neutral Zone?</td><td></td></tr></table>	• Dimensions		• Stability		• Relief		dimensions		lower	Parallelism to commissures of mouth	Upper anterior	2-3 mm show	Max/mand overlap	1-2 mm	w/n neutral Zone?		
• Dimensions																	
• Stability																	
• Relief																	
dimensions																	
lower	Parallelism to commissures of mouth																
Upper anterior	2-3 mm show																
Max/mand overlap	1-2 mm																
w/n neutral Zone?																	

8. Jaw relation recording (use RBIM as medium) <table><tr><td>V-grooves</td><td></td></tr><tr><td>VDR</td><td></td></tr><tr><td>VDO</td><td></td></tr><tr><td>IOD</td><td></td></tr><tr><td>Centric</td><td></td></tr><tr><td>Smile line</td><td></td></tr><tr><td>Median line</td><td></td></tr><tr><td>Canine lines</td><td></td></tr></table>	V-grooves		VDR		VDO		IOD		Centric		Smile line		Median line		Canine lines						
V-grooves																					
VDR																					
VDO																					
IOD																					
Centric																					
Smile line																					
Median line																					
Canine lines																					
9. Mounting <table><tr><td>Neatness</td><td></td></tr><tr><td>Incisal pin position</td><td></td></tr><tr><td>Screws secured</td><td></td></tr><tr><td>Occlusal plane parallel to articulator marks</td><td></td></tr></table>	Neatness		Incisal pin position		Screws secured		Occlusal plane parallel to articulator marks														
Neatness																					
Incisal pin position																					
Screws secured																					
Occlusal plane parallel to articulator marks																					
10. Artificial teeth selection <table><tr><td>Shape</td><td></td></tr><tr><td>Size</td><td></td></tr><tr><td>Shade</td><td></td></tr><tr><td></td><td></td></tr></table>	Shape		Size		Shade																
Shape																					
Size																					
Shade																					
11. Anterior teeth setting <table><tr><td>Harmony & esthetics</td><td></td></tr><tr><td>Incisal show 2-3mm</td><td></td></tr><tr><td>Inclination</td><td></td></tr><tr><td>Overjet</td><td></td></tr><tr><td>Overbite</td><td></td></tr><tr><td>Median line</td><td></td></tr><tr><td>Festooning</td><td></td></tr><tr><td>Neatness</td><td></td></tr><tr><td>Phonetics</td><td></td></tr><tr><td>Stability</td><td></td></tr></table>	Harmony & esthetics		Incisal show 2-3mm		Inclination		Overjet		Overbite		Median line		Festooning		Neatness		Phonetics		Stability		
Harmony & esthetics																					
Incisal show 2-3mm																					
Inclination																					
Overjet																					
Overbite																					
Median line																					
Festooning																					
Neatness																					
Phonetics																					
Stability																					
12. Posterior teeth setting <table><tr><td>Harmony & esthetics</td><td></td></tr><tr><td>Inclination</td><td></td></tr><tr><td>Overbite</td><td></td></tr><tr><td>Cusp to fossa relationship</td><td></td></tr><tr><td>Festooning</td><td></td></tr><tr><td>Neatness</td><td></td></tr><tr><td>Stability</td><td></td></tr></table>	Harmony & esthetics		Inclination		Overbite		Cusp to fossa relationship		Festooning		Neatness		Stability								
Harmony & esthetics																					
Inclination																					
Overbite																					
Cusp to fossa relationship																					
Festooning																					
Neatness																					
Stability																					

13.Processing		
Investing		
Wax out		
Trial Packing		
Bench Curing		
Curing Slow 7-8 hrs 60- 70 Deg. C		
Bench Cooling		
Deflasking		
Trimming		
Wet polishing		
14.Final installation		
PIP evaluation		
Balanced occlusion		
Stability		
Esthetics		
15.Recall and evaluate for:		
Comfort		
Apthae Abrasions pain		
function		