Pines City Colleges

Owned and Operated by THORNTON's INTERNATIONAL STUDIES, INC

Magsaysay Avenue Baguio City

COLLEGE OF DENTISTRY

CLASS II
TYPODONT

NAME OF CLINICIAN: _____ CONTROL NO.: E2

RESTORATION MATERIAL : Amalgam DATE.: _____

TOOTH NO..: _____

CAVITY PREPARATION Principles/features 50%	%	C.I. SIGNATURE, DATE and REMARKS
1. There is an occlusal and proximal dovetail	4	
2. Pulpal floor is flat with a depth of 1.5 to 2 mm from the cavosurface margin	5	
3. Defined external and internal outline should be rounded and with resistance form	4	
4. Isthmus is ¼ of the intercuspal distance (1.5 mm for molars,1.2 mm for pre-molars)	5	
5. Slightly converging Buccal and Lingual walls	5	
6. No bevel on the cavosurface margin, 90 degree butt joint	2	
7. Beveled axiopulpal line angle	2	
8. S curve on the buccal surface, NO S curve on the lingual surface	4	
9. Walls of proximal box are 0.5mm out of contact	3	
10. Axial wall is parallel to the external tooth surface	3	
11. Cervical/ gingival floor is 1 mm wide MD for premolars and 1.5 mm for molars	5	
12. Gingival floor is 1mm from the cervical line	5	
13. Cleanliness of preparation	3	
CONDENSATION 50%		
1. Filling	15	
2. Carving	25	
3. Margin integrity of filling to the typodont	10	
Percentage earned		

Pines City Colleges

Owned and Operated by THORNTON's INTERNATIONAL STUDIES, INC

Magsaysay Avenue Baguio City

COLLEGE OF DENTISTRY

ARMAMENTARIUM CHECK LIST FORM

Basic Armamentarium

___ 2 Mouth Mirror
___ 2 Explorer
___ Cotton Plier
___ Spoon Excavator
___ Periodontal Probe
___ Cotton
___ Gauze
___ Waste dispenser
___ Patient's bib
___ Patient's eye protector
___ Working tray drape

Disinfecting Solutions / Materials

___ Disinfecting solution in liquid form
___ Disinfecting solution in spray form
___ Cleaning brush for cuspidor

Solutions

___ Oral Antiseptics
___ Plaque indicator solution or tablet
___ 70 % Isopropyl alcohol

Protective Personal Equipments

___ Scrub suit
___ Head Cap
___ Eye protector
___ Face mask
___ Gloves
___ White shoes

NOTE: Clinicians with incomplete armamentarium are not allowed to work.