

Conceptual Design Report

Inverse Compton Scattering Extreme Ultra-Violet Light Source

Chong Shik Park, Ph.D,
Korea University, Sejong 30019, South Korea

July 28, 2026

Contents

1	Introduction	3
1.1	EUV Light Source Design Criteria	3
1.2	Accelerator-Based EUV Light Sources	3
1.3	ICS EUV Light Source Design Concept and Performance Goal	3
2	Overview of Inverse Compton Scattering EUV Light Source	3
2.1	Physics of Inverse Compton Scattering	3
2.2	Accelerator System	3
2.3	Laser System	3
3	Electron Injector - Superconducting RF Photoinjector	3
3.1	Design Requirements	3
3.2	Accelerator Physics Design	3
3.3	R&D Required	3
4	Superconducting RF Linac	3
4.1	Design Requirements	3
4.2	Accelerator Physics Design	3
4.3	R&D Required	3
5	Incident Laser System and Interaction Region	3
5.1	Design Requirements	3
5.2	Accelerator Physics Design	3
5.3	R&D Required	3
6	System Integration and Control	4
6.1	Design Requirements	4
6.2	Accelerator Physics Design	4
6.3	R&D Required	4
7	Cost Estimate	4
7.1	Basis of Estimate	4
7.2	Cost Summary	4




Figure 1: Inverse Compton Scattering EUV Light Source Layout

1 Introduction

1.1 EUV Light Source Design Criteria

1.2 Accelerator-Based EUV Light Sources

1.3 ICS EUV Light Source Design Concept and Performance Goal

2 Overview of Inverse Compton Scattering EUV Light Source

2.1 Physics of Inverse Compton Scattering

2.2 Accelerator System

2.3 Laser System

3 Electron Injector - Superconducting RF Photoinjector

3.1 Design Requirements

3.2 Accelerator Physics Design

3.3 R&D Required

4 Superconducting RF Linac

4.1 Design Requirements

4.2 Accelerator Physics Design

4.3 R&D Required

5 Incident Laser System and Interaction Region

5.1 Design Requirements

5.2 Accelerator Physics Design

5.3 R&D Required

6 System Integration and Control

6.1 Design Requirements

6.2 Accelerator Physics Design

6.3 R&D Required

7 Cost Estimate

7.1 Basis of Estimate

7.2 Cost Summary