```
import java.util.Scanner;
public class 26.03 {
  public static void main(String args[]){
    Scanner t=new Scanner (System.in);
    int n=t.nextInt();
    double sum=0;
    double prod=1;
    for(int i=1;i<n;i++) {
      sum+=(double)i/(i+1);
      prod*=(double)i/(i+1);
    }
    System.out.println("Suma= "+sum);
    System.out.println("Produsul= "+prod);
  }
  }
ex7
а
import java.util.Scanner;
public class 7a {
  public static void main(String args[]){
    Scanner t=new Scanner (System.in);
    int n= t.nextInt();
    int sum=0;
    int curr=1;
```

fisa:

```
int prod=1;
    for(int i=1;i<n;i++) {
      sum+=curr;
      prod*=curr;
      curr+=2;
    }
    System.out.println();
  }
  }
b
import java.util.Scanner;
public class 7a {
  public static void main(String args[]){
    Scanner t=new Scanner (System.in);
    int n= t.nextInt();
    int sum=0;
    int curr=2;
    int prod=1;
    for(int i=1;i<n;i++) {
      sum+=curr;
      prod*=curr;
      curr+=2;
    }
    System.out.println();
  }
  }
С
```

```
import java.util.Scanner;
public class 7a {
  public static void main(String args[]){
    Scanner t=new Scanner (System.in);
    int n= t.nextInt();
    int sum=0;
    int curr=3;
    int prod=1;
    for(int i=1;i<n;i++) {
      sum+=curr;
      prod*=curr;
      curr+=3;
    }
    System.out.println();
  }
  }
d
import java.util.Scanner;
public class 7a {
  public static void main(String args[]){
    Scanner t=new Scanner (System.in);
    int n= t.nextInt();
    int sum=0;
    int curr=4;
    int prod=1;
    for(int i=1;i<n;i++) {
      sum+=curr;
```

```
prod*=curr;
      curr+=4;
    }
    System.out.println();
  }
  }
ex8
import java.util.Scanner;
public class ex8 {
  public static void main(String args[]){
    Scanner t=new Scanner (System.in);
    int n= t.nextInt();
    double sum=0;
    for(int i=1;i<n;i++) {
      sum+=(double)1/i;
    }
    System.out.println("Suma= "+sum);
  }
  }
```