

Tab 1



1. Add GitLab Helm repo

```
helm repo add gitlab https://charts.gitlab.io/  
helm repo update
```



2. Create namespace

```
kubectl create namespace gitlab
```

3. Create values file (recommended)

```
vi gitlab-values.yaml
```

Minimal working config:

```
global:
```

```
  hosts:
```

```
    domain: example.com
```

```
    https: false
```

```
ingress:
```

```
  configureCertmanager: false
```

```
nginx-ingress:
```

```
  controller:
```

```
    service:
```

```
      type: NodePort
```

```
gitlab-runner:
```

```
  install: false
```



4. Install GitLab

```
helm install gitlab gitlab/gitlab \
-n gitlab \
-f gitlab-values.yaml
```



5. Upgrade (after changes)

```
helm upgrade gitlab gitlab/gitlab \
-n gitlab \
-f gitlab-values.yaml
```



6. Uninstall GitLab

```
helm uninstall gitlab -n gitlab
```



7. Delete namespace (full cleanup)

```
kubectl delete namespace gitlab
```



8. Check status

```
helm list -n gitlab
kubectl get pods -n gitlab
kubectl get svc -n gitlab
```



9. Get NodePort (access UI)

```
kubectl get svc -n gitlab | grep nginx
```

Example output:

80:31866



Access:

http://gitlab.example.com:31866



10. Get root password

```
kubectl get secret gitlab-gitlab-initial-root-password \
-n gitlab \
-o jsonpath="{.data.password}" | base64 --decode ; echo
```



11. Exec into toolbox

```
kubectl exec -it -n gitlab deploy/gitlab-toolbox -- bash
```

Tab 2

