## <u>编译Busybox时,出现错误fatal error:</u> <u>curses.h: No such file or directory</u>

```
复制代码
1 scripts/kconfig/mconf.c: In function 'exec conf':
2 scripts/kconfig/mconf.c:481:2: warning: ignoring return value of 'pipe',
declared with attribute warn unused result [-Wunused-result]
3 pipe(pipefd);
4 ^
5 SHIPPED scripts/kconfig/zconf.tab.c
6 SHIPPED scripts/kconfig/lex.zconf.c
7 SHIPPED scripts/kconfig/zconf.hash.c
8 HOSTCC scripts/kconfig/zconf.tab.o
9 HOSTLD scripts/kconfig/mconf
10 HOSTCC scripts/kconfig/lxdialog/checklist.o
11 In file included from scripts/kconfig/lxdialog/checklist.c:24:0:
12 scripts/kconfig/
or directory
13 #include CURSES LOC
15 compilation terminated.
16 scripts/Makefile.host:120: recipe for target
'scripts/kconfig/lxdialog/checklist.o' failed
17 make[2]: *** [scripts/kconfig/lxdialog/checklist.o] Error 1
18 /home/licg/linux shared/tools/busybox-1.24.1/scripts/kconfig/Makefile:14:
recipe for target 'menuconfig' failed
19 make[1]: *** [menuconfig] Error 2
20 Makefile: 443: recipe for target 'menuconfig' failed
21 make: *** [menuconfig] Error 2
复制代码
原因: 出现该错误的原因是在使用menuconfig时, 需要ncurses库的支持。
解决办法: sudo apt-get install libncurses5-dev libncursesw5-dev
详细参考:
```

## <u>Linux Error: curses.h: No such file</u> <u>or directory Problem Solution</u>