PARMAR RAILWAY


COMPLETE GK PYQ BATCH

GENERAL KNOWLEDGE

(GEOGRAPHY)

LECTURE-4

(BY- PARMAR SIR)



PHYSICAL GEOGRAPHY | INDIA GEOGRAPHY | WORLD GEOGRAPHY | ENVIRONMENT GEOGRAPHY | MAPPING CONCEPTS

Q1. Which of the following is an example of a fibre crop in India?

NTPC UG CBT-01 2025-26 (20 Jun, 2026 (12:45 PM - 2:15 PM)

A. Cucumber
B. Turnip
C. Radish
D. Jute



- **Jute, cotton, and hemp** are examples of **fiber crops**.
- **Jute** is also known as the **"Golden Fiber".**
- India is the top producer of jute, while Bangladesh is the top exporter.
  - Within India, West Bengal is the top producer.

- **Pre-monsoon showers** helpful for jute cultivation in West Bengal are called "Nor'westers" (locally known as "Kal Baisakhi" in Bengal and "Bordoisila" or "Bardoli Chheerha" in Assam).
- **Nylon** is an **artificial or man-made fiber.**


Q2. Which type of agriculture is commonly practised in the wheat-producing regions of the USA and Canada?

NTPC UG CBT-01 2025-26 (17 Jun, 2026 (4:30 PM - 6:00 PM)

A. Intensive subsistence farming
B. Shifting cultivation
C. Plantation agriculture
D. Commercial grain farming

- **Farming Types Overview:**
  - **Subsistence Farming:** Done mainly for personal/family consumption.
  - **Commercial Farming:** Done primarily for selling in the market.

- **Intensive Subsistence Farming:** Practiced where land area is less and population is high (like India). High inputs (fertilizers, labor) are used to get maximum productivity from a small plot.
- **Extensive Farming:** Practiced where land is abundant and population is less (like the USA and Canada).



- **Plantation Agriculture:** A single crop (like tea, coffee, rubber, jute) is grown on a large tract of land, mostly for commercial purposes (selling).
- **Shifting Cultivation:** A **primitive farming** method mostly practiced by tribes using old tools (like sickles, hoes). They clear land, burn it, farm, and then move on.
- **Mixed Farming:** Involves both agriculture (growing crops) and animal husbandry (rearing animals) on the same land.
- **Mixed Cropping:** Growing multiple crops on a single piece of land without a definite pattern.
- **Intercropping:** Growing multiple crops with a definite pattern (rows and columns).

Q3.Wasteland refers to: NTPC UG CBT-01 2025-26 (16 Jun, 2026 (9:00 AM - 10:30 AM)

A. Land covered by forests
B. Land not suitable for cultivation due to natural or human causes
C. Urban green areas
D. River valley fertile land

Q4.Which region in India is best known for slash-and-burn agriculture (jhum)?

A. North-Eastern Hills NTPC UG CBT-01 2025-26 (15 Jun, 2026 (12:45 PM - 2:15 PM)
B. Deccan Plateau
C. Western Ghats
D. Indo-Gangetic Plain

- **Slash and Burn Agriculture (Shifting Cultivation):**
  - It is a type of primitive subsistence farming. Forests are slashed, dried, and burned to increase soil fertility. Once the soil exhausts, tribes move to a new patch. It leads to deforestation.

- **Local names for Shifting Cultivation in India:**
  - **North-East India:** Jhum
  - **Jharkhand**: Kuruwa
  - **Chhattisgarh (Bastar) & Andaman/Nicobar:** Dipa
  - **Madhya Pradesh:** Bewar or Dahiya.
  - **Odisha:** Pama Dabi, Koman, or Bringa.
  - **Western Ghats:** Kumari.
  - **Rajasthan:** Valre or Waltre.
  - **Andhra Pradesh:** Podu or Penda.

- **Global names for Shifting Cultivation:**
  - **Sri Lanka:** Chena
  - **Mexico**: Milpa
  - **Indonesia**: Ladang
  - **Brazil**: Roca
  - **Venezuela**: Conuco

Q5.Canal irrigation in India is most extensively developed in areas with:

NTPC UG CBT-01 2025-26 (14 Jun, 2026 (9:00 AM - 10:30 AM)

A. Coastal sandy soil
B. Desert regions with rocky terrain
C. Alluvial plains with perennial rivers
D. High rainfall and steep slope

- **Canals require flat land** (not rugged terrain) and a constant source of water.
- **Perennial Rivers:** Flow throughout the year (e.g., Himalayan rivers) because their source is glaciers.
- **Seasonal / Ephemeral Rivers:** Flow depends on rainfall (e.g., Peninsular rivers).
- **Himalayan rivers are Antecedent,** meaning they existed before the Himalayas formed and follow their natural course by cutting through the mountains.

Q6.Which of the following northern state crops is an example of Rabi crops?

A. Cotton
B. Rice
C. Bajra
D. Wheat NTPC UG CBT-01 2025-26 (14 Jun, 2026 (9:00 AM - 10:30 AM)



- **Indian Cropping Pattern:**
  - **Kharif** (Monsoon Crops):
  - **Rabi** (Winter Crops):
  - **Zaid**: A short cropping season between Rabi and Kharif

Rabi Crops
- **Season:** Winter Season
- **Sowing:** October - December
- **Harvesting:** March - April
- **Major Crops:** ✓ Wheat ✓ Chickpea ✓ Mustard
- **Tricks to Remember:** 'W-C' = Winter, Chickpea



Zaid Crops
- **Season:** Summer Season
- **Sowing:** March - April
- **Harvesting:** June - July
- **Major Crops:** ✓ Watermelon ✓ Mung ✓ Muskmelon ✓ Urad ✓ Cucumber
- **Tricks to Remember:** 'W-M' = Watermelon, Muskmelon



Q7. In which state of India are the three crops of rice – called 'aus,' 'aman,' and 'boro' – grown?

NTPC UG CBT-01 2025-26 (08 May, 2026 (4:30 PM - 6:00 PM)

A. West Bengal
B. Bihar
C. Manipur
D. Nagaland

- **These are three varieties of rice grown in eastern parts of India like West Bengal, Assam, and Odisha.**
  - **Aus**: Autumn rice.
  - **Aman**: Winter rice.
  - **Boro**: Summer / Spring rice.

Q8. Tank irrigation is mainly practiced in which of the following states of India due to uneven terrain and less rainfall?

NTPC UG CBT-01 2025-26 (09 May, 2026 (9:00 AM - 10:30 AM)

A. West Bengal
B. Haryana
C. Himachal Pradesh
D. Karnataka

- **Harvesting Systems (Local Names):**
  - **Himachal Pradesh:** Guls or Kuls
  - **Rajasthan:** Johad or Khadin

Q9. Which irrigation technique is considered most efficient for conserving water?

NTPC UG CBT-01 2025-26 (09 May, 2026 (9:00 AM - 10:30 AM)

A. Flood irrigation
B. Drip irrigation
C. Canal irrigation
D. Sprinkler irrigation

- **Drip irrigation** is the most efficient because it delivers water directly to the roots, minimizing wastage.
- **Sprinkler irrigation** is also good but less efficient than drip because water can scatter outside the root zone.



Q10. What is the key difference between extensive and intensive farming systems?

NTPC Graduation CBT-01 2025-26 (18 Mar, 2026 Shift 1)

A. Machinery type
B. Production per land unit
C. Irrigation used
D. Size of seed

Extensive Agriculture	Intensive Agriculture
It is practised in areas with low population density, where the labour is scarce.	It is practised in areas with high population density.
The size of and land holdings are large.	The size of land holdings is small but the cultivation is intense.
Due to large land holdings and scarcity of labourers, most of the work is generally done by machines.	Though, cultivation is done on the scientific lines, much of the work is labour intensive.
This type of cultivation is practised in Russia.	This kind of farming is practised in the Mediterranean regions.

Q11. Which of the following factors does NOT contribute to farming variety in India?

NTPC Graduation CBT-01 2025-26 (19 Mar, 2026 Shift 2)

A. Irrigation availability
B. Soil types
C. Climate
D. Uniform landform

- If the **landform is uniform** (the same everywhere), **it will not create variety.** Variety comes from differing landscapes (mountains, plains, plateaus), different soils, different irrigation levels, and varied climates.

Q12. Which of the following are Plantation crops respectively in Assam and Karnataka?

A. Rice and wheat
B. Barley and ragi
C. Tea and coffee
D. Sugarcane and mustard

NTPC Graduation CBT-01 2025-26 (19 Mar, 2026 Shift 1)

- **Assam** is famous for **Tea**.
- **Karnataka** is famous for **Coffee** (**Varieties**: Arabica, Liberica, Robusta – originally introduced by Arabs).

Q13. Which of the following states ranks number one in the production of natural rubber in India in 2023-24?

A. Tamil Nadu
B. Karnataka
C. Kerala
D. Andhra Pradesh

NTPC Graduation CBT-01 2025-26 (16 Mar, 2026 Shift 3)

- **Kerala accounts for about 70-75%** of India's natural rubber production.

Q14. In which of the following states is the slash and burn agriculture known as 'Kuruwa'?

A. Madhya Pradesh
B. Jharkhand
C. Rajasthan
D. Arunachal Pradesh

NTPC Graduation CBT-01 2025-26 (16 Mar, 2026 Shift 1)

- **MP:** Bewar or Dahiya.
- **Rajasthan: V**alre or Waltre.
- **Arunachal Pradesh (North-East):** Jhum.

Q15. Manila hemp is found in _____.

A. Malaysia
B. Indonesia
C. Philippines
D. Japan

NTPC Graduation CBT-01 2025-26 (17 Mar, 2026 Shift 3)

- **Manila is the capital of the Philippines.**

Q16. Wet farming is least likely to be found among which the following Indian states?

A. Haryana
B. Assam
C. Manipur
D. Tripura

RRB NTPC UG CBT-01 2024 (09 Sept, 2025 Shift 2)

- **Wet farming requires high rainfall** (approx. 150-200 cm).
- North-East states (Assam, Manipur, Tripura) receive heavy rainfall from the Bay of Bengal branch. Haryana receives much less rainfall.

Q17. Which of the following crops is grown in waterlogged conditions?

A. Maize
B. Bajra
C. Groundnut
D. Rice

RRB NTPC UG CBT-01 2024 (08 Sept, 2025 Shift 3)

- Rice (Paddy) cultivation involves transplanting saplings into standing water (water-logged fields).
- **Maize, Bajra, Groundnut all these options are Kharif crops.**

Q18. What does the term 'net sown area' refer to?

RRB NTPC UG CBT-01 2024 (04 Sept, 2025 Shift 1)

A. Total area cultivated with crops during the year
B. Total area under irrigation
C. Land covered with forests
D. Land left uncultivated for more than five years

Q19.In India, the area under 'Permanent Pastures and Grazing Lands' is mostly owned by:

RRB NTPC UG CBT-01 2024 (21 Aug, 2025 Shift 1)

A. cooperatives
B. private companies
C. the Forest Department
D. Village Panchayats

Q20.In India, which region is NOT suitable for tube-well irrigation due to non-alluvial tracts?

RRB NTPC Graduation CBT-01 2024 (09 Jun, 2025 Shift 1)

A. Western Uttar Pradesh
B. Plateau regions
C. Coastal Plains
D. Punjab

- **Tube-wells** require drilling into the ground to reach the water table.
- **Plateaus** have hard rock surfaces and the water level is very low, making drilling difficult and inefficient.
- **Alluvial tracts** (Northern Plains, Coastal Plains, Deltas) are soft and suitable for tube-wells.

Q21. In India, irrigation projects with a Cultivable Command Area (CCA) of more than 10,000 hectares are classified as:

RRB NTPC Graduation CBT-01 2024 (05 Jun, 2025 Shift 3)

A. Local Projects
B. Micro Projects
C. Minor Projects
D. Major Projects

- **Minor Projects:** Cultivable Command Area (CCA) of 2,000 hectares or less.
- **Medium Projects:** CCA between 2,000 and 10,000 hectares.
- **Major Projects:** CCA of more than 10,000 hectares.



- **Factors Affecting Soil Formation:**
  a. **Temperature & Precipitation (Climate):** Affects weathering.
  b. **Relief / Topography:** Mountains vs. Plains affect accumulation.
  c. **Vegetation (Flora & Fauna):** Contributes to humus.
  d. **Time**: Determines the thickness of the soil profile.
  e. **Parent Rock:** Determines the texture, color, and mineral content of the soil.

Q22.Which type of soil is most suitable for cotton cultivation in India?

NTPC UG CBT-01 2025-26 (14 Jun, 2026 (4:30 PM - 6:00 PM)

A. Laterite Soil
B. Black Soil
C. Alluvial Soil
D. Red Soil

- **Black Soil (Regur):** Best for cotton. (Trick: Black and White - Cotton is white).
  - **Found in the North-Western part of the Deccan Plateau** (Maharashtra, Gujarat, South-West MP).
- **BT Cotton:** A Genetically Modified (GM) pest-resistant crop introduced to fight the bollworm insect.
- **Cotton is a Kharif crop** and requires **210 frost-free days.**

Q23. In semi-arid north-western India, intensified canal irrigation leads to rising soil salinity and falling crop yields. What best explains this, and what correction is required?

NTPC UG CBT-01 2025-26 (09 May, 2026 (4:30 PM - 6:00 PM)

A. Prolonged irrigation causes waterlogging; priority is shifting to drought-resistant crops.
B. Cold canal water stresses crops; priority is regulating water temperature.
C. Excess irrigation washes nutrients downward; priority is increasing fertiliser.
D. Raised water table causes salt rise; priority is drainage improvement and leaching.

- In **semi-arid regions (like Punjab/Haryana),** high irrigation combined with high evaporation leaves salts behind on the topsoil through capillary action.
- The top layer becomes salty, known as a Hard Pan.
  - **Treatment:** Saline soil is treated with **Gypsum** ($CaSO_4 \cdot 2H_2O$). When heated to 373K, Gypsum loses 1.5 water molecules to become **Plaster of Paris** ($CaSO_4 \cdot \frac{1}{2}H_2O$). Acidic soils are treated with Lime.
- **Green Revolution Context:**
  - **First phase (mid-1960s)** focused on Wheat and Rice in Punjab, Haryana, and Western UP **using HYV seeds (like IR-8 rice from the Philippines)** and tube wells.
  - **Negatives:** Ground water depletion, soil salinity, increased gap between rich and poor farmers.
  - **Second Phase (mid-1970s)** focused on an Evergreen revolution expanding to other crops and states.
- Term **"Green Revolution" coined by William Gaud.**
- **Father in the World: Norman Borlaug.**
- **Father in India: M.S. Swaminathan.**

Q24. How does higher soil moisture retention in black soils influence cropping intensity in regions like Maharashtra and Madhya Pradesh?

NTPC Graduation CBT-01 2025-26 (27 Mar, 2026 Shift 2)

A. It supports multiple cropping cycles by sustaining moisture across seasons
B. It limits cropping to a single season to prevent waterlogging
C. It encourages plantation crops over food grains due to deep root support
D. It reduces the need for crop rotation due to stable nutrient levels

- **Black Soil Characteristics:**




  - **High water holding/retention capacity** (impermeable nature).
  - Develops deep cracks when dry (helps in aeration).
  - Becomes **sticky when wet.**
    - These features are known as **"Self-plowing characteristics".**

Q25. Which of the following refers to the newer and younger deposits of the floodplains in the Northern Plains of India, which are renewed almost every year?

RRB NTPC UG CBT-01 2024 (22 Aug, 2025 Shift 3)

A. Terai
B. Bhangar
C. Kankar
D. Khadar

- **Bhabar**: Narrow belt of 8–16 km, rivers disappear among pebbles.
- **Terai**: 10–30 km wide, rivers reappear. Marshy, without a properly demarcated channel, highly forested (many National Parks are here).
- **Bhangar**: Old alluvium.
- **Khadar**: New alluvium, renewed almost every year by floods, highly fertile.



Q26. In dry areas, water from underground comes up through the soil by capillary action and dries quickly, leaving salts behind. These salts form a hard layer called:

RRB NTPC UG CBT-01 2024 (21 Aug, 2025 Shift 3)

A. hardpans
B. pedalfer
C. laterite
D. granite

Q27. Which of the following practices is most suitable for preventing land degradation in arid areas?

RRB NTPC UG CBT-01 2024 (19 Aug, 2025 Shift 2)

A. Contour ploughing
B. Shifting cultivation
C. Shelterbelt plantation
D. Terrace farming

- **Shelterbelts**: Planting rows of trees to break wind speed in arid (dry/windy) areas.

- **Contour ploughing / Contour bunding:** Building barriers with stones/grass along the contours of a hill to prevent water from washing away the topsoil rapidly.
- **Terrace farming**: Cutting step-like terraces on steep mountain slopes for farming.
- **Mulching**: Covering the bare ground between plants with organic matter (like straw/parali) to retain soil moisture and prevent evaporation.

Q28. Wet farming is typically practised in which type of soil?

RRB NTPC Graduation CBT-01 2024 (24 Jun, 2025 Shift 2)

A. Laterite soil
B. Alluvial soil
C. Red soil
D. Black soil

- **Although Laterite is found in heavy rainfall areas**, it is highly leached (important minerals wash away) making it acidic and less fertile. t is called **"Brick Soil"** (Late = Brick).
- **Red Soil:** Found in rain-deficient regions (**e.g., Piedmont zone of Western Ghats – the foothills on the leeward side**). It is red due to Iron Oxide. When hydrated, it looks Yellow.

Q29. Which soil is deficient in nitrogen and phosphorus but rich in iron and aluminium?

RRB NTPC Graduation CBT-01 2024 (20 Jun, 2025 Shift 1)

A. Laterite soil
B. Black soil
C. Desert soil
D. Alluvial soil

- **Almost all Indian soils are deficient in** Nitrogen, Phosphorus, and Humus (Organic Matter).
- **Most Indian soils** are **rich in Potash.**
- **Laterite is rich in Iron and Aluminum.**

- **"Iron and Alumina" (Aluminum Oxide), it would refer to Black Soil.**

Q30.Saline and Alkaline soils are most commonly found in:

RRB NTPC Graduation CBT-01 2024 (11 Jun, 2025 Shift 1)

A.the Deccan Plateau
B. drought-prone areas
C. the Western Himalayas
D. the Deltas of Ganga and Godavari

CLIMATE

- **O-Horizon:** Organic layer containing Humus. (**Humus is Dark colored, amorphous solid compound which is colloidal in nature).**
- **A-Horizon:** Top Soil.
- **E-Horizon:** Eluviation layer (Transition layer where minerals wash down, leaving little behind).
- **B-Horizon:** Sub-soil.
- **C-Horizon:** Parent Rock.

Q31. Which climatic phenomenon is responsible for sudden winter rainfall in North-West India?

NTPC UG CBT-01 2025-26 (19 Jun, 2026 (4:30 PM - 6:00 PM)

A. Easterly waves
B. Local winds
C. Jet streams
D. Western Disturbances

- **Jet streams** are fast-flowing, narrow bands of high-altitude winds that circulate around the Earth approx 9 to 14 kilometers (30,000 to 45,000 feet) above the Earth's surface.

- **Western Disturbances** winds originate from the Mediterranean Sea.
  - **Locally called "Mawat" in Rajasthan**, beneficial for Rabi crops.
- **Local Winds:**
  - **Loo** (India - Heat Advection)
  - **Chinook** (North America - Snow Eater)
  - **Khamsin** (Egypt)
  - **Sirocco** (Sahara Desert to Europe - Causes Blood Rain
  - **Harmattan** (Guinea Coast - Doctor Wind)
  - **Brickfielder** (Australia)
  - **Bora & Mistral** (Europe - Cold Winds)
  - **Foehn** (Southern Europe, Alps - Warm Wind)

Q32.Which of the following statements is true regarding the Marine West Coast Climate (Cfb) as per Koeppen's scheme of classification?

NTPC UG CBT-01 2025-26 (18 Jun, 2026 (9:00 AM - 10:30 AM)

A. It has a pronounced dry season in summer.
B. It is found in the interiors of continents far from coast.
C. It experiences small daily and annual temperature ranges due to oceans.
D. It receives less than 20 cm of rainfall annually.


- **m → Monsoon**
- **s → Summer Dry**
- **w → Winter Dry**
- **f → Full Rainfall (Fully Humid)**
- **W → Desert (Arid)**

Climatic Groups According to Koeppen

Group	Characteristics
A - Tropical	Average temperature of the coldest month is 18° C or higher
B - Dry Climates	Potential evaporation exceeds precipitation
C - Warm Temperate	The average temperature of the coldest month of the (Mid-latitude) climates years is higher than minus 3°C but below 18°C
D - Cold Snow Forest Climates	The average temperature of the coldest month is minus 3° C or below
E - Cold Climates	Average temperature for all months is below 10° C
H - High Land	Cold due to elevation

Climatic Types According to Koeppen

Group	Type	Letter Code	Characteristics
A-Tropical Humid Climate	Tropical wet	Af	No dry season
	Tropical monsoon	Am	Monsoonal, short dry season
	Tropical wet and dry	Aw	Winter dry season
B-Dry Climate	Subtropical steppe	BSh	Low-latitude semi arid or dry
	Subtropical desert	BWh	Low-latitude arid or dry
	Mid-latitude steppe	BSk	Mid-latitude semi arid or dry
	Mid-latitude desert	BWk	Mid-latitude arid or dry
C-Warm temperate (Mid-latitude) Climates	Humid subtropical	Cfa	No dry season, warm summer
	Mediterranean	Cs	Dry hot summer
	Marine west coast	Cfb	No dry season, warm and cool summer
D-Cold Snow-forest Climates	Humid continental	Df	No dry season, severe winter
	Subarctic	Dw	Winter dry and very severe
E-Cold Climates	Tundra	ET	No true summer
	Polar ice cap	EF	Perennial ice
H-Highland	Highland	H	Highland with snow cover



- **Examples in India:**
  - **Ganga Valley:** Cwg (Winter dry, Ganga type).
  - **Deccan Plateau:** Aw (Tropical, Winter dry).
  - **Western Ghats:** Amw (Tropical Monsoon).
  - **Coromandel Coast:** As (Tropical, Summer dry).
  - **Arunachal/North East:** Dfc (Cold, Humid).
  - **Thar Desert**: BWh (Dry, Desert, Hot).
  - **Ladakh:** E (Polar/Tundra).

- **Marine West Coast:** Because it is near the sea (coast), it experiences the **Moderating Influence of the Sea,** meaning summers aren't too hot and winters aren't too cold.

- **In contrast, Continentality Effect** in the interior of lands causes extreme temperatures (high diurnal and annual range of temperature).

Q33. Which of the following is NOT included in the four official meteorological seasons of India?

NTPC UG CBT-01 2025-26 (15 Jun, 2026 (4:30 PM - 6:00 PM)

A. Winter season
B. Summer season
C. Spring season
D. Rainy season

- **The IMD recognizes** Winter, Summer (Pre-monsoon), Monsoon (Rainy), and Post-Monsoon (Retreating Monsoon).

Q34. Which of the following is a correct match of a climate type with its vegetation or features as per Koeppen's scheme of classification?

NTPC UG CBT-01 2025-26 (08 May, 2026 (4:30 PM - 6:00 PM)

A. Aw – Deciduous forests and tree-shredded grasslands
B. Cfa – Cold desert and permafrost
C. BWh – Dense evergreen canopy
D. ET – Tropical rainforest

- **ET (Tundra)** has no trees, only mosses.
- **BWh (Desert)** is dry, no dense canopy.
- **Dfc is Cold Snow Forest**, not a cold desert (which would be BWk).
- **Aw (Tropical Savanna/Winter Dry)** supports Deciduous forests (found in the Deccan).

Q35. Which of the following climatic regions has permafrost soil and low vegetation like mosses and lichens?

NTPC UG CBT-01 2025-26 (08 May, 2026 (4:30 PM - 6:00 PM)

A. Aw – Tropical wet and dry climate
B. Cfb – Marine west coast climate
C. ET – Tundra climate
D. BSh – Subtropical steppe climate

- **Mosses (Bryophyta/Funaria):** Known as the amphibians of the plant kingdom.
- **Lichens**: A symbiotic relationship between Fungi (provides shelter) and Algae (makes food). They are natural indicators of climate change/pollution.

Q36. Which of the following natural regions is dominated by xerophytic or drought-resisting scrub with long roots and few or no leaves?

NTPC UG CBT-01 2025-26 (09 May, 2026 (4:30 PM - 6:00 PM)

A. British type cool temperate region
B. Mediterranean woodland
C. Steppe grasslands
D. Hot desert (Sahara type) region

- **Xerophytes are plants adapted to dry habitats** (e.g., Cactus, Babul in Thar/Sahara).

Q37. Which season in India is characterised by hot, dry winds known as 'Loo'?

NTPC UG CBT-01 2025-26 (09 May, 2026 (9:00 AM - 10:30 AM)


A. Summer season
B. Retreating monsoon
C. Pre-monsoon showers
D. Cold weather season



Q38.The Tibetan Plateau, often referred to as the Roof of the World, represents which type of natural vegetation region?

NTPC UG CBT-01 2025-26 (07 May, 2026 (4:30 PM - 6:00 PM)

A. Polar Desert
B. Alpine Tundra
C. Arctic Tundra
D. Temperate Grassland



Q39.Which of the following best explains the difference between weather and climate?

NTPC Graduation CBT-01 2025-26 (22 Mar, 2026 Shift 3)

A. Weather refers to short-term changes; climate refers to long-term patterns
B. Weather refers to long-term trends; climate refers to short-term changes
C. Weather and climate mean exactly the same phenomenon
D. Weather is permanent in nature; climate is temporary in nature

- **Climate is determined by taking** the average data over **approximately 30 years.**

Q40.Mango showers occur in which of the following groups of states?

NTPC Graduation CBT-01 2025-26 (19 Mar, 2026 Shift 2)

A. Karnataka and Kerala
B. Bihar and West Bengal
C. Andhra Pradesh and Telangana
D. Kerala and Tamilnadu

Q41. Which of the following options explains the variation in temperature between coastal and interior parts of India?

RRB NTPC UG CBT-01 2024 (09 Sept, 2025 Shift 3)

A. Altitude
B. Continentality
C. Pressure belts
D. Latitude



- **Interior parts face Continentality** (extreme temperatures).
- **Coastal parts face the Moderating Influence of the Sea.**

Q42. The western cyclonic disturbances that enter the Indian subcontinent from west and northwest during winter originate from which region?

RRB NTPC UG CBT-01 2024 (13 Aug, 2025 Shift 3)

A. Mediterranean Sea
B. Black Sea
C. Baltic Sea
D. North Atlantic Ocean

Q43. What is the area around the equator called where the trade winds from both hemispheres converge?

RRB NTPC UG CBT-01 2024 (11 Aug, 2025 Shift 3)

A. Polar Front
B. Subtropical High
C. Horse Latitudes
D. Inter-Tropical Convergence Zone (ITCZ)

- **The ITCZ is not static;** it shifts north and south with the apparent movement of the sun. (e.g., in July it shifts to 20-25° North latitude).
- **Horse Latitudes / Subtropical High:** 30° North and 30° South.
- **Roaring 40s, Furious 50s, Shrieking 60s:** High-speed Westerlies in the Southern Hemisphere because there is less landmass to block the wind.
- **Front**: A boundary where a Warm Air Mass meets a Cold Air Mass. Formation is "Frontogenesis", dissipation is "Frontolysis". It causes Temperate Cyclones.

Q44. Which natural formation in northwest India initiates a low pressure area during the summer months?

RRB NTPC UG CBT-01 2024 (11 Aug, 2025 Shift 1)

A. Thar Desert
B. Ganges Basin
C. Aravalli Hills
D. Satpura Mountains

Q45. The role of the Himalayas in shaping India's climate includes all, EXCEPT which of the following?

RRB NTPC Graduation CBT-01 2024 (10 Jun, 2025 Shift 1)

A. Blocking cold winds from Central Asia
B. Acting as a barrier to southwest monsoon winds
C. Contributing to snowfall in northern India
D. Creating convection currents

- **Himalayas also block the South-West monsoon winds** from crossing over into Tibet, causing heavy rain in India.
- They contribute to snowfall in Northern India due to high altitude.



FOREST & GRASSLANDS


Q46. Which tree species is most commonly associated with India's tropical deciduous forests?

NTPC UG CBT-01 2025-26 (19 Jun, 2026 (12:45 PM - 2:15 PM)

A. Pine
B. Fir
C. Teak
D. Oak

- **Tropical Deciduous Forests (Monsoon Forests):** Cover the largest area in India.
  - **Moist Deciduous (150-200 cm rain):** Sal, Teak, Neem, Shisham, Sandalwood, Mahua.
  - **Dry Deciduous (70-150 cm rain):** Palash, Khair, Neem. Known as **"Parkland Landscape".**

- **Coniferous Forests:** Pine, Cedar.
- **Tropical Evergreen Forests:** Ebony, Mahogany, Cinchona (bark used to make Quinine for Malaria), Rosewood, Epiphytes.



- **Thorn Forests:** Leaves are modified into thorns to prevent water loss via stomata. Tussocky grass (Guchha grass) and Babul grow here.
- **Montane Forests:** Shola forests are the temperate grasslands/forests found in the Western Ghats.
- **Mangrove / Littoral & Swamp Forests:** Found in coastal/marshy areas (Sundarbans). They have "**Pneumatophores**" (breathing roots) because they are **Halophytes** (salt-tolerant). Some exhibit "**Vivipary**" (seeds germinate while still attached to the parent tree).

Q47. In which kind of forest do the plants remain leafless for most of the year?

NTPC UG CBT-01 2025-26 (16 Jun, 2026 (9:00 AM - 10:30 AM)

A. Evergreen forests
B. Montane forest
C. Tropical thorn forest
D. Littoral and swamp forest

- **An evergreen forest** is a forest made up of trees that retain their green foliage and leaves year-round rather than shedding them all at once during a specific season.
  - **Rainfall**: more than 200cm
  - **Vegetation**: Ebony, mahogany, rosewood, cinchona, aini, epihytes and rubber.
- **A forest canopy** is the high, roof-like layer formed by the interlocking branches and leaves of mature trees

Q48. Which type of natural vegetation is typically found in regions with high temperature, high humidity, and rainfall exceeding 200 cm annually?

NTPC UG CBT-01 2025-26 (15 Jun, 2026 (4:30 PM - 6:00 PM)

A. Temperate grasslands
B. Thorn and scrub vegetation
C. Tropical evergreen forests
D. Tropical deciduous forests

- **Found in India on the Western slope of Western Ghats, Andaman & Nicobar Islands, and parts of the North-East.**
  - They have a dense canopy and trees do not shed their leaves all at once.

Q49. Which of the following is an animal that belongs to the Tundra type of natural vegetation?

NTPC UG CBT-01 2025-26 (14 Jun, 2026 (9:00 AM - 10:30 AM)

A. Iberian Lynx
B. Jackal
C. Walrus
D. Desert horned viper

Q50. Which of the following types of natural vegetation is also called 'taiga'?

NTPC UG CBT-01 2025-26 (13 Jun, 2026 (4:30 PM - 6:00 PM)

A. Tropical Grasslands
B. Mediterranean Vegetation
C. Coniferous Forests
D. Temperate Deciduous Forests

- Trees are cone-shaped (Pine, Cedar, Deodar).
- **Temperate Deciduous**: Birds like **Pheasants and Monal are found here** (e.g., in Uttarakhand).
- **Mediterranean Vegetation: Famous for Citrus fruits.** Has Dry Summers and Wet Winters (rain brought by Westerlies/Jet streams).
  - **Koeppen symbol: Cs.**

Q51. Which climatic factor plays the most significant role in shaping the distribution of natural vegetation across India?

NTPC Graduation CBT-01 2025-26 (27 Mar, 2026 Shift 3)

A. Soil nutrient quality
B. Annual precipitation (>250 cm)
C. Altitudinal gradient
D. Mean annual temperature variations

Q52. Which of the following is a major difference between planted and natural vegetation?

RRB NTPC UG CBT-01 2024 (04 Sept, 2025 Shift 1)

A. Presence of fruits
B. Place of origin
C. Human supervision involved
D. Number of leaves

Q53. In which of the following groups of states are the lower regions of the Western Ghats located where subtropical vegetation is found?

RRB NTPC UG CBT-01 2024 (28 Aug, 2025 Shift 3)

A. Madhya Pradesh, Maharashtra and Karnataka
B. Gujarat, Maharashtra and Kerala
C. Kerala, Tamil Nadu and Karnataka
D. Andhra Pradesh, Kerala and Goa

Q54. Birch and Rhododendrons are found in which kind of forests?

RRB NTPC UG CBT-01 2024 (29 Aug, 2025 Shift 1)

A. Tropical Evergreen and Semi Evergreen forests
B. Tropical Thorn forests
C. Montane forests
D. Littoral and Swamp forests

Q55. Which valuable tree grows mainly in the western Himalayas and is used in construction?

RRB NTPC UG CBT-01 2024 (22 Aug, 2025 Shift 2)

A. Magnolia
B. Rhododendron
C. Cinchona
D. Deodar

Q56. Which of the following forests are predominantly found in areas receiving annual rainfall between 100 cm and 200 cm in India?

RRB NTPC Graduation CBT-01 2024 (10 Jun, 2025 Shift 3)

A. Thorn forests
B. Tropical evergreen forests
C. Alpine forests
D. Tropical deciduous forests

- **These are also the predominant forests found in the foothills of the Himalayas.**

- **World Grasslands**
  - **Prairies**: North America.
  - **Steppes**: Eurasia / Asia. (Trick: Step by Step – SSC, Railway, PCS, IAS).
  - **Velds**: South Africa. (Trick: AB de Villiers does 'welding' jobs now).
  - **Savanna**: Africa. (Trick: 'Sab aana' free ka).
  - **Downs**: Australia. (Trick: Down under).
  - **Llanos**: Venezuela. (Trick: Thanos is from Venezuela).
  - **Campos**: Brazil. (Trick: BC – Brazil Campos).
  - **Pampas**: Argentina (implied/common knowledge often taught with this list, though he didn't explicitly write it, he mentioned basic associations).
- **Shifting Cultivation Names (Re-visited):**
  - **Brazil**: Roca.
  - **Venezuela**: Conuco.



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW



JOIN NOW