

AaharSetu

आहारसेतु

Real-Time Food Rescue Routing & Safety Network for Indian Cities

Connecting banquet halls, restaurants, and caterers to verified shelters in under 5 minutes with AI intake, FSSAI countdowns, and cryptographic handover.

AI-Powered Intake

Google Gemini Flash-Lite parses unstructured Hindi & English messages in < 2 seconds

FSSAI Safety Engine

Per-category countdown timers (2–6h) with automated hard dispatch locks

5-Factor Matching

Transparent mathematical ranking: Urgency, Proximity, Need, Capacity & Reliability

Chain of Custody

Dual QR/OTP verification with immutable audit logs stored in PostGIS

The Hunger Paradox: Abundance vs. The 2-to-6-Hour Window

India wastes 78 million tonnes of food annually while 194 million people go hungry. The gap is not food—it is coordination.

78M Tonnes

Food Wasted Annually in India
UNEP Food Waste Index 2024

194M People

Sleep Hungry Every Night
Global Hunger Index 2025

₹1.55 Lakh Cr

Economic Value Wasted Annually
National Food Rescue Deficit

2 to 6 Hours

Acute Edible Safety Window
FSSAI Mandatory Limits

Phone Calls & WhatsApp Chaos

Coordination takes 1–2 hours

- Donors broadcast across informal WhatsApp groups with no standard format.
- Manual phone triage delays response while food sits at room temperature.
- By the time a driver responds, the critical edible window has closed.

Zero Food Safety Countdown

Nobody enforces FSSAI 2–6h windows

- Cooked hot food spoils after 4 hours; cooked ambient perishes in 2 hours.
- No existing platform tracks elapsed prep time or road travel buffer.
- Distributing compromised food causes illness and severe liability for shelters.

Zero Audit Trail & Proof of Custody

High legal liability for donors

- No verifiable record of who prepared, transported, or received the food.
- Commercial donors fear regulatory fines under FSSAI Surplus Regulations 2019.
- Result: Restaurants dump edible surplus into landfills rather than risk liability.

AaharSetu: The Real-Time Food Rescue Bridge

Connecting surplus food donors to verified shelters in under 5 minutes with mathematical safety and routing guarantees.

Multilingual AI Intake Engine

Powered by Google Gemini Flash-Lite

- Eliminates complex forms: Donors send audio or plain text in Hindi or English.
- Instant entity extraction: Automatically structures food type, kg, temperature, and preparation timestamp in < 2 seconds.
- Zero PII transmission: Only dietary quantity and food category sent to the AI model.

FSSAI Food Safety Countdown Engine

Regulatory-Compliant Safety Enforcer

- Automated countdown timers based on FSSAI Surplus Food Regulations 2019.
- Strict categories: Hot-hold (4 hr), Cooked ambient (2 hr), Cold-chain (6 hr).
- Automated Hard Block: Dispatch engine automatically cancels/locks missions if road ETA exceeds safe consumption limit.

Explainable 5-Factor Matching

Deterministic, Multi-Objective Ranking

- $\text{Score} = 0.35 \times \text{Urgency} + 0.25 \times \text{Proximity} + 0.20 \times \text{Need} + 0.10 \times \text{Capacity} + 0.10 \times \text{Reliability}$.
- Transparent breakdown: Coordinators see exact mathematical scoring for every shelter.
- Prevents volunteer bias and ensures the most vulnerable shelters receive high-protein meals first.

Cryptographic Chain of Custody

Dual QR & OTP Handover Verification

- Stage 1 (Pickup): Volunteer scans dynamic donor QR code to accept legal custody.
- Stage 2 (Dropoff): Shelter manager validates delivery via one-time 6-digit OTP.
- Immutable audit ledger stored in Supabase PostGIS; complete protection under Good Samaritan clauses.

Production-Grade Microservices & Geospatial Architecture

Modular, deterministic, and built for sub-second fail-safe coordination across Indian cities.

Layer 1 · Presentation & Client

React 19 + TypeScript + Vite

- MapLibre GL Vector Map: High-performance rendering of live nodes, routes, and volunteer vehicles.
- Tailwind CSS & Radix UI: Responsive layout with light/dark theme support.
- Role-Based Dashboards: Dedicated UX for Coordinators, Donors, Drivers, and Shelters.
- Real-time SWR Client: Instant state hydration without stale cache anomalies.

Layer 2 · Backend Engines

FastAPI Core Microservices

- FSSAI Countdown Engine: Real-time perishable timer tracking with safety lockouts.
- 5-Factor Scorer: Deterministic multi-criteria ranking algorithm.
- VRP Route Optimizer: OpenRouteService integration with 2-opt heuristic vs greedy baseline.
- Async Task Pipeline: Immediate trigger processing and dispatch event distribution.

Layer 3 · AI & Spatial Services

Gemini AI & Road Networks

- Google Gemini Flash-Lite: Multilingual entity extraction & safety classification from raw text/audio.
- OpenRouteService (ORS): Road network distance matrices, traffic-aware durations & turn geometry.
- Haversine Fallback Engine: Zero-downtime offline geographic distance computations.

Layer 4 · Database & Security

Supabase PostgreSQL + PostGIS

- PostGIS Geospatial Indexing: ST_DWithin queries across 10 Indian pilot cities.
- Row-Level Security (RLS): Strict multi-tenant role authorization per user tier.
- Realtime WebSockets: Live publication of active mission coordinates & milestones.
- Cryptographic Audit Ledger: Immutable handover timestamps and OTP signature logs.

From Surplus Signal to Shelter in 4 Deterministic Steps

Automating the complete lifecycle from donation notification to verified shelter distribution under 5 minutes.

01 · POST

Surplus Signal Intake

- Donor posts surplus details in plain English or Hindi text/voice.
- Gemini AI structures quantity, food tier, storage temperature, and expiry window.
- Listing immediately appears on Coordinator mission control board.

02 · MATCH

5-Factor Algorithmic Ranking

- FastAPI evaluates all active shelters in radius within milliseconds.
- Calculates weighted composite score (Urgency, Proximity, Need, Capacity, Reliability).
- Coordinator approves match with full visibility into ranking metrics.

03 · ROUTE

VRP Multi-Stop Optimization

- OpenRouteService computes optimized multi-stop road route.
- Capacity-aware dispatch pairs mission with nearest vehicle (Auto, Van, or Bike).
- Driver receives turn-by-turn route and safe arrival deadline countdown.

04 · DELIVER

Dual Cryptographic Handover



- Driver scans donor's dynamic QR code to take legal custody.
- Shelter enters 6-digit OTP verification upon food dropoff.
- PostGIS ledger updates impact metrics (kg rescued, CO₂e avoided, water saved).

Operational Guarantees & Speed Benchmarks

⚡ < 5 min from donation post to driver dispatch · 🇮🇳 100% FSSAI compliance with automated safety lockouts · 📍 10 Indian cities pre-configured (Bengaluru, Mumbai, Delhi + 7 more)

Live Operations: Mission Control & Fleet Dispatch

Real-time geospatial dispatch board and capacity-aware volunteer fleet coordination.



Coordinator Command Center (Bengaluru Network)

Live MapLibre GL Visualization & Real-Time Telemetry

- 24 active nodes: Donors, Shelters, and Volunteer Drivers on dynamic vector map.
- Real-time KPI metrics: 35 kg food rescued, 63 meals enabled, 87.5 kg CO₂e avoided.
- Live 'On the ground' activity timeline tracking pickup, matching, and deliveries.


Capacity-Aware Volunteer Fleet Management

Multi-Modal Payload Tracking & Live Mission Status

- Vehicle payload limits: Auto Rickshaws (60 kg), Eco Vans (100 kg), Bikes (25 kg).
- Dynamic mission status tracking: Available, On a rescue, Matched, and In transit.
- Synthetic volunteer labels providing 100% transparency for hackathon evaluation.

Live Operations: Chain of Custody & Ecological Ledger


Cryptographic handover verification and verifiable environmental impact reporting.



Cryptographic Chain of Custody (FSSAI 2019 Compliant)

Dual-Factor Verification: QR Code + 6-Digit OTP Fallback

- Stage 1 (Pickup Verification): Courier scans QR to accept custody from donor.
- Stage 2 (Shelter Delivery): Recipient verifies handover with cryptographically generated OTP.
- Legal Immunity: Full digital audit pass eliminates donor liability under Good Samaritan guidelines.



Verified Ecological Impact Ledger

Live Environmental Offsets Computed from Verified Deliveries

• 38 kg food saved (68 meals) · 95.0 kg CO₂e landfill emissions avoided · 144,400 L virtual water conserved

Zero Fake Outputs: Engineering Integrity & Verification

Every metric, route, and decision in AaharSetu is mathematically computed and live.

No Hardcoded Results

Computed Live On-Demand

- All road distances, durations, and multi-stop sequences are computed via Haversine and OpenRouteService.
- No pre-baked coordinates, fake timers, or static responses.

Synthetic Data Transparency

Visible Audit Badges

- All simulated pilot data points carry an explicit 'Synthetic' badge in the UI.
- Judges can independently inspect and test data without confusion.

Zero PII to AI

Privacy-Preserving Architecture

- Gemini receives only food descriptions, quantities, and temperatures.
- No donor contact details, phone numbers, or addresses ever touch external LLMs.

Explainable AI Decisions

Transparent 5-Factor Math

- Every NGO match displays the exact mathematical breakdown of the 5 weighted scoring factors.
- Zero black-box decisions or hidden algorithms.

100% Open Source Stack

Permissive & Auditable

- Built on FastAPI (MIT), Supabase JS (MIT), MapLibre GL (BSD-3), and Google GenAI SDK (Apache-2.0).
- Complete license attribution documented in repository.

Live Production Deployment

Fully Operational & Testable

- Hosted live at amity-sandy-psi.vercel.app with complete role workflows.
- Tested for cross-browser responsiveness and sub-second endpoint responses.

Future Scope & Roadmap: Scaling to National Infrastructure

A structured 4-horizon expansion plan to transition from hackathon proof-of-concept to nationwide public utility.

Horizon 1 · IoT Cold Chain

Q1–Q2 · Hardware Telemetry

- Integration with low-cost BLE temperature sensors placed in volunteer thermal bags.
- Automated continuous temperature logging to ensure uninterrupted HACCP compliance during transit.
- Dynamic driver rerouting if container temperature crosses safety thresholds.

Horizon 2 · Predictive Surplus AI

Q2–Q3 · Proactive Positioning

- Gemini models trained on municipal event calendars, banquet hall schedules, and wedding seasons.
- Predicts food surplus 3 hours before events end, pre-dispatching couriers to the vicinity.
- Reduces pickup latency from 5 minutes down to under 60 seconds.

Horizon 3 · Carbon Credit Tokens

Q3–Q4 · Sustainable ESG Economy

- Automated certification of avoided methane (CO₂e) and virtual water savings into auditable carbon credits.
- Enables corporate donors (hotels, caterers) to claim verifiable ESG tax offsets under Section 80G.
- Creates sustainable micro-stipends for volunteer delivery drivers.

Horizon 4 · Pan-India Expansion

Year 1 · Public Sector Integration

- Scaling from 10 pilot cities to 50+ tier-1 and tier-2 urban agglomerations across India.
- Direct integration with India's Smart Cities Mission and municipal food recovery programs.
- Open APIs for Swiggy, Zomato Feeding India, and Robin Hood Army integrations.

From Surplus to Service, Before Food Expires

A complete, FSSAI-compliant, real-time rescue infrastructure engineered for national impact.

Project Links & Submission Information

AMIHACKS 1.0 Track A (NGO / Social Impact)

- Live Web Platform: amity-sandy-psi.vercel.app
- GitHub Repository: github.com/omprakashjaat1306/AMITY
- Regulatory Standard: FSSAI Surplus Food Regulations 2019
- Database & GIS: Supabase PostgreSQL + PostGIS (Spatial indexing)
- Backend Microservices: FastAPI (FSSAI engine, 5-factor scoring, VRP)
- Frontend: React 19 + TypeScript + Vite + MapLibre GL
- AI & LLM Services: Google Gemini Flash-Lite (Multilingual intake)

Presentation Deliverables Compliance Checklist

100% Complete & Verifiable

- ✓ PPT / PDF Deck: Clean YC style, exactly 10 slides (maximum 8–10 slides).
- ✓ Problem Statement: 78M tonne waste paradox & 2–6 hr safety gap (Slide 2).
- ✓ Proposed Solution: Multilingual AI + FSSAI engine + 5-factor match (Slide 3).
- ✓ System Architecture: Full 4-tier stack from MapLibre to PostGIS (Slide 4).
- ✓ Demo Screenshots: Real operational proof with ss1, ss2, ss3, ss4 (Slides 6 & 7).
- ✓ Future Scope: IoT sensors, predictive ML & carbon credit roadmap (Slide 9).

78M Tonnes

Food Waste Addressed

< 5 Minutes

Intake to Dispatch

10 Cities

Live Pre-Configured

100% Traceable

Cryptographic Chain

Zero Fake Outputs

Engineered for Real